Synthetic Training Laboratory

SIMULATION ONLY

LABORATORY REPORT

VERSION 1

LABORATORY REPORT — SIMULATION ONLY

Patient: Demo Patient Training

Patient code: PAT-SYNTHETIC

Birth date: 2000-01-15

Sex: F | Age at report: 26

Requesting physician: Demo Requesting Physician

Priority: ROUTINE

Order: ORD-SYNTHETIC-001

Scan to verify authenticity

RPT-SYNTHETIC-001 | Version 1 | RELEASED

Requested: 22 Oct 2026 16:40 UTC

Generated: 22 Oct 2026 16:40 UTC

Approved: 22 Oct 2026 16:40 UTC

Released: 22 Oct 2026 16:40 UTC

Laboratory results

Hematology

TEST	FLAG	RESULT	UNIT	REFERENCE RANGE
Hemoglobin		13.5	g/dL	

Specimen details

Specimen: SP-SYNTHETIC-001

Sample type: EDTA Whole Blood

Collected: 22 Oct 2026 16:40 UTC

Received: 22 Oct 2026 16:40 UTC

Hemoglobin — test details

Verified: 22 Oct 2026 16:40 UTC

Flags are supplied by the laboratory workflow. Bold flags and results identify recorded abnormal findings.

Report remarks

SIMULATION ONLY — Fictional result for system testing.
No actual laboratory examination performed.

Authorized signatories

Demo Signer
MEDICAL TECHNOLOGIST
Simulation Report Signer
Electronically signed: 22 Oct 2026 16:40 UTC

NOT FOR CLINICAL USE — Fictional training data.