KENYA MEDICAL TRAINING COLLEGE
FACULTY OF NURSING SCIENCES
DEPARTMENT OF NURSING

YEAR ONE, END OF SEMESTER TWO EXAMINATION
FOR
DIPLOMA IN COMMUNITY HEALTH NURSING

PAPER: PHARMACOLGY NURSING II.

DATE:	**TIME: 3 HOURS (9:00 A.M – 12 NOON)**

INSTRUCTIONS

1. This paper consists of:
   - Section 1 (20 Multiple Choice Questions)
   - Section 2 (8 Short Answer Questions)
   - Section 3 (2 Long Answer Questions)
2. Attempt **ALL** Questions
3. Write the **COLLEGE NUMBER** given on all the answer sheets provided and on the question paper.
4. Ensure that all examination answer scripts are handed in at the end of the examination
5. Ensure you sign the examination register provided

COLLEGE NUMBER .....

1. A patient taking a calcium channel blocker experiences- orthostatic hypotension. The nurse instructs the patient with orthostatic hypotension to .
   A. remain in a supine position until the effects subside
   B. make position changes slowly to minimize hypotensive effects
   C. increase the dosage of the calcium channel blocker
   D. discontinue use of the calcium channel blockeruntil the hypotensive effects diminish
2. The peripheral vasodilation drugs are contraindicated in patients .
   A. with arthritis
   B. with hypertension
   C. with elevated blood cholesterol levels
   D. during the immediate postpartum period
3. Cardio-selective beta-blockers bind to:-
   a) Beta 1 receptors
   b) Alpha receptors
   c) Beta 2 receptors
   d) Delta receptors
4. When managing a patient receiving a loop or thiazide diuretic for CHF, monitor the patient for which electrolyte imbalance:
   A. Hypernatremia
   B. Hyponatremia
   C. Hyperkalemia
   D. Hypokalemia
5. An antidote of midazolam overdose is;
   A. Protamine
   B. Atropine
   C. Flumazenil
   D. Naloxone
6. The principal mechanism of mono amine oxidase (MAO) inhibitor action is:
   A. Blocking the amine reuptake pumps, which permits to increase the concentration of the neurotransmitter at the receptor site
   B. Blocking a major degradative pathway for the amine neurotransmitters, which permits more amines to accumulate in presynaptic stores
   C. Inhibition the storage of amine neurotransmitters in the vesicles of presynaptic nerve endings
   D. Antagonism of alpha2-norepinephrine receptors

7. Anxiolytic agents should:
   A. Relieve pain
   B. Reduce anxiety and exert a calming effect
   C. Improve mood and behavior in patient with psychotic symptoms
   D. Produce drowsiness, encourage the onset and maintenance of a state of sleep
8. The following antidiabetic drugs Increases target cell sensitivity to insulin.
   A. Troglitazone
   B. Glymidine
   C. Acarbose
   D. Metformin
9. The following symptoms would alert the nurse to a possible hyperglycemic reaction:
   A. Fatigue, weakness, confusion
   B. Pale skin, elevated temperature
   C. Thirst, abdominal pain, nausea
   D. Rapid, shallow respirations, headache, nervousness
10. The standard replacement therapy for hypothyroidism is:-
   A. Radioactive iodine
   B. Lugol's iodine
   C. Thyroxine
   D. Liothyronine
11. Oral Antidiabetics that works by stimulating beta cells to secrete more insulin and increase receptor sites in the tissues are classified as:
   A. Alfa-Glucosidase Inhibitors
   B. Biguanides
   C. Sulfonylureas
   D. Thiazolidinediones
12. When an anticholinergic drug is prescribed for the treatment of a peptic ulcer, the nurse observes the patient for which of the following adverse effects?
   A. Dry mouth, urinary retention
   B. Edema, tachycardia
   C. Weight gain, increased respiratory rate
   D. Diarrhea, anorexia
13. A patient on anti-ulcer therapy complains of reduced libido and impotence. The nurse informs him that it may be associated with:
   A. Nizatidine
   B. **Cimetidine**
   C. Ranitidine
   D. Famotidine
14. Combination of drugs recommended for patients who test positive for *H. pylori*:-
   A. Proton pump inhibitor plus clarithromycin or metronidazole plus amoxicillin for 2 weeks
   B. Histamine 2 antagonist plus clarithromycin or metronidazole plus antacid

C. Cemetidine, omeprazole plus Proton pump inhibitor and amoxicillin
D. Ranitidine, amoxicillin and Proton pump inhibitor

15. One use of skeletal muscle relaxants as part of general anesthesia is to .
    A. prevent movement during surgery
    B. facilitate insertion of the endotracheal tube
    C. allow for deeper anesthesia
    D. produce additional anesthesia
16. Mechanism of action of adsorbent antidiarrheals includes;
    A. Bind to the causative bacteria or toxin, which is then eliminated through the stool
    B. Decrease intestinal muscle tone and peristalsis of GI tract
    C. Decrease bowel motility and relieve rectal spasms
    D. Decrease transit time through the bowel, allowing more time for water and electrolytes to be absorbed
17. Olanzapine belongs to which class drugs:-
    A. Typical anti-psychotics
    B. Atypical anti-psychotics
    C. Thiazides
    D. Cannabinoids
18. The extrapyramidal side effects of antipsychotic drugs include:
    A. Tardive dyskinesia, opisthortonos, hallucinations
    B. Parkinsonism, tardive dyskinesia, opisthortonos
    C. Hallucinations, excessive appetite, akinesia
    D. Impotence, echolalia, opisthortonos.
19. Tricyclic antidepressants (TCAs) include:
    A. Amitriptyline, imipramine
    B. Clomipramine, Olanzapine
    C. Sertraline, , imipramine
    D. Olanzapine,carbamazepine
20. Digoxin toxicity can occur in the presence of: -
    A. Low calcium levels
    B. Low sodium levels
    C. Low potassium levels
    D. High potassium levels

SECTION 2: SHORT ANSWER QUESTIONS (40 MARKS)

1. Outline Six (6) causes of drug non adherence (6 marks)
2. Outline five (5) specific nursing responsibilities for patient a receiving Heparin medication (5 marks)
3. State five health messages a nurse will share with a patient on calcium channel blocking agents: (5 marks)
4. Briefly explain how Angiotensin converting enzyme inhibitors (ACEI) work to

control the blood pressure (6 marks)

5. Outline four (4) indications of loperamide (4 marks)
6. State four (4) mechanisms of actions of anticonvulsants (4 Marks)
7. List FOUR (4) classification of antiretroviral agents giving at least TWO examples in each (4) marks)
8. Outline six (6) nursing consideration for a patient on insulin (6 Marks)

SECTION 3: LONG ANSWER QUESTIONS (40 MAARKS)

1. Mr. P, 55 years old was diagnosed to have congestive heart failure.The doctor reviewed him and prescribed a cardiac glycoside in his management.

   A. State two (2) types of cardiac glycoside (2 marks
   B. Outline the mechanism of action of cardiac glycosides. 2 mark
   C. State four (4) indications of cardiac glycoside 4 marks
   D. Describe the nursing responsibility when administering cardiac glycosides.12 marks

2. Peptic ulcer dieases drugs;
   a. Outline three(3) classes of peptic ulcer drugs, giving two(2) example of drug in each class. (6 marks)
   b. State four (4) indications of Rabeprazole (4 marks)
   c. State five (5) side effects of prolonged use of ati-ulcer drugs (5 marks)
   d. Outline five(5) health messages you will share with a patient with peptic ulcers (5 marks)