Db name is Events dev

Q filter			CREATE COLLECTION						
∨ EventsDev	⊕ 🗑		Collection Name ▲	Documents	Avg. Document Size	Total Document Size	Num. Indexes	Total Index Size	
events			events	7	512.4 B	3.5 KB	1	36.0 KB	🗑
postalCodes			postalCodes	41,466	204.3 B	8.1 MB	1	376.0 KB	🗑
＞ EventsTest									
＞ admin									
＞ config									
＞ crunchbase									

- Db name is EventsDev
- Data for the collections is in doc-and-admin
- Import via Compass

- Picture has db name 'NewEventsDev' but yours will be 'EventsDev'
-

- Go into the events collection which will be blank
-

Select file to import ✕

klequis dev wk events doc-and-admin **data-collections**

Places
- Search
- Recently Used
- klequis
- Desktop
- File System
- klequis@gm

Name	Size	Modified
events-collection.json	4.3 kB	Yesterday at 15:54
postalCodes.json	11.6 MB	Wednesday

json file ▼

Cancel   Open

+ −

- Select Collec>Import Data
- Browse for the file
- The collection should now have 7 documents

Import To Collection NewEventsDev.events ✕

Select Input File Type

JSON   CSV

Select File

/home/klequis/dev/wk/events/doc-and-admin/data-collections/events-colle   ▷ BROWSE

CANCEL   IMPORT

- Create collection named 'postalCodes'
- Open the collection
- Select Collection>Import Data
- Click Import

- Clicking on the database on the left to show both collections you should see the number of documents as shown
- It seems to take some time for the postalCodes document count to show.

	Collection Name ▲	Documents	Avg. Document Size	Total Document Size	Num. Indexes	Total Index Size	
> EventsDev							
∨ EventsDevNew ⊕ 🗑	events	7	512.4 B	3.5 KB	1	16.0 KB	🗑
events							
postalCodes	postalCodes	41,466	204.3 B	8.1 MB	1	376.0 KB	🗑
> EventsTest							
> admin							
> config							
> crunchbase							

Client Setup

- Get the latest dev branch from GitHub
- `$ rm -rf node_modules`
- `$ rm yarn*`
- `$ yarn`
- It should start now
- Make sure you have the .env

Server Setup

- Get the latest dev branch from GitHub
- `$ rm -rf node_modules`
- `$ rm yarn*`
- `$ yarn`
- Make sure you have the .env

```
Help

⛁ .env        ✕

        You, 2 days ago | 1 author (You)
    1   MONGODB_URL_DEV=mongodb://localhost:27017
    2   MONGODB_URL_TEST=mongodb://localhost:27017
    3   MONGODB_URL_Prod=TBD
    4   DB_NAME_DEV=EventsDev
    5   DB_NAME_TEST=EventsTest
    6   DB_NAME_PROD=Events
    7   PORT=3030
    8   |
```

Should be working now