PRODUCTION SCHEDULE

The workroom collection.

The garden house · Alex & Morgan Taylor (fictional clients)
APX-SAMPLE · 2 windows

Apex allowance: every cut width uses the window's longest finished drop, as a full rectangle. No triangular offcuts are deducted. Quantities include the recorded extra allowance; suitable offcuts may be used for tiebacks after checking grain, pattern and size.

ROOM AND WINDOW	FACE FABRIC	LINING
Drawing room · Garden apex	19.30 m	19.30 m
Principal bedroom · Main window	8.58 m	8.58 m

Material order summary

Fabric · Illustrative collection SAMPLE-01 / 1400 mm roll · Warm flax	19.30 m
Lining · SAMPLE-BLACKOUT / 1400 mm roll · Ivory	27.88 m
Fabric · Illustrative collection SAMPLE-01 / 1400 mm roll · Soft sage	8.58 m

Confirm supplier order increments, required batch and availability before ordering. Widths = window width × fullness ÷ usable roll width, calculated once per window. Fractions below 0.4 round down; 0.4 and above round up, with a minimum of one width. Share widths between panels as required by the workroom cutting plan.

Standard curtain care

Professional dry cleaning only. Do not machine wash, hand wash, soak, bleach or tumble dry. Ask a curtain-cleaning specialist to check the sewn-in care labels, face fabric, lining, interlining and trims before treatment. If a label conflicts with this guide, contact Apex before cleaning.

Drawing room

Alex & Morgan Taylor (fictional clients) · APX-SAMPLE · All cutting dimensions in millimetres

FACE FABRIC / ORDER

19.30 m

5 widths × 3860 mm

Roll width: 1400 mm
Finished drop: 3600 mm
Top + bottom allowance: 260 mm
Extra ordered: 0 m

3200 × 2 ÷ 1400 = 4.571 widths before rounding

LINING / ORDER

19.30 m

5 widths × 3860 mm

Roll width: 1400 mm
Finished drop: 3600 mm
Top + bottom allowance: 260 mm
Extra ordered: 0 m

3200 × 2 ÷ 1400 = 4.571 widths before rounding

Lining order matches face fabric. Lining cutting requirement: 19.30 m. Width fractions below 0.4 round down; 0.4 and above round up. Quantities are per window, shared between panels. Every cut uses the longest drop plus hems and any pattern allowance.

01 / Window measurements

Two-sided apex; width 3200 mm; left 2400 mm; middle 3600 mm; right 2400 mm; longest 3600 mm.

Left slant 2000 mm; right slant 2000 mm; peak 1600 mm from left. Calculated from the entered dimensions, rounded to the nearest mm.

02 / Making & finishing

Fabric	Illustrative collection · Textured linen · SAMPLE-01 · Warm flax
Heading & panels	Double pinch pleat · 2× fullness · 2 panel(s) · Centre opening
Pattern	plain; vertical repeat 0 mm; horizontal 0 mm; motif allowance 0 mm
Making notes	Side hems 40 mm; seams 15 mm. Not added to width quantities.
Length & lining	Touching the floor · blackout · SAMPLE-BLACKOUT · Ivory
Tiebacks	2 × Matching fabric · Warm flax
Hooks / holdbacks	2 × Classic holdback · Bronze
Track	Forest Group CS® Contract System · White

Drawing room · notes & photographs

Soft, generous folds echo the height of the glazing, with warm natural tones that sit quietly beside the garden.

WORKROOM / MAIN WINDOW

Principal bedroom

Alex & Morgan Taylor (fictional clients) · APX-SAMPLE · All cutting dimensions in millimetres

FACE FABRIC / ORDER

8.58 m

3 widths × 2860 mm

Roll width: 1400 mm
Finished drop: 2600 mm
Top + bottom allowance: 260 mm
Extra ordered: 0 m

2200 × 2 ÷ 1400 = 3.143 widths before rounding

LINING / ORDER

8.58 m

3 widths × 2860 mm

Roll width: 1400 mm
Finished drop: 2600 mm
Top + bottom allowance: 260 mm
Extra ordered: 0 m

2200 × 2 ÷ 1400 = 3.143 widths before rounding

Lining order matches face fabric. Lining cutting requirement: 8.58 m. Width fractions below 0.4 round down; 0.4 and above round up. Quantities are per window, shared between panels. Every cut uses the longest drop plus hems and any pattern allowance.

01 / Window measurements

2200 mm width; 2600 mm finished drop.

Horizontal track.

02 / Making & finishing

Fabric	Illustrative collection · Textured linen · SAMPLE-01 · Soft sage
Heading & panels	Double pinch pleat · 2× fullness · 2 panel(s) · Centre opening
Pattern	plain; vertical repeat 0 mm; horizontal 0 mm; motif allowance 0 mm
Making notes	Side hems 40 mm; seams 15 mm. Not added to width quantities.
Length & lining	Touching the floor · blackout · SAMPLE-BLACKOUT · Ivory
Tiebacks	2 × Matching fabric · Soft sage
Hooks / holdbacks	2 × Classic holdback · Bronze
Track	Forest Group KS® Klick System · White

Principal bedroom · notes & photographs

Gentle sage and beautifully structured folds bring a restful rhythm to the bedroom. Ivory blackout lining completes the specification, with matching tiebacks and bronze details.