PRODUCTION SCHEDULE

The workroom collection.

The garden house · Alex & Morgan Taylor (fictional clients)
APX-SAMPLE · 2 windows

Apex allowance: every cut width uses the window's longest finished drop, as a full rectangle. No triangular offcuts are deducted. Quantities include the recorded extra allowance; suitable offcuts may be used for tiebacks after checking grain, pattern and size.

ROOM AND WINDOW	FACE FABRIC	LINING
Drawing room · Garden apex	23.16 m	22.20 m
Principal bedroom · Main window	11.44 m	10.80 m

Material order summary

Fabric · Illustrative collection SAMPLE-01 / 1400 mm roll · Warm flax	23.16 m
Lining · SAMPLE-BLACKOUT / 1400 mm roll · Ivory	33.00 m
Fabric · Illustrative collection SAMPLE-01 / 1400 mm roll · Soft sage	11.44 m

Confirm supplier order increments, required batch and availability before ordering. Full-width panel allocation is conservative; any alternative layout must be reviewed by the workroom.

Standard curtain care

Professional dry cleaning only. Do not machine wash, hand wash, soak, bleach or tumble dry. Ask a curtain-cleaning specialist to check the sewn-in care labels, face fabric, lining, interlining and trims before treatment. If a label conflicts with this guide, contact Apex before cleaning.

APEX CURTAINS

APEX · B287B2CE

Drawing room Garden apex



Two-sided apex · shape guide only · use the recorded site dimensions

COVERAGE AND FINISHED DROPS

Two-sided apex; width 3200 mm; left 2400 mm; middle 3600 mm; right 2400 mm; longest 3600 mm

SLANTS AND TRACK

Left slant 2000 mm; right slant 2000 mm; peak 1600 mm from left. Calculated from the entered dimensions, rounded to the nearest mm. Forest Group CS® Contract System · White

FABRIC

Illustrative collection · Textured linen · SAMPLE-01 · Warm flax; roll 1400 mm

HEADING AND FULLNESS

Double pinch pleat · 2× · 2 panel(s) · Centre opening

FACE FABRIC CUTTING

6 widths × 3860 mm; 23.16 m total

PATTERN

plain; vertical 0 mm; horizontal 0 mm; motif allowance 0 mm

MAKING ALLOWANCES

Heading and hem: 260 mm total per fabric width. Side hem 40; seam 15 mm. Returns 0; overlap 0 mm. Extra face fabric 0 m.

LINING

blackout · SAMPLE-BLACKOUT · Ivory; roll 1400 mm; 6 widths × 3700 mm; 22.20 m. Finished drop 3550 + allowance 150 mm; extra 0 m.

LENGTH AND INTERLINING

Touching the floor; No interlining

TIEBACKS AND HOOKS

2 × Matching fabric Warm flax; 2 × Classic holdback Bronze

Soft, generous folds echo the height of the glazing, with warm natural tones that sit quietly beside the garden.

APEX CURTAINS

STANDARD · D3E54284

Principal bedroom
Main window



Standard window · shape guide only · use the recorded site dimensions

COVERAGE AND FINISHED DROPS

2200 mm width; 2600 mm finished drop

SLANTS AND TRACK

Horizontal track. Forest Group KS® Klick System · White

FABRIC

Illustrative collection · Textured linen · SAMPLE-01 · Soft sage; roll 1400 mm

HEADING AND FULLNESS

Double pinch pleat · 2× · 2 panel(s) · Centre opening

FACE FABRIC CUTTING

4 widths × 2860 mm; 11.44 m total

PATTERN

plain; vertical 0 mm; horizontal 0 mm; motif allowance 0 mm

MAKING ALLOWANCES

Heading and hem: 260 mm total per fabric width. Side hem 40; seam 15 mm. Returns 0; overlap 0 mm. Extra face fabric 0 m.

LINING

blackout · SAMPLE-BLACKOUT · Ivory; roll 1400 mm; 4 widths × 2700 mm; 10.80 m. Finished drop 2550 + allowance 150 mm; extra 0 m.

LENGTH AND INTERLINING

Touching the floor; No interlining

TIEBACKS AND HOOKS

2 × Matching fabric Soft sage; 2 × Classic holdback Bronze

Gentle sage and beautifully structured folds bring a restful rhythm to the bedroom. Ivory blackout lining completes the specification, with matching tiebacks and bronze details.