



PART 1-PART 2 - Created the project folder and added the required file and saved the project README file



PART 3- copied the required GitHub repository URL.



STEP 4 - Opened the correct project folder and verified the files.

```
MINGW64:/c/Users/loren/OneDrive/Desktop/DemoAct2

loren@DESKTOP-CA7BTT8 MINGW64 ~/OneDrive/Desktop/DemoAct2
$ pwd
/c/Users/loren/OneDrive/Desktop/DemoAct2

loren@DESKTOP-CA7BTT8 MINGW64 ~/OneDrive/Desktop/DemoAct2
$ ls
DemoAct2.knwf  README.MD  student_performance_knime.csv.csv

loren@DESKTOP-CA7BTT8 MINGW64 ~/OneDrive/Desktop/DemoAct2
$
```

PART 5 - Configured the Git username and email.

```
MINGW64:/c/Users/loren/OneDrive/Desktop/DemoAct2

--bool          value is given this type
--int           value is "true" or "false"
--bool-or-int   value is decimal number
--bool-or-str   value is --bool or --int
--path          value is --bool or string
--path          value is a path (file or directory name)
--expiry-date   value is an expiry date

Other
--[no-]default <value>      with --get, use default value when missing entry
--[no-]comment <value>     human-readable comment string (# will be prepended as needed)
--[no-]fixed-value          use string equality when comparing values to value pattern
--[no-]includes             respect include directives on lookup

loren@DESKTOP-CA7BTT8 MINGW64 ~/OneDrive/Desktop/DemoAct2
$ git config --global user.name
Lorenzo Gabriel P. Elazegui

loren@DESKTOP-CA7BTT8 MINGW64 ~/OneDrive/Desktop/DemoAct2
$ git config --global user.email
lpelazegui@feuallabang.edu.ph

loren@DESKTOP-CA7BTT8 MINGW64 ~/OneDrive/Desktop/DemoAct2
$
```

PART 6 - Initialized the project folder as a Git repository.

```
MINGW64:/c/Users/loren/OneDrive/Desktop/DemoAct2
lpelazegui@feualabang.edu.ph

loren@DESKTOP-CA7BTT8 MINGW64 ~/OneDrive/Desktop/DemoAct2
$ git init
Initialized empty Git repository in C:/Users/loren/OneDrive/Desktop/DemoAct2/.git/

loren@DESKTOP-CA7BTT8 MINGW64 ~/OneDrive/Desktop/DemoAct2 (master)
$ git branch -M main

loren@DESKTOP-CA7BTT8 MINGW64 ~/OneDrive/Desktop/DemoAct2 (main)
$ git status
On branch main

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    DemoAct2.knwf
    README.MD
    student_performance_knime.csv.csv

nothing added to commit but untracked files present (use "git add" to track)

loren@DESKTOP-CA7BTT8 MINGW64 ~/OneDrive/Desktop/DemoAct2 (main)
$ git commit -m "Add KNIME workflow and project files"
On branch main

Initial commit

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    DemoAct2.knwf
    README.MD
    student_performance_knime.csv.csv

nothing added to commit but untracked files present (use "git add" to track)

loren@DESKTOP-CA7BTT8 MINGW64 ~/OneDrive/Desktop/DemoAct2 (main)
$ |
```

PART 7 - PART 8 - Added the project files and created the first commit and connected the local repository to GitHub.

```
loren@DESKTOP-CA7BTT8 MINGW64 ~/OneDrive/Desktop/DemoAct2 (main)
$ git remote add origin https://github.com/NzoWee/Elazegui-Lorenzo-CS0065-AN42.git

loren@DESKTOP-CA7BTT8 MINGW64 ~/OneDrive/Desktop/DemoAct2 (main)
$ git remote -v
origin https://github.com/NzoWee/Elazegui-Lorenzo-CS0065-AN42.git (fetch)
origin https://github.com/NzoWee/Elazegui-Lorenzo-CS0065-AN42.git (push)

loren@DESKTOP-CA7BTT8 MINGW64 ~/OneDrive/Desktop/DemoAct2 (main)
$ git push -u origin main
error: src refspec main does not match any
error: failed to push some refs to 'https://github.com/NzoWee/Elazegui-Lorenzo-CS0065-AN42.git'

loren@DESKTOP-CA7BTT8 MINGW64 ~/OneDrive/Desktop/DemoAct2 (main)
$ |
```

PART 9 – PART 10 - Uploaded the committed project files to GitHub and retrieved and merged the existing GitHub repository history.

```

loren@DESKTOP-CA7BTT8 MINGW64 ~/OneDrive/Desktop/DemoAct2 (main)
$ git pull origin main --allow-unrelated-histories --no-rebase --no-edit
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (3/3), 919 bytes | 51.00 KiB/s, done.
From https://github.com/NzoWee/Elazegui-Lorenzo-CS0065-AN42
* branch      main      -> FETCH_HEAD
* [new branch] main      -> origin/main
error: The following untracked working tree files would be overwritten by merge:
    README.md
Please move or remove them before you merge.
Aborting

loren@DESKTOP-CA7BTT8 MINGW64 ~/OneDrive/Desktop/DemoAct2 (main)
$ git push -u origin main
error: src refspec main does not match any
error: failed to push some refs to 'https://github.com/NzoWee/Elazegui-Lorenzo-CS0065-AN42.git'

loren@DESKTOP-CA7BTT8 MINGW64 ~/OneDrive/Desktop/DemoAct2 (main)
$ git checkout --ours README.md
error: pathspec 'README.md' did not match any file(s) known to git

loren@DESKTOP-CA7BTT8 MINGW64 ~/OneDrive/Desktop/DemoAct2 (main)
$ git add README.md

loren@DESKTOP-CA7BTT8 MINGW64 ~/OneDrive/Desktop/DemoAct2 (main)
$ git commit -m "Merge remote repository with KNIME project"
On branch main

Initial commit

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    DemoAct2.knwf
    README.MD
    student_performance_knime.csv.csv

nothing added to commit but untracked files present (use "git add" to track)

loren@DESKTOP-CA7BTT8 MINGW64 ~/OneDrive/Desktop/DemoAct2 (main)
$ git push -u origin main
error: src refspec main does not match any
error: failed to push some refs to 'https://github.com/NzoWee/Elazegui-Lorenzo-CS0065-AN42.git'

loren@DESKTOP-CA7BTT8 MINGW64 ~/OneDrive/Desktop/DemoAct2 (main)
$

```

PART 11 - Moved the project files into the required project folder.

```
loren@DESKTOP-CA7BTT8 MINGW64 ~/OneDrive/Desktop/DemoAct2 (main)
$ git status
On branch main
nothing to commit, working tree clean

loren@DESKTOP-CA7BTT8 MINGW64 ~/OneDrive/Desktop/DemoAct2 (main)
$ git add .

loren@DESKTOP-CA7BTT8 MINGW64 ~/OneDrive/Desktop/DemoAct2 (main)
$ git commit -m "Update KNIME workflow"
On branch main
nothing to commit, working tree clean

loren@DESKTOP-CA7BTT8 MINGW64 ~/OneDrive/Desktop/DemoAct2 (main)
$ git push
fatal: The current branch main has no upstream branch.
To push the current branch and set the remote as upstream, use

    git push --set-upstream origin main

To have this happen automatically for branches without a tracking
upstream, see 'push.autoSetupRemote' in 'git help config'.

loren@DESKTOP-CA7BTT8 MINGW64 ~/OneDrive/Desktop/DemoAct2 (main)
$ |
```

```
loren@DESKTOP-CA7BTT8 MINGW64 ~/OneDrive/Desktop/DemoAct2 (main)
$ git push -u origin main
Enumerating objects: 8, done.
Counting objects: 100% (8/8), done.
Delta compression using up to 12 threads
Compressing objects: 100% (7/7), done.
Writing objects: 100% (7/7), 67.42 KiB | 33.71 MiB/s, done.
Total 7 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), done.
To https://github.com/NzoWee/Elazegui-Lorenzo-CS0065-AN42.git
   077cb50..16fee14  main -> main
branch 'main' set up to track 'origin/main'.
```