

其他训练Tricks

主讲: 龙良曲

Tricks


Early Stopping

Dropout

Stochastic Gradient Descent

Early Stopping

Regularization



How-To


Validation set to select parameters


Monitor validation performance

Stop at the highest val perf.

Dropout

- Learning less to learn better
- Each connection has p = [0, 1] to lose





API

layer.Dropout(rate)

• tf.nn.dropout(x, rate)

Behavior between train and test



```
for step, (x,y) in enumerate(db):
    with tf.GradientTape() as tape:
        # [b, 28, 28] => [b, 784]
        x = tf.reshape(x, (-1, 28*28))
        # [b, 784] => [b, 10]
        out = network(x, training=True)
    # test
    out = network(x, training=False)
```



Stochastic Gradient Descent

- Stochastic
 - not random!

Deterministic

Gradient Descent

$$\frac{\partial}{\partial \theta_{j}} J(\theta) = \frac{1}{m} \sum_{i=1}^{m} (\hat{y}^{i} - y^{i}) \cdot x_{j}^{i}$$

② Vanilla (Batch) G.D.

$$\theta_{j} := \theta_{j} - \lambda \cdot \frac{\partial}{\partial \theta_{j}} \mathcal{J}(\theta)$$

$$= \frac{1}{m} \sum_{j=1}^{m} (\hat{y}^{j} - y^{j}) \times \frac{\partial}{\partial \theta_{j}} \mathcal{J}(\theta)$$

Gradient Descent

Stochastic G.D.

1 in range (M):

$$\Theta_{j} := \Theta_{j} - \alpha \cdot \text{only one example} \frac{\nabla J}{\nabla \theta}$$

$$(\hat{y}' - y') \times_{j}^{i}$$

Stochastic Gradient Descent

Not single usually

• batch = 16, 32, 64, 128...

Why

索泰



¥1789.00

索泰 (ZOTAC) GeForce GTX1060 X-GAMING OC吃鸡显卡/游戏电竞台式机独

6.6万+条评价

二手有售

索泰京东自营旗舰店 😊







¥7599.00

索泰 (ZOTAC) GTX1080Ti-11GD5X至尊 PLUS OC绝地求生/吃鸡显卡

40+条评价

云轩 DIY整机专营店 🤤









¥80999.00

NVIDIA TESLA V100 16GB/32GB HBM2/

人工智能深度学习GPU运算 46GB 从BM2 A

0条评价

子希DIY电脑专营店 🤤





下一课时

卷积神经网络

Thank You.