



DEVELOP TRADING WEBSITE FOR SELLING AND BUYING USING AUCTIONS FOR INDIVIDUALS AND FIRMS

OMAR AHMED ALI AL-MOTWAKEL

**COMPUTER SCIENCE AND INFORMATION
TECHNOLOGY**

**FACULTY OF BUSINESS AND INFORMATION
TECHNOLOGY**

INTERNATIONAL UNIVERSITY OF TECHNOLOGY

TWINTECH

SANA'A

2015



Develop trading website for individuals and firms
Online selling and buying
Providing (Auctions and bids)

Prepared by: Omar Ahmed

Supervisors: MR. Muddaser Ali

MR. Nasr Kasrin

MR. Majdi dhiben

Dr. Mojeeb Mosleh

MR. Omar Al-Fakih

Dr. Ahmed Taki

**DEVELOP TRADING WEBSITE FOR SELLING AND BUYING
INDIVIDUALS AND FIRMS**

OMAR AHMED ALI

**COMPUTER SCIENCE AND INFORMATION TECHNOLOGY
FACULTY OF BUSINESS AND INFORMATION TECHNOLOGY
INTERNATIONAL UNIVERSITY OF TECHNOLOGY TWINTECH**

SANA'A

2016

**DEVELOP TRADING WEBSITE FOR SELLING AND BUYING
INDIVIDUALS AND FIRMS**

OMAR AHMED ALI

**PROJECT REPORTS SUBMITTED IN PARTIAL FULFILMENT
OF THE REQUIREMENTS**

**FOR THE DEGREE OF BECHLOARE IN COMPUTER SCIENCE
AND INFORMATION TECHONOLOGY**

INTERNATIONAL UNIVERSITY OF TECHNOLOGY TWINTECH

SANA'A

2016

Confidential Prepared By Omar Ahmed Ali



DECLARATION

It is hereby certificated that work contained in this thesis entitled

“Develop Trading website for individuals and firms”

Online Selling and Buying

Providing (Auctions and Bids)"

Was carried out by **Omar Ahmed Ali** and that in my opinion it is fully adequate, in scope and quality, for the Degree of BSc (Hons) (Business Information Technology).

Abstract

This project is for developing website for sealing and buying products and services for individuals and firms as an edvertisements or as an auction, so the vistor can view this post or login to post a bid or to watch it.

Project will be developed using PHP, CSS cascading style sheet, JavaScript and HTML language that connects with database using SQL and MySQL language.

Confidential Prepared By Omar Ahmed Ali

Acknowledgment

First Alhamdulillah for everything.

Second, I would like to thank my parents, family and my friend who helped me.

I would like to thank the university IUTT (nternational University of Technology Twintech) and its workers for the resources and needs to make this project.

Then i would like to thank my parents and my family for the supported and encouraged me to do this project and its thesis, also I would like to say for my neighbor **MR. Taha Ahmed Abdu Al-Fakeeh** thank you so much sire for helping me from the beginning and when I face problem in PHP, HTML, My SQL, CSS, Java Script, thank you so much again for your support and your encourage.

Also I would like to thank my supervisors: **MR. Majdi Dhibend** for his helping and his advices that will help me in the future InshAllah, **MR. Nasr Kasrin** for the encouraged me to do this website, and clarify the idea of the website, **MR. Muddaser Ali**, helped me in analyzing the database, **Dr: Mogeeb Mosleh:** helped in php code and encouraged me, **MR. Omar Al-Fakih:** thank you so much for helping me in the analysis and thank you again for your encourage. **MR. Zohair**, thank you sire for your advices and for bring to us the consultant, **DR. Ahmed Taki**, thank you sire for your advices and your helping in analyzing.

Also I would like to thank:

MR. Abdullah Abdolwahab Mohammed Al-Motwakil: thank you for encourage me and helping me in analyzing and implementing the database.

MR. Ali Al-Motareb: for his assistant in the analysis, resources and his encourage .

MR.Taha Ahmed Abdou Al-Fakeeh: helped me in: PHP, HTML, My SQL, CSS, Java Script, thank you so much.

المكتبة الرقمية

جامعة العلوم الحديثة

جامعه دار السلام

Because they provide to me resources which helped me in my projectI would like to thank all my friends and classmate because I learn a good thing from every one.

Table of Contents

DECLARATION.....	7
ABSTRACT.....	8
ACKNOWLEDGMENT.....	9
CHAPTER 1 - INTRODUCTION	12
1.1 INTRODUCTION	12
1.1.1 Overview of the study	12
1.2 PROBLEM OF THE STATEMENT:.....	12
1.3 RESEARCH QUESTIONS	12
1.4 AIMS AND OBJECTIVES:	12
1.2.1 Aims of the website:	12
1.2.2 Objectives of the website	13
1.5 BACKGROUND OF THE STUDY	13
1.6 RISK MANAGEMENT:	13
CHAPTER 2 - LITERATURE REVIEW	14
2.1 SIMILAR WORK	14
2.1.1 E-Bay	14
2.1.2 Go Yemen	14
2.1.3 Open Soq.....	14
2.2 DEFINING:	15
2.3 ESTIMATING TIME:.....	15
2.4 COST ESTIMATION:.....	16
2.5 SCOPE:.....	16
2.6 RESOURCES:	16
2.7 REQUIREMENTS:	16
2.7.1 Software Requirements:.....	16
2.7.2 Hardware requirements:.....	16
2.8 LITERATURE REVIEW DETAILS:.....	17
2.8.1 E-bay	17
2.8.2 Go Yemen	25
2.8.3 Open Soq.....	27
CHAPTER 3 - RESEARCH METHODOLOGY	28
3.1 METHODOLOGY	28
3.1.1 Introduction	28
3.1.2 Requirements:	28
3.1.3 Software and hardware requirements:	29
CHAPTER 4 - THE DESIGN ANALYSIS.....	32
4.1 THE WEBSITE DESIGN:.....	32
4.1.1 The platform pages of the website:.....	32
4.2.1 Method of the auction:	33
4.2.2 Program design:	33
4.3 DATABASE DESIGN:	34
4.3.1 Database Table	34
4.3.2 Data Dictionary.....	36
4.3.3 Entity relations:.....	43
4.3.4 Entity relationship diagram:	44
4.4 DATA FLOW DIAGRAM DFD:	45
3.4 .1 General structure of the website	45

4.4.2 Website process map.....	46
CHAPTER 5 - DATA ANALYSES	47
5.1 FLOW-CHART	47
5.2 USE CASE DIAGRAM	52
5.3 SEQUENCE DIAGRAM.....	54
5.4 ACTIVE MODEL.....	55
5.5 ONLINE AUCTION STRUCTURE	56
CHAPTER 6 – SYSTEM IMPLEMENTATION	58
6.1 DATABASE ANALYSIS (MY SQL)	58
6.1.2 The Tables.....	58
6.2 ONLINE AUCTION WEBSITE INTERFACES DESIGN	64
6.3 ONLINE AUCTION WEBSITE INTERFACES DESIGN FOR (CONTROL PANEL).....	75
CHAPTER 7 – CONCLUSION	81
RESULTS OF ONLINE AUCTION WEBSITE:.....	81

Chapter 1 - Introduction

1.1 Introduction

Recently technology is going very fast and every moment people develop system to serve human beings activities and to achieve their business target.

It's common to use websites instead of going to the market for trading things as buying and sealing products and this is what most of the business do.

proposal project help the customer to develop who is the professional service provider that he can do his work as soon as possible and performed in time, also help the service provider to monitor and control and report the problems or to take new opportunities they can also share ideas or solve problems together, further for this website serve the customers to be satisfied by the cost they agree and the work he expect to perform.

1.1.1 Overview of the study

Website providing advertisements for selling things enables seller or buyer to enter item to sell or post bid or communicate by using internet there is nothing is far or also beyond the reach of stationary internet access. The focus of this project is to apply the selling service with save effort and to make the customer satisfied.

1.2 problem of the Statement:

- Lack of websites that provide buying and selling product and service online in Yemen because the difficulties that face people to get services easy especially when the person want to search for the necessary service.
- No website exists yet in Yemen for selling and buying second hand product.
- The customer may involve with service provider who is not professionally.
- Traditional trading is wasting time and efforts where online process is not.

1.3 Research Questions

In attempting to examine the impact of the user who wants to buy and who wants to sell on using a websites, this study aims to answer the following questions.

- i. Does user use an internet websites to buy or sell things?
- ii. Does internet effect the buyer or the seller to be more close togather?

1.4 Aims and objectives:

1.2.1 Aims of the website:

- Assess people to sell and buy product or service easy.
- Assess buyer and seller to be satisfied.
- Assess buyer and seller to make along term relashon.

- Assess people to save the time and cost for buying or selling product and service to the end party (individual or firm).
- To facilities better way for trading vying online system.

1.2.2 Objectives of the website

- Analysis website that fulfill the customer requirements.
- Evaluate the quality of services and the products.

1.5 Background of the study

There are many websites which provide advertisements used in Yemen and other countries and with the use of the social medias most of the people shift on to this specially with the android appearance to be helpful for the seller and buyer.

1.6 Risk Management:

- The long time that electricity goes off it will consider as the main problem.
- If the supervisor is not available.
- If the idea of the project is new, maybe it will be difficult to find the exactly what you want in the internet or sometimes the idea you want is considered as artificial intelligence or the idea is protected you will face problem in the implementation or you will need more time.
- The time is limited or you have a lot of works and exams.
- If you face problem that may will stop the project.
- There is no electricity.

Chapter 2 - Literature Review

2.1 Similar work

2.1.1 E-Bay

EBay is a highly successful e-commerce platform in basic description it is online international market place which provides opportunities for individuals or firms to sell or buy product or service.

The most recent stats regarding eBay state that:

- It managers 248,000,000 registered users.
- It manages over 1 Billion photos.
- E-Bay has nearly 10,000 live applications.
- E-Bay currently has 30 Software Architects in its employ.
- E-Bay averages well over 1 billion page views per day.
- The e-Bay platform handles 4.4 billion API calls per month.
- 100,000+ lines of code are added every two weeks.
- There are 30,000 software builds per week.
- There are more than 44 billion SQL executions per day.

2.1.2 Go Yemen

It is website which provide trading for individuals and firms and allow them to sell and buy product or services, it developed in 2004 but it become more famous in 2013 there visitors reached into 1,300,000 visitor.

The idea of this website is done by the owner he is from Yemen, he studied IT in USA country, he made website that allow any person to put their products or services as an advertisement free in the website and any one access he can see or search for any item he wants to buy, the method used is horizontal approach which means the seller can sell or buy anything unless it is legal and not harm the others, he get as return by offering place in the main page in the website for the firms and each position has specific price, the website have been made during when owner was studying.

2.1.3 Open Soq

It is website which provides free advertisements for anyone and they get money by providing fee advertisements in the main page and other pages.

The literature review help me to:

- Understand the how the bid is work.
- To know how they design the website.
- To know more about the requirements.

2.2 Defining:

The website will allow the individual or firms to sale purchase product or service.

2.3 Estimating Time:

Approximately maximum five month Insha'Allah.

Table 1: Estimating Time

<i>NO.</i>	<i>Week</i>	<i>Activity</i>
1		Choosing the Project that will be created.
	20/3/2014	
1		Determine the name of the project and the supervisor.
	27/3/2014	
1		Making and submit the Proposal.
	4/4/2014	
2		Making the literature review of the project.
	25/4/2014	
3		Making the methodology of the project.
	18/5/2014	
3		Analyzing the website.
	1/6/2014	
1		Collecting the requirements.
	23/6/2014	
3		Designing the website.
	14/7/2014	
6		Implementing and writing the code of the website.
	1/9/2014	
2		Controlling the system and correct the errors
	15/9/2014	
2		Testing.

1/10/2014

1 Feedback.

8/10/2014

2.4 Cost Estimation:

The cost id need for the requirements to collecting the requirements around 200\$ to know how the bid is work.

The cost need for the all project maximum around \$300.

2.5 Scope:

Around seven month will complete the project Insha'a Allah.

2.6 Resources:

Supervisors: Dr. MOJEEP MUSLH for PHP and for the whole project, MR MUDESSER ALI for analyzing the system and the database, from outside university MR Abdullah ALMOTWAKEL for the Database and analysis and MR TAHA AL-FAKIH for analyzing the system and the PHP.

2.6.1 USER: The individual or firms who want to buy and sell their product.

2.7 Requirements:

The quality of the website and the applications that use in the web site should be provided with high quality and to provide the good quality there are requirements that should be fulfill.

2.7.1 Software Requirements:

- Scalability: That means the system should support many process without human interaction because the number of the internet user are increased that is mean more and more users may join to the website the request information from the database at the same time should be serviced without fail.
- Availability/Reliability: the website should be available 24 hours and all services and applications are available for use.
- Performance: Users should be provided with fast response times this is especially necessary for networks, databases, and software example when a bid is ending and the user wants to ensure that he/she gets the chance to see the last bid.

2.7.2 Hardware requirements:

- Website: that have attractive interface.
- Database: for running the website.

- Internet: that are connect and available.
- Server: that should work 24 hours.

2.8 Literature review details:

From the previous researches there are many researchers who talk about online market place, an example of online market place is E-bay because it is similar to my website.

2.8.1 E-bay

E-bay was found in California on September 3, 1995 by computer programmer Pierre decided to create a small online auction service. Auction Web was launched Labor Day weekend in 1995. Set up as a sole proprietorship in San Jose, California, the idea was developed as auctions website for people who want to sell and buy product, then known as eBay is The World's Online Marketplace.

E-Bay created a powerful platform for the sale of goods and services by showing community of individuals and businesses. On any day there are many sales, E-bay enable local, nation, and international market. Most of the payments are done by PayPal.




Figure 1 : The online selling on E-bay

Millions of buyers and sellers have made eBay as large cooperation. E-bay is most popular Internet site for individuals and businesses to exchange goods by 1999 eBay had 5.6 million registered users and listed over 3.1 million items for sale and by 2004 there were an estimated 65 million registered users from 150 countries, 971 million items for sale, they get \$15 billion as sales. E-Bay owns local sites in 19 countries, has stakes in another eight foreign nations, and provides users with its own online pay service, PayPal Incorporated revenues continue to grow, the sky seems the limit despite competition from Yahoo!, Amazon.com, and an ever increasing number of imitators.[1]

The eBay buyer is looking for product that is people like or interest in and the buyer need to know does e-bay trust on this seller, At least not one based on the actual value of the items being sold.

Figure 2 How you can search in E-bay for Auction and the online selling

Preparation helps you sell your item before you start to list your item, doing some research, especially about setting a starting price, will help you list accurately and efficiently and find similar items on eBay and note the selling price and how they were listed. Your research will help you make better decisions about selecting selling formats, pricing, shipping, and payment methods.

Category Listings: Consist of categories which items are organized on eBay. Some examples include: Cell phones, Books, Computers, and Sporting Goods, buyer can browse these categories looking for items so sellers should pay careful attention to listing their product under the appropriate category to give their auction the greatest exposure.




Figure 3: How Auction page appears

Figure 4: E-Bay Description page

The completed listings search to find similar items that have recently sold on eBay starting and ending price of items that have sold successfully and whether they are auctions or Buy It Now listings. This information can help you decide how to sell your item.

Online Auction Format (Auction-Style Listing): e-bay designed based on this idea which way to sell an item on eBay this format lets sellers list an item for sale, collect bids for a fixed length of time, and sell the item to the highest bidder.

Buy It Now [button]: It is button which allows buyer purchase an item immediately for a price the seller has set.

E-Bay fees remain an absolutely outstanding bargain, one that saves you far more than their cost. Nothing else comes even remotely close those who feel otherwise simply do not have a evidence.[2]

Relisting: it is listing an item for sale again after it did not sell the first time. If a seller relists an item and it sells the second time, eBay automatically will have additional price for this.

Rule in e-bay: If more than five percent of your buy offers are accepted, you are paying way too much. Actually you can make up for this by making offers on twenty times the amount of stuff that you could possibly move.

Starting or Reserve Price	Insertion Fee: Books, Music, DVDs & Movies, Video Games*	Insertion Fee (other categories)
\$0.01 - \$0.99**	\$0.10	\$0.15
\$1.00 - \$9.99	\$0.25	\$0.35
\$10.00 - \$24.99	\$0.35	\$0.55
\$25.00 - \$49.99	\$1.00	\$1.00
\$50.00 - \$199.99	\$2.00	\$2.00
\$200.00 - \$499.99	\$3.00	\$3.00
\$500.00 or more	\$4.00	\$4.00

Figure 5: How E-Bay determine the fees

This is showing how they determine the fee based on the type of the item from starting the price and how much fee e-bay gets at minimum and at maximum fees and the fees are subject to change at any time.

Starting Price: it is the starting price is the lowest price you are willing to sell your item unless you also specify a retain price and the bidding will start at this price. Sellers have found that setting the starting price too high the seller maybe will lose the bidding this feature enables sellers to set a lower starting price to apply bidding among buyers.

The Listing Process:

To list your item on eBay, you need to provide information about your item. Information in a typical listing includes a title, description, price, payment method, shipping cost, and a photo. eBay's Sell Your Item form guides you through the steps to a successful item listing.



The screenshot shows the eBay homepage. At the top, there is a navigation bar with links for "home | pay | register | site map". Below the navigation bar is a horizontal menu with five items: "Buy", "Sell" (which has a red arrow pointing to it), "My eBay", "Community", and "Help". Underneath the menu, it says "Hello! [Sign in](#) or [register](#)".

Sell

 [Sign in](#) to see your saved information.

List your item for sale

Enter 3-5 words about your item. For example: Nine West women's shoes

embroidered canvas bag

List with popular options
 List with all options (recommended for experienced sellers)

Start selling

Browse for categories

 [Sell a vehicle or auto part](#)

Confidential



Create your listing

1 Create a descriptive title for your item

embroidered canvas bag ?

2 Select the category that best describes your item

Help buyers find your item - select a category or browse for one. ?

Suggested categories

Clothing, Shoes & Accessories > Women's Accessories, Handbags > Handbags, Bags
 Clothing, Shoes & Accessories > Men's Accessories > Backpacks, Bags > Messenger, Shoulder Bags
 Clothing, Shoes & Accessories > Infants & Toddlers > Girls' Shoes > Other
 Clothing, Shoes & Accessories > Unisex Clothing, Shoes & Accs > Unisex Accessories > Bags, Backpacks
 Clothing, Shoes & Accessories > Women's Accessories, Handbags > Hats > Beret, Newsboy
 Sporting Goods > Exercise & Fitness > Fitness Accessories > Gym, Yoga Bags
Not one of these? Try [browsing categories](#).

Step [1] Your item title appears at the top of your listing and in buyers' search results a good title increases your chances of selling and helps buyers find your item a good title states exactly what the item is (even if it repeats the category name) like "MP3 player" it can also include the brand, product name, size, or artist you get 55 characters for your title -use all of them if you can - and avoid empty words like "wow" or "look" as buyers don't search for these words.

Step [2] Choose the category that best describes the item you're selling most of the sellers are use categories, based on the title you provided seller also can click the Browse categories tab to find a different category.

The (?) will help seller by giving more descriptions and examples.

3

Bring your item to life with pictures

Click **Add a photo** and select the photo you want to upload.



Add a photo
(FREE)



Add a photo
+ \$0.15



Add a photo
+ \$0.15



Add a photo
+ \$0.15

Tips

Items with Gallery Picture can sell for up to 14% more than those without. The first picture is on us, and it will be used as the Gallery Picture. Each additional photo is \$0.15.

Name and organize your photos on your computer, so they're easy to find before you add them to your listing.

Gallery Picture: Include a small picture of your item in search results to attract more buyers.
(\$0.35 **\$0.00**) (recommended)

Step [3] Upload one or more pictures of your item, so buyers can get a clear idea of what you're selling pictures should be in digital photo format: JPEG (.jpg), GIF (.gif), or PNG (.png). JPEG is the most common format, and normally the best one to use to minimize file sizes. The file size limit is 4MB.

When you choose the Gallery Picture option, a thumbnail version of your main picture will appear in search results. Photos attract buyers to your listing and influence their purchase decisions.

Step [4] Describe the seller you are going to sell.

4

Describe the item you're selling

Arial

2 (10 pt)

A

B

I

U

█

█

█

Tips

Help buyers find what they're looking for by providing detailed, easy-to-read information such as the following:

- Color, size, and measurements.
- Item condition details.
- Notable features or a good story associated with the item.
- Whether you allow returns.
- Be sure to check your spelling and grammar.

Step [5] set the price and shipping details, Your auction-style listing begins with a starting price of your choice. For example, a starting price of \$0.99 means the first bid must be at least \$0.99. Generally, a lower starting price attracts more potential buyers choose a duration, or how long you want your listing to appear on eBay. Generally, the

longer a listing is active, the more likely you are to sell your

5 Set a price and shipping details

Start auction bidding at \$ lasting for

Shipping destination Service
United States - \$

[+ Add other shipping destinations or services](#)
[Shipping Calculator](#)

Add an amount that covers your shipping costs also you can add shipping options for other countries too.

Step [6] decide how you would like to be paid: You can block buyers with a Feedback Score of -1 or less or 2 Unpaid Item Strikes (payment defaults) in the last 30 days, or buyers that don't have PayPal accounts at the bottom of the page, click on “Sell Your Item Form” in order to view.

6 Decide how you'd like to be paid

Accept payment with **PayPal**

Block bids from buyers who might make transactions more difficult or expensive.

Fee to insert your listing: \$0.00 Save as a draft

Any problems? Please contact Customer Support.
To view all listing options, switch to the [Sell Your Item form now](#), and continue listing your item.

Figure 6: At the bottom of the page, click on “Sell Your Item Form” in order to view all listing options.[3]

2.8.2 Go Yemen

It is website which provide trading for individuals and firms and allow them to sell and buy product or services, it developed in 2004 but it become more famous in 2013 there visitors reached into 1,300,000 visitor.



Figure 7 The main page of Go yemen Website

Most of the users are sellers which they provide their products or services for sells and the buyer will check the product he wants and the price he is compatible with the buyer will enter to the page of the product and he can contact with the seller by the phone or by e-mail.

If you want to make advertisement in the main page it will cost you 100,000 YR for every month, and the large companies can provide their work with special price.

The website is providing choices for the buyer to enter easy such as cars, houses, cellophanes, computers, or searching for job, also they allow companies to provide advertisements in the main page.

The transaction will be through the contact number or email between the seller and the buyer and the web site have no fees.

The website has many forms like you can go to the main page to see advertisements or to buy things, and you can go to the picture pages.



Figure 8 Search for an Item in Go Yemen

Rules and lows in Go Yemen:

- It is not allowed for the seller to use name that is not clear or harm others.

- The seller should be sure for the information he is entering such as phone number or the email and if Yemen Go find that the information is fake the will remove and bloke his account.
- The seller should follow the Islam religion and do not but things that harm the Muslims or harm anyone.
- The selling and the buying process are done between the seller and the buyer directly and Go Yemen has no hand on it.
- When there is advertisement that is repeated they will remove it and if the seller try more than one time they will remove and block them.
- Go Yemen have the right to delete any product of the seller without saying the reason.
- There are some advertisements are not allowed such as guns or anything that effect the society.

2.8.3 Open Soq

Is providing website and an android application which help buyer to search in easy way and where ever the user is, those images of the Open Soq application pages which enable user to use it in easy way.




Figure 9 Open Soq Android Application

Chapter 3 - Research Methodology

3.1 Methodology

3.1.1 Introduction

In this section it will cover the methodology that it will use in the project to achieve its objectives

Develop website that allow individual or firms to trading there items or services for the society is new way for trading, there are many websites in this field so far, the task of this research is to develop website that fulfill the needs and the wants for the society.

The data will be collect from various sources the primary data collected the competitors' websites that are similar to my website to observe about the information that need in the website.

Qualitative in online marketplace research methods should be applied rather than quantitative research method he motivation for selecting qualitative research is because there are many reasons:

- The first reason why qualitative not quantitative is this project do not need statistics and numbers.
- Qualitative research methods are designed to help researchers people and social and cultural contexts within which they live.
- I will use qualitative approach because it will help me to explore more of the project I will use this approach to provide a better understanding of selling and buying through website for product or services,
- Allow me as researcher to get more understanding of the websites that are similar to my project to explore them I will make my website based on the needs of people in the society by information that similar websites are providing.

3.1.2 Requirements:

This study adopted a qualitative approach and used three methods of data collection:

- Observations from the selected key competitors' websites.
- Case study analysis.
- Interviews and discussions with the managers of the websites.

The observation from the main similar websites is an important resource to collect information from the selected competitors. Because similar websites have already techniques and they know what the customer need and how they satisfy their needs and wants for both the seller and the buyer.

Case study research is used as the main methodology in this project because case study research is good at bringing an understanding of a complex issue or object and can extend experience or add strength to what is already known through existing similar websites also case studies emphasize detailed contextual analysis of a limited number of events or conditions and their relationships and this is the reason why the researchers have used the case study research method for many years across a variety of disciplines.

Case study e-bay is chosen as the case website in the research and its main competitors in the world are selected because it is the first website in the world which used auctions.

Interview is one of the most common qualitative research methods, which used in this project in order to understand more about the Go Yemen website to make effective website and to generalize the conclusion in the online marketplace the interviews with the managers in Go Yemen website are actually important in the project in order to discover how the business is designed and to know how the structure of the business is done.[5]

The interview with the one of the manager will lead us for the programmer who designed the website and what languages they used or the interview at least will lead us for the idea of the auction and who designed the platforms and the auction and that will provide some updated information about the movement of the selected websites, the interviewee is also asked to give his opinions about the success of this website and the use of auctions in the website increase the success of the website and the advantages and disadvantages and the problems that face website.

Consultant will help to determine the top services delivered to the customer when visiting eBay, customers use two primary services: buy and sell those two main levels each one will have many activities that have components because the seller will have their own needs and the buyer will have their own needs, also Specify the energy that consumed by each level this includes direct and indirect (shared) consumption in kilowatt-hours this will be done by both IT and non IT staff. [6]

3.1.3 Software and hardware requirements:

3.1.3.1 Software requirements:

Software can make website effective by the use of platforms and applications by determine how many resources that are used in the website to do activities responding to a request for a URL, the applications servers that show the result of the application that are used, and the database that need SQL queries, each of these activity should be connect to the internet which should have high bandwidth and high speed to accomplish those activities, CPU cycles, memory, and I/O operations, each of which need every time to increase the capacity and the performance and decrease the power consumption and need high cost every year to refresh the servers performance.

3.1.3.2 Hardware requirements:

Hardware those can be turned to balance the cost, performance of delivering services to get profit as return need such as the servers, storage, and network equipment they will support the website the large servers that should be maintain and replaced or adding additional servers to increase the performance, e- bay replace their servers every three years because they know if they increase the performance there profit will increase as return and the cost of maintenance will decrease.

The system should include web servers, web clients, databases, security servers, application servers, and search server to run the website it need those main things which are browser, application, and databases.




Figure 10 Simple architecture to show work of the system




Figure 11 How the component will interact.

How the component will interact.

Web browsers: The end user will interact with the website through a web browser, and need: user interface can support by using html.

- Security: user has submitted a request it must be linked to the target website.

HTTP Secure by using HTTPS uses Secure Sockets Layer as a sub protocol underneath HTTP this level of encryption is used for the important information and the users should login with using SSL to use a secure login.

- Web Servers: actually it is used to improve the performance such as analyzing the request, the web server sends it to an application server that responds using the services of a database.

When a number of long-running HTTP or HTTPS requests arrive because other threads in the pool are still available to serve incoming requests.

- Application servers: This allows the databases to concentrate on the storage, retrieval, and analysis of data without worrying about exact how that data will be used.
- Databases: converted into an instruction to add, modify, or retrieve information.

Chapter 4 - The Design Analysis

4.1 The website Design:

The design will include two important platforms which are search and trade platform the other platforms will come as part of the website such as the first web page, sign in, sign out for the seller and the buyer to help these two platforms to work efficiently.

The user can browse on the website and search for anything they want to buy, the seller will post some item for sale which other users can search for something of interest in to buy it and the communication will be through two main ways by using the mail to deliver the product and to receive money through third party between the seller and the buyer like e-bay this way it requires high performance, high availability, and security because It needs to be able to handle large volumes of requests generated by the third party and must be able to respond to these requests in a timely manner, the second way by using the phone number like Go Yemen and I prefer this way because no need for the intermediaries between the seller and the buyer.

4.1.1 The platform pages of the website:

- The general page: (the first page before the user is login or register which will provide advertisements for large organizations and companies.)
- Search: provide search platform for searching about product or service that provided by the seller.
- Index .php (The main page)
- Bidding: can be in the details page and in the buy page.
- View item: details page to view the process of the auction.
- Sell: Sell item or auctions that are going to sell (personalPageSell.php).
- Buy: View auction in which bidder added bid (personalPageBuy.php).
- Contact us: it is platform that the when the buyer get the product he can make description about the seller and how the transaction done.

The architecture of the marketplace services is now able to support external applications for software developers to create their own software applications that support the web site to provide the services.

Language will use PHP, MySQL because it is strong languages and used in those days and in the web and we use applications in website, MySQL database will be used to create database that support the website the use of PHP to create buying application that allows the buyer to access web services platform to bidding from anywhere and to keep the seller and the buyer informed about the activity and allows the users to customize the website applications to their own needs and to release new useful features.


4.2.1 Method of the auction:

The method includes identifying each potential bidder, the product itself which call the auction item and the price of the product that specify to the seller without showing it to the buyer.

4.2.2 Program design:

Program design is the process design of the interface which allow user to use the process in the website.

Confidential Prepared By Omar Ahmed Ali



4.3 Database design:

Database design is used to choose the best way to design system it include all the requirements such as tables, attributes, relation between them.

4.3.1 Database Table

Table2 Analyze tables of the (auction_db) database

Analyze tables of the (auction_db) database:

Table name	Table description	Present in tables	N.Col
Admin Table	The table of the website administration.	admin_table	9
Bids Table	The table which bidders (buyers) enable to add bid for an auction.	bids_table	5
Categories Table	Categories table of the auction (items).	cat	4
Contact with admin Table	The table which store the message from Clint or visitor to communicate with website administration.	contact_us_table	7
Fee advertisements Table	The table which store the fee advertisements, they are fee because it will be shown in the main pages and other pages.	fee_adv_table	13
Free advertisemnts table (Auction, advertisement, items)Table	The table of free auction and free advertisements.	items_table	20
Reports (Denouncement) Table	The table which store the reports (Denouncement) that visitor or buyer made for an item or free denouncement.	reported_item	7
Website Setting Table	The table which store the setting of the website enable administration to control the website.	Setting	10
user_information_table Table	The table which store the information of the buyer, seller to enable them to interact with the activities, such as post free auction, free advertisements, add bid or to watch an auction.	user_information_table	14
Watching an item Table	The table which enable the buyer to watch auction or advertisement.	watch_table	5

4.3.2 Data Dictionary

No.	Name	Attribute	Type	Enter by	Table name
1	Admin ID	admin_id	Int	System	admin_table
2	Admin status	adminStatus	Int	Admin	admin_table
3	Admin name	admin_name	Varchar	Admin	admin_table
4	Admin password	admin_pass	Varchar	Admin	admin_table
5	Admin email	admin_email	Varchar	Admin	admin_table
6	Admin phone	admin_phone	Int	Admin	admin_table
7	Admin authentication	adminAuth	Text	Admin	admin_table
8	Admin	adminStatusHistory	Text	Admin	admin_table
9	Admin information	admin_info	Text	Admin	admin_table
1	Bid ID	bids_id	Int	System	bids_table
2	Auction ID stored in bid table	bids_auction_id	Int	USER (As Buyer)	bids_table
3	Bid price	bids_amount	Double	USER (As Buyer)	bids_table
4	Comment of buyer	Comment	Varchar	USER (As Buyer)	bids_table
5	The ID of the buyer	bids_user_id	int	System	bids_table
1	Category ID	cid	Int	System	cat
2	Category Name	name_cat	Varchar	Admin	cat
3	subcategory ID	cid_cat	Int	System	cat
1	Contact ID	Id	int	System	contact_us_table
2	The name of	Name	Varchar	USER	contact_us_table

		the one who send message			
3	Title of the message	Title	Varchar	USER	contact_us_table
4	Email addres of the visitor or client (sender)	Email	Varchar	USER	contact_us_table
5	The massage	Msg	text	USER	contact_us_table
6	Column show if the massage read or not yet..	Ch	int	System	contact_us_table
7	Date of massage	ch_date	datetime	System	contact_us_table
1	Fee advertisement ID	adv_id	Int	System	fee_adv_table
2	Admin ID who add the advertisement	adm_id	int	System	fee_adv_table
3	Fee Advertisement location in website(0=stop ,1=most pages, 2=home page only)	web_loc	Int	Admin	fee_adv_table
4	Show number of users saw this advertisement	adv_n_seen	int	System	fee_adv_table
5	Fee Advertisement image	adv_pic	Varchar	Admin	fee_adv_table
6	Fee Advertisement	adv_name	Varchar	Admin	fee_adv_table

		main title			
7	Fee	adv_short_detail	Varchar	Admin	fee_adv_table
	Advertisement short description in home page				
8	Fee	adv_detail	Text	Admin	fee_adv_table
	Advertisement full details				
9	Fee	adv_owner	Text	Admin	fee_adv_table
	Advertisement owner				
10	Fee	admin_notes	Text	Admin	fee_adv_table
	Advertisement admin notes (paid or not)				
11	Fee	adv_date	datetime	System	fee_adv_table
	Advertisement date posted				
1	Free	Id	Int	System	items_table
	Advertisement ID				
2	Free	user_id	Int	System	items_table
	Advertisement seller ID who post an item or auction				
3	Free	Accept_Refuse	Int	Admin	items_table
	Advertisement status (Accepted , or not accepted , or stopped by admin or by user, or)				
4	Free	Admin_id	Int	System	items_table
	Advertisement admin (who accept, stop,				

	refuse an auction)				
5	Category ID	cat_id	Int	System	items_table
6	Title of an auction or advertisements display for search	Title	text	USER	items_table
7	Short title in home page	Name	Varchar	USER	items_table
8	Currency used	Currency	Varchar	USER	items_table
9	Start price (If it is auction)	StartPrice	Int	USER	items_table
10	Item price	BuyNowPrice	Int	USER	items_table
11	Number of visitors who saw an auction or item	n_seen	int	System	items_table
12	Item Condition (new, or used, or leave it empty)	Status	Varchar	USER (As Seller)	items_table
13	Enter the city of the country	loc_detail	Text	USER (As Seller)	items_table
14	Category details	CatDetail	Text	User (As Seller)	items_table
15	The country in which item is available	Country	text	USER (As Seller)	items_table
16	An image of an auction or item	pic	varchar	USER (As Seller)	items_table
17	auction or item details	Description	Text	USER (As Seller)	items_table
18	The close date of an auction	expired_date	Text	USER (As Seller)	items_table

19	The date when seller post the auction or advertisement	posted_date	Datetime	System	items_table
20	The date when an admin (Accept, Refuse, Stop) an auction.	Accept_Refuse_date	datetime	System	items_table
1	Report (Denouncement) ID	re_id	Int	System	reported_item
2	Report (Denouncement) the Free advertisement ID	re_auc_id	Int	System	reported_item
3	Report (Denouncement) the Free advertisement owner	re_auc_user_id	Int	System	reported_item
4	Report (Denouncement) the report read by the admin or not.	re_stat	int	System	reported_item
5	Report (Denouncement) the person who send report (if he is not login it will display User not login)	re_user_id	varchar	System	reported_item
6	Report (Denouncement) the massage	re_text	text	USER(Visitor, Buyer)	reported_item
7	Report	re_date	datetime	System	reported_item


	(Denouncement t) the date of this message				
1	The setting ID	id_site	Int	System	setting
2	Admin id who made change in the web site	admin_id	int	System	setting
3	Website name	site_name	Varchar	Admin	setting
4	Website URL address	site_url	varchar	Admin	setting
5	The email of the website	site_email	Varchar	Admin	setting
6	The website key words for search	site_keyword	Varchar	Admin	setting
7	The website description	site_des	Varchar	Admin	setting
8	The website Status (Close, or open)	site_status	Varchar	Admin	setting
9	The website close message	site_closed_msg	Varchar	Admin	setting
10	The website image	site_pic	Varchar	Admin	setting
1	Seller or buyer ID	user_id	Int	System	user_information_ta be
2	Number items Seller post	posted_items	Int	System	user_information_ta be
3	Seller or buyer status(stopped or not)	user_stat	text	Admin	user_information_ta be
4	Seller or buyer First name	user_f_name	Varchar	USER	user_information_ta be
5	Seller or buyer	user_l_name	Varchar	USER	user_information_ta

	last name			be
6	Seller or buyer user name(unique name)	username	varchar	USER user_information_table
7	Seller or buyer password	user_password	Varchar	USER user_information_table
8	Seller or buyer phone number	user_phone	Int	USER user_information_table
9	Seller or buyer email	user_email	Varchar	USER user_information_table
10	Seller or buyer country	country	Varchar	USER user_information_table
11	Registration date	reg_date	Datetime	System user_information_table
12	Last date when user change his info	date_last_edit_info	Datetime	System user_information_table
1	Buyer or seller watching ID	watch_id	Int	System watch_table
2	ID of auction or item seller or buyer watch it	watch_auction_id	Int	System watch_table
3	Buyer or seller watching	watch_user_id	Int	System watch_table
4	The auction name that Buyer or seller is watching	auc_name	Varchar	System watch_table
5	An image of an auction which Buyer or seller is watching	auc_pic	Varchar	System watch_table

Table 3 4.3.2 Data Dictionary (All the Tables)

4.3.3 Entity relations:

Relation between admin and client



Relation between admin and auction/free advertisements



Relation between admin and Category



Relation between Admin and FeeAdvertisement



Relation between User and Auction/freeAdvertisements



Relation between User and Bids



Relation between Auction/freeAdvertisements and Bids




Relation between Category and Auction/freeAdvertisements



Relation between User and Auction/freeAdvertisements



4.3.4 Entity relationship diagram:




ER-D of Online auction

Copyright © 2015 omar Ahmed

4.4 Data flow diagram DFD:

3.4 .1 General structure of the website

It shows how seller, and buyer are interact with each other



4.4.2 Website process map

It shows how each one is interact in the website such as admin have an authentication for each process from administration such as delete, accept or update.

Seller can add delete, or stop auction or free advertisement and update its category.

- Buyer can post bid.
- User can post report.
- User can post fee advertisement by the administration.
- Seller/buyer can watch an auction.




Figure 12 Website map process


Website map process


Chapter 5 - Data Analyses


5.1 Flow-chart


Flow-chart is programming method that use diagram to represent sequences of activities or actions to making the system.

Confidential Prepared By Omar Ahmed Ali











5.2 Use case diagram

Use the case diagram to see how each part of system is interacting with each other.






5.3 Sequence diagram


Is used to show the activities process in sequence.

Auction and bids Validation Diagram




5.4 Active model

Active model: the active diagram is use to collect and presenting many activities that will make the process of the system, such as purchasing.




Co

5.5 Online Auction structure



Online Auction



Chapter 6 – System Implementation

6.1 Database Analysis (My SQL)

6.1.1 THE DATABASE (AUCTION_DB)

The screenshot shows the phpMyAdmin interface for the 'auction_db' database. The left sidebar lists tables: admin_table, bids_table, cat, contact_us_table, fee_adv_table, items_table, reported_item, setting, user_information_table, and watch_table. The main area displays a table of 10 tables with columns: Table, Action, Records, Type, Collation, Size, and Overhead. A modal window at the bottom allows creating a new table with fields Name and Number of fields.

Table	Action	Records	Type	Collation	Size	Overhead
admin_table		3	MyISAM	latin1_swedish_ci	3.7 KB	156 B
bids_table		113	MyISAM	latin1_swedish_ci	10.2 KB	-
cat		13	MyISAM	latin1_swedish_ci	2.3 KB	-
contact_us_table		14	MyISAM	latin1_swedish_ci	4.4 KB	-
fee_adv_table		9	MyISAM	latin1_swedish_ci	6.1 KB	-
items_table		109	MyISAM	latin1_swedish_ci	55.5 KB	-
reported_item		23	MyISAM	latin1_swedish_ci	3.1 KB	-
setting		1	MyISAM	latin1_swedish_ci	2.8 KB	544 B
user_information_table		23	MyISAM	latin1_swedish_ci	5.1 KB	-
watch_table		23	MyISAM	latin1_swedish_ci	2.9 KB	96 B

Figure 13 The database (auction_db)

6.1.2 The Tables

6.1.2.1 Admin table

The screenshot shows the phpMyAdmin interface for the 'admin_table'. The left sidebar lists tables: admin_table, bids_table, cat, contact_us_table, fee_adv_table, items_table, reported_item, setting, user_information_table, and watch_table. The main area shows the structure of the admin_table with fields: admin_id, admin_Status, admin_name, admin_pass, admin_email, admin_phone, adminAuth, adminStatusHistory, and admin_info. Each field has its type, collation, attributes, nullability, default value, extra options, and action buttons.

Field	Type	Collation	Attributes	Null	Default	Extra	Action
admin_id	int(11)			No	None	auto_increment	
admin_Status	int(11)			No	None		
admin_name	varchar(50)	latin1_swedish_ci		No	None		
admin_pass	varchar(50)	latin1_swedish_ci		No	None		
admin_email	varchar(50)	latin1_swedish_ci		No	None		
admin_phone	int(50)			No	None		
adminAuth	text	latin1_swedish_ci		No	None		
adminStatusHistory	text	latin1_swedish_ci		No	None		
admin_info	text	latin1_swedish_ci		No	None		

Figure 14 Admin table

6.1.2.2Bids Table

The screenshot shows the phpMyAdmin interface for the auction_db database. The left sidebar lists tables such as admin_table, cat, contact_us_table, fee_adv_table, items_table, reported_item, settings, user_information_table, and watch_table. The bids_table is selected. The main area displays the structure of the bids_table with four fields: bids_id, bids_auction_id, bids_amount, and Comment.

Field	Type	Collation	Attributes	Null	Default	Extra	Action
bids_id	int(11)			No	None	auto_increment	
bids_auction_id	int(11)			No	None		
bids_amount	double			No	None		
Comment	varchar(150)	latin1_swedish_ci		No	None		
bids_user_id	int(11)			No	None		

Figure 15 Bids Table

6.1.2.3 Category table

The screenshot shows the phpMyAdmin interface for the auction_db database. The left sidebar lists tables such as admin_table, bids_table, cat, contact_us_table, fee_adv_table, items_table, reported_item, settings, user_information_table, and watch_table. The cat table is selected. The main area displays the structure of the cat table with three fields: cid, name_cat, and cid_cat.

Field	Type	Collation	Attributes	Null	Default	Extra	Action
cid	int(11)			No	None	auto_increment	
name_cat	varchar(300)	latin1_swedish_ci		No	None		
cid_cat	int(11)			No	None		

Figure 16 Category table

6.1.2.4 Contact us table

Figure 17 Contact us table

6.1.2.5 Fee advertisements table

Figure 18 Fee advertisements table

6.1.2.1 (Auction, free advertisements, or items) table

localhost / localhost / auc

localhost/phpmyadmin/index.php?db=auction_db&token=9e27ba0982d529f0969a71747ee48d81

phpMyAdmin

Server: localhost > Database: auction_db > Table: items_table

Browse Structure SQL Search Insert Export Import Operations Empty Drop

Field	Type	Collation	Attributes	Null	Default	Extra	Action							
Id	int(11)		No	None	auto_increment									
user_id	int(11)		No	None										
Accept_Refuse	int(11)		No	None										
Admin_id	int(11)		No	None										
cat_id	int(11)		No	None										
Title	text	latin1_swedish_ci	No	None										
Name	varchar(50)	latin1_swedish_ci	No	None										
Currency	varchar(30)	latin1_swedish_ci	No	None										
StartPrice	int(50)	latin1_swedish_ci	Yes	NULL										
BuyNowPrice	int(50)		No	None										
n_seen	int(11)		No	None										
Status	varchar(50)	latin1_swedish_ci	Yes	NULL										
loc_detail	text	latin1_swedish_ci	No	None										
CatDetail	text	latin1_swedish_ci	No	None										
Country	text	latin1_swedish_ci	Yes	NULL										
pic	varchar(777)	latin1_swedish_ci	Yes	NULL										
Description	text	latin1_swedish_ci	No	None										
expired_date	text	latin1_swedish_ci	Yes	NULL										
posted_date	datetime		Yes	NULL										
Accept_Refuse_date	datetime		Yes	NULL										

Check All / Uncheck All With selected:

Print view Relation view Propose table structure

Add 1 field(s) At End of Table At Beginning of Table After Id Go

+ Details... Open new phpMyAdmin window

Figure 19 (Auction, free advertisements, or items) table

6.1.2.7 Reports (denunciation) table

localhost / localhost / auc

localhost/phpmyadmin/index.php?db=auction_db&token=9e27ba0982d529f0969a71747ee48d81

Apps Google YouTube Gmail

phpMyAdmin

Database auction_db (10)

Structure

Field	Type	Collation	Attributes	Null	Default	Extra	Action								
re_id	int(11)			No	None	auto_increment									
re_auc_id	int(11)			No	None										
re_auc_user_id	int(11)			No	None										
re_stat	int(11)			Yes	NULL										
re_user_id	varchar(70)	latin1_swedish_ci		No	None										
re_text	text	latin1_swedish_ci		No	None										
re_date	datetime			No	None										

Check All / Uncheck All With selected:

Add 1 field(s) At End of Table At Beginning of Table After re_id Go

Details... Open new phpMyAdmin window

Figure 20 Reports (denouncement) table

6.1.2.8 Setting table

Figure 21 Setting table

6.1.2.8 Users information (buyer, or seller)table

Figure 22 Users information (buyer, or seller)table

6.1.2.1 Watch table

6.2 Online auction Website interfaces design

The design after the implementation

6.2.1 Home Page (Index .php).

It shows the free advertisements in the left side , and the last seven result of the free advertisements or auctions, also you can search by the item or the auction name or by category or both the name of an item and it's category .




Figure23 The Home page

6.2.2 Search _ in_free_advertisements .php

this page user can use it when he is looking for item or auction, so he can search by category or user can search by the name of the item or the user can search by both name and category in the same time.




Figure 24 Search View

6.2.3 Registration page (*registration.php*)

It shows form which enable user as buyer or seller to post auction or post bid or to watch advertisement or auction .

The screenshot shows a web browser window with the URL http://localhost/online_auction/registration_page.php. The title bar says "localhost". The main content is titled "Online Auction registration form". It contains seven input fields: First Name, Last Name, USER Name, Password, Phone Number, E-mail, and Country (with a dropdown menu). Below these fields are two buttons: "Read our Policies" and "Submit".

Figure 25 Registration page

This is after registration

The screenshot shows a web browser window with the URL http://localhost/online_auction/registration_page.php. The title bar says "Online Auction". The main content area says "Welcome saleh to O_Auction" and "Your Account added successfully". It has a "Login now!" button. At the top, there's a navigation bar with "Home" and "Personal Page" buttons, a search bar with "I'm searching for...", a category selector with "Select a category", and an "Ok" button. Below the navigation bar, there's a message "Please Log in or if you New Register". On the left, there's a sidebar with the text "Post your advertisement Here". On the right, there's a login form titled "OnlineAuction Login" with fields for "E-mail" and "Password".

6.2.4 Login page (*login_page.php*)

The login page enable the user as seller to add free advertisement or an auction to sell it in the website , and enable user as buyer to post bid for an auction , also both can watch an auction or advertisement.




Figure 26 Login page

6.2.5 Personal page (Personal_page.php) It shows the process and personal information such as change password or change personal information, also it include window that show you the last activities with your items that you want to sell.




Figure 27 Personal page

The screenshot shows a web browser window with the URL http://localhost/online_auction/personal.page.php. The title bar says "O Auction". The main content area has a sidebar on the left with a "Post your advertisement" section and a "My Items willing to Sell" section. The "My Items willing to Sell" section displays a list of items, with the first item being a "DISCOUNT LG 80screen" listed by "Ahmed Ali (abo)" with ID 25. The item details show a start date of 2015-04-30 00:12:58 and an end date of 2015-05-01 18:33:44. The status is "under process, It needs 24 hours to be accepted". A "Cancel the (Dodge Challenger) request" button is present.

Personal page

6.2.4 Watch an item, free advertisement, or auction (watch_prod.php)

This shows you the items that you are interest in but you are not convinced auction, you want to be Shure about the auction that you want to post bid on it or to get more knowledge about the thing (item, free advertisement) you are interested in.

The screenshot shows a web browser window with the URL http://localhost/online_auction/watch_prod.php?page=1. The title bar says "O Auction". The main content area has a navigation bar with links for Home, Personal Page, Watch, My Items willing to Buy Page, My Items willing to Sell Page, Post an Auction, and Logout. There is also a search bar with "I'm searching for..." and "Select a category" dropdown, along with "Ok" and "Logout" buttons.

The main content area displays a table titled "The items you are Watching" with 7 records. The table columns include Auction ID, Pic, Name, Start Price, Currency, Buy the item now Price, Bidder Information, Started Date, Expired Date, Number of bids, Maximum bidding Price, Last bidder, and Bidder Comment. One row is highlighted for an auction with ID 159, starting at 11000 USD and ending at 25000 USD. The bidder information shows a range from 0000-00-00 00:00:00 to 2015-04-10 02:11:25. The last bidder is "Phone: 7111111111 E-mail: Ahmed@hotmail.com". Buttons for "More Details" and "Un Watch" are shown next to the last bidder row.

Figure 28 Watch Page

6.2.5 View auction in which bidder added bid (personalPageBuy.php)

After buyer post bid it shows the last auction which buyer have post Bid.

Post your advertisement here

RangROVERAdv
Date 2015-10-24 01:53:44

(25) Ahmed Ali, Ahmed Abduallah as buyer.	
My ID_no	25
Bids Id	115
Bids Auction Id	159
Name:	Rang Rover
More Details	
Bids Amount	22500
Comment	Phone: 711111111111 E-mail: Ahmed@hotmail.com

Post Bid for this Auction:

Add your own price:
Bids_amount:
Comment:
Phone: 711111111111

E-mail: Ahmed@hotmail.com

Figure 29 Add again another Bid on Item that user are going to buy

6.2.6 Show the details of the auction or the advertisement (details.php)

It shows the details and the description of the advertisement or of the auctions , from this page buyer can post bid , also the seller and buyer can watch an item , also any one can report(denouncement)an item .

Home Personal Page (abo) Watch My Items willing to Buy Page My Items willing to Sell Page Post an Auction Logout

Do you want to [Log out](#)!

I'm searching for... Select a category Ok

Un Watch										Denouncement	
#Auction Owner ID	image	#Auction ID	Name	Currency	Start Price	Buy now Price	The Price now is	Status	Country	City	Date
25 See Owner information		257	Rang Rover	USD (Dollar US\$)		11000	There is no bidding yet			Sana'a , Hada Street , Zero Street	Started date: 2015-10-22 21:51:20

Auction closed at:
Remaining Days: 89
Time: 2136 : 51 : 53

Description:

Post your advertisement here

Date: 2015-10-24 01:53:44
See More

#Auction Owner ID	image	#Auction ID	Name	Currency	Start Price	Buy now Price	The Price now is	Status	Country	City	Contact	Date
20 See Owner information		159	Rang Rover	USD	11000	25000	There is no bidding yet	used	Yemen	Sanaa	777000000	Started date: 2015-04-10 02:11:25

As an advertisement

Description:

Rang Rover car.

Figure 30 Details Page

This image shows you how to post report

Ther is no bidding yet

Refresh to see last bids		
Bidder ID	Amount	Comment

Status of the Auction now

Currency: USD(Dollar US\$)

Number of bids: 0

Auction Amount Now: _____

Add your own price:

Bids_amount: Your own price

Currency: USD(Dollar US\$)

Phone: 77778888

Comment: E-mail: saleh@hotmail.com

Post Bid

Figure 31 Place a Bid

This show you how to post bid

6.2.7 Sell item or auctions that are going to sell (personalPageSell.php)

It shows the items as an advertisement or auctions that seller posted or the free advertisements that user wants to sell them.

[Home](#) >> [Personal page](#) >> [My items to sell.](#)

The Personal Items willing to Sell

You have (69) items.

Welcome Ahmed Ali (abo) to your Items willing to Sell. (ID: 25)

[<< Back into My Page](#) [Refresh](#)

Your item

Name: (gunshot) is not accept Please read [Our Policies](#)

[DELETE \(gunshot\) !](#)

Your new Auction

Name: Toyota

is under process, It needs 24 hours to be accepted

[Cancel the \(Toyota \) request.](#)

Your new Auction

Name: dssdddddd sssssss

The red color show you the auctions that are not accepted

is under process, It needs 24 hours to be accepted

[Cancel the \(rang rover \) request.](#)

(Name: Home flowers) is stopping or is hiding by you for public.

[Show \(Home flowers \) again](#)

Owner ID	Auction ID	Pic	Name	Price	(Price) Currency	Buy the item now price	Started Date	Expired date	view all bidders for this auction	Number of bids	Maximum bidding Price	Bidder Comment	Hide	Edit category details	Delete an Auction
25	263		vela and rang rover cars	500000	USD (Dollar US\$)	(500000)	2015-10-24 23:14:11	2016-12-29 01:01:00 Day after 2015-10-24 23:14:11	More Details	0	No bids	No bids	Hide	house, vela and rang rover cars for public	DELETE
25	262		chever	399939	GBP (Pound)	(399939)	2015-10-24 03:30:00	2015-12-31 00:00:00 Day after	More Details	0	No bids	No bids	Hide	(chever) for public	DELETE

The blue color shows the auctions that are stopped by the owner(Seller)

ID	Item ID	Item Name	Category	Starting Price	Current Bid	Date Created	Date Updated	Details	Status	Bids	No bids	Action	
25	262	Chever		399939 GBP (Pound AE)	399939	2015-10-24 03:30:04	2015-10-24 03:30:04	Details	U	0	No bids	No bids	public Hide Edit Category Delete
25	258	Dodge Challenger		(12000)	12000	2015-10-24 00:08:13	2015-12-31 01:01:00	More Details	0	No bids	No bids		Hide (Dodge Challenger) for public Edit Category Delete
25	257	Range Rover		(11000)	11000	2015-10-22 21:51:20	2016-01-29 01:02:00	More Details	0	No bids	No bids		Hide (Range Rover) for public Edit Category Delete
25	253	Range Rover 2014		(12000)	12000	2015-10-18 18:10:37	2015-12-26 01:01:00	More Details	0	No bids	No bids		Hide (Range Rover 2014) for public Edit Category Delete

Show All Records: 10 of 69
[< Previous](#) [Next >](#)

This in table shows you the accepted auction or items.

6.2.8 The add item or auction page page (add_item_to_sell.php)

Which enable user to add free advertisements or an auctions or to add bids (when you add an item page if the date greater than the today date it will be as an auction but if the date is older than the today date it will be as an advertisement).

Home Personal Page Do you want to [Log out](#) ?

[Home](#) >> [Personal page](#) >> [Add item to sell](#).

Post an Auction for (ID: 49) sales - home

First Step

Choose your Category

- [Fashion](#)
- [Home and Garden](#)
- [Property](#)
- [Vehicle](#)

Figure 32 The add an Item or an Auction page page



First Step

[Choose your Category](#)


[Fashion](#)

[Home and Garden](#)

[Property](#)

[Vehicle](#)

[Other Categories](#)



Second Step

Press Brows choose Image for this item and Press upload to store it.

1- Choose the Image Path :

2- Press to Upload to save the image:

Third Step

Title:

title for your listing (Brand, Model) or enter a UPC , ISBN , VIN or part Number to enable people to find your item easily.



Example 1: Vehicles == Cars

Example 2: Fashion == Men

Example 3: Electronics

Subsubcategory

Example 1: Cars, RaagFever.

Example 2: Men, Shirts, Sport.

Example 3: Women, Accessories, Perfume, Narcissus.

Example 4: Phones, cellphones, Smartphones, Samsung.

Fourth Step

Add Location

Please select country

Please select city

Please select country and city.

Fifth Step

Add item details

Item name: Name enable users to find

Price: Select Currency Maximum price

Description, Color, Size, Model Name

Fifth Step

Add item details

Item name: Name enable users to find

Price: Select Currency Maximum price

Description, Color, Size, Model Name

Item description:

Use as an auction !
(Optional)

Use as an auction !

(Optional)

Specify start price Number bidders:

Specify Condition: Leave status empty New Used

Specify Ending date of an auction: Day Month Year Hour Minute

Last step InshAllah

Make sure your image is stored and you fill the required information.

6.2.9 Contact us page(contact_us_clint_send_page.php)

It shows form which enable user to communicate with the administration , it includes information such as the type of message like thanks or Complaint ..etc , email , message and name as optional .

Contact with online auction

Title

Name (optional)

E-mail

Content message:

Help | About | Our Policies | How to Post an Advertisement | Contact us

Copyright © 2010 O Auction | Designed by Omar Ahmed

Like us in:

Figure 33 Contact us page

6.3 Online auction Website interfaces design for (Control Panel)

2- Admin panel consist of

6.3.1 The website control panel (Setting .php)

Control the whole website such as close , open website for maintenance or change website information, description or details .

The image displays three stacked screenshots of a web-based administration interface. The top window shows a form for inserting new website settings, with fields for Site_name, Site_url, Site_email, Site_keyword, Site_dies, Site_status (set to 'open'), Site_closed_msg, and Site_pic. The middle window shows a navigation menu with 'Add Admin', 'Control Admin', 'Add Category', and 'Edit and Delete category' buttons, along with a 'Change my password' link and input fields for current and new passwords. The bottom window shows an edit form for an existing website entry, with fields for Site_id, Site_name ('Online Auction'), Site_url ('www.online_auction.com'), Site_email ('Online_Auction@hotmail.com'), Site_keyword ('buying buying, free'), Site_dies ('Items and advertisement'), Site_status ('opening'), Site_closed_msg ('We are working hard for you O_A'), and Site_pic ('none').

6.3.2 Control free auctions page (list.php)

It shows the free auctions and how admin control them I divide them to specify authority for each admin:

Accept : show the items , auctions or advertisement that are not forbidden in Quran or in Sunnah INSHAALLAH and it will be shown on the website.

Refused: the forbidden in QURAN such as win ...etc. It will not be shown on the website.

I don't know: is an option which enables admin to get an advice from other admin.

Delete: delete the auction or free advertisements and this is controlled by the authorization.

Update Auction: this is controlled by authorities to update information that is required because it is not allowed..

ID	UserImage	ProfileName	CurrentBiddingValue	BidStatus	BidCount	BidPic	Time	ContactInformation	BuyerInformation	Status	EDT	Date		
45		Lam User 101011 2011	100000	Open	1	image.png	2010-05-05 00:00:00	✓ Approved ✓ Verified *** I don't know Add Value 2010-10-12 11:38 ***** 22222 Mark *****		NATHAN	EDT			
33		Pete	\$1.00	222	10000	user/Pete/2010-11-03-23-40-27.png	2010-05-05 00:00:00	It is large house which werden 200 rooms	2010-05-05 00:00:00	✓ Approved ✓ Verified *** I don't know Add Value 2010-10-12 11:38 ***** 22222 Mark *****	NATHAN	EDT		
138		purch3	1000	10000	Rev	Peter	2010-11-03-23-47-50.png	My Futch can a sport has 20 km	2010-05-05 00:00:00	✓ Approved ✓ Verified *** I don't know Add Value 2010-10-12 11:38 ***** 22222 Mark *****	NATHAN	EDT		
35		Dudu	1000	222	1000	Rev	Peter	2010-11-04-02-49-00.png	79442881	2010-05-05 00:00:00	✓ Approved ✓ Verified *** I don't know Add Value 2010-10-12 11:38 ***** 22222 Mark *****	NATHAN	EDT	
128		Ramp Rover	100	2000	10000	user/Pete/2010-11-04-02-50-00.png	71110767	2010-05-05 00:00:00	2010-05-05 00:00:00	✓ Approved ✓ Verified *** I don't know Add Value 2010-10-12 11:38 ***** 22222 Mark *****	NATHAN	EDT		

Figure 34 Control free auctions page(Control Panel)

6.3.3 Control fee advertisement page (adv.php)

Those will be in most of the pages in Online Auction Website as an advertisement in the left side, the advertisement owner will send proposal or by communicate with the website administrations.

Add: add fee advertisement.

Update: Update fee advertisement

Delete: Delete fee advertisement.

Adman can add new, edit or delete fee advertisement that are controlled by the authorization.

Second step:

adv_name	<input type="text"/>
Short Description	<input type="text"/>
adv_detail	
Present Location in website	As Two <input type="checkbox"/> Left (View in most pages) <input type="checkbox"/> Right (View in Home page only)
adv_owner	<input type="text"/>
admin_notes	<input type="text"/>
<input type="button" value="Submit"/>	

Search by Auction Id, User Id, or Auction Name

Advanced search:

View Stopped # #

 Left(Most pages)

 Right (Home Page only)

show All

result found: 0

show all Adv:

Adv_Pic	Adv_ID	Adv_name	adv_detail	adv_owner	admin_notes	Status	Web location	AdminAccepted	Date
			Details and description Details and description RangROVERAdv detailsRangROVERAdv detailsRangROVERAdv detailsRangROVERAdv detailsRangROVERAdv detailsRangROVERAdv details and description deDetails and description tailsRangROVERAdv detailsRangROVERAdv details RangROVERAdv details Details and description detailsRangROVERAdv details RangROVERAdv Details and description Details and description Details and description RangROVERAdv detailsRangROVERAdv details and description Details and description deDetailsRangROVERAdv detailsRangROVERAdv details						

6.3.4 Administration authority and control the admins (control_admin.php)

It shows description and details of each admin and the status of each admin, so the administration can stop, delete or add an admin and specify the authority by pressing the 'specify the authority' link, so the administration can specify authority for each admin. (adminAuth.php)

http://localhost/online_auction/admin/control_admir

O_Auction

(1) WelCome to O_A admin page
LogOut !

list page for admin to controll all auctions.
Setting page
Delete all Refused: [Clear all refused records](#)

[Setting](#) [O_Auction\(Home\)](#) [Reports items](#) [Control fee ADVERTISEMENTS](#) [Control free ADVERTISEMENTS / Auctions](#) [Contact us](#) [Messages \(2\)](#) [Log out](#)

Search in auctions Search in items

Search by Admin Id, email, or admin name Submit

Advanced search:

- View Waiting admin
- View Stopped admin!
- View Accepted admin
- View Refused admin

Show All
[Result found: \(3\)](#)

Admin ID	admin Admin Statusname	Admin email	Admin phone	admin Authentication	admin History Status	Status (Accepted == 1) (Stopadmin == 3) (Refused == 2) (Wait == 0) (Page closed by user == 7)	Change authentication	Delete
				AuthSettingPaGeAuth				

Admin ID	admin Status	Admin name	Admin email	Admin phone	admin Authentication	admin History Status	Status (Accepted == 1) (Stopadmin == 3) (Refused == 2) (Wait == 0) (Page closed by user == 7)	Change authentication	Delete
1 #Status: (1) Admin Accepted	1	omar	omar_ahmed@email.com	734652801	AuthSettingPaGeAucth AdminControDailyAuction AdminStopAuction AdminAcceptAdvertisement AdminDeleteAdvertisement AdminEditAdvertisement	(By admin ID:1 at 2015-10-27 23:59:36)	<input checked="" type="checkbox"/> Accept <input type="radio"/> ###Wait### <input type="radio"/> ###Stop this admin### <input type="radio"/> Refuse <input checked="" type="checkbox"/> OK 1 #Status: Accepted	specify the authority for (omar)	DELETE
2 #Status: (3) admin Stoped	3	o2	omar@gmail.com	734652801	AdminAcceptAuction	2015-10-27 23:57:59	<input type="radio"/> Accept <input type="radio"/> ###Wait### <input checked="" type="checkbox"/> ###Stop this admin### <input type="radio"/> Refuse <input checked="" type="checkbox"/> OK 3 #Status: Stoped	specify the authority for (o2)	DELETE
5 #Status: (5)	5	omar ahmed	omarhamedadmin@gmail.com	2147483647	AuthSettingPaGeAucth AdminAddCategory AdminControlCategory AdminUpdateAuction AdminDeleteAuction AdminControDailyAuction AdministrationControlPage AdminDeleteAdmin AdminAcceptAdvertisement AdminEditAdvertisement AdminDeleteAdvertisement	2015-09-22 00:41:49 LogOutDate Time 2015-09-23 01:57:43 AlhaMdolellAH] LogOutDate Time 2015-10-17 22:29:44 AlhaMdolellAH] LogOutDate Time 2015-10-17 22:31:09 AlhaMdolellAH]	<input type="radio"/> Accept <input type="radio"/> ###Wait### <input checked="" type="checkbox"/> ###Stop this admin### <input type="radio"/> Refuse <input checked="" type="checkbox"/> OK This the owner 5 #Status: The Owner	specify the authority for (omar ahmed)	The Owner

2 #Status: (3) admin Stoped	3	o2	omar@gmail.com	734652801	AdminAcceptAuction	2015-10-27 23:57:59	<input type="radio"/> Accept <input type="radio"/> ###Wait### <input checked="" type="checkbox"/> ###Stop this admin### <input type="radio"/> Refuse <input checked="" type="checkbox"/> OK 3 #Status: Stoped	specify the authority for (o2)	DELETE
5 #Status: (5)	5	omar ahmed	omarhamedadmin@gmail.com	2147483647	AuthSettingPaGeAucth AdminAddCategory AdminControlCategory AdminUpdateAuction AdminDeleteAuction AdminControDailyAuction AdministrationControlPage AdminDeleteAdmin AdminAcceptAdvertisement AdminEditAdvertisement AdminDeleteAdvertisement	2015-09-22 00:41:49 LogOutDate Time 2015-09-23 01:57:43 AlhaMdolellAH] LogOutDate Time 2015-10-17 22:29:44 AlhaMdolellAH] LogOutDate Time 2015-10-17 22:31:09 AlhaMdolellAH]	<input type="radio"/> Accept <input type="radio"/> ###Wait### <input checked="" type="checkbox"/> ###Stop this admin### <input type="radio"/> Refuse <input checked="" type="checkbox"/> OK This the owner 5 #Status: The Owner	specify the authority for (omar ahmed)	The Owner

Results found: 0

[Show All](#) | [First](#) | [<< Previous](#) | [Next >>](#) | [Last](#)

O_Auction
 (1) Welcome to O_A admin page
[LogOut !](#)

[Setting](#) | [O_Auction\(Home\)](#) | [Reports items](#) | [Control fee ADVERTISEMENTS](#) | [Control free ADVERTISEMENTS / Auctions](#) | [Contact us Messages \(2\)](#) | [Log out](#)

Search in auctions Search in items

Edit Authentication page

Authentication now:

```
AuthSettingPaGeAucth AdminControDailyAuction AdminStopAuction AdminAcceptAdvertisement AdministrationDeleteAdmin AdministrationControlPage AdminDeleteAuction
AdminAcceptAdvertisement AdminDeleteAdvertisement AdminEditAdvertisement
```

[(<-->) Back]

Category Name: Save

#	Name	Authorization	Authority	Delete
			<small>// for insert and edit website setting in the setting.php page AuthSettingPaGeAucth</small> <small>// for categories in addcat.php and editcat.php AdminAddCategory AdminControlCategory</small> <small>// list.php for control all the auctions / items AdminUpdateAuction AdminDeleteAuction AdminControDailyAuction</small> <small>// control_admin.php AdministrationControlPage to enter control_admin page and the others inside the page AdminstrationControlPage AdminDeleteAdmin AdminstrationDeleteUser</small> <small>// adv.php to control the fee adv and add one //adv_edit.php AdminAcceptAdvertisement AdminEditAdvertisement AdminDeleteAdvertisement</small>	


6.3.5 Receive the messages of the contact us by user, buyer, or seller (contact_us_admin_recived_page.php) This is the page of the messages from the user when he sent message from (contact_us_user_recived_page.php) .

The screenshot shows a web application interface for managing contact messages. The top navigation bar includes links for 'Setting', 'O_Auction/Home', 'Reports Items', 'Control fee ADVERTISEMENTS', 'Control free ADVERTISEMENTS / Auctions', 'Contact us Messages (2)', and 'Log out'. Below the navigation is a search bar for 'Search in auctions' and 'Search in items'. The main content area is divided into two sections: 'Contact Messages' and 'Welcome to O Auction'. The 'Contact Messages' section has a red header 'Unread messages (2)' containing a proposal message. It also has a blue header 'Read Messages (12)' containing a list of 12 messages. The 'Welcome to O Auction' section has a blue header 'Contact us Messages' and a red header 'Unread Messages'. A sub-section titled 'Read messages from same E-mail (1)' shows one message with details: id 3, Name ahmed ali, Title TitleTitleTitle, Email omar20101010@hotmail.com, Message afkkjkjkd asdfdsfadsa asdfffffdf adfsf, Date 2015-06-18 01:56:15. There are 'Control' and 'Delete' buttons for this message.

6.3.6 Reports page (report_item.php)

This page will show you the free advertisements, item, auction that have report (denouncement) to enable admin to delete or stop the reported item , it includes who is the sender (the one who sent the report) and who is the owner.

The screenshot shows a web application interface for managing reported items. The top navigation bar is identical to the previous screenshot. The main content area features a large 'O_Auction' logo. Below the logo is a blue header bar with the text '(1) WelCome to O_A auction page' and a 'LogOut !' link. The main content area has a blue header 'Reported Items' and a red header 'Reports or denouncement (6)'. A list of reports is shown, with entries like '[(OWNER(Item: 245)(user:25))][Sender: 47]' and '[(OWNER(Item: 257)(user:25))][Sender: User not login]'. Below this is a red header 'Welcome Reported page O_Auction' and a red message 'Auction (ID: 0) not exist it might be Deleted'.



Chapter 7 – Conclusion

Online buying and selling providing an easy way for purchasing, and to enable the seller to find customers quickly and easy, also the buyer will take the right decision and will be satisfied about the object and the price also both they will make the best purchase decision and that will build along relation between the seller and the buyer and both will be satisfied Insha'Allah.

Results of Online Auction website:

- The seller will get more buyers.
- The seller can add free advertisement and add to this free advertisement an auction, or to be without auction.
- The buyer can post bid on the auction to get this item or this thing.
- The details page will be refresh every each second to provide the bidder with the information about the auction he post bid on it at time, such as who is the bids, and when it will be stopped.
- The buyers enable to post bid (price) to be satisfied, and to enable other visitor to know the price of this item it deserve.
- By providing the auction seller will get the best price and by the buyers, so it will be easy to find buyers, also the buyer will get more information about the price of the thing interest in, and they will be satisfied.

Questionnaire:

- Who to design website that provide a bids system?
- Have you ever bought something online?
- Haw the idea of the bid is working?
- What programming languages they use?
- What system they use if they bought it?
- Where is the location of their servers?
- What are physical requirements?
- What are the main things they need know after implementing the system?
- Do they need to pay money for the website and what are their?
- Who is the owner of the system?
- Haw they develop the system?
- Does there any change that is benefit for the website?
- Does there any things that affect the system?

References:

- [1] San Jose, California 2005 Hamilton Ave., Suite 204; 95125; U.S.A.
- [2] Don Lancaster; Synergetics, Box 809, Thatcher, AZ 85552; copyright c2003 as GuruGram #25; <http://www.tinaja.com>; don@tinaja.com; (928) 428-4073.
- [3] Internet Training; NetTraining@netINS.net
- [4] Go [yemen.com/about us](http://yemen.com/about-us)
- [5] (Yin, 1984, p. 23) Case study research: Design and methods. Newbury Park, CA: Sage]
- [6] Digital Service Efficiency, dse.ebay.com; email (dse@ebay.com.)
- [7] Open Soq Android application.
- [8] WWW.Goyemen.com.
- [9] Jarrod Trevathan and Wayne Read and Rodel Balingit; Online Auction Software Fundamentals; 2009 International Conference on Computer Engineering and Applications, IPCSIT vol.2 (2011) © (2011) IACSIT Press, Singapore.
- [10] Jono Bacon, Building Eight Dynamic Web Applications; PRENTICE HALL; Practical PHP and MySQL, NEGUS LIVE LINUX SERIES.
- [11] Mazad Alane , Research documentation from

Confidential Prepared By Omar Ahmed Ali

PEFERENCES

APPENDICES

6.1.3 The Coding and Building The Website

I wrote this source code to help the student who wants to do their final project, it is small website which cover the idea of the Auction, Selling, Buying online.

I faced difficulties because of the poor resource, so I am doing this in very basic which covers the idea of the main content of developing and designing website, it has the automatic refresh for bidding, also I wrote the all need contain in the code page, so if there is include file you can run the code successfully Insha'Allah without using this include file it.

You will see many codes are repeated, but I made this to be easy and clear for the student who wants to build their own first website for the first time.

This is the main page online Auction, First the (**index.php**) starting the code:

6.1.3.1 index.php

```
<p>&nbsp;</p>
<p><a href="login_page.php">View more pages</a>
</p>
<?php include 'o_auction_header.php'; ?>
<h3 align="center" >This is the page of fee advertisements </h3>
<h1 align="center">

<font color='orange'>O</font>nline <font color='blue'>A</font>uction Website </h1>
<?php // Start code of searching ?>
<?php
//conection
$hostname_connection = "localhost";
$database_connection = "auction_db";
$username_connection = "O_AOmarAhmedAli_oNline_aUcTion";
$password_connection = "12345";
$connection = mysql_pconnect($hostname_connection, $username_connection,
$password_connection) or trigger_error(mysql_error(),E_USER_ERROR);
?>
<form id="formSearching" name="formSearching" method="post" action="index.php">
<p align="center">
<input type="text" name="txt_search_word" id="txt_search" />
<input type="submit" name="button_search" id="button_search" value="Search" />
<a href="index.php">Show all item, Auctions, products or services. </a>
</p>
</form>
<?php
mysql_select_db($database_connection, $connection);
if (isset($_POST['txt_search_word'])) {
    $search_word = $_POST['txt_search_word'];
$query_Q_looking_for = "SELECT * FROM items_table WHERE Name
LIKE '%".$search_word."%' OR Title LIKE '%".$search_word."%'";
-
```



```

}else{
    $query_Q_looking_for = "SELECT * FROM items_table ORDER BY Id DESC";
}
$Q_looking_for = mysql_query($query_Q_looking_for, $connection) or die(mysql_error());
$totalRows_Q_looking_for = mysql_num_rows($Q_looking_for);
echo "<p align='center'>Results found (".$totalRows_Q_looking_for.").</p>";
while($row_Q_looking_for = mysql_fetch_assoc($Q_looking_for)){
?> <p align="center"> <a href="details.php?I=<?php echo $row_Q_looking_for['Id']; ?> " > <?php echo $row_Q_looking_for['Name']; ?> (<?php echo $row_Q_looking_for['BuyNowPrice']; ?>)</a></p>
<?php }//close while ?>
<?php // End code of searching ?>
<?php include 'footer.php';?>

```



The output of index.php should be like this

6.1.3.2 o_auction_header.php

```

<!-- This is the header which will be in more of the pages -->
<?php @session_start(); ?><html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" /><style
type="text/css">
#postauc{list-style: none; }
#postauc li{ display: block; background-color:#070e39; padding: 12px; color:#FFF; text-
decoration:none; border: 1px inset #FFF; }
#postauc li a:hover{ display: block; background-color:#0d164e;padding: 12px; }
#home_btn{list-style: none; }
#home_btn li{ float: left; }
#home_btn li a{ display: block; background-image:url(..//admin/images/omar_auc_logo.png);
padding: 20px 28px 14px 40px; margin:auto color:#FFF; text-decoration:none; border: 2px
inset #333d74; }
#home_btn li a:hover{ background-image:url(..//admin/images/omar_auc_logo.png); font-
size:18px; }
#navbar ul{list-style: none; }
#navbar ul li{ float: left; border: 2px inset #FFF; }

```



```

#navbar ul li a{ display: block; background-color:#070e39; padding: 12px; color:#FFF; text-decoration:none; border: 2px ridge #FFF ; }
#navbar ul li a:hover{ background: #333d74; font-size:15px; }
#logoutok ul{list-style: none; }
#logoutok li{ list-style: none; float: right;}
#logoutok li a{ display: block; background-color: #333d74; padding: 12px; color: #FFF; text-decoration:none; border: 2px dotted #FFF }
#logoutok li a:hover{ background: #333d74; font-size:16px; border: 2px dotted #222222; }

```

</style>

</head>

<body><?php if(\$_SESSION['SESSION_USER_id'] != ""){ ?>

<div id="logoutok"> Logout </div>

<?php } //closeif(\$_SESSION['SESSION_USER_id'] != "") ?>

<div id="row"> <div id="home_btn"> <?php echo \$row_info['user_f_name']; ?> <?php echo \$row_info['user_l_name']; ?> <?php echo \$row_info['username']; ?> (My Page) </div>

<div id="navbar">

 Watch

 <a href="personalPageBuy.php?Id=<?php echo \$row_Recordset1['bids_user_id']; ?>"> My Items willing to Buy Page

 My Items willing to Sell Page

</div>

</div>

<div id="postauc">

 Post an Auction

</div>



The output of (o_auction_header.php) should be like this

6.1.3.3 footer.php

```

<style type="text/css">
#omar_footer2 { color: #FFFFFF; font-size: 0.8em; text-align: center; font-family: Arial, sans-serif; }

```




```

#omar_footer3 { color: #FFFFFF; font-size: 0.8em; text-align: right; font-family: Arial, sans-serif;
}
.o_auction_copyright {color: rgba(70, 100, 200, 0.3);}
#omar_footer { background-color: rgba(0, 0, 0, 0.2) ; height: 80px; width:1270px;}
/* #omar_footer { background: #07080a ; height: 80px; width:1270px;} */
#omar_footer ul{list-style: none; }
#omar_footer ul li{ float:left }
#omar_footer ul li a{ display: block; margin:20px; font-size:17px; color:#323037; text-decoration: underline; }
#omar_footer ul li a:hover{ color:#00F; font-size:18px; }
.o_auction_copyright {color: rgba(70, 100, 200, 0.3);}
</style>
<p>&nbsp;</p>
</div> </div> </div> </div>
<footer class="row credit">
    <div class="col col-md-12">
        <div id="omar_footer">
            <ul>
                <li><a href="Help.php">Help</a></li>
                <li><a href="about_online_auction.php">About</a></li>
                <li><a href="ourPolicies.php"> Our Policies</a></li>
                <li><a href="contact_us_clint_send_page.php"> How to Post an Advertisement</a></li>
                <li><a href="contact_us_clint_send_page.php"> Contact us</a></li>
            </ul> <p>&nbsp;</p>
            <div id="omar_footer3">
                <p>Like us in: <a rel="nofollow" href="http://www.facebook.com/O_A"></a>
                    <a href="#"></a>
                    <a href="#"></a>
                    <a href="index.php"> O_A </a> </p> </div> </div></div>
            </div> <div id="omar_footer2">
                <div class="o_auction_copyright"> Copyright 2016 ©<a href="index.php">Online Auction</a> | Developed & Designed by <a href="#">Omar Ahmed </a></div>
                </div> </div> <p>&nbsp;</p>
        </div>
    </div>
</div>

```

```
</body></html>
```



The output should be like this

```
/*In The Name of Allah
The last thing I would like to distribute the codes of my website to and that is to enable
students to do their websites and Insha'Allah it will help them.
This code is free and its only for learning and I am not allowing any one to using it in any form
of business, or using as project or as personal work or as work of any group.
(And ALLAH id a witness of what I say)
#####
بسم الله الرحمن الرحيم
لقد قمت بوضع الكود لكي يستفسد منه اي شخص و يالخاصة الطلاب، إن شاء الله ، ولا أسمح لأي أحد ان
يحتكره او يستخدمه لأغراض تغريب الله او أغراض مالية أو تسليمة كامشروع
والعرض الوحيد هو فقط التعليم وهو ايضا مجاني.
والله على ما أقول وكيل.
*/
<?php
echo "In The Name of Allah <br>
<br>The last thing I would like to distribute the codes of my website to and that is to enable
students to do their websites and Insha'Allah it will help them.
<br>This code is free and its only for learning and I am not allowing any one to using it in any form
of business, or using as project or as personal work or as work of any group.
(And ALLAH id a witness of what I say)
<br><br>
#####
<br><br>
<br><br>
بسم الله الرحمن الرحيم
لقد قمت بوضع الكود لكي يستفسد منه اي شخص و يالخاصة الطلاب، إن شاء الله ، ولا أسمح لأي أحد ان
يحتكره او يستخدمه لأغراض تغريب الله او أغراض مالية أو تسليمة كامشروع
والعرض الوحيد هو فقط التعليم
<br>والله على ما أقول وكيل.
<br>";
?>
<?php
/*
```

```

echo "In The Name of Allah <br>
<br>The last thing I would like to distribute the codes of my website to and that is to enable
students to do their websites and Insha'Allah it will help them.
<br>This code is free and its only for learning and I am not allowing any one to using it in any
form of business, or using as project or as personal work or as work of any group.
(And ALLAH id a witness of what I say)
<br><br>
#####
<br><br>
<br><br> بسم الله الرحمن الرحيم <br>
<br>لقد قمت بوضع الكود لكي يستفسد منه اي شخص و يالخاصة الطلاب، إن شاء الله ، ولا أسمح لأي أحد ان
يحتكره او يستخدمه لأغراض تغريب الله او أغراض مالية او تسلية كمشروع
و الغرض الوحيد هو فقط التعليم وهو ايضاً مجاني <br>
و الله على ما أقول وكيل
<br>";
*/?>

```

6.1.3.4 registration_page.php

(registration_page.php)

```

<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
</head>
<body>
<p><a href="index.php"></a></p>
<li><a href="index.php"> &lt;&lt; Back to the main page &lt;&lt;</a></li>
<?php
$con=mysqli_connect("localhost","O_AOmarAhmedAli_oNline_aUcTion","12345","auction_db
");
if(mysqli_connect_errno()){
    echo "Failed to connect to MySQL:". mysqli_connect_error();
}
$Fname= addslashes(strip_tags($_POST['Fname']));
$Lname= addslashes(strip_tags($_POST['Lname']));
$username= addslashes(strip_tags($_POST['username']));
$userpass= addslashes(strip_tags($_POST['userpass']));
$md5userpass = md5($userpass);
$Email= addslashes(strip_tags($_POST['Email']));
$PhoneNumber=$_POST["PhoneNumber"];
$Country=$_POST["CountryReg"];
if($_POST['R_submit']){
    $host = "localhost"; // connection
    $user = "O_AOmarAhmedAli_oNline_aUcTion";
    $pass = "12345";
    $db = "auction_db";
    mysql_connect($host,$user,$pass);
}

```



```

mysql_select_db($db);
$select_register =mysql_query("select * from user_information_table where
user_email='".$Email' or username='".$username' ");
$number_register = mysql_num_rows($select_register);
if($Fname == "" or $Lname == "" or $username == "" or $userpass == "" or $Email == "" or
$PhoneNumber == "" or $Country == "" ){
echo"<script>alert(\" All textboxes are required\");</script>";
}elseif($number_register != 0 ) {
echo"<script>alert(\" This user is exist. \");</script>";
}elseif(!is_numeric($PhoneNumber)){
echo"<script>alert(\"Phone number should be number \");</script>";
}elseif(!preg_match("/(\w+@[a-zA-Z_]+\?.[a-zA-Z]{2,4})/", $Email )) {
echo"<script>alert(\"The E-mail is not correct\");</script>";
}
$ins="insert into user_information_table (user_stat, user_f_name , user_l_name , username ,
user_password , user_phone , user_email , country, reg_date )
values('0','$Fname','$Lname','$username','$md5userpass','$PhoneNumber','$Email','$Country'
,now())";
if(mysqli_query($con,$ins)){
echo "<h1 align='center'><p> Welcome ". $Fname ." to O_Auction </h3><h4>Your Account
added successfully <br>Login now !</h1>" ;
echo'<meta http-equiv="Refresh" content="0;url=
http://localhost/online_auction/personal_page.php">';
exit;}else{
echo"fail to add".mysqli_error($con);
}

}
}
?
<!--start form of register -->
<form action="registration_page.php" method="post">
<table width ='66%' border='0' cellspacing="5" align="center" cellpadding='7'>
<tr>
<td colspan="2" align="center">
<h2><font color="blue">Online Auction registration form</font><hr></h2>
</td>
</tr>
<tr>
<td width="50%" ><h4>First Name: </h4></td>
<td width="50%"> <input type="text" name="Fname" value=<?php echo $Fname ; ?>
size="88" maxlength="50"><br></td>
</tr>
<tr>
<td width="50%"><h4>Last Name: </h4></td>
<td width="50%"> <input name="Lname" type="text" value=<?php echo $Lname ; ?>
size="88" maxlength="50"><br></td>
</tr>
<tr>
<td width="50%"><h4>USER Name: </h4></td>
<td width="50%"> <input type="text" name="username" value=<?php echo $username ; ?>
size="88" maxlength="50"><br></td>

```

```

</tr>
<tr> <td width="50%"><h4>Password: </h4></td>
<td width="50%"> <input type="password" name="userpass" value="<?php echo $userpass ; ?>" size="88" maxlength="50"><br></td>
</tr>
<tr> <td width="50%"><h4>Phone Number: </h4></td>
<td width="50%"> <input type="text" name="PhoneNumber" value="<?php echo $PhoneNumber ; ?>" size="88" maxlength="50"><br></td>
</tr>
<tr> <td width="50%"><h4>E-mail: </h4></td>
<td width="50%"><input type="text" name="Email" value="<?php echo $Email ; ?>" size="88" maxlength="50"><br></td>
</tr>
<tr>
<td width="50%"><h4>Country: </h4></td>
<td width="50%">
<select name="CountryReg" >
<option value="<?php echo $Country ; ?>"> <?php echo $Country ; ?> Select your Country
</option>
<?php
// select the country
$countries = array
(

```

'Afghanistan' => 'Afghanistan (افغانستان)',
'Albania' => 'Albania (Shqipëri)',
'Algeria' => 'Algeria',
'Angola' => 'Angola',
'Argentina' => 'Argentina',

'Armenia' => 'Armenia (Հայաստան)',
'Austria' => 'Austria (Österreich)',
'Azerbaijan' => 'Azerbaijan (Azərbaycan)',
'Belgium' => 'Belgium',
'Bolivia' => 'Bolivia',
'Bahrain' => 'Bahrain (البحرين)',
'Bosnia and Herzegovina' => 'Bosnia and Herzegovina',
'Bangladesh' => 'Bangladesh (বাংলাদেশ)',
'Brazil' => 'Brazil',
'Bulgaria' => 'Bulgaria (България)',
'Cambodia' => 'Cambodia (កម្ពុជា)',
'Cameroon' => 'Cameroon (Cameroun)',
'Canada' => 'Canada',
'Central African Republic' => 'Central African Republic',
'Chile' => 'Chile',
'China' => 'China (中国)',
'Colombia' => 'Colombia',
'Comoros' => 'Comoros (جزر القمر)',
'Costa Rica' => 'Costa Rica',
'Côte d'Ivoire' => 'Côte d'Ivoire',
'Croatia' => 'Croatia (Hrvatska)',
'Cuba' => 'Cuba',

'Cyprus' => 'Cyprus (Κύπρος)',
'Czech Republic' => 'Czech Republic (Česká republika)',
'Democratic Republic of the Congo' => 'Democratic Republic of the Congo',
'Denmark' => 'Denmark',
'Dominican Republic' => 'Dominican Republic',
'Ecuador' => 'Ecuador',
'Chile' => 'Chile',
'Egypt' => 'Egypt (مصر)',
'Estonia' => 'Estonia',
'Ethiopia' => 'Ethiopia',
'Fiji' => 'Fiji',
'Finland' => 'Finland (Suomi)',
'France' => 'France',
'Georgia (country)' => 'Georgia (საქართველო) (country)',
'Germany' => 'Germany',
'Ghana' => 'Ghana',
'Greece' => 'Greece (Ελλάδα)',
'Guatemala' => 'Guatemala',
'Haiti' => 'Haiti',
'Honduras' => 'Honduras',
'Hungary' => 'Hungary',
'Iceland' => 'Iceland',
'India' => 'India (भारत)',
'Indonesia' => 'Indonesia',
'Iran' => 'Iran (ایران)',
'Iraq' => 'Iraq (العراق)',
'Ireland' => 'Ireland',
'Italy' => 'Italy',
'Jamaica' => 'Jamaica',
'Japan' => 'Japan (日本)',
'Jordan' => 'Jordan (الأردن)',
'Kenya' => 'Kenya',
'Kuwait' => 'Kuwait (الكويت)',
'Laos' => 'Laos',
'Latvia' => 'Latvia',
'Lebanon' => 'Lebanon (لبنان)',
'Libya' => 'Libya (ليبيا)',
'Lithuania' => 'Lithuania',
'Luxembourg' => 'Luxembourg',
'Madagascar' => 'Madagascar',
'Malaysia' => 'Malaysia',
'Malta' => 'Malta',
'Mauritius' => 'Mauritius',
'Mexico' => 'Mexico',
'Montenegro' => 'Montenegro',
'Morocco' => 'Morocco',
'Mozambique' => 'Mozambique',
'Myanmar' => 'Myanmar',

'Namibia' => 'Namibia',
'Nepal' => 'Nepal (नेपाल)',
'Netherlands' => 'Netherlands',

'New Caledonia' => 'New Caledonia',
'New Zealand' => 'New Zealand',
'Nicaragua' => 'Nicaragua',
'Nigeria' => 'Nigeria',
'Norway' => 'Norway',
'North Korea' => 'North Korea (조선민주주의인민공화국)',
'Oman' => 'Oman (عُمان)',
'Pakistan' => 'Pakistan (پاکستان)',
'Palestine' => 'Palestine (فلسطين)',
'Panama' => 'Panama',
'Paraguay' => 'Paraguay',
'Peru' => 'Peru',
'Philippines' => 'Philippines',
'Poland' => 'Poland',
'Portugal' => 'Portugal',
'Puerto Rico' => 'Puerto Rico',
'Qatar' => 'Qatar (قطر)',
'Republic of Macedonia' => 'Republic of Macedonia',
'Réunion' => 'Réunion',
'Romania' => 'Romania',
'Russia' => 'Russia',
'Saudi Arabia' => 'Saudi Arabia (المملكة العربية السعودية)',
'Senegal' => 'Senegal',

'Serbia' => 'Serbia (Србија)',
'Singapore' => 'Singapore',
'Slovakia' => 'Slovakia',
'Slovenia' => 'Slovenia',
'South Africa' => 'South Africa',
'South Korea' => 'South Korea (대한민국)',
'Spain' => 'Spain',
'Sri Lanka' => 'Sri Lanka',
'Sudan' => 'Sudan (السودان)',
'Sweden' => 'Sweden',
'Switzerland' => 'Switzerland',
'Syria' => 'Syria (سوريا)',
'Taiwan' => 'Taiwan (台灣)',
'Tanzania' => 'Tanzania',
'Thailand' => 'Thailand',
'The Bahamas' => 'The Bahamas',
'Trinidad and Tobago' => 'Trinidad and Tobago',
'Tunisia' => 'Tunisia',
'Turkey' => 'Turkey',
'Uganda' => 'Uganda',
'Ukraine' => 'Ukraine (Україна)',
'United Arab Emirates' => 'United Arab Emirates (الإمارات العربية المتحدة)',
'United Kingdom' => 'United Kingdom',
'United States' => 'United States',
'Uruguay' => 'Uruguay',

'Venezuela' => 'Venezuela',
'Vietnam' => 'Vietnam',

```

'Yemen' => 'Yemen (اليمن)',
'Zimbabwe' => 'Zimbabwe'
);
foreach($countries as $x=>$x_value)
{
echo "<option value="" . $x . "">" . $x_value."</option>";
echo "<br>";
}
?>
</select>

</td>
</tr>
<tr>
<td colspan="2" align="center"><h4><a href='ourPolicies.php'>Read our Policies</a><br>
<input type="submit" name="R_submit" value=" Submit "></h4></td>
</tr>
</table>
</form>
</body>
</html>
<?php include 'footer.php';?>

```

The screenshot shows the registration form for the Online Auction website. The form includes fields for First Name, Last Name, USER Name, Password, Phone Number, E-mail, and Country (with a dropdown menu). Below the form are two buttons: 'Read our Policies' and 'Submit'. At the bottom, there's a navigation bar with links to Help, About, Our Policies, How to Post an Advertisement, Contact us, and social media links for Facebook, Twitter, and RSS.

The output of (registration_page.php) should be like this

6.1.3.5 login_page.php

The code of the user login (**login_page.php**)

```

<?php
@ session_start();
if( $_SESSION['SESSION_USER_id'] != ""){

```

```

// echo'<meta http-equiv="Refresh" content="0;url=
http://localhost/online_auction/personal_page.php">';
header("Location:http://localhost/online_auction/personal_page.php");
exit;?

?>

<?php
// include 'header.php';
?>
<?php // include 'menu_index.php';?>
<?php
$host = "localhost";
$user = " O_AOmarAhmedAli_oNline_aUcTion";
$pass = "12345";
$db = "auction_db";
mysql_connect($host,$user,$pass);
mysql_select_db($db);
?>
<?php
if (isset($_POST['button_login'])){

    $user_email= $_POST['user_email_txt'];
    $user_pass=$_POST['user_password'];
    $md5userpass = md5($user_pass);
    if($user_email == "" or $md5userpass == ""){
        echo "<h1>All the data is required</h1>";

    }else{

        $select_user_log = mysql_query("select * from user_information_table where
user_email = '$user_email' and user_password = '$md5userpass'");
        $num = mysql_num_rows($select_user_log);
        if($num == 1){
            $row=mysql_fetch_assoc($select_user_log);
            $dbuser_email = $row['user_email'];
            $dbpassword = $row['user_password'];

            if($dbuser_email == $user_email and $dbpassword == $md5userpass){
                $_SESSION['SESSION_USER_id'] = $row['user_id'];
                echo "<h1> welcome</h1> ". $row['user_id'] . $row['username'];
                echo'<meta http-equiv="Refresh" content="0;url=
http://localhost/online_auction/personal_page.php">';
            }
            exit;}else{
                echo"<h1>The User E-mail or the User Password is Not Correct...! </h1>";
            }
        }
    }
?>
<html>

```



```

<body>
<!-- <p>Welcome to Online Auction Login </p>

/*In The Name of Allah
The last thing I would like to distribute the codes of my website to and that is to enable
students to do their websites and Insha'Allah it will help them.

This code is free and its only for learning and I am not allowing any one to using it in any form
of business, or using as project or as personal work or as work of any group.

(And ALLAH id a witness of what I say)
#####
بسم الله الرحمن الرحيم
لقد قمت بوضع الكود لكي يستفسد منه اي شخص و يالخاصة الطلاب، إن شاء الله ، ولا أسمح لأي أحد ان
يحتكره او يستخدمه لأغراض تغريب الله او أغراض مالية أو تسلية كامشروع
والغرض الوحيد هو فقط التعليم وهو ايضا مجاني.
والله على ما أقول وكيل.
*/
<?php
echo "In The Name of Allah <br>
<br>The last thing I would like to distribute the codes of my website to and that is to enable
students to do their websites and Insha'Allah it will help them.

<br>This code is free and its only for learning and I am not allowing any one to using it in any
form of business, or using as project or as personal work or as work of any group.

(And ALLAH id a witness of what I say)
<br><br>
#####
<br><br>
<br><br>بسم الله الرحمن الرحيم
لقد قمت بوضع الكود لكي يستفسد منه اي شخص و يالخاصة الطلاب، إن شاء الله ، ولا أسمح لأي أحد ان
يحتكره او يستخدمه لأغراض تغريب الله او أغراض مالية أو تسلية كامشروع
والغرض الوحيد هو فقط التعليم
<br>والله على ما أقول وكيل.
<br>";
?>
<?php
/*
echo "In The Name of Allah <br>
<br>The last thing I would like to distribute the codes of my website to and that is to enable
students to do their websites and Insha'Allah it will help them.

<br>This code is free and its only for learning and I am not allowing any one to using it in any
form of business, or using as project or as personal work or as work of any group.


(And ALLAH id a witness of what I say)
<br><br>
#####
<br><br>
<br><br>بسم الله الرحمن الرحيم
لقد قمت بوضع الكود لكي يستفسد منه اي شخص و يالخاصة الطلاب، إن شاء الله ، ولا أسمح لأي أحد ان
يحتكره او يستخدمه لأغراض تغريب الله او أغراض مالية أو تسلية كامشروع
والغرض الوحيد هو فقط التعليم وهو ايضا مجاني.
<br>والله على ما أقول وكيل.
<br>";
?/>

```

```

-->
<p>&nbsp;</p>
<form action="login_page.php" method="POST">
<table bordercolor="#00CCFF" bordercolorlight="#c7d0ee" bordercolordark="#c7d0ee"
width="40%" border="25" cellspacing="2" cellpadding="2" align="center">
<tr>
    <td colspan="2" align="center" > <a href="index.php"></a>
        <a href="index.php">Home</a> &gt;&gt; <a href="login_page.php"> Login page. </a>
        <h1><strong>Online Auction Login </strong></h1></td>
    </tr>
    <tr><td width="50%"><h4><strong> E-mail: </strong></h4></td><td width="50%"><input
name="user_email_txt" type="text" size="50" maxlength="50"></td></tr>
    <tr><td width="50%"><h4><strong>Password: </strong></h4></td><td
width="50%"><input name="user_password" type="password" size="50"
maxlength="50"></td></tr>
    <tr>
        <td colspan="2" align="center">
            <p>
                <input type="submit" name="button_login" value=" Login " >
            </p>
        </td>
    </tr>
</table>
</form>
<table bordercolor="#0bd6f7" border="2" align="center">
    <tr>
        <td>
            <p> If you New <a href="registration_page.php">Register</a>
        </td>
    </tr>
</table>
</body>
</html>
<?php include 'footer.php';?>

```



The output of (login_page.php) should be like this

6.1.3.6 logout_page.php

```
<?php
session_start();
session_destroy();
header("Location:http://localhost/online_auction/login_page.php");
// this is logout_page.php
?>
```

6.1.3.7 personal_page.php

```
<?php
@ session_start();
?>
<p>

    <a href="index.php"></a> <a href="index.php">Home</a> &gt;&gt; <a href="personal_page.php">
Personal page. </a>Personal Page.
    </p>
<p>&nbsp;</p>
<?php include 'o_auction_header.php';?>
<style type="text/css">
.StyleAuCPAgeO_A{ border: 2px solid #0CF; border-radius: 12px; color: #333; background:
#FFF; display: font-size: 55px; padding: 6px; margin:2px 4px 4px 6px; }
</style>
    <h2> Welcome to your own Personal Page </h2>
<hr>
    <p>&nbsp;</p>
<?php
$hostname_connection = "localhost";
$database_connection = "auction_db";
?>
```



```

$username_connection = "O_AOmarAhmedAli_oNline_aUcTion";
$password_connection = "12345";
$connection = mysql_pconnect($hostname_connection, $username_connection,
$password_connection) or trigger_error(mysql_error(),E_USER_ERROR);
?>
<?php
if($_SESSION['SESSION_USER_id']==""){
echo "<h1>You should login please</h1>";
echo'<meta http-equiv="Refresh"
content="0;url=http://localhost/online_auction/login_page.php">';

exit;}else{
$personal_page_session_user_id = $_SESSION['SESSION_USER_id'] ;

mysql_select_db($database_connection, $connection);
$query_info = "SELECT * FROM user_information_table WHERE user_id =
'$personal_page_session_user_id'";
$info = mysql_query($query_info, $connection) or die(mysql_error());
$row_info = mysql_fetch_assoc($info);
$totalRows_info = mysql_num_rows($info);
?>
<?php
if (isset($_POST["btnACTIVE"])){
// btnCloseP
$btn_user_statA = 0 ;
$hdAct_user_idActi = $_POST['hdAct_user_id'];
$updateSQLAct = "UPDATE user_information_table SET user_stat='$btn_user_statA' WHERE
user_id='$hdAct_user_idActi'";
mysql_select_db($database_connection, $connection);
$Result1 = mysql_query($updateSQLAct, $connection) or die(mysql_error());
// to close your page
if($updateSQLAct){
$btn_user_statOpen = 1 ;
$btn_user_statOpenWas = 7 ;
$updateSQLActOPENTwo = "UPDATE items_table SET Accept_Refuse='$btn_user_statOpen'
WHERE user_id='$hdAct_user_idActi' AND Accept_Refuse='$btn_user_statOpenWas' ";
mysql_select_db($database_connection, $connection);
$Result1 = mysql_query($updateSQLActOPENTwo, $connection) or die(mysql_error());
echo'<meta http-equiv="Refresh"
content="0;url=http://localhost/online_auction/personal_page.php">';

}

if ($row_info['user_stat'] == '1'){
?>
<form name="formCloseP" method="post" action="">
<h1><p> Your page is INACTIVE </p></h1>
<h4 align="center">
<input type="submit" name="btnACTIVE" id="btnbACTIVE" value=" Active My Account
Now " />

```

```

        <input name="hdAct_user_id" type="hidden" id="hd_editAct" value="<?php echo
$row_info['user_id']; ?>">
        </h4>
</form>
<?php
exit;?
<table bordercolor="#0bd6f7" width="100" border="7" cellspacing="0" cellpadding="0"
align="center">
<tr>
<td colspan="2" align="center">
<form name="form1" method="post" action="personalPage_edit.php">
    <input type="submit" name="btn_edit" id="btn_edit" value=" Edit my information "
/><input name="hd_edit" type="hidden" id="hd_edit" value="<?php echo
$row_info['username']; ?>"></h4></pre>
    </form></td>
</tr>

<tr>
<td><p>User id</p></td>
<td><h4><?php echo $row_info['user_id']; ?></h4></td>
</tr>
<tr>
<td><p>Username</p></td>
<td><h4><?php echo $row_info['username']; ?></h4></td>
</tr>
<tr>
<td><p>User first name</p></td>
<td><h4><?php echo $row_info['user_f_name']; ?></h4></td>
</tr>
<tr>
<td><p>User last name</p></td>
<td><h4><?php echo $row_info['user_l_name']; ?></h4></td>
</tr>
<tr>
<td><p>User phone</p></td>
<td><h4><?php echo $row_info['user_phone']; ?></h4></td>
</tr>
<tr>
<td><p>User E-mail</p></td>
<td><h4><?php echo $row_info['user_email']; ?></h4></td>
</tr>
<tr>
<td><p>Country</p></td>
<td><h4><?php
    echo $row_info['country'];
?></h4></td>
</tr>
<tr>
<td><p>Registered date</p></td>
<td><h4><?php echo $row_info['reg_date'];
?></h4></td>
</tr>

```

```

<tr>
<td colspan="2" align="center">

<form name="form3" method="post" action="">
<p>Change my password: </p>
<label for="txt_pass"></label>
<input type="password" name="txt_pass" id="txt_pass" placeholder="Enter current
password" >
<input type="submit" name="ok" id="ok" value="Ok" />
</form>
<?php
$ok=$_POST['txt_pass'];
$password=$_POST['txt_pass'];
$md5userpass = md5($password);
if ($_POST['txt_pass']=='') {

}else{

if ((isset($md5userpass) && ($md5userpass!= $row_info['user_password']))){

echo"<p>The password is not correct</p>";

}else if ((isset($md5userpass) && ($md5userpass == $row_info['user_password']))){

echo'<meta http-equiv="Refresh"
content="0;url=http://localhost/online_auction/personalPage_edit_pass.php">';

}
}
?>
</td>
</tr>
<tr>
<td>
<?php
if (isset($_POST["btnCloseP"])){
// btnCloseP
$btn_user_stat = 1 ;
$hd_editus = $_POST['hd_edit_user_id'];
$updateSQLClos = "UPDATE user_information_table SET user_stat='$btn_user_stat' WHERE
user_id='$hd_editus'";
mysql_select_db($database_connection, $connection);
$Result1 = mysql_query($updateSQLClos, $connection) or die(mysql_error());
if($updateSQLClos){
$btn_PageClosed_stat = 7 ;
$btn_PageStatusWas = 1 ;
$hd_editusIduser = $_POST['hd_edit_user_id'];
// if ($row_auction['Accept_Refuse']=='4')
$updateSQLPageCloseAuc = "UPDATE items_table SET
Accept_Refuse='$btn_PageClosed_stat' WHERE user_id='$hd_editusIduser' AND
Accept_Refuse='$btn_PageStatusWas' ";
mysql_select_db($database_connection, $connection);
$Result1 = mysql_query($updateSQLPageCloseAuc, $connection) or die(mysql_error());
echo'<meta http-equiv="Refresh"
content="0;url=http://localhost/online_auction/personal_page.php">';
}
}

```

```

    }
    ?>
    <td colspan="2" align="center">
    <form name="formCloseP" method="post" action="">
        <h4>
            <input type="submit" name="btnCloseP" id="btnClosP" value=" Deactivate My Account " />
            <input name="hd_edit_user_id" type="hidden" id="hd_edit" value="<?php echo $row_info['user_id']; ?>">
        </h4>
    </form></td>
</tr>
<tr>
    <td colspan="2" align="center">
        <br>
        <pre><h9><em> Last Update: <strong><?php echo $row_info['date_last_edit_info']. " ">
?></strong></em></h9></pre>
    </td>
</tr>
</table>
<tr>
    <h3><a href="personalPageSell.php" class="btn btn-primary" > My Items willing to Sell</a></h3>
</tr>
<article class="row">
    <div class="StyleAuCPAgeO_A">
        <p><a href="personalPageSell.php">View full screen:</a><hr></p>
        <iframe class="result_output" width="100%" height="900px" frameborder="0" name="view" src="personalPageSell.php"></iframe>
    </div>
</article>
<p>&nbsp;</p>
<hr>
<hr>
<br/>
<?php
} // close SESSION_USER_id if($_SESSION['SESSION_USER_id']=='')
?>
<?php include 'footer.php';?>

```

The screenshot shows a web browser window for 'localhost/online_auction/personal_page.php'. The title bar says 'localhost'. The page header includes the 'OAuction' logo and navigation links: 'Home >> Personal page. Personal Page.', '(My Page)', 'Watch', 'My Items willing to Buy Page', 'My Items willing to Sell Page', 'Post an Auction', and 'Logout'. Below the header is a welcome message: 'Welcome to your own Personal Page'. A large central box displays user information in a table:

Edit my information	
User id	1
Username	user_omar
User first name	Omar
User last name	Ahmed
User phone	123456789
User E-mail	test@email.com
Country	Yemen
Registered date	2016-03-01 18:58:09

Below the table are buttons for 'Change my password', 'Enter current password', 'Ok', and 'Deactivate My Account'. At the bottom of the box is the text 'Last Update: 0000-00-00 00:00:00'.

My Items willing to Sell

The output of (**personal_page.php**) should be like this

6.1.3.8 add_item_to_sell.php

<!-Post an Auction, add new item, add product or service -->

```

<?php
@ session_start();
// added the @ to avoide the error
?>
<?php
// Connect to database
$hostname_connection = "localhost";
$database_connection = "auction_db";
$username_connection = "O_AOmarAhmedAli_oNline_aUcTion";
$password_connection = "12345";
$connection = mysql_pconnect($hostname_connection, $username_connection,
$password_connection) or trigger_error(mysql_error(),E_USER_ERROR);
?>
<a href="omer.php"></a> <p>&nbsp;</p>

<!-- from addprod.php Start -->
<style type="text/css">
.head_O_Auction{
border: 2px solid #0CF;
border-radius: 12px;
background:#39C;
margin:7px 2px 0px 2px;
color:#fff;
text-align:center;
padding:7px;}
</style>
<?php
if($_SESSION['SESSION_USER_id'] ==" "){


```




```

$pCateGoryInshallhBoth = $Get_the_IDCatSelectP . " " . $pcat ;
$concatdate = $_POST['year']. "-" . sprintf("%02d", $_POST['month']). "-" . sprintf("%02d",
$_POST['day']). " " . $_POST['hour']. ":" . $_POST['minute']. ":00";
if($pName == "" or $pDescription == " ")
{
    echo"<script>alert(\"Name and Description are required\");</script>";
} elseif( $nameimguplinsh == " ")
{
    echo"<script>alert(\"An image should be uploaded\");</script>";
}
else{
$pCateGoryDetail= addslashes(strip_tags($_POST['CateGory_detail']));
$moreSpec_titleT= addslashes(strip_tags($_POST['moreSpec_title']));
$insertSQL = "INSERT INTO items_table (user_id, cat_id, Title, Name,Currency, StartPrice,
BuyNowPrice, n_seen, Status,loc_detail, CatDetail, Country, pic, Description, expired_date,
posted_date)
VALUES('$USER_id','$pCateGoryInshallhBoth','$moreSpec_titleT','$pName','$CurrencyP','$Star
t_Spricepost', '$pprice','$n_seen',
'$Status','$plocdesc','$pCateGoryDetail','$ploc','$nameimguplinsh','$pDescription','$concatdate'
, now())";
$Result = mysql_query($insertSQL, $connection) or die(mysql_error());
if($Result){
    $num_posted_items = $row_info['posted_items'];
    $id_user_seen = $row_info['user_id'];
    $num_posted_itemstotal = $num_posted_items + 1 ;
    $updatenum_seen_total = "UPDATE user_information_table SET
posted_items='$num_posted_itemstotal' WHERE user_id='$id_user_seen'";
    mysql_select_db($database_connection, $connection);
$Result1ud = mysql_query($updatenum_seen_total, $connection) or die(mysql_error());
if($Result1ud){

    echo'<meta http-equiv="Refresh" content="0;url=
http://localhost/online_auction/personalPageSell.php">';
}
}
}
?>
<br>
<h4><a href="index.php">Home</a> >> <a href="personal_page.php"> Personal page </a>
>> <a href="add_item_to_sell.php"> Add to sell.</a> </h4>
<h6>Post an Auction for:(ID: <?php echo $row_info['user_id']; ?>) <?php echo
$row_info['user_f_name']; ?> - <?php echo $row_info['user_l_name']; ?></h6>
<hr>
<p>&nbsp;</p>
<ul class="nav">
<h1> First Step </h1>
<div class="head_O_Auction"> <h2><strong>Choose your Category</strong></h2> </div>
<?php

```

```

mysql_connect($hostname_connection,$username_connection,$password_connection);
mysql_select_db($database_connection);
// cid is the id of the category
    $Get_the_ID = intval($_GET['cid']);
if($Get_the_ID != ""){
echo "<h1><strong> ".$_GET['name_cat']."' </strong>Choosed</h1>";
}
//cat means category
    $se = mysql_query("select * from cat where cid='".$Get_the_ID"');
    $num = mysql_num_rows($se);
    $row = mysql_fetch_assoc($se);
$name = $row['name_cat'];
$id1 = $row['cid'];
if($num == 0 or $num < 0) {
    $s =mysql_query("select * from cat where cid_cat='0' ORDER BY cid ASC");
while($r = mysql_fetch_assoc($s)){
$id0 = $r['cid'];
$name0 = $r['name_cat'];
echo "<li><h3 class='ok_o'><a href='add_item_to_sell.php?cid=$id0&&name_cat=$name0'> $name0 </a><h3 class='ok_o'></li>";
}
}
?>
</ul>
</hr>

</nav>
<p>&nbsp;</p>

<hr>
<h1> Second Step </h1>
</hr>
<div class="head_O_Auction"><strong>Press Brows choose Image for this item and Press upload to store it.</strong></div>
<div class="bodypanel_o">
<?php
// The form of upload image
echo "<form action='#' method='post' enctype='multipart/form-data' align='center'>
1- Choose the Image Path : </p><input type='file' name='file' /><br>
<br>
<br>
2- Press the Upload to save the image:<h4><input type='submit' name='dopost' value='upload' /></h4>
</form>";
// The process to upload image
if(isset($_POST['dopost'])and $_POST['dopost']=='upload'){
$allowedExts = array("gif", "jpeg", "jpg", "png");
$temp = explode(".", $_FILES["file"]["name"]);
$extension = end($temp);
if ((($_FILES["file"]["type"] == "image/gif")
|| ($_FILES["file"]["type"] == "image/jpeg")
|| ($_FILES["file"]["type"] == "image/jpg"))

```

```

|| ($_FILES["file"]["type"] == "image/pjpeg")
|| ($_FILES["file"]["type"] == "image/x-png")
|| ($_FILES["file"]["type"] == "image/png"))
&& ($_FILES["file"]["size"] < 999999999 )
&& in_array($extension, $allowedExts))
{
if ($_FILES["file"]["error"] > 0)
{
echo "Error to upload an image <br>";
}
else
{
if (file_exists("upload/" . $_FILES["file"]["name"]))
{
echo "<h1>Image already exists. </h1>";
}
else
{
move_uploaded_file($_FILES["file"]["tmp_name"],
"upload/" . $_FILES["file"]["name"]);
echo "<h1>Stored </h1> ";

?>      " width="100"
height="100" />
<?php
    }
    }
}
else
{
echo "<h1>Invalid file</h1>";
}
$imguplins = $_FILES["file"]["name"];
} ?> </div>
<!-- form of inserting the (Auction, Product, Item ...etc.) -->
<form action="add_item_to_sell.php" method="post" name="insert_form" id="insert_form">
<p>&nbsp;</p>
<hr>
<h1> Third Step </h1>
<div class="bodypanel_o">

<tr>
<td><h3> <div class="head_O_Auction">Title: </div></h3></td>
<p>The title for your listing (Brand, Model) or enter a UPC , ISBN , VIN or part Number to
enable people to find your item easily.</p>
<td> <input name="moreSpec_title" cols="30" rows="5" placeholder=" give us tittle for your
listing (Brand, Model) or enter a UPC , ISBN , VIN or part Number. "><?php echo
$CateGoryDetail; ?></textarea><h6>Example 3: RangRover 2015 </h6>
<h6>Example 2: TOSHIBA MODEL: TECRA 504393894 name. </h6>
<h6>Example 3: Samsung GALAXY NOTE5 </h6></td>
</tr>
<tr><hr></tr>

```

```

<td><h3> <div class="head_O_Auction">Category:
</div></h3></td>
<h4>
<h3>
<?php
// select the Category from the database
$Get_the_IDCatSelectP = intval($_GET['cid']);
$catsql = "SELECT * FROM cat WHERE cid_cat ='$Get_the_IDCatSelectP'";
$catsresult = mysql_query($catsql);
$num_catresult = mysql_num_rows($catsresult);
if($num_catresult == 0){
echo "Please write enough details about the category";
echo "          <h6>Example 1: Vehicle , Cars, RangRover. </h6>";
}
else{
// the close is in the end of the page
?>
<select name="catpost" >
<option value=""> Select category </option>
<?php
while($catrow = mysql_fetch_assoc($catsresult)) {
$catrow_name_cat = $catrow['name_cat'];
echo "<option value=\"" . $catrow['cid'] . "\">" . $catrow_name_cat . "</option>";
}
?>
</select>
</h4>
<h6>Example 1: Vehicle => Cars</h6>
<h6>Example 2: Fashion => Men</h6>
          <h6>Example 3: Electronics</h6>

<?php
}
?>
<h4>
<input name="CateGory_detail" cols="30" rows="5" placeholder=" Subsubcategory
"><?php echo $CateGoryDetail; ?></textarea>

</h4>
<h6>Example 1: Cars, RangRover. </h6>
<h6>Example 2: Men, Shows, Sport. </h6>
<h6>Example 2: Women, Accessories, Perfume, Narcissus. </h6>
<h6>Example 3: Phones, cellphone, Smartphones, Samsung. </h6>
<hr>
<h1> Fourth Step </h1>
<div class="head_O_Auction"><strong>Add Location</strong></div>
<div class="bodypanel_o">
<tr>
<td>
<p>&nbsp;</p></td>
<td>
</td>
</tr>

```

```

<tr>
<td> <p>&nbsp;</p></td>
<td>
<?php
// NOTE: Start The code of select The Location (Country Cities)i put it in file because this file
will be to latge and it will show you an error if i put it here.
include "add_countries_cities.php";
?>
<!-- The End of the code of select The Location (Country Cities) You can put it in include file -->
</td>
</tr>
</div>
<hr>
<h1> Fifth Step </h1>
<div class="head_O_Auction"><strong>Add item details</strong></div>
<div class="bodypanel_o">
<table align="center">
<tr>
<td><h4>Item name: </h4></td>
<td><input type="text" name="namepost" value='<?php echo $pName; ?>'>
placeholder="Name enable users to find it"/></td>
</tr>
<tr>
<td><h4>Price: </h4></td>
<td>
<hr>
<select name="Currencypost" id="Currency" >
<option value="">Select Currency</option>
<option value="EUR(Euro)">Euro </option>
<option value="GBP(Pound)">Pound</option>
<option value="USD(Dollar US$)">Dollar US$</option>
<option value="Yemeni Rial(Y.R)">Yemeni Rial(Y.R) </option>
</select>
<input type="text"
name="pricepost" placeholder="Maximum price" value="<?php echo $pprice; ?>" >
<hr/>
</td>
</tr>
<tr>
<td><h4>Item description: </h4></td>
<td><textarea name="descriptionpost" rows="20"
cols="50" placeholder="Description, Color, Size, Model Name "><?php echo $pDescription;
?></textarea></td>
<hr>
</tr>
</table>
<table align="center" class="head_O_Auction" cellspacing="0" cellpadding="4">
<tr>
<td colspan="2"><pre>(Optional)</pre> <h2><strong> Use as an auction !
</strong></h2><hr></td>
</tr>
<tr>
<td align="left"><p> Specify start price Number bidders: </p></td>

```

```

<td align="left">
<input type="text" name="Start_Spricepost" placeholder="Start price" value=<?php echo
$Start_Spricepost; ?>" >
</td>
</tr>
<tr>
<td align="left"><p> Specify Condition: </p></td>
<td align="left">
<p>&nbsp;</p>
<p>
<label>
<input type="radio" name="post_status" value="" id="auc_condation_new" />Leave status
empty </label>
<br>
<label>
<input type="radio" name="post_status" value="new" id="auc_condation_new" /> New
</label>
<br>
<label> <input type="radio" name="post_status" value="used" id="auc_condation_used" />
Used</label>
<br>
<p>
<hr>
</td>
</tr>
<tr>
<td align="left"><p>Specify the last date of an auction: </p></td>
<td>
<table>
<tr>
<td><p>Day</p></td>
<td><p>Month</p></td>
<td><p>Year</p></td>
<td><p>Hour</p></td>
<td><p>Minute</p></td>
</tr>
<tr>
<td>
<select name="day">
<?php
echo "<option> </option>";
for($i=1;$i<=31;$i++) {
echo "<option>" . $i . "</option>";
}
?>
</select>
</td>
<td>
<select name="month">
<?php
echo "<option> </option>";
for($i=1;$i<=12;$i++) {
echo "<option>" . $i . "</option>";
}
?>
</select>
</td>

```



```

    }
?>
</select>
</td>
<td>
<select name="year">
<?php
echo "<option></option>";
for($i=2015;$i<=2050;$i++) {
echo "<option>" . $i . "</option>";
}
?>
</select>
</td>
<td>
<select name="hour">
<?php
echo "<option></option>";
for($i=0;$i<=23;$i++) {
echo "<option>" . sprintf("%02d",$i) . "</option>";
}
?>
</select>
</td>
<td>
<select name="minute">
<?php
echo "<option></option>";
for($i=0;$i<=60;$i++) {
echo "<option>" . sprintf("%02d",$i) . "</option>";
}
?>
</select>
</td>
</tr>
</table>
</td>
</tr>
<tr>
<td colspan="2">
<div class="bodypanel_o"></div></td><hr>
</tr>
</table>
</div >
<p></p>
<hr>
<p>&nbsp;</p>
<tr valign="baseline">
<td nowrap="nowrap" align="right"><p>&nbsp;</p></td>
<td><p>&nbsp;</p>
<h1>Last Step </h1>
<p>

```


```

<div class="head_O_Auction"> <p>Make shure your image is stored and you fill the
required information. </p><input type="submit" name="button_to_insert" value="Insert to
sell" /></div>
</p></td>
</tr>
</table>
<input type="hidden" value="insert_form" />
<input type="hidden" name="nameimguplinshpost" value="<?php echo $imguplinsh ; ?>" />
</form>
<p>&nbsp;</p>
</body>
</html>
<?php
}
?>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp; </p>

<?php
include 'footer.php';
?>
<hr>
<br />
<p>&nbsp;</p>

<p>&nbsp;</p>
</div>

```





Second Step

Press Brows choose Image for this item and Press upload to store it.

1- Choose the Image Path :

2- Press the Upload to save the image:

Third Step

Title:

The title for your listing (Brand, Model) or enter a UPC , ISBN , VIN or part Number to enable people to find your item easily.

Example 3: RangeRover 2015

Example 2: TOSHIBA MODEL: Tecra 504393894 name.

Example 3: Samsung GALAXY NOTES



Title:

The title for your listing (Brand, Model) or enter a UPC , ISBN , VIN or part Number to enable people to find your item easily.

Example 3: RangeRover 2015

Example 2: TOSHIBA MODEL: Tecra 504393894 name.

Example 3: Samsung GALAXY NOTES

Category:

Example 1: Vehicle => Cars

Example 2: Fashion => Men

Example 3: Electronics

Example 1: Cars, RangeRover.

Example 2: Men, Shoes, Sport.

Example 2: Women, Accessories, Perfume, Narcissus.

Example 3: Phones, cellphone, Smartphones, Samsung.

Example 2: Women, Accessories, Perfume, Narcissus.

Example 3: Phones, cellphone, Smartphones, Samsung.

Fourth Step

Add Location

Please select country

Please select city

select city ▾ Please select country and city.

Fifth Step

Add item details

Item name: Name enable users to fin

Price: Select Currency ▾ Maximum price

Description, Color, Size, Model Name

the fourth step is to choose your location this code I make it inside include file because it is too long it's name is **(add_countries_cities.php)**

Please select country

Please select city

select city ▾ Please select country and city.

Fifth Step


Add item details

Item name: Name enable users to fin

Price: Select Currency ▾ Maximum price

Description, Color, Size, Model Name

Item description:



Last Step

The output of (add_item_to_sell.php) should be like this

6.1.3.9 add_countries_cities.php

```
<?php
// this is add_countries_cities.php
?>
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<script src="SpryAssets/SpryValidationSelect.js" type="text/javascript"></script>
<script type="text/javascript">
function populate (s1,s2){
var s1 = document.getElementById(s1);
var s2 = document.getElementById(s2);
s2.innerHTML = "";
if (s1.value=="Afghanistan"){
    var optionArray =[ "Kabul|Kabul",
"Chaghcharan|Chaghcharan", "Chaghcharan|Chaghcharan",
"Charikar|Charikar", "Farah|Farah", "Ghazni|Ghazni",
"Herat|Herat", "Jalalabad|Jalalabad", "Kandahar|Kandahar",
"Khost|Khost", "Kunduz|Kunduz", "Lashkar Gah|Lashkar Gah", "Mazar-i-Sharif|Mazar-i-Sharif",
"Mihtarlam|Mihtarlam", "Pul-i-Alam |Pul-i-Alam ", "Puli Khumri|Puli Khumri",
"Puli Khumri|Puli Khumri", "Samangan|Samangan", "Sar-e Pol|Sar-e Pol",
"Sheberghan|Sheberghan", "Taloqan|Taloqan"
];
} else if (s1.value=="Albania"){
    var optionArray =[ "Tirana|Tirana", "Tirana|Tirana", "Durrës|Durrës",
"Durrës|Durrës", "Vlorë|Vlorë", "Elbasan|Elbasan",
"Shkodër|Shkodër", "Korçë|Korçë", "Fier|Fier",
"Kamëz|Kamëz", "Berat|Berat", "Lushnjë|Lushnjë",
"Lushnjë|Lushnjë", "Sarandë|Sarandë", "Paskuqan|Paskuqan",
"Kavajë|Kavajë", "Pogradec|Pogradec", "Gjirokastër|Gjirokastër"];
}
}

```

```

} else if (s1.value=="Algeria"){
    var optionArray =["Algiers|Algiers"];
} else if (s1.value=="Angola"){
    var optionArray =["Luanda|Luanda"];
} else if (s1.value=="Argentina")
{
    var optionArray ="Buenos Aires|Buenos Aires", "Córdoba|Córdoba","La Plata|La
Plata","Mar del Plata|Mar del Plata", "Mendoza|Mendoza","Rosario|Rosario","Salta|Salta",
"San Carlos de Bariloche|San Carlos de Bariloche"];

} else if (s1.value=="Armenia"){
    var optionArray =["Yerevan|Yerevan"];

} else if (s1.value=="Australia"){
    var optionArray ="Brisbane|Brisbane",
"Melbourne|Melbourne","Perth|Perth","Sydney|Sydney";

} else if (s1.value=="Austria"){
    var optionArray =["Vienna|Vienna"];

} else if (s1.value=="Azerbaijan"){
    var optionArray =["Baku|Baku"];

} else if (s1.value=="Bangladesh"){
    var optionArray =["Dhaka|Dhaka"];

} else if (s1.value=="Bahrain"){
    var optionArray =["|"];

} else if (s1.value=="Belgium"){
    var optionArray =["Brussels|Brussels"];

} else if (s1.value=="Bolivia"){
    var optionArray =["Santa Cruz de la Sierra|Santa Cruz de la Sierra"];

} else if (s1.value=="Bosnia and Herzegovina"){
    var optionArray =["Sarajevo|Sarajevo"];

} else if (s1.value=="Brazil"){
    var optionArray ="Belo Horizonte|Belo Horizonte", "Brasília|Brasília","Cabo Frio|Cabo
Frio","Campinas|Campinas",
"Curitiba|Curitiba","Florianópolis|Florianópolis","Fortaleza|Fortaleza",
"Goiânia|Goiânia","Guarulhos|Guarulhos","João Pessoa|João Pessoa",
"Maceió|Maceió","Manaus|Manaus","Natal|Natal", "Porto Alegre|Porto Alegre","Praia
Grande|Praia Grande","Recife|Recife", "Ribeirão Preto|Ribeirão Preto","Rio de Janeiro|Rio de

```

Janeiro", "Salvador|Salvador", "Santos|Santos", "São José dos Campos|São José dos Campos", "São Luís|São Luís", "São Paulo|São Paulo";

```
    } else if (s1.value=="Bulgaria"){
        var optionArray =["Sofia|Sofia"];

    } else if (s1.value=="Cambodia"){
        var optionArray =["Phnom Penh|Phnom Penh"];

    } else if (s1.value=="Cameroon"){
        var optionArray =["Yaoundé|Yaoundé"];

    } else if (s1.value=="Canada"){
        var optionArray =[ "Calgary|Calgary",
        "Edmonton|Edmonton", "Montreal|Montreal", "Ottawa|Ottawa",
        "Toronto|Toronto", "Vancouver|Vancouver"];

    } else if (s1.value=="Central African Republic"){
        var optionArray =["Batam|Batam"];

    } else if (s1.value=="Chile"){
        var optionArray =["Santiago|Santiago", "Viña del Mar|Viña del Mar"];

    } else if (s1.value=="China"){
        var optionArray =[ "Beijing|Beijing", "Shanghai|Shanghai"];

    } else if (s1.value=="Colombia"){
        var optionArray =[ "Barranquilla|Barranquilla",
        "Bogotá|Bogotá", "Bucaramanga|Bucaramanga", "Cali|Cali",
        "Cartagena|Cartagena", "Medellín|Medellín", "Pereira|Pereira", "Santa Marta|Santa Marta"];

    } else if (s1.value=="Costa Rica"){
        var optionArray =["San José|San José"];

    } else if (s1.value=="Côte d'Ivoire"){
        var optionArray =[ "Abidjan|Abidjan"];

    } else if (s1.value=="Croatia"){
        var optionArray =["Zagreb|Zagreb"];

    } else if (s1.value=="Cuba"){
        var optionArray =[ "Varadero|Varadero"];
```

```
    } else if (s1.value=="Cyprus"){
        var optionArray =["Nicosia | Nicosia"];

    } else if (s1.value=="Czech Republic"){
        var optionArray =["Prague | Prague"];

    } else if (s1.value=="Democratic Republic of the Congo"){
        var optionArray =["Kinshasa | Kinshasa"];

    } else if (s1.value=="Denmark"){
        var optionArray =["Copenhagen | Copenhagen"];

    } else if (s1.value=="Dominican Republic"){
        var optionArray =["Santo Domingo | Santo Domingo"];

    } else if (s1.value=="Ecuador"){
        var optionArray =["Cuenca | Cuenca", "Guayaquil | Guayaquil", "Quito | Quito"];

    } else if (s1.value=="Egypt"){
        var optionArray =["Alexandria | Alexandria", "Cairo | Cairo"];

    } else if (s1.value=="El Salvador"){
        var optionArray =["San Salvador | San Salvador"];

    } else if (s1.value=="Estonia"){
        var optionArray =["Tallinn | Tallinn"];

    } else if (s1.value=="Ethiopia"){
        var optionArray =["Addis Ababa | Addis Ababa"];

    } else if (s1.value=="Fiji"){
        var optionArray =["Suva | Suva"];

    } else if (s1.value=="Finland"){
        var optionArray =["Helsinki | Helsinki"];

    } else if (s1.value=="France"){
        var optionArray =["Marseille | Marseille", "Nice | Nice", "Paris | Paris"];
```

```
    } else if (s1.value=="Georgia"){
        var optionArray =[ "Tbilisi | Tbilisi" ];

    } else if (s1.value=="Germany"){
        var optionArray =[ "Berlin | Berlin",
        "Frankfurt | Frankfurt", "Hamburg | Hamburg", "Munich | Munich" ];

    } else if (s1.value=="Ghana"){
        var optionArray =[ "Accra | Accra" ];

    } else if (s1.value=="Greece"){
        var optionArray =[ "Athens | Athens" ];

    } else if (s1.value=="Guatemala"){
        var optionArray =[ "Guatemala City | Guatemala City", " | " ];

    } else if (s1.value=="Haiti"){
        var optionArray =[ "Port-au-Prince | Port-au-Prince" ];

    } else if (s1.value=="Honduras"){
        var optionArray =[ "Tegucigalpa | Tegucigalpa" ];

    } else if (s1.value=="Hong Kong"){
        var optionArray =[ "Causeway Bay | Causeway Bay" ];

    } else if (s1.value=="Hungary"){
        var optionArray =[ "Budapest | Budapest" ];

    } else if (s1.value=="India"){
        var optionArray
        =[ "Ahmedabad | Ahmedabad", "Bangalore | Bangalore", "Bhopal | Bhopal",
        "Calcutta | Calcutta", "Chandigarh | Chandigarh", "Chennai | Chennai",
        "Delhi | Delhi", "Goa | Goa", "Gurgaon | Gurgaon",
        "Hyderabad | Hyderabad", "Indore | Indore", "Jaipur | Jaipur", "Mumbai | Mumbai", "New
        Delhi | New Delhi", "Pune | Pune" ];

    } else if (s1.value=="Indonesia"){
        var optionArray =[ "Bali | Bali", "Bandung | Bandung", "Batam | Batam", "Bekasi | Bekasi",
        "Bogor | Bogor", "Denpasar | Denpasar", "Jakarta | Jakarta",
        "Makassar | Makassar", "Malang | Malang", "Medan | Medan",
        "Palembang | Palembang", "Pekanbaru | Pekanbaru", "Semarang | Semarang",
        "Surabaya | Surabaya", "Tangerang | Tangerang", "Yogyakarta | Yogyakarta" ];
```

```
    } else if (s1.value=="Iran"){
        var optionArray =["Tehran|Tehran", "|"];

    } else if (s1.value=="Iraq"){
        var optionArray =["Baghdad|Baghdad"];

    } else if (s1.value=="Ireland"){
        var optionArray =["Dublin|Dublin"];

    } else if (s1.value=="Israel"){
        var optionArray =["Tel Aviv|Tel Aviv", "|"];

    } else if (s1.value=="Italy"){
        var optionArray =["Bologna|Bologna","Florence|Florence",
        "Milan|Milan","Naples|Naples","Palermo|Palermo",
        "Rome|Rome","Turin|Turin","Venice|Venice"];

    } else if (s1.value=="Jamaica"){
        var optionArray =["Kingston|Kingston", "|"];

    } else if (s1.value=="Japan"){
        var optionArray =["Kyoto-shi|Kyoto-shi", "|"];

    } else if (s1.value=="Jordan"){
        var optionArray =["Amman|Amman", "|"];

    } else if (s1.value=="Kenya"){
        var optionArray =["Nairobi|Nairobi"];

    } else if (s1.value=="Kuwait"){
        var optionArray =["Kuwait|Kuwait"];

    } else if (s1.value=="Laos"){
        var optionArray =["Vientiane|Vientiane"];

    } else if (s1.value=="Latvia"){


```

```
var optionArray =["Riga|Riga"];  
  
} else if (s1.value=="Lebanon"){  
    var optionArray =["Beirut|Beirut"];  
  
} else if (s1.value=="Libya"){  
    var optionArray =["Tripoli|Tripoli"];  
  
} else if (s1.value=="Lithuania"){  
    var optionArray =["Vilnius|Vilnius"];  
  
} else if (s1.value=="Luxembourg"){  
    var optionArray =["Luxembourg|Luxembourg"];  
  
} else if (s1.value=="Madagascar"){  
    var optionArray =["Antananarivo|Antananarivo"];  
  
} else if (s1.value=="Malaysia"){  
    var optionArray =["Kuala Lumpur|Kuala Lumpur",  
    "Melaka|Melaka","Penang|Penang"];  
  
} else if (s1.value=="Malta"){  
    var optionArray =["Valletta|Valletta"];  
  
} else if (s1.value=="Mauritius"){  
    var optionArray =["Port Louis|Port Louis", "|"];  
  
} else if (s1.value=="Mexico"){  
    var optionArray =["Acapulco|Acapulco", "Aguascalientes|Aguascalientes",  
    "Cancún|Cancún", "Cuernavaca|Cuernavaca", "Guadalajara|Guadalajara",  
    "Hermosillo|Hermosillo", "León|León", "Mérida|Mérida", "Mexicali|Mexicali", "Mexico  
City|México City", "Monterrey|Monterrey", "Morelia|Morelia", "Oaxaca de Juárez|Oaxaca de  
Juárez", "Playa del Carmen|Playa del Carmen", "Puebla|Puebla", "Puerto Vallarta|Puerto  
Vallarta", "Querétaro|Querétaro", "San Luis Potosí|San Luis  
Potosí", "Tijuana|Tijuana", "Veracruz|Veracruz"];  
  
} else if (s1.value=="Montenegro"){  
    var optionArray =["Budva|Budva"];  
  
} else if (s1.value=="Morocco"){  
    var optionArray =["Casablanca|Casablanca", "Marrakesh|Marrakesh", "|"];
```



```
    } else if (s1.value=="Panama"){
        var optionArray =["Panama City|Panama City"];

    } else if (s1.value=="Paraguay"){
        var optionArray =["Asunción|Asunción"];

    } else if (s1.value=="Peru"){
        var optionArray =["Arequipa|Arequipa",
"Chiclayo|Chiclayo","Lima|Lima","Trujillo|Trujillo"];

    } else if (s1.value=="Philippines"){
        var optionArray =["Baguio City|Baguio City", "Cebu City|Cebu City","Davao City|Davao
City","Makati|Makati", "Manila|Manila","Quezon City|Quezon City","Tagaytay City|Tagaytay
City"];

    } else if (s1.value=="Poland"){
        var optionArray =["Kraków|Kraków", "Warsaw|Warsaw"];

    } else if (s1.value=="Portugal"){
        var optionArray =["Lisbon|Lisbon", "Porto|Porto"];

    } else if (s1.value=="Puerto Rico"){
        var optionArray =["San Juan|San Juan","|"];

    } else if (s1.value=="Qatar"){
        var optionArray =["Doha|Doha"];

    } else if (s1.value=="Republic of Macedonia"){
        var optionArray =["Skopje|Skopje"];

    } else if (s1.value=="Réunion"){
        var optionArray =["Saint-Denis|Saint-Denis","|"];

    } else if (s1.value=="Romania"){
        var optionArray =["Bucharest|Bucharest","|"];

    } else if (s1.value=="Russia"){
        var optionArray =["Moscow|Moscow", "|"];

    } else if (s1.value=="Saudi Arabia"){
        var optionArray =["Jeddah|Jeddah", "|"];
```

```
    } else if (s1.value=="Riyadh"){
        var optionArray =[ "Senegal|Senegal", "|", "|"];

    } else if (s1.value=="Dakar"){
        var optionArray =[ "Serbia|Serbia", "|"];

    } else if (s1.value=="Belgrade"){
        var optionArray =[ "Singapore|Singapore"];

    } else if (s1.value=="Singapore"){
        var optionArray =[ "Singapore|Singapore", "|"];

    } else if (s1.value=="Slovakia"){
        var optionArray =[ "Bratislava|Bratislava", "|"];

    } else if (s1.value=="Slovenia"){
        var optionArray =[ "Ljubljana|Ljubljana", "|"];

    } else if (s1.value=="South Africa"){
        var optionArray =[ "Cape Town|Cape Town", "|"];

    } else if (s1.value=="South Korea"){
        var optionArray =[ "Seoul|Seoul", "|"];

    } else if (s1.value=="Spain"){
        var optionArray =[ "Barcelona|Barcelona", "Granada|Granada", "Madrid|Madrid",
        "Málaga|Málaga", "Seville|Seville", "|", "|"];

    } else if (s1.value=="Sri Lanka"){
        var optionArray =[ "Colombo|Colombo", "|"];

    } else if (s1.value=="Sudan"){
        var optionArray =[ "Khartoum|Khartoum", "|"];

    } else if (s1.value=="Sweden"){
        var optionArray =[ "Stockholm|Stockholm", "|"];

    } else if (s1.value=="Switzerland"){
        var optionArray =[ "Zürich|Zürich"];

    } else if (s1.value=="Syria"){
        var optionArray =[ "Damascus|Damascus"];

    } else if (s1.value=="Taiwan"){
        var optionArray =[ "Kaohsiung|Kaohsiung",
        "Taichung|Taichung", "Tainan|Tainan", "Taipei|Taipei"];

    } else if (s1.value=="Tanzania"){


```

```

var optionArray =["Dar es Salaam|Dar es Salaam", "|"];
}

} else if (s1.value=="Thailand"){
    var optionArray =[ "Bangkok|Bangkok", "Chiang Mai|Chiang Mai","Phuket|Phuket"];


}

} else if (s1.value=="The Bahamas"){
    var optionArray =[ "Nassau|Nassau", "|"];


}

} else if (s1.value=="Trinidad and Tobago"){
    var optionArray =[ "Port of Spain|Port of Spain"];


}

} else if (s1.value=="Tunisia"){
    var optionArray =[ "Tunis|Tunis"];


}

} else if (s1.value=="Turkey"){
    var optionArray =[ "Ankara|Ankara",
"Antalya|Antalya","Istanbul|Istanbul","Izmir|Izmir"];


}

} else if (s1.value=="Uganda"){
    var optionArray =[ "Kampala|Kampala"];


}

} else if (s1.value=="Ukraine"){
    var optionArray =[ "Kyiv|Kyiv"];


}

} else if (s1.value=="United Arab Emirates"){
    var optionArray =[ "Abu Dhabi|Abu Dhabi", "Dubai|Dubai"];


}

} else if (s1.value=="United Kingdom"){
    var optionArray =[ "Brighton|Brighton",
"Bristol|Bristol","Edinburgh|Edinburgh","Liverpool|Liverpool",
"London|London","Manchester|Manchester"];


}

} else if (s1.value=="United States"){
    var optionArray =[ "Atlanta|Atlanta","Austin|Austin","Baltimore|Baltimore",
"Boston|Boston","Brooklyn|Brooklyn","Charleston|Charleston",
"Charlotte|Charlotte","Chicago|Chicago","Columbus|Columbus",
"Dallas|Dallas","Denver|Denver","Honolulu|Honolulu",
"Houston|Houston","Indianapolis|Indianapolis", "Jacksonville|Jacksonville","Las Vegas|Las
Vegas", "Los Angeles|Los Angeles", "Miami|Miami", "Miami Beach|Miami
Beach", "Minneapolis|Minneapolis", "Myrtle Beach|Myrtle Beach","Nashville|Nashville", "New
Orleans|New Orleans", "New York|New York", "Orlando|Orlando", "Philadelphia|Philadelphia",
"Phoenix|Phoenix", "Pittsburgh|Pittsburgh", "Portland|Portland",
"Sacramento|Sacramento", "San Antonio|San Antonio", "San Diego|San Diego", "San
Francisco|San Francisco", "San Jose|San Jose", "Seattle|Seattle", "Tampa|Tampa", "Virginia
Beach|Virginia Beach", "Washington|Washington"];


}

} else if (s1.value=="Uruguay"){
    var optionArray =[ "Montevideo|Montevideo"];



}

```

```

} else if (s1.value=="Venezuela"){
    var optionArray =["Barquisimeto | Barquisimeto",
"Caracas | Caracas", "Maracaibo | Maracaibo", "Maracay | Maracay", "Valencia | Valencia"];

} else if (s1.value=="Vietnam"){
    var optionArray =[ "Hanoi | Hanoi", "Ho Chi Minh City | Ho Chi Minh City"];

} else if (s1.value=="Yemen"){
    var optionArray =[ "Sanaa | Sanaa", "Ibb | Ibb", "Taes | Taes", "Aden | Aden",
"Hadramot | Hadramot", "Alhodaidah | Alhodaidah", "Abian | Abian"];

}else if (s1.value=="Zimbabwe"){
    var optionArray =[ "Harare | Harare"];
}

for (var option in optionArray){
var pair = optionArray[option].split(" | ");
var newoption = document.createElement("option");
newoption .value = pair[0];
newoption.innerHTML = pair[1];
s2.options.add (newoption);

}

</script>
<link href="SpryAssets/SpryValidationSelect.css" rel="stylesheet" type="text/css" />
</head>
<body>
<h4>Please select country</h4>
<select id ="slct1" name="slct1" onChange="populate(this.id, 'slct2')">
<option value=""></option>
<?php
$countries = array
(
    'Afghanistan' => 'Afghanistan (افغانستان)',
    'Albania' => 'Albania (Shqipëri)',
    'Algeria' => 'Algeria',
    'Angola' => 'Angola',
    'Argentina' => 'Argentina',
    'Armenia' => 'Armenia (Հայաստան)',
    'Austria' => ' Austria (Österreich)',
    'Azerbaijan' => ' Azerbaijan (Azərbaycan)',
    'Belgium' => 'Belgium',

```

'Bolivia' => 'Bolivia',
'Bahrain' => 'Bahrain (البحرين)',
'Bosnia and Herzegovina' => 'Bosnia and Herzegovina',
'Bangladesh' => 'Bangladesh (বাংলাদেশ)',
'Brazil' => 'Brazil',
'Bulgaria' => 'Bulgaria (България)',
'Cambodia' => 'Cambodia (កម្ពុជា)',
'Cameroon' => 'Cameroon (Cameroun)',
'Canada' => 'Canada',
'Central African Republic' => 'Central African Republic',
'Chile' => 'Chile',
'China' => 'China (中国)',
'Colombia' => 'Colombia',
'Comoros' => 'Comoros (جزر القمر)',
'Costa Rica' => 'Costa Rica',
'Côte d'Ivoire' => 'Côte d'Ivoire',
'Croatia' => 'Croatia (Hrvatska)',
'Cuba' => 'Cuba',
'Cyprus' => 'Cyprus (Κύπρος)',
'Czech Republic' => 'Czech Republic (Česká republika)',
'Democratic Republic of the Congo' => 'Democratic Republic of the Congo',
'Denmark' => 'Denmark',
'Dominican Republic' => 'Dominican Republic',
'Ecuador' => 'Ecuador',
'Chile' => 'Chile',
'Egypt' => 'Egypt (مصر)',
'Estonia' => 'Estonia',
'Ethiopia' => 'Ethiopia',
'Fiji' => 'Fiji',
'Finland' => 'Finland (Suomi)',
'France' => 'France',
'Georgia (country)' => 'Georgia (საქართველო) (country)',
'Germany' => 'Germany',
'Ghana' => 'Ghana',
'Greece' => 'Greece (Ελλάδα)',
'Guatemala' => 'Guatemala',
'Haiti' => 'Haiti',
'Honduras' => 'Honduras',
'Hungary' => 'Hungary',
'Iceland' => 'Iceland',
'India' => 'India (भारत)',
'Indonesia' => 'Indonesia',
'Iran' => 'Iran (ایران)',
'Iraq' => 'Iraq (العراق)',
'Ireland' => 'Ireland',
'Italy' => 'Italy',
'Jamaica' => 'Jamaica',
'Japan' => 'Japan (日本)',
'Jordan' => 'Jordan (الأردن)',

'Kenya' => 'Kenya',
'Kuwait' => 'Kuwait (الكويت)',

'Laos' => 'Laos',
'Latvia' => 'Latvia',
'Lebanon' => 'Lebanon (لبنان)',
'Libya' => 'Libya (ليبيا)',
'Lithuania' => 'Lithuania',
'Luxembourg' => 'Luxembourg',
'Madagascar' => 'Madagascar',
'Malaysia' => 'Malaysia',
'Malta' => 'Malta',
'Mauritius' => 'Mauritius',
'Mexico' => 'Mexico',
'Montenegro' => 'Montenegro',
'Morocco' => 'Morocco',
'Mozambique' => 'Mozambique',
'Myanmar' => 'Myanmar',
'Namibia' => 'Namibia',
'Nepal' => 'Nepal (नेपाल)',
'Netherlands' => 'Netherlands',
'New Caledonia' => 'New Caledonia',
'New Zealand' => 'New Zealand',
'Nicaragua' => 'Nicaragua',
'Nigeria' => 'Nigeria',
'Norway' => 'Norway',
'North Korea' => 'North Korea (조선민주주의인민공화국)',
'Oman' => 'Oman (عمان)',
'Pakistan' => 'Pakistan (پاکستان)',
'Palestine' => 'Palestine (فلسطين)',
'Panama' => 'Panama',
'Paraguay' => 'Paraguay',
'Peru' => 'Peru',
'Philippines' => 'Philippines',
'Poland' => 'Poland',
'Portugal' => 'Portugal',
'Puerto Rico' => 'Puerto Rico',
'Qatar' => 'Qatar (قطر)',
'Republic of Macedonia' => 'Republic of Macedonia',
'Réunion' => 'Réunion',
'Romania' => 'Romania',
'Russia' => 'Russia',
'Saudi Arabia' => 'Saudi Arabia (المملكة العربية السعودية)',
'Senegal' => 'Senegal',
'Serbia' => 'Serbia (Србија)',
'Singapore' => 'Singapore',
'Slovakia' => 'Slovakia',
'Slovenia' => 'Slovenia',
'South Africa' => 'South Africa',
'South Korea' => 'South Korea (대한민국)',
'Spain' => 'Spain',
'Sri Lanka' => 'Sri Lanka',
'Sudan' => 'Sudan (السودان)',
'Sweden' => 'Sweden',
'Switzerland' => 'Switzerland',

```

'Syria' => 'Syria (سوريا)',  

'Taiwan' => 'Taiwan (台灣)',  

'Tanzania' => 'Tanzania',  

'Thailand' => 'Thailand',  

'The Bahamas' => 'The Bahamas',  

'Trinidad and Tobago' => 'Trinidad and Tobago',  

'Tunisia' => 'Tunisia',  

'Turkey' => 'Turkey',  

'Uganda' => 'Uganda',  

'Ukraine' => 'Ukraine (Україна)',  

'United Arab Emirates' => 'United Arab Emirates (الإمارات العربية المتحدة)',  

'United Kingdom' => 'United Kingdom',  

'United States' => 'United States',  

'Uruguay' => 'Uruguay',  

'Venezuela' => 'Venezuela',  

'Vietnam' => 'Vietnam',  

'Yemen' => 'Yemen (اليمن)',  

'Zimbabwe' => 'Zimbabwe'

);

foreach($countries as $x=>$x_value)
{
echo "<option value="" . $x . "">" . $x_value."</option>";
echo "<br>";
// echo '<option value="Aden">Aden</option>';
} ?> </select>

<h4>Please select city</h4>
<span id="spryselect1">
<select id = "slct2" name="slct2">
<option value=""> select city </option>
</select>
<span class="selectRequiredMsg">Please select country and city.</span></span>
<script type="text/javascript">
var spryselect1 = new Spry.Widget.ValidationSelect("spryselect1", {validateOn:["blur"]});
</script>
</body>

```

</html>

Fourth Step

Add Lo

Please select country

Please select city

select city Please select country and city.

The output of (add_countries_cities.php) should be like this

/*In The Name of Allah

The last thing I would like to distribute the codes of my website to and that is to enable students to do their websites and Insha'Allah it will help them.

This code is free and its only for learning and I am not allowing any one to using it in any form of business, or using as project or as personal work or as work of any group.

(And ALLAH id a witness of what I say)

#####

بسم الله الرحمن الرحيم

لقد قمت بوضع الكود لكي يستفسد منه اي شخص و يالخاصة الطلاب، إن شاء الله ، ولا أسمح لأي أحد ان يحتكره او يستخدمة لأغراض تغضب الله او أغراض مالية أو تسلية كامشروع والعرض الوحيد هو فقط التعليم وهو ايضا مجاني.

والله على ما أقول وكيل.

*/

<?php

echo "In The Name of Allah

The last thing I would like to distribute the codes of my website to and that is to enable students to do their websites and Insha'Allah it will help them.

This code is free and its only for learning and I am not allowing any one to using it in any form of business, or using as project or as personal work or as work of any group.

(And ALLAH id a witness of what I say)

#####

بسم الله الرحمن الرحيم

لقد قمت بوضع الكود لكي يستفسد منه اي شخص و يالخاصة الطلاب، إن شاء الله ، ولا أسمح لأي أحد ان يحتكره او يستخدمة لأغراض تغضب الله او أغراض مالية أو تسلية كامشروع والعرض الوحيد هو فقط التعليم.

والله على ما أقول وكيل.

";

?>

<?php

```

/*
echo "In The Name of Allah <br>
<br>The last thing I would like to distribute the codes of my website to and that is to enable
students to do their websites and Insha'Allah it will help them.
<br>This code is free and its only for learning and I am not allowing any one to using it in any
form of business, or using as project or as personal work or as work of any group.
(And ALLAH id a witness of what I say)
<br><br>
#####
<br><br>
<br><br>بسم الله الرحمن الرحيم
<br>لقد قمت بوضع الكود لكي يستفسد منه اي شخص و ياخذ منه
يحتكره او يستخدمه لأغراض تغريب الله او أغراض مالية أو تسليمة كمشروع
والغرض الوحيد هو فقط التعليم وهو ايضاً مجاني
<br>والله على ما أقول وكيل
<br>";
*/
?
```

6.1.3.10 (personalPageSell.php)

```

<?php
@ session_start();
//initialize the session
// added the @ to avoide the error if there is an error
if( $_SESSION['SESSION_USER_id'] == ""){
    echo'<meta http-equiv="Refresh" content="0;url=
http://localhost/online_auction/login_page.php">';
    exit;}
$_SESSION['SESSION_USER_id'];
?>
<?php
// this is personalPageSell.php
?>
<p>
<a href="index.php"></a></p>

<style type="text/css">
.head_oAuction{
border: 3px solid #e5e5e5;
border-radius: 12px;
background:#d5d5d5;
margin:7px 2px 0px 2px;
color:#000;
text-align:center;
padding:7px;}
```

```

.no_oAuction{
background: #C03;
border: 2px solid #666;
border-radius: 88px;
margin:7px 2px 0px 2px;
color:#fff;
text-align:center;
padding:7px;}

.ok_oAuction{
background: #3CF;
border: 2px solid #00F;
border-radius: 12px;
margin:7px 2px 0px 2px;
color:#30C;
text-align:center;
padding:7px;}
</style>
<?php
// connect to the database (auction_db)
$hostname_connection = "localhost";
$database_connection = "auction_db";
$username_connection = "O_AOmarAhmedAli_oNline_aUcTion";
$password_connection = "12345";
$connection = mysql_pconnect($hostname_connection,
$username_connection,$password_connection) or
trigger_error(mysql_error(),E_USER_ERROR);
?>

<a href="index.php">Home</a> >> <a href="personal_page.php"> Personal page </a> >> <a href="personalPageSell.php"> My items to sell.</a>
<br/>
<?php
if (isset($_POST['Delete_un_image_file'])) {
$DELETE_an_image = $_POST['Delete_un_image_file'];
echo "<h1>Deleting an image.. </h1>";
unlink($DELETE_an_image);
echo '<meta http-equiv="refresh" content="1" >';
}

if ((isset($_POST['hidden_button_delete'])) && ($_POST['hidden_button_delete'] != ""))
{
$Delete_valuse = $_POST['hidden_button_delete'];
$deleteSQL = "DELETE FROM items_table WHERE Id='$Delete_valuse'";
mysql_select_db($database_connection, $connection);
$Result1 = mysql_query($deleteSQL, $connection) or die(mysql_error());
}

if (isset($_POST["btnEditHide"])){
$btnEditHidet = 3 ;

$hd_edit = $_POST['hd_edit'];

```

```

$updateSQL = "UPDATE items_table SET Accept_Refuse='btnEditHide' WHERE
Id='$hd_edit'";
mysql_select_db($database_connection, $connection);
$Result1 = mysql_query($updateSQL, $connection) or die(mysql_error());
}

if (isset($_POST["btnEditShow"])){
//
$btnEditShowv = 1 ;
$hd_edit = $_POST['hd_edit'];
$updateSQL = "UPDATE items_table SET Accept_Refuse='btnEditShow' WHERE
Id='$hd_edit';

mysql_select_db($database_connection, $connection);
$Result1 = mysql_query($updateSQL, $connection) or die(mysql_error());

}

mysql_select_db($database_connection, $connection);
$query_info = "SELECT * FROM user_information_table WHERE user_id =
'$validation_information'";
$info = mysql_query($query_info, $connection) or die(mysql_error());
$row_info = mysql_fetch_assoc($info);
$totalRows_info = mysql_num_rows($info);

$personalPageSellSession = $_SESSION['SESSION_USER_id'];
$maxRows_sellauc = 10;
$pageNum_sellauc = 0;
if (isset($_GET['pageNum_sellauc'])) {
    $pageNum_sellauc = $_GET['pageNum_sellauc'];
}
$startRow_sellauc = $pageNum_sellauc * $maxRows_sellauc;

mysql_select_db($database_connection, $connection);
$query_sellauc = "SELECT * FROM items_table WHERE user_id = '$personalPageSellSession'
ORDER BY Id DESC";
$query_limit_sellauc = sprintf("%s LIMIT %d, %d", $query_sellauc, $startRow_sellauc,
$maxRows_sellauc);
$sellauc = mysql_query($query_limit_sellauc, $connection) or die(mysql_error());
$row_sellauc = mysql_fetch_assoc($sellauc);

if (isset($_GET['totalRows_sellauc'])) {
    $totalRows_sellauc = $_GET['totalRows_sellauc'];
} else {
    $all_sellauc = mysql_query($query_sellauc);
    $totalRows_sellauc = mysql_num_rows($all_sellauc);
}
$totalPages_sellauc = ceil($totalRows_sellauc/$maxRows_sellauc)-1;
echo"<h2> The Personal Items willing to Sell</h2>";

// ##### update catDetails
if($_REQUEST['do']=='update'){
$postdescrip_cat= addslashes(strip_tags($_POST['descrip_cat']));
$postid = $_POST['Id'];
}

```

```

$Get_the_IDd = intval($_GET['Id']);
$s4 = mysql_query("select * from items_table where Id='".$Get_the_IDd"");
$r4 = mysql_fetch_assoc($s4);
$idcat = $r4['Id'];
$namecat = $r4['CatDetail'];
if($_POST['edit']){
if($postdescrip_cat == ""){
echo "<div class='no_oAuction'>You did not enter description for category </div>";
echo'<meta http-equiv="Refresh"
content="2;url=http://localhost/online_auction/personalPageSell.php">";
}else{
    $updat = mysql_query("update items_table set CatDetail='$postdescrip_cat'
where Id='".$postid"");
    if($updat){
        echo "<div class='ok_oAuction'> Updated successfully </div>";
        echo'<meta http-equiv="Refresh"
content="2;url=http://localhost/online_auction/personalPageSell.php">';
    }
    exit;
}
}

echo "<h3><p>Updade description category</h3>";
echo"<form action='personalPageSell.php?do=update' method='post'>Category description:
<input name='descrip_cat' value='".$namecat' type='text' />
<input name='edit' value='Save' type='submit' />
<input name='Id' value='".$idcat' type='hidden' />
</form>";
exit;} ?>
<?php
if($_SESSION['SESSION_USER_id']==""){
    echo "<h1>You should login please</h1>";
    echo'<meta http-equiv="Refresh"
content="0;url=http://localhost/online_auction/login_page.php">';
}else{
?>
<?php
if ($totalRows_sellauc== 0 ){

echo "<h2>Not selling any Items yet for this user id (". $personalPageSellSession .")</h2>";
echo " <a href='add_item_to_sell.php'> Add an item to sell now ! </a>";
    }else {
echo "<p><em>You have </em> (".$totalRows_sellauc .") items.</p>";
?>
<!-- style Start--&gt;
&lt;h4&gt;Welcome &lt;?php echo $row_info['user_f_name']; ?&gt; &lt;?php echo
$row_info['user_l_name']; ?&gt; to your Items willing to Sell. (ID: &lt;?php echo
$row_info['user_id']; ?&gt; )
&lt;/h4&gt;
&lt;ul&gt;
    -
    -
</pre>

```

```

<a href="personal_page.php" class="btn btn-default float_r"> &lt;&lt; Back into My Page</a>
    <a href="personalPageSell.php?I= <?php echo $row_sellauc['Id']; ?> " class="btn btn-primary" >  Refresh </a>
</ul>
<hr>
<p>
</p>
</p>
<table width="392" height="175" border="1" cellpadding="0" cellspacing="0">
<tr>
    <td>&nbsp;</td>
    <td><p><em><strong>Owner ID</strong></em></p></td>
    <td><p><em><strong>Auction ID </strong></em></p></td>
    <td><p><em><strong>Pic</strong></em></p></td>
    <td><p><em><strong>Name</strong></em></p></td>
    <td><p><em><strong> Price</strong></em></p></td>
    <td><p><em><strong>(Price) Currency</strong></em></p></td>
    <td><p><em><strong>Buy the item now Price</strong></em></p></td>
    <td><p><em><strong>Started Date</strong></em></p></td>
    <td><p><em><strong>Expired date</strong></em></p></td>
    <td><p><em><strong>view all bidders for this auction</strong></em></p>
    <p></p></td>
    <td><p><em><strong>Number of bids</strong></em></p></td>
    <td><p><em><strong>Maximum bidding Price</strong></em></p></td>
    <td><p><em><strong>Bidder Comment</strong></em></p></td>
    <td><p>Hide </p></td>
        <td><p><em><strong>Edit category details</strong></em></p></td>
        <td><p><em><strong>Delete an Auction</strong></em></p></td>
</tr>
<?php do {
    if($row_sellauc['Accept_Refuse'] == '0'){
        echo "<hr><h7>Your new Auction </h7>";
        echo "<div class='head_oAuction'><h4>Name:<br><strong>".$row_sellauc['Name']. "</strong></h4>";
        echo "<form name='form6' method='post' action=''";
        echo "<input type='submit' name='btn_del2' id='btn_del2' value='Cancel the ( <?php echo $row_sellauc['Name']; ?> ) request' >";
        echo "<input name='hidden_button_delete' type='hidden' id='hd_del2' value='<?php echo $row_sellauc['Id']; ?>'>";
        echo "</form>";
        echo "<?php
            echo "</h9><p class='head_oAuction'> Under process, It needs 24 hours to be accepted </p> <h6> <font color='red'>Note: </font>This Should be accepted by the admin, but because i am not giving the source code of the admin panel you can go to the physical database (auction_db) and go to (items_table) and change the the column (Accept_Refuse) into (1). <br /> 0 means Not accepted yet, and 1 means it is accepted.</h6></div>";
    }
    else if($row_sellauc['Accept_Refuse'] == '3'){
        echo "<?>
        -";
    }
}

```

```

<hr>
<div class='ok_oAuction'>
    <form id="formbtnEditShow" name="formbtnEditShow" method="POST" action="" >

    <h3><label>
        (Name: <?php echo $row_sellauc['Name']; ?> ) is stopping or is hiding by you for public.</label></h3>
    <p>
        <input name="hd_edit" type="hidden" id="hd_edit" value="<?php echo $row_sellauc['Id']; ?>" />
    </p>
    <input type="submit" name="btnEditShow" id="btn_edit" value="Show ( <?php echo $row_sellauc['Name']; ?> ) again" />
    <p> <?php echo $row_controlAuction['Accept_Refuse_date']; ?></p>
    <p>&nbsp;</p>
    </form>
</div>
<?php
}
else if($row_sellauc['Accept_Refuse'] == '2'){
    echo "<hr><div class='no_oAuction'> Your item <h4>Name: (" . $row_sellauc['Name'] . " ) is not accept Please read <a href='ourPolicies.php'> Our Policies</a>";
?
<form name="form1" method="post" action="">
    
    <input type="submit" name="btn_del" id="btn_del" value="DELETE (<?php echo $row_sellauc['Name'] ; ?>) !">
    <input name="hidden_button_delete" type="hidden" id="hd_del" value="<?php echo $row_sellauc['Id']; ?>">
    </form>
</h4> </div> <hr>
<?php
}
else if($row_sellauc['Accept_Refuse'] == '1')
{
?
<tr>
    <td>&nbsp;</td>
    <td><p><?php echo $row_sellauc['user_id']; ?></p></td>
    <td><p><?php echo $row_sellauc['Id']; ?></p></td>
    <td></td>
    <td><p><?php echo $row_sellauc['Name']; ?></p></td>
    <td><p> <?php echo $row_sellauc['BuyNowPrice'] ; ?> </p> </td>
    <td> <p> ( <?php echo $row_sellauc['BuyNowPrice'] ; ?> ) </p> <p><?php echo $row_sellauc['Currency']; ?></p>
    </td>
    <td><p><?php echo $row_sellauc['BuyNowPrice'] ; ?></p></td>
    <td><p><?php echo $row_sellauc['posted_date']; ?></p></td>
    <td><p><?php echo $row_sellauc['expired_date']; ?> Day after <?php echo $row_sellauc['posted_date']; ?></p></td>

```

```

<td><p><em><a href="details.php?I=<?php echo $row_sellauc['Id']; ?>">More
Details</a></em></p></td>
<td><p>
<?php
$ID_of_items_to_get_the_bids = $row_sellauc['Id'];
mysql_select_db($database_connection, $connection);
$query_Recordset1 = "SELECT * FROM bids_table WHERE bids_auction_id =
'$ID_of_items_to_get_the_bids' ORDER BY bids_id DESC";
$Recordset1 = mysql_query($query_Recordset1, $connection) or die(mysql_error());
$row_Recordset1 = mysql_fetch_assoc($Recordset1);
$totalRows_Recordset1 = mysql_num_rows($Recordset1);
echo $totalRows_Recordset1;?>
    &nbsp;</p></td>
<td><p><?php
if($row_Recordset1['bids_amount'] == ""){
    echo "No bids";
} else{
    echo $row_Recordset1['bids_amount'];
}></p></td>
<td><p><?php
if( $row_Recordset1['Comment'] == ""){
    echo "No bids";
} else{
    echo $row_Recordset1['Comment'];
}
?>
</p></td>
<td>
<?php
if($row_sellauc['Accept_Refuse'] == '1'){
?>

<form id="formbtnEditHide" name="formbtnEditHide" method="POST" action="">
<p>
<p><label>
    Hide (<strong><?php echo $row_sellauc['Name']; ?></strong> ) from
public</label></p>

<p>
<input name="hd_edit" type="hidden" id="hd_edit" value="<?php echo $row_sellauc['Id']; ?>" />
        <input type="submit" name="btnEditHide" id="btndeditH" value="Hide" />
</p>
</form>
<?php
}

```

```

?>
</td>
<td>
<?php
$CatDetailCatDescr = $row_sellauc['CatDetail'];
$idCatDescription = $row_sellauc['Id'];
echo "<p> . $CatDetailCatDescr . "</p>";
echo "<hr><a href='?do=update&Id=$idCatDescription' class='bodypanel_o' > EDIT Category.
</hr></a></hr>";
?>
</td>
<td>
<form name="form1" method="post" action="">
<p> 
<input type="submit" name="btn_del" id="btn_del" value="DELETE all the item">
</p>
<p>
<input type="hidden" name="AucShowion_img" value="upload/<?php echo
$row_sellauc['pic']; ?>" />
<input name="hidden_button_delete" type="hidden" id="hd_del" value="<?php echo
$row_sellauc['Id']; ?>"></p>
</form>
<form action="" method="post" name="form_deelete_image" id="formdeed">
<button type="submit" class="no_oAuction btn btn-primary " id="deletion"
name="imgdeletion"><strong> <p>  </strong>
Delete an image </button>
<input type="hidden" name="Delete_un_image_file" value="upload/<?php echo
$row_sellauc['pic']; ?>"/>
</form>
</td>
</tr>
<?php
}
} while ($row_sellauc = mysql_fetch_assoc($sellauc)); ?>
</table>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p><a href="personalPageSell.php">View the first page All</a>
Records: <?php echo min($startRow_sellauc + $maxRows_sellauc, $totalRows_sellauc) ?> of
<?php echo $totalRows_sellauc ?></p>
<p>&nbsp;<a href="<?php printf("%s?pageNum_sellauc=%d%s", $currentPage, max(0,
$pageNum_sellauc - 1), $queryString_sellauc); ?>" class="btn btn-primary"> < Previous</a> <a
href="<?php printf("%s?pageNum_sellauc=%d%s", $currentPage, min($totalPages_sellauc,
$pageNum_sellauc + 1), $queryString_sellauc); ?>" class="btn btn-primary">Next > </a></p>
<?php
}
}
?>

```

<p> </p>

Name: RangRover Sport

Note: This Should be accepted by the admin, but because i am not giving the source code of this admin panel you can go to the physical database (auction_db) and go to (items_table) and change the the column (Accept_Refuse) into (1). 0 means Not accepted yet, and 1 means it is accepted.

| Owner ID | Auction ID | Pic | Name | Price | (Price) | Currency | Buy the item now Price | Started Date | Expired date | view all bidders for this auction | Number of bids | Maximum bidding Price | Bidder Comment | Hide | Edit category details | Delete an Auction |
|----------|------------|-----|-----------------|-------|-----------|-------------------|------------------------|---------------------|------------------------------------------------------|-----------------------------------|----------------|-----------------------|----------------|------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------|-------------------|
| 1 | 1 | | RangRover Sport | 22000 | (22000) | USD (Dollar US\$) | | 2016-03-01 19:15:03 | 2026-07-18 04:04:00
Day after 2016-03-01 19:15:03 | More Details | 0 | No bids | No bids | Hide
Cars, RangRover Sport from public
EDIT Category | X
DELETE all the item
 | |

The output of (personalPageSell.php) should be like this

6.1.3.11 details.php

After you press the link of see more it will take you into the details page of the auction, or item you have added.

In the (**details.php**) user can add bid on the auction also they can watch it.

```
<?php
@ session_start();
?>
<style type="text/css">
```

```
.StyleAuCPAgeO_A{ border: 2px solid #0CF; border-radius: 12px; color: #333; background: #FFF; display: font-size: 55px; padding: 6px; margin:2px 4px 4px 6px; }
</style>
```



```

<?php
$hostname_connection = "localhost";
$database_connection = "auction_db";
$username_connection = "O_AOmarAhmedAli_oNline_aUcTion";
$password_connection = "12345";
$connection = mysql_pconnect($hostname_connection, $username_connection,
$password_connection) or trigger_error(mysql_error(),E_USER_ERROR);
?>
<?php
$information_validation = $_SESSION['SESSION_USER_id'];
mysql_select_db($database_connection, $connection);
$query_info ="SELECT * FROM user_information_table WHERE user_id=
'$information_validation'";
$info = mysql_query($query_info, $connection) or die(mysql_error());
$row_info = mysql_fetch_assoc($info);
$totalRows_info = mysql_num_rows($info);

//// start coding bid process

if ((isset($_POST["insert_your_own_Bid"])) && ($_POST["insert_your_own_Bid"] ==
"PlaceBidform")) {
$insert_item_id = $_POST['bids_auction_id'];
$insert_bidder_id = $_SESSION['SESSION_USER_id'];
$The_bids_amountbid = $_POST['bids_amount'];
$The_comment_bid = addslashes(strip_tags($_POST['Comment']));
// is_numeric
if(!is_numeric($The_bids_amountbid)){
    echo "<script>alert(\"Price should be number \");</script>";

}else{
    $insertSQLt = "INSERT INTO bids_table (bids_auction_id, bids_amount, `Comment`,
bids_user_id) VALUES ('$insert_item_id', '$The_bids_amountbid', '$The_comment_bid',
'$insert_bidder_id')";
    mysql_select_db($database_connection, $connection);
    $Result1 = mysql_query($insertSQLt, $connection) or die(mysql_error());
echo '

<div class="head_o"> <h3><strong>Added your own price successfully </strong></h3> </div>
';
    if($Result1){
        echo ' <meta http-equiv="refresh" content="0" >';

}else{

?>
<meta http-equiv="Refresh"
content="0;url=http://localhost/online_auction/details.php?I=<?php echo $insert_item_id;
?>">
<?php
}
} ////////////// if numeric colse

```



```
}
```

```
//// End coding bid process
```

```
//// Start coding watch insert process
```

```
if ((isset($_POST["hidden_start_watching"])) && ($_POST["hidden_start_watching"] == "form_watch")) {
```

```
$watch_item_id = $_POST['watch_auction_id'];
```

```
$watchr_user_id = $_POST['watch_user_id'];
```

```
$Name_of_item = $_POST['auc_name'];
```

```
$image_of_an_item = $_POST['auc_pic'];
```

```
$insertSQL2 = "INSERT INTO watch_table (watch_auction_id, watch_user_id, auc_name, auc_pic) VALUES ('$watch_item_id', '$watchr_user_id', '$image_of_an_item', '$image_of_an_item')";
```

```
mysql_select_db($database_connection, $connection);
```

```
$Result2 = mysql_query($insertSQL2, $connection) or die(mysql_error());
```

```
}
```

```
//// End coding watch insert process
```

```
$validate_an_item = "I";
```

```
if (isset($_GET['I'])) {
```

```
    $validate_an_item = intval($_GET['I']);
```

```
}
```

```
mysql_select_db($database_connection, $connection);
```

```
$query_Recordset1 = "SELECT * FROM items_table WHERE Id = '$validate_an_item'";
```

```
$Recordset1 = mysql_query($query_Recordset1, $connection) or die(mysql_error());
```

```
$row_Recordset1 = mysql_fetch_assoc($Recordset1);
```

```
$totalRows_Recordset1 = mysql_num_rows($Recordset1);
```

```
mysql_select_db($database_connection, $connection);
```

```
$query_biddetail = "SELECT * FROM bids_table WHERE bids_auction_id = '$validate_an_item' ORDER BY bids_amount DESC";
```

```
$biddetail = mysql_query($query_biddetail, $connection) or die(mysql_error());
```

```
$row_biddetail = mysql_fetch_assoc($biddetail);
```

```
$totalRows_biddetail = mysql_num_rows($biddetail);
```

```
mysql_select_db($database_connection, $connection);
```

```
$query_watch = "SELECT * FROM watch_table WHERE watch_auction_id = '$validate_an_item'";
```

```
$watch = mysql_query($query_watch, $connection) or die(mysql_error());
```

```
$row_watch = mysql_fetch_assoc($watch);
```

```
$totalRows_watch = mysql_num_rows($watch);
```

```
//////////////////delete watch(Stop watching)
```

```
if ((isset($_POST['hidden_stopWatche'])) && ($_POST['hidden_stopWatche'] == "Un_watch_form")) {
```

```

$UnWatche_id = $_POST['id_of_the_watch'];
$deleteSQL = "DELETE FROM watch_table WHERE watch_id='$UnWatche_id'";
mysql_select_db($database_connection, $connection);
$Result1 = mysql_query($deleteSQL, $connection) or die(mysql_error());
}
mysql_select_db($database_connection, $connection);
$query_eported_item = "SELECT * FROM reported_item WHERE re_auc_id =
'$validate_an_item'";
$reported_item = mysql_query($query_eported_item, $connection) or die(mysql_error());
$row_reported_item = mysql_fetch_assoc($reported_item);
$totalRows_reported_item = mysql_num_rows($reported_item);
if ((isset($_POST["hidden_button_to_insert_the_form_rep"])) &&
($_POST["hidden_button_to_insert_the_form_rep"] == "form4")) {
$Report_item_id = $_POST['re_auc_id'];
$The_owner_of_an_item = $_POST['re_auc_user_id'];
$Report_status = $_POST['re_stat']; // NOTE: ( re_stat ) show if the report read by the
admin or not.
$Report_sender_user_id = $_POST['re_user_id'];
$Report_text_content = $_POST['txt_repo'];
$insert_repSQL = "INSERT INTO reported_item ( re_auc_id, re_auc_user_id, re_stat,
re_user_id, re_text, re_date) VALUES ('$Report_item_id', '$The_owner_of_an_item',
'$Report_status', '$Report_sender_user_id', '$Report_text_content', now())";
mysql_select_db($database_connection, $connection);
$Result_rep = mysql_query($insert_repSQL, $connection) or die(mysql_error());
echo "<h1>Report send successfully</h1><h3>Thank you</h3>";
?>
<meta http-equiv="Refresh"
content="0;url=http://localhost/online_auction/details.php?I=<?php echo
$row_Recordset1['Id']; ?>">
<?php
}
?>
<a href="index.php"></a>
<br />
<?php include 'o_auction_header.php';?>
<div>
<table width="100" bordercolor="#CCCCCC" border="0" cellspacing="0" cellpadding="1"
align="center" >
<tr>
<p>&nbsp;</p>
<a href="details.php?I= <?php echo $row_Recordset1['Id']; ?> " class="btn btn-primary">
![Follow us on Twitter](images/refreshIcon.png)

```

```

if( $_SESSION['SESSION_USER_id'] != "") { ?>

<?php
    $id_watch_itemss = $row_Recordset1['Id'];
    $user_id_watch_itemss = $_SESSION['SESSION_USER_id'];
    $sel_watch_item = mysql_query("select * from watch_table where
watch_auction_id='$id_watch_itemss' and watch_user_id='$user_id_watch_itemss'");
    $numsel_watch_item = mysql_num_rows($sel_watch_item);
    if($numsel_watch_item != 0){
        ?>
        <form name="Un_watch_form" method="post" action="details.php">
            <input type="submit" name="btn_del" id="btn_del" value="Stop Watching an Auction ">
            <input name="id_of_the_watch" type="hidden" id="hd_del" value="<?php echo
$row_watch['watch_id']; ?>">
            <input type="hidden" name="watch_auction_id" value="<?php echo
$row_Recordset1['Id']; ?>" />
            <input type="hidden" name="watch_user_id" value="<?php echo $row_info['user_id'];
?>" />
            <input type="hidden" name="hidden_stopWatche" value="Un_watch_form" />
        <td>
        </form>
        <?php
    }else{
        ?>
        <form name="form_watch" method="post" action="">
            <input type="submit" value=" Watch an Auction " /class="btn btn-primary" >
            <input type="hidden" name="auc_pic" value="<?php echo $row_Recordset1['pic'];
?>" />
            <input type="hidden" name="auc_name" value="<?php echo
$row_Recordset1['Name']; ?>" />

            <input type="hidden" name="watch_auction_id" value="<?php echo
$row_Recordset1['Id']; ?>" />
            <input type="hidden" name="watch_user_id" value="<?php echo $row_info['user_id'];
?>" />
            <input type="hidden" name="hidden_start_watching" value="form_watch" />
        </form>
        <?php
    } //close end
?>
<?php } // close if (SESSION['SESSION_USER_id'] != "") ?>

<!-- watch end -->
<br>
<!-- end watch code -->
</td>
<td colspan="6" align="center" >
    <form name="form_Denouncement" method="post" action="">
        <input class='no_o' type="submit" name="Denouncement_btn_item_detail_page"
value="Denouncement" />
    <?php
        ?>
        -
```



```

if ($_POST["Denouncement_btn_item_detail_page"]){
?>
<?php
    $id_reported_itemss = $row_Recordset1['Id'];
    $user_id_reported_itemss = $row_info['user_id'];
    $sel_reported_item = mysql_query("select * from reported_item where
re_auc_id=' $id_reported_itemss ' and re_user_id=' $user_id_reported_itemss '");
    $numsel_reported_item = mysql_num_rows($sel_reported_item);
    if($numsel_reported_item != 0){
        echo "<div class='no_o'><h2>You reported this item before </h2><h3>Thank
you</h3></div>";
    }else{
?>
<form name="form4" method="post" action="">
    <div class='no_o'>
        <input type="hidden" name="re_auc_id" value="<?php echo $row_Recordset1['Id']; ?>" />
        <input type="hidden" name="re_auc_user_id" value="<?php echo
$row_Recordset1['user_id']; ?>" />
        <input type="hidden" name="re_user_id" value="<?php
            echo $row_info['user_id'];
        ?>" />
        <input type="hidden" name="re_stat" value="<?php if($row_reported_item['re_auc_id']
!= $row_Recordset1['Id'])
{
            echo "1";
        }else{
            echo "2";
        }
    ?>" />
    <label for="txt_repo">Denouncement</label>
    <textarea name="txt_repo" id="txt_repo" cols="45" rows="5">Denouncement </textarea>
    <input type="submit" name="btn_repo_ok" id="btn_repo_ok" value="Submit">
    <input type="hidden" name="re_date" value="re_date" />
    <input type="hidden" name="hidden_button_to_insert_the_form_rep" value="form4" />
</div>
</form>
<?php } ?>
<?php
} // close if Denouncement_btn_item_detail_page
?>
</form>
</td>
</tr>
<tr>
    <td align="center"><h4>#Auction Owner ID</h4></td>
    <td align="center"><h4>image</h4></td>
    <td align="center"><h4>#Auction ID</h4></td>
    <td align="center"><h4>Name</h4></td>
    <td align="center"><h4>Currency</h4></td>
    <td align="center"><h4>Start Price</h4></td>
    <td align="center"><h4>Buy now Price</h4></td>
    <td align="center"><h4>The Price now is </h4></td>
    <td align="center"><h4>Status</h4></td>

```

```

<td align="center"><h4>Country</h4></td>
<td align="center"><h4>City</h4></td>
<td align="center"><h4>Date</h4></td>

</tr>
<tr>
    <td align="center"><p><?php echo $row_Recordset1['user_id']; Owner ID</p></td>
    <td><a href="upload/<?php echo $row_Recordset1['pic']; ?>"><br>Show full size</a></td>
    <td align="center"><p><?php echo $row_Recordset1['Id']; ?></p></td>
    <td align="center"><p><?php echo $row_Recordset1['Name']; ?></p></td>
    <td align="center"><p><?php echo $row_Recordset1['Currency']; ?></p></td>
    <td align="center"><p><?php echo $row_Recordset1['StartPrice']; ?></p></td>
    <td align="center"><p><?php echo $row_Recordset1['BuyNowPrice']; ?></p></td>
    <td align="center"><p><?php if($row_Recordset1['bids_amount']==""){echo "There is no bidding yet";}else {echo $row_biddetail['bids_amount'];} ?>
        </p></td>
    <td align="center"><p><?php echo $row_Recordset1['Status']; ?></p></td>
    <td align="center"><p><?php

        echo "<h4>". $row_Recordset1['Country'] . "</h4>";

        $countryloc = $row_Recordset1['loc_id'];

        ?></p></td>
    <td align="center"><p><?php
        if($row_Recordset1['loc_detail']!=""){
            echo "<p>". $row_Recordset1['loc_detail'] ;
        }elseif($row_Recordset1['City'] != ""){
            echo "<p>". $row_Recordset1['City'];
        }else{
            echo "<p>Address not Specified</p>";
        }
        ?></p></td>

    <td align="center"><p><em>Started date:</em></p><p><?php echo $row_Recordset1['posted_date']; ?></p>
    <p><strong> <?php // echo $row_Recordset1['expired_date']; ?></strong></p></td>
</tr>

<tr>
<td colspan="13" >

<?php
$the_item_id = $row_Recordset1['Id'];
$au_expired_date = $row_Recordset1['expired_date'];
$future = strtotime( $au_expired_date );
if($future <= time() ){
    echo "As an advertisement";
}

```

```

}else{
echo "Auction closed at: ";

echo "<iframe src='time_refresh.php?id_of_auction=$the_item_id' width=500 height=80
frameborder=0 scrolling=no>
</iframe>

";
}

?>

</td>

</tr>
<tr>
<td colspan="13" class="bodypanel_o StyleAuCPAgeO_A"><h4>Description: <hr><br></h4>
<?php
$Filter_Long_word_details = $row_Recordset1['Description'];
echo wordwrap($Filter_Long_word_details,90,"<br>\n",TRUE);
?>&#183;<br><br><hr></td>
</tr>
</table>
<hr>
<p>&nbsp;</p>

<table width="100" border="0" cellspacing="0" cellpadding="0" align="center">
<tr >

<td colspan="3" align="center" >
<p style="color:white">Place bid</p>
<form action="<?php echo $editFormAction; ?>" method="post" name="PlaceBidform"
id="form_Add_Bid">
<table align="center">
<h1><strong>
<?php
if ($row_info['user_id']==""){echo "<a href='login_page.php' >Login </a><p>if you want to post
bid</p>";
die();}
if ($row_info['user_id']== $row_Recordset1['user_id']){echo "You are not Allow to post bid,
because this is your Item";
die();}
else if ($row['user_id']!=$row_info['user_id']){echo ' Add Bid ';}
echo $row['user_id'];?></strong></h1>
<h4><p>Currency: <?php echo $row_Recordset1['Currency']; ?></h4>
<tr valign="baseline" align="center">
<td nowrap="nowrap" align="center"> <br>
</td>
<td align="center" class="bodypanel_o StyleAuCPAgeO_A">
<?php
$the_id_of_the_auction = $row_Recordset1['Id'];

```

```
echo "<iframe src='Refresh_show_bid.php?ItemID=$the_id_of_the_auction' class='bodypanel_o StyleAuCPAgeO_A' align='middle' width=200 height=90 frameborder=0 scrolling=no>
</iframe>";
?>
<h4>Add Bids amount: </h4> <p align="center"><?php echo $row_Recordset1['Currency'];
?>
<input type="text" name="bids_amount" value="" placeholder="Your own price" size="32" /></p>

<h4>Comment: <textarea name="Comment" cols="32" rows="5">Phone: <?php echo $row_info['user_phone']; ?>

#####
E-mail: <?php echo $row_info['user_email']; ?> </textarea>
</h4> <input type="submit" value=" Post Bid
" /class="btn btn-primary bodypanel_o StyleAuCPAgeO_A" >
</td>

</tr>
<tr valign="baseline">
<td nowrap="nowrap" align="right">
</td>
<td>
</td>
</td>
</tr>
<tr valign="baseline">
<td nowrap="nowrap" align="right">&ampnbsp</td>
</tr>
</table>
<input type="hidden" name="bids_auction_id" value="<?php echo $row_Recordset1['Id'];
?> " />
<input type="hidden" name="insert_your_own_Bid" value="PlaceBidform" />
<hr>
</form>
</td>
</tr>
<tr>
<td colspan="3" align="center" class="btn btn-primary">
<p><a href="details.php?I=<?php echo $row_Recordset1['Id']; ?> " class="btn btn-primary" >

Refresh</a></p>
</td>

</tr>
```

```

</tr>
<?php
if($row_biddetail['bids_amount']==""){echo "<p>There is no bidding yet</p>";
}
else
{
do { ?>
<tr>

<td><p><?php
$filter_long_word_comment = $row_biddetail['Comment'];
echo wordwrap($filter_long_word_comment,20,"<br>\n",TRUE);

?></p></td>
<td><p><?php
$organize_look_of_an_Amount = $row_biddetail['bids_amount'];
echo wordwrap($organize_look_of_an_Amount,3,"¸ ",TRUE);

?>&#183;</p></td>
</tr>
<?php } while ($row_biddetail = mysql_fetch_assoc($biddetail)); }?>
</table>
<hr>
<p>&nbsp;</p>
</div>
<p>&nbsp;</p></div>
<?php include 'footer.php';?>

```

http://localhost/online_auction/details.php?l=1

The screenshot shows the homepage of an auction website. At the top, there's a header with the logo 'Q Auction' and a search bar. Below the header, a navigation bar contains links: 'Omar Ahmed user_omar (My Page)', 'Watch', 'My Items willing to Buy Page', 'My Items willing to Sell Page', 'Post an Auction', and 'Logout'. The main content area displays a single auction item: 'RangRover Sport'.

[Watch an Auction](#) [Denouncement](#)

#Auction Owner ID	image	#Auction ID	Name	Currency	Start Price	Buy now Price	The Price now is	Status	Country	City	Date
1 See Owner information		1	RangRover Sport	USD (Dollar US\$)	12000	22000	Ther is no bidding yet	new	Yemen	Sanaa	2016-03-01 19:15:03

Started date:

Show full size

Remaining Days: 3790

[Logout](#)

[Stop Watching an Auction](#) [Denouncement](#)

#Auction Owner ID	image	#Auction ID	Name	Currency	Start Price	Buy now Price	The Price now is	Status	Country	City	Date
1 See Owner information		1	RangRover Sport	USD (Dollar US\$)	12000	22000	Ther is no bidding yet	new	Yemen	Sanaa	2016-03-01 19:15:03

Remaining Days: 3790

Time: 90967 : 39 : 18

Auction closed at:

Description:

http://localhost/online_auction/details.php

Cars, RangRover description: color white, sport full option .

Ther is no bidding yet

Add Bid

Currency: USD(Dollar US\$)

Number of bids: (0)

Auction Amount Now: (0)

Add Bids amount:

USD(Dollar US\$)

Your own price

Comment:

Phone: 123456780

E-mail: test2@email.com

The output of (**details.php**) should be like this

6.1.3.12 watch_prod.php

The watching page it will save all the auctions or the items that I am interested in so I can view them again (**watch_prod.php**)

```
<?php
@ session_start();
?>
<?php
// this is time_refresh.php
?>
<style type="text/css">
.StyleADVPAGEWatchHO_A{ border: 2px solid #0CF; border-radius: 12px; color: #999;
background: #FFF; display: font-size: 55px; padding: 6px; margin:2px 4px 4px 6px; }
</style>
<div class="StyleADVPAGEWatchHO_A">
<?php
$hostname_connection = "localhost";
$database_connection = "auction_db";
$username_connection = "O_AmarAhmedAli_oNline_aUcTion";
$password_connection = "12345";
$connection = mysql_pconnect($hostname_connection, $username_connection,
$password_connection) or trigger_error(mysql_error(),E_USER_ERROR);
?>
<a href="index.php"></a>
<a href="index.php">Home</a> >> <a href="personal_page.php"> Personal page </a> >> <a
href="watch_prod.php"> Watching page.</a>
<br>
<?php

if($_SESSION['SESSION_USER_id']==""){
    echo "<h1>You should login please</h1>";
```

```

echo'<meta http-equiv="Refresh"
content="0;url=http://localhost/online_auction/login_page.php">';
exit;}
$_SESSION['SESSION_USER_id'];
?>
<?php
$watchr_id_session = $_SESSION['SESSION_USER_id'];

mysql_select_db($database_connection, $connection);
$query_info = "SELECT * FROM user_information_table WHERE user_id =
'$watchr_id_session'";
$info = mysql_query($query_info, $connection) or die(mysql_error());
$row_info = mysql_fetch_assoc($info);
$totalRows_info = mysql_num_rows($info);

$maxRows_watch = 1;
$pageNum_watch = 0;
if (isset($_GET['pageNum_watch'])) {
    $pageNum_watch = $_GET['pageNum_watch'];
}
$startRow_watch = $pageNum_watch * $maxRows_watch;
mysql_select_db($database_connection, $connection);
$query_watch ="SELECT * FROM watch_table WHERE watch_user_id= '$watchr_id_session'
ORDER BY watch_id DESC";
$query_limit_watch = sprintf("%s LIMIT %d, %d", $query_watch, $startRow_watch,
$maxRows_watch);
$watch = mysql_query($query_limit_watch, $connection) or die(mysql_error());
$row_watch = mysql_fetch_assoc($watch);
if (isset($_GET['totalRows_watch'])) {
    $totalRows_watch = $_GET['totalRows_watch'];
} else {
    $all_watch = mysql_query($query_watch);
    $totalRows_watch = mysql_num_rows($all_watch);
}
$totalPages_watch = ceil($totalRows_watch/$maxRows_watch)-1;
$auc = $row_watch['watch_auction_id'];
$maxRows_sellauc = 10;
$pageNum_sellauc = 0;
if (isset($_GET['pageNum_sellauc'])) {
    $pageNum_sellauc = $_GET['pageNum_sellauc'];
}
$startRow_sellauc = $pageNum_sellauc * $maxRows_sellauc;

mysql_select_db($database_connection, $connection);
$query_sellauc = "SELECT * FROM items_table WHERE Id = '$auc'";
$query_limit_sellauc = sprintf("%s LIMIT %d, %d", $query_sellauc, $startRow_sellauc,
$maxRows_sellauc);
$sellauc = mysql_query($query_limit_sellauc, $connection) or die(mysql_error());
$row_sellauc = mysql_fetch_assoc($sellauc);
mysql_select_db($database_connection, $connection);
$query_biddetail = "SELECT * FROM bids_table WHERE bids_auction_id = '$auc' ORDER BY
bids_amount DESC";
$biddetail = mysql_query($query_biddetail, $connection) or die(mysql_error());

```

```

$row_biddetail = mysql_fetch_assoc($biddetail);
$totalRows_biddetail = mysql_num_rows($biddetail);
if (isset($_GET['totalRows_sellauc'])) {
    $totalRows_sellauc = $_GET['totalRows_sellauc'];
} else {
    $all_sellauc = mysql_query($query_sellauc);
    $totalRows_sellauc = mysql_num_rows($all_sellauc);
}
$totalPages_sellauc = ceil($totalRows_sellauc/$maxRows_sellauc)-1;
$queryString_watch = "";
if (!empty($_SERVER['QUERY_STRING'])) {
    $params = explode("&", $_SERVER['QUERY_STRING']);
    $newParams = array();
    foreach ($params as $param) {
        if (stristr($param, "pageNum_watch") == false &&
            stristr($param, "totalRows_watch") == false) {
            array_push($newParams, $param);
        }
    }
    if (count($newParams) != 0) {
        $queryString_watch = "&" . htmlentities(implode("&", $newParams));
    }
}
$queryString_watch = sprintf("&totalRows_watch=%d%s", $totalRows_watch,
$queryString_watch);
echo"<h2> The items, auctions, and products you are Watching </h2>";
?>
Welcome <?php echo $row_info['user_f_name']; ?> <?php echo $row_info['user_l_name']; ?>
( <?php echo $row_info['username']; ?> ) to your Watching Page.
<a href="watch_prod.php?I=<?php echo $row_sellauc['Id']; ?>" width="25" height="25" >
Refresh </a> or
<a href="logout_page.php" class="btn btn-primary" >Logout</a>
<hr>
<?php
    if ($row_watch['watch_id']==""){
        echo "<h2>You are not watching any items</h2>";
    }else{
?>
<table width="392" height="175" border="1" cellpadding="0" cellspacing="0"
bordercolor="#00CCFF" align="center" >
<tr class="head_o">
<td colspan="14" align="center">
Records <?php echo ($startRow_watch + 1) ?> to <?php echo min($startRow_watch +
$maxRows_watch, $totalRows_watch) ?> of <?php echo $totalRows_watch ?></p>
<h4>
<a href="<?php printf("%s?pageNum_watch=%d%s", $currentPage, max(0, $pageNum_watch - 1), $queryString_watch); ?>" class="btn btn-primary" > &lt;&lt; Back</a> <a href="<?php printf("%s?pageNum_watch=%d%s", $currentPage, min($totalPages_watch, $pageNum_watch + 1), $queryString_watch); ?>" class="btn btn-primary" >Next &gt;&gt;</a></div></h4>
</td>
</tr>
<tr>

```

```

<td><p><em><strong>Auction ID</?php echo $row_watch['watch_auction_id']; ?>
</strong></em></p></td>
<td><p><em><strong>Pic</strong></em></p></td>
<td><p><em><strong>Name</strong></em></p></td>
<td><p><em><strong>Start Price</strong></em></p></td>
<td><p><em><strong>Currency</strong></em></p></td>
<td><p><em><strong>Buy the item now Price</strong></em></p></td>
<td><p><em><strong>Bidder information</strong></em></p></td>
<td><p><em><strong>Started Date</strong></em></p></td>
<td><p><em><strong>Expired date</strong></em></p></td>
<td><p><em><strong>Number of bids</strong></em></p></td>
<td><p><em><strong>Maximum bidding Price</strong></em></p></td>
<td><p><em><strong>Last bidder</strong></em></p></td>
<td><p><em><strong>Bidder Comment</strong></em></p></td>
</tr>
<?php do { ?>
<tr>
<td><p><?php echo $row_sellauc['user_id']; ?></p></td>
<td><p><?php echo $row_sellauc['Id']; ?></p></td>
<?php
    if( $row_sellauc['pic'] != ""){
        ?
        <td></td>
        <?php
            }else{
                ?
            ?
        <td></td>
        <?php
            }
            ?
        <td><p>
            <?php if( $row_sellauc['Name'] != ""){ echo $row_sellauc['Name']; ?>
        </p></td>
        <td><p><?php echo $row_sellauc['StartPrice']; ?></p></td>
        <td><p><?php echo $row_sellauc['Currency']; ?></p></td>
        <td><p><?php echo $row_sellauc['BuyNowPrice']; ?></p></td>
        <td><p><?php echo $row_sellauc['posted_date']; ?></p></td>
        <td><p><?php echo $row_sellauc['expired_date']; ?> Day after <?php echo
        $row_sellauc['posted_date']; ?></p></td>
        <td><p><em><a href="details.php?I=<?php echo $row_sellauc['Id']; ?>">More
        Details</a></em></p></td>
        <td><p>
            <?php
                $row_from_items_table = $row_sellauc['Id'] ;
                if (isset($_GET['Id'])) {
                    $row_from_items_table = $_GET['Id'];
                }
                mysql_select_db($database_connection, $connection);
                $query_BidsTable = "SELECT * FROM bids_table WHERE bids_auction_id =
                '$row_from_items_table' ORDER BY bids_id DESC";
                $BidsTable = mysql_query($query_BidsTable, $connection) or die(mysql_error());
            </p></td>
    </tr>

```

```

$row_BidsTable = mysql_fetch_assoc($BidsTable);
$totalRows_BidsTable = mysql_num_rows($BidsTable);
echo $totalRows_BidsTable;
if ($totalRows_BidsTable != 0)
{
    echo "</p></td>";
?>
<td><p><?php echo $row_BidsTable['bids_amount']; ?></p></td>
<td><p><?php echo $row_BidsTable['Comment']; ?></p></td>
<?php
}
?>
<?php
} else{
    echo "<h3>".$row_watch['auc_name']."</h3>";
    echo "<td colspan='9' class='no_o'><p>This item <strong>deleted</strong> or
<strong>sold</strong></p></td>";
}
?>
<?php
// start un watch
if (isset($_POST['button_delete'])) {
    $UnWatche_id = $_POST['id_of_the_watch'];
    $deleteSQL = "DELETE FROM watch_table WHERE watch_id=$UnWatche_id";

    mysql_select_db($database_connection, $connection);
    $deletedQ = mysql_query($deleteSQL, $connection) or die(mysql_error());

    if($deletedQ){
        echo "Stop watching..";
        echo '<meta http-equiv="refresh" content="0" >';
    }
} ?>
<td>
<form name="Un_watch_form" method="post" action=">
    <p><input type="submit" name="button_delete" id="button_delet" value="Un
    Watch"></p>
    <input name="id_of_the_watch" type="hidden" id="hd_del" value="<?php echo
    $row_watch['watch_id']; ?>">

</form>
<?php
// End un watch
?>
</td>
</tr>
<p><?php } while ($row_watch = mysql_fetch_assoc($watch)); ?>

</table>
<p>Records <?php echo ($startRow_watch + 1) ?> of <?php echo $totalRows_watch ?></p>
<p><a href="watch_prod.php">Go to the first Auction</a>

```

```

<a href=<?php printf("%s?pageNum_watch=%d%s", $currentPage, max(0, $pageNum_watch - 1), $queryString_watch); ?>> class="btn btn-primary"> < Previous <a href=<?php printf("%s?pageNum_watch=%d%s", $currentPage, min($totalPages_watch, $pageNum_watch + 1), $queryString_watch); ?>> class="btn btn-primary"> Next > </a></p>
<p>&nbsp;</p>
<p>&nbsp;</p>

<table width="100" border="1" cellspacing="0" cellpadding="0" align="center">
<tr>
<td><h4> Bidder ID </h4></td>
<td><h4> Amount </h4></td>
<td align="center"><h4> Comment </h4></td>
</tr>
<?php
if($row_biddetail['bids_amount']==""){echo "<p>There is no bidding yet</p>";
}
else
{
do { ?>
<tr>
<td><p><?php echo $row_biddetail['bids_user_id']; ?></p></td>
<td><p><?php echo $row_biddetail['bids_amount']; ?></p></td>
<td><p><?php echo $row_biddetail['Comment']; ?></p></td>
</tr>
<?php } while ($row_biddetail = mysql_fetch_assoc($biddetail)); ?>
</table>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>
<?php
    ?
?>
</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<div>
<p>&nbsp;</p>
<p>
</p>
</div>
<?php include 'footer.php';?>

```

The items, auctions, and products you are Watching

Welcome Omar () to your Watching Page. [Refresh](#) or [Logout](#)

Records 1 to 1 of 1												
<< Back Next >>												
Auction ID	Pic	Name	Start Price	Currency	Buy the item now Price	Bidder information	Started Date	Expired date	Number of bids	Maximum bidding Price	Last bidder	Bidder Comment
1		RangRover Sport	12000	USD (Dollar US\$)	22000		2016-03-01 19:15:03	2026-07-18 04:04:00 Day after 2016-03-01 19:15:03	More Details	0	Un Watch	

Records 1 of 1

[Go to the first Auction](#) < Previous Next >

There is no bidding yet

The output of (**watch_prod.php**) should be like this

6.1.3.13 personalPageBuy.php

After adding the bid from details page of the auction it will save the latest bid you have posted in the items going to buy (**personalPageBuy.php**)

```
<?php
session_start();
?>
<?php
if($_SESSION['SESSION_USER_id'] == ""){
    echo '<meta http-equiv="Refresh" content="0;url='
    . "http://localhost/online_auction/login_page.php" . '>'; // This is if the user is not loged in , it will
    take them into login page.
    exit;
}
?>
<a href="index.php"></a>
<?php
$hostname_connection = "localhost";
$database_connection = "auction_db";
$username_connection = "O_AOmarAhmedAli_oNline_aUcTion";
$password_connection = "12345";
$connection = mysql_pconnect($hostname_connection, $username_connection,
$password_connection) or trigger_error(mysql_error(),E_USER_ERROR);
?>
<?php
if (!isset($_SESSION)) {
    @ session_start();
}
$the_person_who_posted_bid = $_SESSION['SESSION_USER_id'];
$_SESSION['SESSION_USER_id'] ;
?>
```



```

<?php
if($_SESSION['SESSION_USER_id']==""){

    echo "<h1>You should login please</h1>";
echo'<meta http-equiv="Refresh"
content="0;url=http://localhost/online_auction/login_page.php">';
}else{
?>
<br/>
<?php
mysql_select_db($database_connection, $connection);
$query_info = "SELECT * FROM user_information_table WHERE user_id =
'$the_person_who_posted_bid'";
$info = mysql_query($query_info, $connection) or die(mysql_error());
$row_info = mysql_fetch_assoc($info);
$TotalRows_info = mysql_num_rows($info);
mysql_select_db($database_connection, $connection);
$query_bidbuy = "SELECT * FROM bids_table WHERE bids_user_id =
'$the_person_who_posted_bid' ORDER BY bids_id DESC";
$bidbuy = mysql_query($query_bidbuy, $connection) or die(mysql_error());
$row_bidbuy = mysql_fetch_assoc($bidbuy);
$TotalRows_bidbuy = mysql_num_rows($bidbuy);
?>
<style type="text/css">
body table {
    text-align: center;
}
</style>
<a href="index.php">Home</a> >> <a href="personal_page.php"> Personal page </a> >> <a
href="personalPageBuy.php"> My bidding page.</a>

<pre>Wellcome {<?php echo $row_info['user_f_name']; ?> <?php echo
$row_info['user_l_name']; ?>} (<?php echo $row_info['username']; ?>) to Personal Page
willing to Buy</pre>

<hr>
<?php
if ($row_bidbuy['bids_user_id']==""){

    echo "<h2>You are not buying any items</h2>";

}
else{

?>
<h6>Your last bid (only last bid will be shown.)</h6>
<table width="100" border="10" align="center" bordercolor=" rgba(70, 100, 200, 0.3)"
cellspacing="0" cellpadding="0">
<tr>
    <td colspan="2"><h3><em>(<?php echo $row_info['user_id']; ?>){<?php echo
$row_info['user_f_name']; ?>, <?php echo $row_info['user_l_name']; ?>} as
buyer.</em></h3></td>
</tr>
    - -

```

```

<tr>
    <td><h4>My ID .no</h4></td>
    <td><p><?php echo $row_bidbuy['bids_user_id']; ?></p></td>
</tr>
<tr>
    <td><h4>Bids_Id</h4></td>
    <td><p><?php echo $row_bidbuy['bids_id']; ?></p></td>
</tr>
<tr>
    <td><h4>Bids Auction Id</h4><p><?php echo $row_bidbuy['bids_auction_id']; ?></p></td>
    <td>
        <p>
            <?php
                $host = "localhost";
                $user = "O_AOmarAhmedAli_oNline_aUcTion";
                $pass = "12345";
                $db = "auction_db";
                mysql_connect($host,$user,$pass);
                mysql_select_db($db);
                $Get_the_IDdbuy = $row_bidbuy['bids_auction_id'];
                $sedbuy = mysql_query("select * from items_table where Id='$Get_the_IDdbuy'");
                $rowdbuy = mysql_fetch_assoc($sedbuy);
                $numsedbuy = mysql_num_rows($sedbuy);

                $namedpic = $rowdbuy['pic'];
                $id_dbuy = $rowdbuy['Id'];
                $namedbuy = $rowdbuy['Name'];
            }
        if($numsedbuy == 0 or $numsedbuy <0) {
            echo "<div class='bodypanel_o'><h4>This item deleted or sold</h4>";
        }else{
            echo"
                <div class='bodypanel_o'
                    <a href='details.php?I=$id_dbuy'> <img src='upload/$namedpic' width='200'
                    height='200' > Name: <strong> $namedbuy </strong> <p> </div >
                ?>
            </p>
            <p><a href='details.php?I=<?php echo $row_bidbuy['bids_auction_id']; ?>'>More Details</a> </p>
            <?php
        }
        ?
    </td>
</tr>
<tr>
    <td><h4>Bids Price</h4></td>
    <td><p><?php echo $row_bidbuy['bids_amount']; ?></p></td>
</tr>
<tr>
    <td><h4>Comment</h4></td>

```

```

<td><p><?php
$Filter_Long_word = $row_bidbuy['Comment'];
echo wordwrap($Filter_Long_word,20,"<br>\n",TRUE);
?></p></td>
</tr>
</table>
<p>&nbsp;</p>
<hr>
<p>Post Bid for this Auction: </p>

<?php
// Note: the same code in details pagem but i make it like this to be more clear for the people
whom want to learn programing.
//// start coding bid process
echo "<h1>";
echo $row_bidbuy['Id'] ;
echo "</h1> ";
if ((isset($_POST["insert_your_own_Bid"])) && ($_POST["insert_your_own_Bid"] ==
"PlaceBidform")) {
$insert_item_id = $_POST['the_id_of_an_item'];
$insert_bidder_id = $_SESSION['SESSION_USER_id'];
$The_bids_amountbid = $_POST['bids_amount'];
$The_comment_bid = addslashes(strip_tags($_POST['Comment']));
if(!is_numeric($The_bids_amountbid)){
    echo "<script>alert(\"Price should be number \");</script>";
}else{
    $insertSQLt = "INSERT INTO bids_table (bids_auction_id, bids_amount, `Comment`,
bids_user_id) VALUES ('$insert_item_id', '$The_bids_amountbid', '$The_comment_bid',
'$insert_bidder_id')";
    mysql_select_db($database_connection, $connection);
    $Result1 = mysql_query($insertSQLt, $connection) or die(mysql_error());
    echo '<div class="head_o"><h3><strong>Added your own price successfully </strong></h3>
</div>';
    if($Result1){
        echo ' <meta http-equiv="refresh" content="0" >';
    }
}
////// if numaric colse
}
////// if numaric colse
}
//// End coding bid process
?>
<table align="center">
<tr valign="baseline">
<td nowrap="nowrap" align="right">

```

```

<h2><strong> <?php
if ($row_info['user_id']==$row_Recordset1['user_id']){echo "You are not Allow to post bid,
because this is your Item";
die();} else if ($row['user_id']!=$row_info['user_id'])){echo 'Add your own price:';}
echo $row['user_id'];?></strong></h2>
</td>
</tr>
<form name="form_add_bid_again" id="form1" method="post"
action="personalPageBuy.php" >
<tr valign="baseline">
<td nowrap="nowrap" align="right"><h4>Bids_amount: </h4></td>
<td><input type="text" name="bids_amount" value="" size="32" /></td>
</tr>
<tr valign="baseline">
<td nowrap="nowrap" align="right"><h4>Comment: </h4></td>
<td><textarea name="Comment" cols="32" rows="5">Phone: <?php echo
$row_info['user_phone']; ?>

#####
E-mail: <?php echo $row_info['user_email']; ?> </textarea></td>
</tr>
<tr valign="baseline">
<td nowrap="nowrap" align="right">&ampnbsp</td>
<td><input name="button_of_bid" type="submit" value="Post Bid" /class="btn btn-primary"
></td>
</tr>
<input type="hidden" name="the_id_of_an_item" value="<?php echo
$row_bidbuy['bids_auction_id']; ?>" />
<input type="hidden" name="insert_your_own_Bid" value="PlaceBidform" />
</form>
<hr>
</table>
<p>&ampnbsp</p>
<?php
}
?>
<p>&ampnbsp</p>
<?php
}
?>
<?php include 'footer.php';?>

```

Screenshot of the auction website showing the auction details for a "RangRover Sport".

The top navigation bar includes links for "Watch", "My Items willing to Buy Page", "My Items willing to Sell Page", and "Post an Auction". A "Logout" link is also present.

The main content area displays the auction details:

#Auction Owner ID	image	#Auction ID	Name	Currency	Start Price	Buy now Price	The Price now is	Status	Country	City	Date
		1	RangRover Sport	USD (Dollar US\$)	12000	22000	There is no bidding yet	new	YEMEN	Sanaa	2016-03-01 19:15:03

Remaining Days: 3790
Time: 90965 : 40 : 50

Auction closed at: [Description: http://localhost/online_auction/personalPageBuy.php?Id=...]

Below this, another screenshot shows the "personalPageBuy.php" page for the same auction item.

The output of (personalPageBuy.php) should be like this

6.1.3.14 personalPage_edit.php

The edit personal information page(**personalPage_edit.php**)

```
<?php
session_start();
?>
<?php
// this is personalPage_edit.php
?>
<?php
if( $_SESSION['SESSION_USER_id'] == ""){
echo'<meta http-equiv="Refresh" content="0;url=
http://localhost/online_auction/login_page.php">'; // This is if the user is not loged in , it will
take them into login page.
```

```

exit;}
?>
<?php
$hostname_connection = "localhost";
$database_connection = "auction_db";
$username_connection = "O_AOmarAhmedAli_oNline_aUcTion";
$password_connection = "12345";
$connection = mysql_pconnect($hostname_connection, $username_connection,
$password_connection) or trigger_error(mysql_error(),E_USER_ERROR);
?>
<?php include 'o_auction_header.php';?>
<br/>
<br/>
<br/>
<?php
$user_session_update_information = $_SESSION['SESSION_USER_id'];

mysql_select_db($database_connection, $connection);
$query_search_in_userInformationTable = "SELECT * FROM user_information_table WHERE
user_id = '$user_session_update_information'";
$search_in_userInformationTable = mysql_query($query_search_in_userInformationTable,
$connection) or die(mysql_error());
$row_search_in_userInformationTable =
mysql_fetch_assoc($search_in_userInformationTable);
$totalRows_search_in_userInformationTable =
mysql_num_rows($search_in_userInformationTable);
$postname= addslashes(strip_tags($_POST['name']));
$postTitle= addslashes(strip_tags($_POST['Title']));
$postemail= addslashes(strip_tags($_POST['email']));
$postmsg= addslashes(strip_tags($_POST['msg']));
if ((isset($_POST["personal_information_update"])) &&
($_POST["personal_information_update"] == "update_information_form")) {
$usernamePost = $_POST['txt_username'];
$upd_Username = $_POST['USER_NAME_hide'];
$upd_user_f_name = $_POST['txt_user_f_name'];
$upd_user_l_name = $_POST['txt_user_l_name'];
$upd_username = $_POST['txt_user_l_name'];
$upd_user_phone = $_POST['txt_user_phone'];
$upd_user_email = $_POST['txt_user_email'];
$upd_country = $_POST['txt_country'];
$changeInfo_date=date("Y-m-d H:i:s");
$updateSQL = "UPDATE user_information_table SET user_f_name='$upd_user_f_name',
user_l_name='$upd_user_l_name', username='$upd_Username',
user_phone='$upd_user_phone', user_email='$upd_user_email', country='$upd_country',
date_last_edit_info='$changeInfo_date' WHERE
user_id='$user_session_update_information';

mysql_select_db($database_connection, $connection);
$Result_of_update = mysql_query($updateSQL, $connection) or die(mysql_error());
echo "<p>&nbsp;</p><p>&nbsp;</p><p>&nbsp;</p><h1><p>Updated your information
successfully.</h1>";
echo "<p>Alhamdolellah</p>";

```

```

echo'<meta http-equiv="Refresh"
content="0;url=http://localhost/online_auction/personal_page.php">';
exit;}
?>
<pre><h9><em>Last Update:</em><?php echo
$row_search_in_userInformationTable['date_last_edit_info']; ?></em></h9></pre>
<h3><a href='personal_page.php'> (&lt;&lt;) Go back to my page </a></h3>
<form id="form" name="update_information_form" method="POST" action="<?php echo
$editFormAction; ?>">
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>
    <label for="txt_user_f_name">User first name</label>
    <input name="txt_user_f_name" type="text" id="txt_user_f_name" value="<?php echo
$row_search_in_userInformationTable['user_f_name']; ?>" />
</p>
<p>
    <label for="txt_user_l_name">User Last Name</label>
    <input name="txt_user_l_name" type="text" id="txt_user_l_name" value="<?php echo
$row_search_in_userInformationTable['user_l_name']; ?>" />
</p>
<p>
    <label for="txt_username">Username</label>
    <input name="txt_username" type="text" id="txt_username" value="<?php echo
$row_search_in_userInformationTable['username']; ?>" />
</p>
<p>
    <label for="txt_user_phone">User Phone </label>
    <input name="txt_user_phone" type="text" id="txt_user_phone" value="<?php echo
$row_search_in_userInformationTable['user_phone']; ?>" />
</p>
<p>
    <label for="txt_user_email">User E-mail</label>
    <input name="txt_user_email" type="text" id="txt_user_email" value="<?php echo
$row_search_in_userInformationTable['user_email']; ?>" />
</p>
<p>
    <label for="txt_country">Country</label>
    <input name="txt_country" type="text" id="txt_country" value="<?php echo
$row_search_in_userInformationTable['country']; ?>" />
</p>
<h2>  <input type="submit" name="btn_update" id="update_button" value="UPDATE" />
</h2>
<p>&nbsp;</p>
<p>&nbsp;</p>
<input name="USER_NAME_hide" type="hidden" id="hd_edit" value="<?php echo
$row_search_in_userInformationTable['username']; ?>" />
<p>&nbsp;</p>
<input type="hidden" name="personal_information_update"
value="update_information_form" />
</form>
<?php include 'footer.php';?>

```



The output of (**personalPage_edit.php**) should be like this

6.1.3.15 personalPage_edit_pass.php

This page enable the user to update the login password

The edit user password page(**personalPage_edit_pass.php**)

```
<?php
@ session_start();
// the @ is to avoid errors,if it show you the is an error in the session write the @@
if( $_SESSION['SESSION_USER_id']==''){
echo'<meta http-equiv="Refresh" content="0;url=
http://localhost/online_auction/login_page.php">'; // This is if the user is not loged in , it will
take them into login page.
exit;}
?>
<?php
// this is personalPage_edit_pass.php
?>
<p>&nbsp;</p>
<?php include 'o_auction_header.php';?>
<?php
$hostname_connection = "localhost";
$database_connection = "auction_db";
$username_connection = "O_AOmarAhmedAli_oNline_aUcTion";
$password_connection = "12345";
$connection = mysql_pconnect($hostname_connection, $username_connection,
$password_connection) or trigger_error(mysql_error(),E_USER_ERROR);
?>
<br/>
<br/>
<br/>
<?php
if($_SESSION['SESSION_USER_id']==''){

```

```

echo'<meta http-equiv="Refresh"
content="0;url=http://localhost/online_auction/logout_page.php">';
exit;}
$UserIdSession = $_SESSION['SESSION_USER_id'];
mysql_select_db($database_connection, $connection);
$query_UserInformationTable = "SELECT * FROM user_information_table WHERE user_id =
'$UserIdSession'";
$UserInformationTable = mysql_query($query_UserInformationTable, $connection) or
die(mysql_error());
$row_UserInformationTable = mysql_fetch_assoc($UserInformationTable);
$totalRows_UserInformationTable = mysql_num_rows($UserInformationTable);
if(isset($_POST['btn_update'])){
    if ($_POST["txt_pass1"] =="" or $_POST["txt_pass2"]== "") {
        echo "The password text box should not be empty";
    }elseif (( $_POST["txt_pass1"] != $_POST["txt_pass2"])) {
        echo "Please enter the password confirm correctly.";
    }else{
        $md5userpassEdit = md5($_POST["txt_pass1"]);
        $updateSQL = "UPDATE user_information_table SET user_password='$md5userpassEdit'
WHERE user_id='$UserIdSession'";
        mysql_select_db($database_connection, $connection);
        $Result1 = mysql_query($updateSQL, $connection) or die(mysql_error());
        if($updateSQL){
            echo "<h1><p>Your password changed successfully.</h1>";
            echo "<p>Alhamdolellah</p>";
            echo '<h3>Do you want to Logout Now: <a href="logout_page.php"> Yes Logout Now </a>
or <a href="personal_page.php"> Not now </a></h3>';
            echo '<h3><a href='personal_page.php'> (&lt;&lt;) Go back to my page </a></h3>';
            exit;// close if($updateSQL)
        }
    }
}
echo'<meta http-equiv="Refresh"
content="20;url=http://localhost/online_auction/personal_page.php">';
}
?>
<h3><a href='personal_page.php'> (&lt;&lt;) Go back to my page </a></h3>
<h4><strong> Change your password form</strong></h4>
<p>&nbsp;</p>
<form id="form_change_password" name="form_change_password" method="POST"
action="<?php echo $editFormAction; ?>" >
<p>user_id: <?php echo $row_UserInformationTable['user_id']; ?></p>

<p><input type="hidden" name="txt_username" value="<?php echo
$row_UserInformationTable['username']; ?>" />
</p>
<p><label for="txt_pass1">Enter new password: </label>
<input type="password" name="txt_pass1" id="txt_pass1" placeholder="Enter new
password" /> </p> <p><label for="txt_pass2">Confirm new password: </label>
<input type="password" name="txt_pass2" id="txt_pass2" placeholder="Confirm new
password" /> </p>
<p><input type="submit" name="btn_update" id="buttn_update" value="UPDATE" />
</p> <p>&nbsp;</p><p>&nbsp;</p>
<input type="hidden" name="MM_update" value="form_change_password" />

```

</form><p> </p> <?php include 'footer.php';?>

The screenshot shows a web browser window with the URL http://localhost/online_auction/personalPage_edit_pass.php. The page title is "personalPage_edit_pass.php". The main content is a "Change your password form" with fields for "user_id" (set to 1), "Enter new password" (containing "*****"), "Confirm new password" (empty), and an "UPDATE" button. At the bottom, there's a footer with links: Help, About, Our Policies, How to Post an Advertisement, Contact us, and social media icons for Facebook, Twitter, RSS, and YouTube.

The output of (**personalPage_edit_pass.php**) should be like this
Enter from the personal page

The screenshot shows a web browser window with the URL http://localhost/online_auction/personal.page.php. The page title is "O Auction". The main content is a "Welcome to your own Personal Page" message above a "Edit my information" form. The form contains the following data:

User id	1
Username	user_omar
User first name	Omar
User last name	Ahmed
User phone	123456789
User E-mail	test@email.com
Country	Yemen
Registered date	2016-03-01 18:58:09

Below the form are buttons for "Change my password", "Enter current password", "Ok", and "Deactivate My Account". A note at the bottom says "Last Update: 0000-00-00 00:00:00". The footer includes a "Logout" link and a "My Items willing to Sell" link.

[My Items willing to Sell](#)

6.1.3.16 contact_us_clint_send_page.php

The contact us page sent from the user (**contact_us_clint_send_page.php**)

```
<?php @ session_start(); ?>
<p>
    <a href="index.php"></a>
<style type="text/css">
.head_oAuction{
border: 3px solid #0CF;
border-radius: 12px;
background:#09F;
margin:7px 2px 0px 2px;

```



```

color:#FFF;
text-align:center;
padding:7px;}
</style>
<?php
// connection
$host = "localhost";
$user = "O_AOmarAhmedAli_oNline_aUcTion";
$pass = "12345";
$db = "auction_db";

mysql_connect($host,$user,$pass);
mysql_select_db($db);
$postname= addslashes(strip_tags($_POST['name']));
$postTitle= addslashes(strip_tags($_POST['Title']));
$postemail= addslashes(strip_tags($_POST['email']));
$postmsg= addslashes(strip_tags($_POST['msg']));
if($_POST['send']){
    if($postname == "" or $postTitle == "" or $postemail == "" or $postmsg == ""){
        echo"<script>alert(\" All textboxes are required\");</script>";
    }elseif(strlen($postname) > 50){
        echo"<script>alert(\"Name should be less than 50 character\");</script>";
    }elseif(strlen($postname) < 5){
        echo"<script>alert(\"Name should be more than 50 character\");</script>";
    }elseif(strlen($postTitle) > 100){
        echo"<script>alert(\"Title too long\");</script>";
    }elseif(strlen($postmsg) > 500){
        echo"<script>alert(\"Message should be less than 500 character\");</script>";
    }elseif(strlen($postmsg) < 20){
        echo"<script>alert(\"Message should be more than 20 character\");</script>";
    }elseif(!preg_match("/(\w+@[a-zA-Z_]+?\.[a-zA-Z]{2,4})/",$postemail )) {
        echo"<script>alert(\"The E-mail is not correct\");</script>";
    }elseif($_SESSION['addmsg'] > time() -180){
        echo"<script>alert(\"You can contact with us again after three minutes. \");</script>";
    }
}
else{
    $_SESSION['addmsg'] = time();
    $ch_date = 0000 ;

    $add = mysql_query("insert into contact_us_table
values('$postname','$postTitle','$postemail','$postmsg',now())");
    if($add){
        echo"
<div class='head_oAuction'><h1>Thank you</h1><h2>Message successfully sent</h2></div>
";
        echo'<meta http-equiv="Refresh"
content="5:url=http://localhost/online_auction/index.php">';
    }
}

```

```

}

?>
<div class="head_oAuction">Contact with Online Auction </div>

<form id="form1" name="form1" method="post" action="">
<table width="60%" align="center" bordercolor="#5f7ad5;" cellpadding="1" cellspacing="2">
<tr>
<td width="36%">

    <font color="blue">
        <h4>Title</h4>
    </font>
</td>
<td width="64%">
<select name="Title" id="Title" >
<option value=<?php echo $postTitle; ?>><?php echo $postTitle; ?></option>
<option value="Post fee ">Thanks or Suggestion</option>
<option value="Complaint">Complaint</option>
<option value="Technical problem">Technical problem</option>
<option value="Proposal for fee advertisement ">Proposal for fee advertisement </option>
<option value="Others">Others </option>
</select>
</td>
</tr>
<tr>
<td >
    <font color="blue"><h4>Name </h4></font>
</td>
<td >
    <textarea name="name" cols="50" placeholder="Your Name"><?php echo $postname ; ?></textarea>
    (optional)
</td>
</tr>
<tr>
<td>
    <font color="blue"> <h4>E-mail</h4></font>
</td>
<td>
    <textarea name="email" cols="50" placeholder="Address@ DomainName.com "><?php echo $postemail; ?></textarea></td>
</tr>


</div>
<tr> <td>      <font color="blue"><h4>Message:</h4></font>
</td>
<td><textarea name="msg" rows="10" cols="50" value="" placeholder="Your message content"><?php echo $postmsg; ?></textarea></td>
<tr>
<td class="head_oAuction" colspan="2" ><blockquote>
<p>
    <input name="send" value="Send" type="submit"/>
</p>

```

```

        </td>
    </tr>
</table>
</form>
<?php include 'footer.php';?>

```



The output of (**contact_us_clint_send_page.php**) should be like this

6.1.3.17 (Control panel) login_admin.php

First the (**login_admin.php**)

```

<?php
@ session_start();
if( $_SESSION['SESSION_ADMIN_id'] != ""){
header("Location:http://localhost/online_auction/admin/setting.php");
exit;}
?>
<?php
$host = "localhost";
$admin = "O_AOmarAhmedAli_oNline_aUcTion";
$pass = "12345";
$db = "auction_db";
mysql_connect($host,$admin,$pass);
mysql_select_db($db);
?>
<?php
if (isset($_POST['button_login'])){
    $admin_email= $_POST['admin_email_txt'];
    $admin_pass=$_POST['admin_password'];
$md5adminpass = md5($admin_pass);
    if($admin_email == "" or $md5adminpass == ""){
        echo "<h1>All the data is required</h1>";
    }else{
}
}

```

```

$select_admin_log = mysql_query("select * from admin_table where admin_email =
'$admin_email' and admin_pass = '$md5adminpass'");
$num = mysql_num_rows($select_admin_log);
if($num == 1){
    $row=mysql_fetch_assoc($select_admin_log);
    $dbadmin_email = $row['admin_email'];
    $dbpassword = $row['admin_pass'];
    if($dbadmin_email == $admin_email and $dbpassword ==
$md5adminpass){
        $_SESSION['SESSION_ADMIN_id'] = $row['admin_id'];
        echo "<h1> welcome</h1> ". $row['admin_id'] . $row['adminname'];
        echo'<meta http-equiv="Refresh" content="0;url=
http://localhost/online_auction/admin/login_admin.php">'; // This is if the admin loged in , it
will take them into setting page.
    }
    exit;}else{
    echo"<h1>The E-mail or the password is not correct</h1>";

}
}

?>
<html>
<body>
<!-- <p>Welcome to Online Auction Admin Panel Login </p> -->
<p>&nbsp;</p>

<form action="login_admin.php" method="POST">
<table bordercolor="#CCCCCC" width="40%" border="2" cellspacing="2" cellpadding="2"
align="center">
<tr>
<td colspan="2" align="center" > <a href="../index.php"></a>
<h1><strong> <font color='orange'>O</font>nline <font color='blue'>A</font>uction
Admin Login </strong></h1>
You can enter by
Email is: OmarAhmed@onlineAuction.com
<br>
Password: omar
</td>
</tr>
<tr><td width="50%"><h4><strong> E-mail: </strong></h4></td><td
width="50%"><input name="admin_email_txt" type="text" size="50"
maxlength="50"></td></tr>
<tr><td width="50%"><h4><strong>Password: </strong></h4></td><td
width="50%"><input name="admin_password" type="password" size="50"
maxlength="50"></td></tr>
<tr>
<td colspan="2" align="center">
<p>

```



```

        <input type="submit" name="button_login" value=" Login " >
    </p> </td>
</tr>
</table>
</form>

<table bordercolor="#0bd6f7" border="2" align="center">
<tr>
<td>

        <p>      <a href="../index.php">&lt;&lt; Back to the Online Auction Website
&lt;&lt;</a> </p>
        </td>
</tr>
</table>
</body>
</html>

```



The output of **(login_admin.php)** should be like this

6.1.3.18 setting.php

```

<?php
session_start();
?>
<?php
if($_SESSION['SESSION_ADMIN_id']==''){
// This is if the user is not loged in , it will take them into login page.

```

```
header("Location:http://localhost/online_auction/admin/login_admin.php");
```

```
exit;}
?>
```

```
<?php
```



```

//connection
$hostname_connection = "localhost";
$database_connection = "auction_db";
$username_connection = "O_AOmarAhmedAli_oNline_aUcTion";
$password_connection = "12345";
$connection = mysql_pconnect($hostname_connection, $username_connection,
$password_connection) or trigger_error(mysql_error(),E_USER_ERROR);

?>

<?php
$Session_admin_id = $_SESSION['SESSION_ADMIN_id'];
?>
<?php
mysql_select_db($database_connection, $connection);
$query_Adimin_information = "SELECT * FROM admin_table WHERE
admin_id='$$Session_admin_id'";
$Adimin_information = mysql_query($query_Adimin_information, $connection) or
die(mysql_error());
$row_Adimin_information = mysql_fetch_assoc($Adimin_information);
$totalRows_Adimin_information = mysql_num_rows($Adimin_information);
?>
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>Online Auction admin panel</title>
</head>

<body>

<hr>
<hr>
<p>&nbsp;</p>

<h1> <a href="../index.php"></a>

<strong> <font color='orange'>O</font>nline <font color='blue'>A</font>uction Admin Panel
</strong></h1>
<h1>Welcome :<?php echo $row_Adimin_information['admin_name']; ?> </h1>
<hr />

<h1><a href="logout_admin.php">&lt;&lt; Log out</a></h1>

<h1><a href=
contact_us_clint_received_page.php"> Messages (Contact us) &gt;&gt; </a></h1>

<hr />
<h2>Admin ID: <font color='blue'><?php echo $row_Adimin_information['admin_id'];
?></font> </h2>
<h2>Admin E-mail: <font color='blue'><?php echo $row_Adimin_information['admin_email'];
?></font> </h2>

```



```

<h2>Admin Phone: <font color='blue'><?php echo $row_Admin_information['admin_phone']; ?> </font></h2>
<h2>Admin Authentication: <font color='blue'><?php echo $row_Admin_information['adminAuth']; ?></font> </h2>
<h2>Admin History: <font color='blue'><?php echo $row_Admin_information['adminStatusHistory']; ?></font> </h2>
<h2>Admin information:<font color='blue'> <?php echo $row_Admin_information['admin_info']; ?></font> </h2>
<hr />
<p>&nbsp;</p>
<h1>&nbsp;</h1>
<p>&nbsp;</p>
<p>&nbsp;</p>
</body>
</html>

```

The output of (**setting.php**) should be like this

[6.1.3.19 contact_us_clint_received_page.php](#)
The message of contact us (contact_us_clint_received_page.php)

```

<?php
session_start();
?>
<?php
if($_SESSION['SESSION_ADMIN_id']==''){
// This is if the user is not loged in , it will take them into login page.

```

```
header("Location:http://localhost/online_auction/admin/login_admin.php");
```

```

exit;}
?>
<?php
//conection

$hostname_connection = "localhost";

```



```

$database_connection = "auction_db";
$username_connection = "O_AOmarAhmedAli_oNline_aUcTion";
$password_connection = "12345";
$connection = mysql_pconnect($hostname_connection, $username_connection,
$password_connection) or trigger_error(mysql_error(),E_USER_ERROR);
?>

<?php
$Session_admin_id = $_SESSION['SESSION_ADMIN_id'];
?>

<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>Online Auction admin panel</title>
</head>

<body>

/*In The Name of Allah
The last thing I would like to distribute the codes of my website to and that is to enable
students to do their websites and Insha'Allah it will help them.
This code is free and its only for learning and I am not allowing any one to using it in any form
of business, or using as project or as personal work or as work of any group.
(And ALLAH id a witness of what I say)
#####
بسم الله الرحمن الرحيم
لقد قمت بوضع الكود لكي يستفسد منه اي شخص وبالخاصة الطلاب، إن شاء الله ، ولا أسمح لأي أحد ان
يحتكره او يستخدمه لأغراض تغريب الله او أغراض مالية أو تسليمة كمشروع
والغرض الوحيد هو فقط التعليم.
والله على ما أقول وكيل.
*/
<?php
echo "In The Name of Allah <br>
<br>The last thing I would like to distribute the codes of my website to and that is to enable
students to do their websites and Insha'Allah it will help them.
<br>This code is free and its only for learning and I am not allowing any one to using it in any
form of business, or using as project or as personal work or as work of any group.
(And ALLAH id a witness of what I say)
<br><br>
#####
<br><br>
<br><br>بسم الله الرحمن الرحيم
<br>لقد قمت بوضع الكود لكي يستفسد منه اي شخص وبالخاصة الطلاب، إن شاء الله ، ولا أسمح لأي أحد ان
يحتكره او يستخدمه لأغراض تغريب الله او أغراض مالية أو تسليمة كمشروع
والغرض الوحيد هو فقط التعليم.
<br>والله على ما أقول وكيل.
<br>";
?>
<?php
/*
echo "In The Name of Allah <br>

```


The last thing I would like to distribute the codes of my website to and that is to enable students to do their websites and Insha'Allah it will help them.

This code is free and its only for learning and I am not allowing any one to using it in any form of business, or using as project or as personal work or as work of any group.

(And ALLAH id a witness of what I say)

#####
#####

 بسم الله الرحمن الرحيم

لقد قمت بوضع الكود لكي يستفسد منه اي شخص و يالخاصة الطلاب، إن شاء الله ، ولا أسمح لأي أحد ان يحتكره او يستخدمه لأغراض تعصب الله او أغراض مالية أو تسلية كا مشروع

والغرض الوحيد هو فقط التعليم

والله على ما أقول وكيل.

" ;

* / ?>

```
<hr>
<hr>
<p>&nbsp;</p>
    <h1>    <a href="../index.php"></a>
        <strong> <font color='orange'>O</font>nline <font color='blue'>A</font>uction Admin
    Panel </strong></h1>
<h1>Welcome to received contact us messages </h1>
<hr />

<h1><a href="logout_admin.php">&lt;&lt; Log out</a></h1>

<h1><a href="setting.php">&lt;&lt; Setting </a></h1>

<hr />

<?php
mysql_select_db($database_connection, $connection);
$query_Adimin_Contact_Us = "SELECT * FROM contact_us_table ORDER BY id DESC";
$Adimin_Contact_Us = mysql_query($query_Adimin_Contact_Us, $connection) or
die(mysql_error());

$totalRows_Adimin_Contact_Us = mysql_num_rows($Adimin_Contact_Us);

while($row_Adimin_Contact_Us = mysql_fetch_assoc($Adimin_Contact_Us)){
?>
<hr>
<h2> <font color='orange'><?php echo $row_Adimin_Contact_Us['id']; ?></font> </h2>
<h1 align="center">(<font color='red'><?php echo $row_Adimin_Contact_Us['title'];
?></font>) </h1>

<h4>From: <font color='blue'><?php echo $row_Adimin_Contact_Us['name'];
?></font> </h4>
```



```


<h5>E-mail: <font color='blue'><?php echo $row_Adimin_Contact_Us['email']; ?>
</font></h5>
<p><strong>The messages:</strong> <font color='broun'><?php echo
$row_Adimin_Contact_Us['msg']; ?></font><strong>.</strong></p>
<pre>Date: <font color='silver'><?php echo $row_Adimin_Contact_Us['ch_date']; ?></font>
</pre>
<hr />
<?php
} //closewhile($row_Adimin_Contact_Us = mysql_fetch_assoc($Adimin_Contact_Us))
?>
<p>&nbsp;</p>
<h1>&nbsp;</h1>

/*In The Name of Allah
The last thing I would like to distribute the codes of my website to and that is to enable
students to do their websites and Insha'Allah it will help them.
This code is free and its only for learning and I am not allowing any one to using it in any form
of business, or using as project or as personal work or as work of any group.
(And ALLAH id a witness of what I say)
#####
بسم الله الرحمن الرحيم
لقد قمت بوضع الكود لكي يستفسد منه اي شخص و يالخاصة الطلاب، إن شاء الله ، ولا أسمح لأي أحد ان
يحتكره او يستخدمه لأغراض تغريب الله او أغراض مالية أو تسليمة كا مشروع
والغرض الوحيد هو فقط التعليم وهو ايضا مجاني.
والله على ما أقول وكيل.
*/
<?php
echo "In The Name of Allah <br>
<br>The last thing I would like to distribute the codes of my website to and that is to enable
students to do their websites and Insha'Allah it will help them.
<br>This code is free and its only for learning and I am not allowing any one to using it in any
form of business, or using as project or as personal work or as work of any group.
(And ALLAH id a witness of what I say)
<br><br>
#####
<br><br>
<br><br> بسم الله الرحمن الرحيم
لقد قمت بوضع الكود لكي يستفسد منه اي شخص و يالخاصة الطلاب، إن شاء الله ، ولا أسمح لأي أحد ان
يحتكره او يستخدمه لأغراض تغريب الله او أغراض مالية أو تسليمة كا مشروع
والغرض الوحيد هو فقط التعليم .
والله على ما أقول وكيل.
<br>";
?>
<?php
/*
echo "In The Name of Allah <br>
<br>The last thing I would like to distribute the codes of my website to and that is to enable
students to do their websites and Insha'Allah it will help them.
<br>This code is free and its only for learning and I am not allowing any one to using it in any
form of business, or using as project or as personal work or as work of any group.
(And ALLAH id a witness of what I say)
<br><br>
-
```


قد قمت بوضع الكود لكي يستقدس منه اي شخص و يالخاصة الطلاب، إن شاء الله ، ولا أسمح لأي أحد ان
يحتكره او يستخدمه لأغراض تغضب الله او أغراض مالية أو تسليمية كا مشروع
والغرض الوحيد هو فقط التعليم وهو ايضا مجاني.
والله على ما أقول وكيل

*/ ?>

```
<p>&nbsp;</p>
<p>&nbsp;</p>
<h1>&nbsp;</h1>
<h6 align="center"><hr>No More<hr></h6>
<p>&nbsp;</p>
<h1>&nbsp;</h1>
</body>
</html>
```



The output of (contact_us_clint_received_page.php) should be like this

6.1.3.20 logout_admin.php

The logout of the admin panel (`logout_admin.php`)

```
<?php
```

4: p1p

http://localhost/online_auction/admin/setting.php

자료 1-1

The output of (contact_us_email_received_page.php) should be like this

6.1.3.20 logout_admin.p

The logout of t

The logout of the account

<?php

// logout_page.php

session start():

session_start();

session_destroy(),

```
header("Location:ht
```

?>

Confidential Prepared By Omar Ahmed Ali

Confidential Prepared By Omar Ahmed Ali

Figures and Tables:

Figure 1 : The online selling on E-bay	18
Figure 2 How you can search in E-bay for Auction and the online selling	19
Figure 3: E-Bay Description page	20
Figure 4: How Auction page appears	20
Figure 5: How E-Bay determine the fees.....	21
Figure 6: At the bottom of the page, click on “Sell Your Item Form” in order to view all listing options.[3]	25
Figure 7 The main page of Go yemen Website	26
Figure 8 Search for an Item in Go Yemen	26
Figure 9 Open Soq Android Application	27
Figure 10 Simple architecture to show work of the system	30
Figure 11 Haw the component will interaction.....	31
Figure 12 Website map process	46
Figure 13 The database (auction_db)	58
Figure 14 Admin table	58
Figure 15 Bids Table	59
Figure 16 Category table.....	59
Figure 17 Contact us table.....	60
Figure 18 Fee advertisements table	60
Figure 19 (Auction, free advertisements, or items) table.....	61
Figure 20 Reports (denouncement) table	61
Figure 21 Setting table.....	62
Figure 22 Users information (buyer, or seller)table	62
Figure24 The Home page	64
Figure 25 Search View	64
Figure 26 Registration page	65
Figure 27 Login page.....	66
Figure 28 Personal page.....	66
Figure 29 Watch Page.....	67
Figure 30 Add again another Bid on Item that user are going to buy	68
Figure 31 Details Page.....	69
Figure 32 Place a Bid.....	69
Figure 33 The add an Item or an Auction page page.....	71
Figure 34 Contact us page	74
Figure 35 Control free auctions page(Control Panel).....	76
Table 1: Estimating Time	15
Table2 Analyze tables of the (auction_db) database	34
Table 3 4.3.2 Data Dictionary (All the Tables)	42

Confidential Prepared By Omar Ahmed Ali