

Publication Validation Report (pub-check): CSAF v2.1 CSD01 (corpus)

Target examples/csaf/v2.1/csd01
Validation date 2026-09-25
Tool oasis_pub_check.py (OASIS-Docs/publication-assurance)
Coverage 173 individual checks across 59 check classes, all run
Blockers 1
Gate exit code 1

NOT publication-ready: 1 blocker(s). 46 of 57 evaluated check classes fully clean; 2 not evaluated; findings: 1 blocker, 17 warning, 10 informational.

Check-by-Check Results

Every check class the tool carries is listed, whether or not it raised a finding. Conditions is the number of individual verifications inside the class.

#	Result	Check class	Cond.	Findings
1	PASS	artifact-naming	1	none
2	PASS	asset-refs	1	none
3	PASS	authors	4	none
4	PASS	boilerplate-dup	1	none
5	PASS (2 of 3 evaluated)	case	3	none
6	PASS	comment-resolution-log	2	none
7	WARN	conformance-structure	9	WARN: Conformance section (profile 'A program satisfies the "CSAF superseder" conformance profile if the program:') is not populated with numbered clauses: no clause identifiers were extracted.

#	Result	Check class	Cond.	Findings
8	INFO	content-labels	1	INFO: Appendix/Annex heading 'Appendix A. Acknowledgments ' (markdown line 11935) carries no content-type label. Advisory only: confirm whether this appendix/annex is part of the conformance requirements, and if not, label it 'Non-normative' per handbook-Conformance.txt. INFO: Appendix/Annex heading 'Appendix B. Revision History ' (markdown line 12061) carries no content-type label. Advisory only: confirm whether this appendix/annex is part of the conformance requirements, and if not, label it 'Non-normative' per handbook-Conformance.txt. INFO: Appendix/Annex heading 'Appendix C. Guidance on the Size of CSAF Documents ' (markdown line 12083) carries no content-type label. Advisory only: confirm whether this appendix/annex is part of the conformance requirements, and if not, label it 'Non-normative' per handbook-Conformance.txt. INFO: Appendix/Annex heading 'Appendix C. File Size ' (markdown line 12097) carries no content-type label. Advisory only: confirm whether this appendix/annex is part of the conformance requirements, and if not, label it 'Non-normative' per handbook-Conformance.txt. INFO: Appendix/Annex heading 'Appendix C. Array Length ' (markdown line 12110) carries no content-type label. Advisory only: confirm whether this appendix/annex is part of the conformance requirements, and if not, label it 'Non-normative' per handbook-Conformance.txt. ... and 2 more findings of this class (full list in the JSON record)
9	WARN	cover-hr	1	WARN: Horizontal rule between the OASIS logo and the title: the publication CSS treats as a page break, which opens the PDF with a blank page. Harmless in other renderers; remove if publishing through the OASIS HTML-to-PDF path.
10	WARN	date-sync	2	WARN: Copyright year 2022 does not match the document date year 2025.
11	PASS (2 of 3 evaluated)	dead-lists	3	none
12	PASS	double-slash	1	none
13	PASS	extension-conformance	1	none
14	PASS	extension-count	4	none
15	PASS	fence-collapse	1	none
16	PASS	filenames	6	none
17	WARN (9 of 12 evaluated)	front-matter	12	WARN: URL declares version v1.2 (package is v2.1): https://docs.oasis-open.org/csaf/csaf-cvrf/v1.2/cs01/csaf-cvrf-v1.2-cs01.html -- confirm this is an intentional external reference. WARN: URL declares version v1.2 (package is v2.1): https://docs.oasis-open.org/csaf/csaf-cvrf/v1.2/csaf-cvrf-v1.2.html -- confirm this is an intentional external reference.
18	NA	generator	1	NA: DOCX-render condition; this package carries no Word source
19	PASS	html-anchors	2	none
20	PASS	html-residue	3	none
21	PASS	html-title	2	none
22	PASS	image-policy	11	none
23	PASS	junk-files	2	none
24	PASS	link-mismatch	2	none
25	PASS	logo	1	none
26	INFO (0 of 3 evaluated)	manifest	3	INFO: No manifest.json in the package. Emit one (--emit-manifest or your own tool) and intake verification becomes automatic.

#	Result	Check class	Cond.	Findings
27	WARN	md-links	2	WARN: Dual link url; prefer a bare URL (autolinked) or real anchor text: https://docs.oasis-open.org/csaf/csaf/v2.1/schema/aggregator.json WARN: Dual link url; prefer a bare URL (autolinked) or real anchor text: https://docs.oasis-open.org/csaf/csaf/v2.1/schema/csaf.json WARN: Dual link url; prefer a bare URL (autolinked) or real anchor text: https://docs.oasis-open.org/csaf/csaf/v2.1/schema/meta.json WARN: Dual link url; prefer a bare URL (autolinked) or real anchor text: https://docs.oasis-open.org/csaf/csaf/v2.1/schema/provider.json WARN: Dual link url; prefer a bare URL (autolinked) or real anchor text: https://www.oasis-open.org/committees/csaf/ipr.php ... and 5 more findings of this class (full list in the JSON record)
28	PASS	member-uri	1	none
29	PASS	multi-part-naming	8	none
30	PASS	name-chars	4	none
31	PASS	normdef-refs	2	none
32	PASS	ns-segment	2	none
33	NA	odt-integrity	6	NA: ODT-source condition; this package carries no ODT source
34	PASS	package-refs	1	none
35	PASS	pdf-cover	2	none
36	INFO (0 of 2 evaluated)	pdf-fonts	2	INFO: Package declares no local font authority (no font-family in its HTML/CSS); font check skipped.
37	PASS	pdf-legibility	2	none
38	WARN	pdf-sync	5	WARN: PDF cites https://docs.oasis-open.org/csaf/csaf/v2.0/ (package is v2.1); expected only as a previous-stage reference -- confirm.
39	PASS (1 of 2 evaluated)	previous-stage	2	none
40	BLOCKER	public-review-metadata	3	BLOCKER: csd01 underwent a TC public review (Tier 1 (a comment-resolution-log for this revision is already live)) but the live stage directory https://docs.oasis-open.org/csaf/csaf/v2.1/csd01/ does not carry the required companion file csaf-v2.1-csd01-public-review-metadata.html. Naming Directives v1.7 s5.2: 'Project Administration will publish an additional "public review metadata" file in the directory with the CSD or CND'; TC Handbook Naming: 'Work products undergoing public review must include a companion metadata file.'
41	PASS	ref-rfc	2	none
42	PASS	references-split	2	none
43	PASS	residue	4	none
44	WARN	revision-collision	1	WARN: Stage /csd01/ is already published at https://docs.oasis-open.org/csaf/csaf/v2.1/csd01/: a NEW submission for v2.1 must use the next revision number instead. Ignore this warning if you are re-checking the published package itself. INFO: Published stages already live under https://docs.oasis-open.org/csaf/csaf/v2.1/: csd01, csd02, csd03.
45	PASS	rfc-keywords	2	none
46	PASS	schema-id	4	none
47	PASS	stage-name	3	none
48	PASS	stage-token	3	none
49	PASS	stage-uri-live	1	none
50	PASS	symlinks	1	none

#	Result	Check class	Cond.	Findings
51	PASS	template	3	none
52	PASS	template-css	2	none
53	PASS	title-oasis-prefix	1	none
54	PASS	title-version	3	none
55	PASS (6 of 9 evaluated)	uri-alias	9	none
56	PASS	uri-chars	1	none
57	PASS	version-naming	3	none
58	PASS	vml-fallback	1	none
59	PASS	xml-namespace	5	none

All Individual Conditions: Observed vs Expected

Every one of the 173 individual conditions, with the value the check pulled from this package and what it was compared against. NA rows state why the condition does not apply to this package.

#	Result	Check	Condition verified	Value pulled (observed)	Compared against
1	PASS	stage-name	Stage directory name carries a two-digit revision number	stage_directory: csd01	valid stage prefixes must carry a two-digit suffix (csd01, never bare csd)
2	PASS	stage-name	Stage token is not a retired abbreviation	stage_directory: csd01	retired token set (csprd, cnprd, cos, csdpr, cndpr) per Naming Directives v1.7
3	PASS	stage-name	Stage token is a recognized current stage	stage_directory: csd01	valid stage set: wd, csd, cs, cnd, cn, os, ps, psd, pn, pnd, errata
4	PASS	version-naming	Version directory matches the vN.N(.N) convention	version_directory: v2.1; delivery_stem: csaf-v2.1-csd01	the Naming Directives version-segment pattern vN.N(.N), e.g. v1.0, v2.0.1
5	PASS	version-naming	Version embedded in the delivery filename agrees with the version directory	version_directory: v2.1; delivery_stem: csaf-v2.1-csd01	the version directory the package publishes under
6	PASS	version-naming	Delivery filename embeds the version segment	version_directory: v2.1; delivery_stem: csaf-v2.1-csd01	the Naming Directives filename shape <base>-<version>-<stage>
7	WARN	revision-collision	The submitted stage does not already exist on the live site	Stage /csd01/ is already published at https://docs.oasis-open.org/csaf/csaf/v2.1/csd01/ : a NEW submission for v2.1 must use the next revision number instead. Ignore this warning if you are re-checking the published package itself.	expected non-200 for a NEW submission; an existing stage means the revision must increment
8	PASS	filenames	The stage directory contains delivery items at all	stems: csaf-v2.1-csd01; delivery_files: csaf-v2.1-csd01.html, csaf-v2.1-csd01.md, csaf-v2.1-csd01.pdf; formats_present: html, md, pdf; required_formats: html, md, pdf	at least one delivery item (md/docx/odt/html/pdf) must be present
9	PASS	filenames	All delivery items share one basename	stems: csaf-v2.1-csd01; delivery_files: csaf-v2.1-csd01.html, csaf-v2.1-csd01.md, csaf-v2.1-csd01.pdf; formats_present: html, md, pdf; required_formats: html, md, pdf	exactly one distinct stem across md/docx/odt/html/pdf

#	Result	Check	Condition verified	Value pulled (observed)	Compared against
10	PASS	filenames	Delivery filename carries no working token	stems: csaf-v2.1-csd01; delivery_files: csaf-v2.1-csd01.html, csaf-v2.1-csd01.md, csaf-v2.1-csd01.pdf; formats_present: html, md, pdf; required_formats: html, md, pdf	forbidden working tokens: draft, tmp, rc (files are named for the published stage)
11	PASS	filenames	Delivery filename ends in the stage suffix	stems: csaf-v2.1-csd01; delivery_files: csaf-v2.1-csd01.html, csaf-v2.1-csd01.md, csaf-v2.1-csd01.pdf; formats_present: html, md, pdf; required_formats: html, md, pdf	the stage directory name as a -<stage> suffix
12	PASS	filenames	All required delivery formats are present	stems: csaf-v2.1-csd01; delivery_files: csaf-v2.1-csd01.html, csaf-v2.1-csd01.md, csaf-v2.1-csd01.pdf; formats_present: html, md, pdf; required_formats: html, md, pdf	the track's required set: html+pdf plus the authoritative source (md, docx, or odt)
13	PASS	filenames	An authoritative source artifact travels with the renderings	stems: csaf-v2.1-csd01; delivery_files: csaf-v2.1-csd01.html, csaf-v2.1-csd01.md, csaf-v2.1-csd01.pdf; formats_present: html, md, pdf; required_formats: html, md, pdf	at least one authoritative source (.md, .docx, or .odt) expected beside HTML/PDF
14	PASS	stage-uri-live	Every Previous-stage and Latest-stage URI the cover declares actually retrieves	previous_stage_urls: (none); latest_stage_urls: https://docs.oasis-open.org/csaf/csaf/v2.1/csaf-v2.1.html, https://docs.oasis-open.org/csaf/csaf/v2.1/csaf-v2.1.md, https://docs.oasis-open.org/csaf/csaf/v2.1/csaf-v2.1.pdf; stage_uris_fetched: 3; latest_created_by_this_publication: (none)	a definitive 404/410 from the published site (transport failures and non-404 errors stay INFO)
15	PASS	front-matter	Markdown front matter carries a This-stage URL block	this_stage_urls: https://docs.oasis-open.org/csaf/csaf/v2.1/csd01/csaf-v2.1-csd01.html, https://docs.oasis-open.org/csaf/csaf/v2.1/csd01/csaf-v2.1-csd01.md, https://docs.oasis-open.org/csaf/csaf/v2.1/csd01/csaf-v2.1-csd01.pdf; latest_stage_urls: https://docs.oasis-open.org/csaf/csaf/v2.1/csaf-v2.1.html, https://docs.oasis-open.org/csaf/csaf/v2.1/csaf-v2.1.md, https://docs.oasis-open.org/csaf/csaf/v2.1/csaf-v2.1.pdf	at least one URL must be declared
16	PASS	front-matter	Every stage URL is under docs.oasis-open.org	this_stage_urls: https://docs.oasis-open.org/csaf/csaf/v2.1/csd01/csaf-v2.1-csd01.html, https://docs.oasis-open.org/csaf/csaf/v2.1/csd01/csaf-v2.1-csd01.md, https://docs.oasis-open.org/csaf/csaf/v2.1/csd01/csaf-v2.1-csd01.pdf; latest_stage_urls: https://docs.oasis-open.org/csaf/csaf/v2.1/csaf-v2.1.html, https://docs.oasis-open.org/csaf/csaf/v2.1/csaf-v2.1.md, https://docs.oasis-open.org/csaf/csaf/v2.1/csaf-v2.1.pdf	the canonical site prefix https://docs.oasis-open.org/

#	Result	Check	Condition verified	Value pulled (observed)	Compared against
17	PASS	front-matter	This-stage URLs carry the version and stage path segments	this_stage_urls: https://docs.oasis-open.org/csaf/csaf/v2.1/csd01/csaf-v2.1-csd01.html, https://docs.oasis-open.org/csaf/csaf/v2.1/csd01/csaf-v2.1-csd01.md, https://docs.oasis-open.org/csaf/csaf/v2.1/csd01/csaf-v2.1-csd01.pdf; latest_stage_urls: https://docs.oasis-open.org/csaf/csaf/v2.1/csaf-v2.1.html, https://docs.oasis-open.org/csaf/csaf/v2.1/csaf-v2.1.md, https://docs.oasis-open.org/csaf/csaf/v2.1/csaf-v2.1.pdf	the package's /<version>/ and /<stage>/ path segments
18	PASS	front-matter	Every This-stage URL points at a file included in the package	this_stage_urls: https://docs.oasis-open.org/csaf/csaf/v2.1/csd01/csaf-v2.1-csd01.html, https://docs.oasis-open.org/csaf/csaf/v2.1/csd01/csaf-v2.1-csd01.md, https://docs.oasis-open.org/csaf/csaf/v2.1/csd01/csaf-v2.1-csd01.pdf; latest_stage_urls: https://docs.oasis-open.org/csaf/csaf/v2.1/csaf-v2.1.html, https://docs.oasis-open.org/csaf/csaf/v2.1/csaf-v2.1.md, https://docs.oasis-open.org/csaf/csaf/v2.1/csaf-v2.1.pdf	the set of delivery filenames actually in the package
19	PASS	front-matter	The This-stage block lists all three artifacts (md, html, pdf)	this_stage_urls: https://docs.oasis-open.org/csaf/csaf/v2.1/csd01/csaf-v2.1-csd01.html, https://docs.oasis-open.org/csaf/csaf/v2.1/csd01/csaf-v2.1-csd01.md, https://docs.oasis-open.org/csaf/csaf/v2.1/csd01/csaf-v2.1-csd01.pdf; latest_stage_urls: https://docs.oasis-open.org/csaf/csaf/v2.1/csaf-v2.1.html, https://docs.oasis-open.org/csaf/csaf/v2.1/csaf-v2.1.md, https://docs.oasis-open.org/csaf/csaf/v2.1/csaf-v2.1.pdf	the full delivery set: .md, .html, .pdf
20	PASS	front-matter	Latest-stage URLs point at the persistent version root	this_stage_urls: https://docs.oasis-open.org/csaf/csaf/v2.1/csd01/csaf-v2.1-csd01.html, https://docs.oasis-open.org/csaf/csaf/v2.1/csd01/csaf-v2.1-csd01.md, https://docs.oasis-open.org/csaf/csaf/v2.1/csd01/csaf-v2.1-csd01.pdf; latest_stage_urls: https://docs.oasis-open.org/csaf/csaf/v2.1/csaf-v2.1.html, https://docs.oasis-open.org/csaf/csaf/v2.1/csaf-v2.1.md, https://docs.oasis-open.org/csaf/csaf/v2.1/csaf-v2.1.pdf	must NOT contain the /<stage>/ segment (latest is the version-root path)
21	PASS	front-matter	Latest-stage URLs are under the package's version directory	this_stage_urls: https://docs.oasis-open.org/csaf/csaf/v2.1/csd01/csaf-v2.1-csd01.html, https://docs.oasis-open.org/csaf/csaf/v2.1/csd01/csaf-v2.1-csd01.md, https://docs.oasis-open.org/csaf/csaf/v2.1/csd01/csaf-v2.1-csd01.pdf; latest_stage_urls: https://docs.oasis-open.org/csaf/csaf/v2.1/csaf-v2.1.html, https://docs.oasis-open.org/csaf/csaf/v2.1/csaf-v2.1.md, https://docs.oasis-open.org/csaf/csaf/v2.1/csaf-v2.1.pdf	the package's /<version>/ path segment

#	Result	Check	Condition verified	Value pulled (observed)	Compared against
22	WARN x2	front-matter	Any docs.oasis-open.org URL declaring a different version is intentional	URL declares version v1.2 (package is v2.1): https://docs.oasis-open.org/csaf/csaf-cvrf/v1.2/cs01/csaf-cvrf-v1.2-cs01.html -- confirm this is an intentional external reference. URL declares version v1.2 (package is v2.1): https://docs.oasis-open.org/csaf/csaf-cvrf/v1.2/csaf-cvrf-v1.2.html -- confirm this is an intentional external reference.	the package's own version; a different version is a stale-draft tell unless external
23	PASS	front-matter	No Latest-labelled line cites a stage-pinned URL for this spec	this_stage_urls: https://docs.oasis-open.org/csaf/csaf/v2.1/csd01/csaf-v2.1-csd01.html, https://docs.oasis-open.org/csaf/csaf/v2.1/csd01/csaf-v2.1-csd01.md, https://docs.oasis-open.org/csaf/csaf/v2.1/csd01/csaf-v2.1-csd01.pdf; latest_stage_urls: https://docs.oasis-open.org/csaf/csaf/v2.1/csaf-v2.1.html, https://docs.oasis-open.org/csaf/csaf/v2.1/csaf-v2.1.md, https://docs.oasis-open.org/csaf/csaf/v2.1/csaf-v2.1.pdf	the persistent version-root form (no /<stage>/ segment)
24	PASS	uri-chars	No underscore appears in a This/Latest-stage document URI	cover_uris_scanned: 6	Naming Directives v1.7 s3: '_' is barred from any filename or directory name used in a document URI
25	PASS	member-uri	No OASIS member-only (Kavi) URI is cited in the package	member_only_uris: (none)	Naming Directives v1.7 s6.6: member-only (password-protected) Kavi references must not appear in public TC documents
26	NA	front-matter	HTML cover carries a This-version URL block	NA: DOCX-render condition; this package carries no Word source	at least one URL must be present
27	NA	front-matter	Cover This-version URLs carry the version and stage segments	NA: DOCX-render condition; this package carries no Word source	the package's /<version>/ and /<stage>/ path segments
28	NA	front-matter	Cover Latest-version URLs point at the persistent version root	NA: DOCX-render condition; this package carries no Word source	must NOT contain the /<stage>/ segment
29	PASS	residue	No editor TODO markers left in prose	scanned: html, markdown	the patterns TODO(...) and TODO: must not occur
30	PASS	residue	No bare 'tbd' placeholder sections	scanned: html, markdown	no line consisting solely of 'tbd'
31	PASS	residue	No template editor-instruction text left in the published prose	scanned: html, markdown	the OASIS Board-approved work product templates, which state that 'All template instructions ... need to be deleted prior to publication'; an imperative to remove/delete something 'before publication' or 'prior to publication' surviving in the prose means an instruction block reached publication
32	PASS	residue	No 'Will be filled in' placeholders (early-stage tolerated, must resolve before CS)	scanned: html, markdown	the phrase 'Will be filled in' must not occur
33	PASS	html-title	HTML title carries no working residue	title: Common Security Advisory Framework Version 2.1	must not end in tmp, draft, or wip
34	PASS	html-title	HTML title is a plausible document title	title: Common Security Advisory Framework Version 2.1	a full spec title (at least 8 characters)

#	Result	Check	Condition verified	Value pulled (observed)	Compared against
35	PASS	html-residue	No stale pandoc title-block header in the HTML	title_block_headers: 0; runner_paths: 0	the <header id="title-block-header"> element must be absent (lint D2)
36	PASS	html-residue	No CI runner paths in HTML hrefs or srcs	title_block_headers: 0; runner_paths: 0	the /home/runner/ path prefix must not occur (lint D3)
37	PASS	html-residue	The document title appears in exactly one H1	title_block_headers: 0; runner_paths: 0	exactly 1 (more renders the title twice on the PDF cover, lint D1)
38	PASS	html-anchors	Every internal fragment link resolves to an anchor	internal_links: 391; anchors: 1281; unresolved: 0	every referenced fragment must exist as an id or <a name>
39	PASS	html-anchors	The HTML carries a linked table of contents	internal_links: 391; anchors: 1281; unresolved: 0	at least one expected (a spec HTML without any is missing its TOC links)
40	WARN x10	md-links	No dual `[url](url)` links in the markdown	Dual link url; prefer a bare URL (autolinked) or real anchor text: https://docs.oasis-open.org/csaf/csaf/v2.1/schema/aggregator.json Dual link url; prefer a bare URL (autolinked) or real anchor text: https://docs.oasis-open.org/csaf/csaf/v2.1/schema/csaf.json Dual link url; prefer a bare URL (autolinked) or real anchor text: https://docs.oasis-open.org/csaf/csaf/v2.1/schema/meta.json ... and 7 more (full list in the JSON record)	text and target being the same URL calls for a bare autolink or real anchor text
41	PASS	md-links	No bare URL runs into `.` without a space	links_scanned: 208	the safe form `.` (otherwise pandoc pulls the period and backslash into the href)
42	PASS	fence-collapse	No opening code fence carries trailing text in its info string	fences_scanned: 970	a bare language token or curly-attribute form; trailing text collapses the block (lint D6)
43	PASS	image-policy	No empty img src attributes	img_tags: 1; image_payload_bytes: 12402	src must be non-empty
44	PASS	image-policy	No absolute-path image sources	img_tags: 1; image_payload_bytes: 12402	a leading / resolves outside the package on publication
45	PASS	image-policy	No path-traversal image sources	img_tags: 1; image_payload_bytes: 12402	the path must not contain .. segments
46	PASS	image-policy	No responsive srcset image constructs	img_tags: 1; image_payload_bytes: 12402	the publication pipeline's self-containment policy refuses srcset
47	PASS	image-policy	No image lays out wider than the printable width of the PDF page	img_tags: 1; image_payload_bytes: 12402	643px (A4 less 20mm side margins at 96px/in) unless the package's CSS caps images; a wider figure runs off the page or shrinks every page
48	PASS	image-policy	No <picture> elements	img_tags: 1; image_payload_bytes: 12402	the publication pipeline's self-containment policy refuses <picture>
49	PASS	image-policy	Every image file is under the per-image size cap	img_tags: 1; image_payload_bytes: 12402	the pipeline's 2MB per-image refusal cap
50	PASS	image-policy	No SVG carries script content	img_tags: 1; image_payload_bytes: 12402	<script> elements are active content, refused on docs.oasis-open.org
51	PASS	image-policy	No SVG carries inline event handlers	img_tags: 1; image_payload_bytes: 12402	on*= attributes are active content, refused

#	Result	Check	Condition verified	Value pulled (observed)	Compared against
52	PASS	image-policy	No SVG references external image or use targets	img_tags: 1; image_payload_bytes: 12402	external <image>/<use> hrefs break self-containment
53	PASS	image-policy	Total image payload is under the cumulative cap	img_tags: 1; image_payload_bytes: 12402	the pipeline's 5MB cumulative inlining cap
54	PASS	pdf-cover	The document title appears exactly once on the PDF cover page	title: Common Security Advisory Framework Version 2.1; cover_page_occurrences: 1; runner_path_in_pdf: False	exactly 1 (more means stale title-block residue baked into the render, assertion A1)
55	PASS	pdf-cover	No CI runner path anywhere in the PDF text	title: Common Security Advisory Framework Version 2.1; cover_page_occurrences: 1; runner_path_in_pdf: False	the /home/runner/ path must not occur (assertion A2)
56	PASS	schema-id	Every .json file in the package parses as JSON	json_files: 4; expected_id_root: https://docs.oasis-open.org/csaf/csaf/v2.1/	must parse without error
57	PASS	schema-id	A flattened \$id under the version root is a conscious convention	json_files: 4; expected_id_root: https://docs.oasis-open.org/csaf/csaf/v2.1/	the file's publish path; a version-root flattened \$id (CSAF v2.0 style) needs a copy at that location
58	PASS	schema-id	Each schema's \$id agrees with where the file publishes	json_files: 4; expected_id_root: https://docs.oasis-open.org/csaf/csaf/v2.1/	the canonical latest-version URL derived from the package path
59	PASS	schema-id	Schema-internal self-references agree with the declared \$id	json_files: 4; expected_id_root: https://docs.oasis-open.org/csaf/csaf/v2.1/	the schema's own declared \$id
60	PASS	pdf-sync	The PDF cross-check toolchain is available	pdftotext: present; this_stage_base_in_pdf: True	pdftotext present; absent means the PDF front-matter cross-check is skipped here and runs at intake
61	PASS	pdf-sync	pdftotext executes against the PDF	pdftotext: present; this_stage_base_in_pdf: True	a clean execution
62	PASS	pdf-sync	The PDF is machine-readable	pdftotext: present; this_stage_base_in_pdf: True	exit 0
63	PASS	pdf-sync	The PDF front matter carries the canonical this-stage URL	pdftotext: present; this_stage_base_in_pdf: True	the this-stage base URL declared by the package front matter
64	WARN	pdf-sync	The PDF cites no unexpected other version of this spec	PDF cites https://docs.oasis-open.org/csaf/csaf/v2.0/ (package is v2.1); expected only as a previous-stage reference -- confirm.	the package's own version (previous-stage citations expected, anything else confirmed)
65	PASS	template	All required template front-matter sections are present	sections_found: Abstract, Chair(s), Citation format, Editor(s), Latest stage/version, Notices, Previous stage/version, Status, Technical Committee / Open Project, This stage/version; conformance_section: True	the template's required set: This/Previous/Latest stage, Technical Committee, Chairs, Editors, Abstract
66	PASS	template	Front-matter sections appear in template order	sections_found: Abstract, Chair(s), Citation format, Editor(s), Latest stage/version, Notices, Previous stage/version, Status, Technical Committee / Open Project, This stage/version; conformance_section: True	the canonical template ordering
67	PASS	template	A Conformance section exists	sections_found: Abstract, Chair(s), Citation format, Editor(s), Latest stage/version, Notices, Previous stage/version, Status, Technical Committee / Open Project, This stage/version; conformance_section: True	the TC Process requirement: every Standards Track Work Product carries conformance clauses

#	Result	Check	Condition verified	Value pulled (observed)	Compared against
68	PASS	template-css	A non-canonical stylesheet keeps the template font family	stylesheet_links: 1; inline_style_blocks: 1	the template look: Liberation Sans / Arial / Helvetica
69	PASS	template-css	The HTML carries a stylesheet	stylesheet_links: 1; inline_style_blocks: 1	at least one styling source must be present
70	PASS	package-refs	Every file the document cites under its own stage path is included in the package	own_stage_citations_checked: 8	the cited relative path must exist as a file in the package
71	PASS	link-mismatch	Visible URL text and its link target agree	html_url_text_anchors: 112; shown_target_pairs: 10	shown and target must be the same URL (a disagreement is a rename artifact)
72	PASS	link-mismatch	Anchor text that displays a URL agrees with the anchor's href	html_url_text_anchors: 112; shown_target_pairs: 10	the displayed URL and the href must name the same resource (scheme, www., and trailing-slash differences and ellipsis display-truncation excepted); readers cite what they see
73	PASS	ref-rfc	An [RFCnnnn] references entry's URL cites the same RFC number as its label	markdown_rfc_reference_entries: 0; html_rfc_reference_entries: 0	the RFC number in the entry's own label; a disagreement means the label or the linked document is stale
74	PASS	ref-rfc	An [RFCnnnn] references entry's body text cites the same RFC number as its label and URL	markdown_rfc_reference_entries: 0; html_rfc_reference_entries: 0	the RFC number in the entry's label and URL (numbers drift when a reference is upgraded to a successor RFC and the prose is not)
75	PASS	boilerplate-dup	The template's 'send comments' status paragraph appears exactly once	markdown_comments_paragraphs: 1; html_comments_paragraphs: 1	exactly one occurrence per the Board-approved template (a duplicate rides in on a stale template merge and truncates the sentence it collides with)
76	PASS	double-slash	No relative link path contains a double slash	double_slash_paths: 0	single slashes only (the CDN 404s a double slash even where browsers tolerate it)
77	WARN	cover-hr	No horizontal rule between the OASIS logo and the title	Horizontal rule between the OASIS logo and the title: the publication CSS treats as a page break, which opens the PDF with a blank page. Harmless in other renderers; remove if publishing through the OASIS HTML-to-PDF path.	no --- / *** / ___ rule after the logo (the publication CSS renders it as a PDF page break)
78	NA	pdf-fonts	pdffonts executes against the PDF	NA: pdffonts unavailable or the package declares no font authority	a clean execution
79	NA	pdf-fonts	The PDF's embedded fonts are declared by the package's own CSS	NA: pdffonts unavailable or the package declares no font authority	the font families declared in the package's HTML/CSS (its own typography authority)
80	PASS	pdf-legibility	pdftotext -bbox executes against the PDF	median_word_height_pt: 12.5; declared_body_pt: 12; declared_by: markdown-styles-v1.7.3.css; words: 59411	a clean execution
81	PASS	pdf-legibility	The PDF's body text prints at no less than 85% of the body size the package declares	median_word_height_pt: 12.5; declared_body_pt: 12; declared_by: markdown-styles-v1.7.3.css; words: 59411	85% of the declared body size; skipped for landscape PDFs and PDFs from Word, LibreOffice, TeX, TYPST, FOP or Acrobat
82	NA	manifest	manifest.json parses as JSON	NA: no manifest.json in the package (noted as informational)	must parse without error
83	NA	manifest	Every manifest item exists in the package	NA: no manifest.json in the package (noted as informational)	the package file tree

#	Result	Check	Condition verified	Value pulled (observed)	Compared against
84	NA	manifest	Every manifest sha256 matches the file's actual digest	NA: no manifest.json in the package (noted as informational)	the digest recorded in the manifest
85	PASS	junk-files	No working directories inside the package	files_walked: 8	forbidden set: __MACOSX, .git, .venv, venv, node_modules
86	PASS	junk-files	No OS junk or editor backup files in the package	files_walked: 8	forbidden: .DS_Store, Thumbs.db, desktop.ini, and ~ / .bak / .orig / .swp suffixes
87	PASS	case	Every filename in the package is lowercase	md_docs_urls_scanned: 27; mixed_case_files: (none)	its lowercase form (the publication origin is case-sensitive; the canonical logo filename is exempt)
88	PASS	case	Every self-referential docs.oasis-open.org URL path is lowercase (markdown source)	md_docs_urls_scanned: 27; mixed_case_files: (none)	its lowercase form (case-sensitive origin; /templates/ paths exempt)
89	NA	case	Every self-referential docs.oasis-open.org URL path is lowercase (HTML render)	NA: evaluated on the markdown-source row for this package	its lowercase form (case-sensitive origin; /templates/ paths exempt)
90	NA	odt-integrity	The ODT source opens as a ZIP archive	NA: ODT-source condition; this package carries no ODT source	a readable OpenDocument container
91	NA	odt-integrity	The ODT archive carries a mimetype member	NA: ODT-source condition; this package carries no ODT source	the OpenDocument package requirement of a mimetype entry
92	NA	odt-integrity	The declared mimetype is an OpenDocument type	NA: ODT-source condition; this package carries no ODT source	the application/vnd.oasis.opendocument.* family
93	NA	odt-integrity	The ODT archive carries the document body (content.xml)	NA: ODT-source condition; this package carries no ODT source	the OpenDocument package requirement of a content.xml body
94	NA	odt-integrity	The ODT document body parses as XML	NA: ODT-source condition; this package carries no ODT source	well-formed XML
95	NA	odt-integrity	The ODT carries no embedded macros or scripts	NA: ODT-source condition; this package carries no ODT source	the host's active-content policy (none permitted, same as SVG scripts)
96	PASS	symlinks	No symlink points at itself or an ancestor directory	symlinks_found: 0	must not equal or contain its own directory (deploys materialize symlinks into unbounded recursion)
97	PASS	dead-lists	No reference to a lists.oasis-open.org mailing address (markdown source)	md_lists_addresses: (none)	the dead-infrastructure rule: that mail host silently fails; comments route via Higher Logic
98	NA	dead-lists	No reference to a lists.oasis-open.org mailing address (HTML render)	NA: evaluated on the markdown-source row for this package	the dead-infrastructure rule: that mail host silently fails; comments route via Higher Logic
99	PASS	dead-lists	Links into the retired list archives are flagged for verification	md_lists_addresses: (none)	each must be individually verified while the archive infrastructure is retired
100	PASS	rfc-keywords	Normative key words are backed by an RFC 2119 citation	normative_keywords_present: True; rfc2119_cited: True; rfc8174_cited: True	an RFC 2119 citation must be present when key words are used
101	PASS	rfc-keywords	RFC 2119 citation is paired with RFC 8174	normative_keywords_present: True; rfc2119_cited: True; rfc8174_cited: True	the current template cites both 2119 and 8174 (uppercase-only clarification)

#	Result	Check	Condition verified	Value pulled (observed)	Compared against
102	PASS	logo	The cover logo is the canonical OASIS logo	logo_sources: https://docs.oasis-open.org/templates/OASISLogo-v3.0.png	https://docs.oasis-open.org/templates/OASISLogo-v3.0.png
103	PASS	previous-stage	A stage past 01 cites its previous stage	pulled: the URLs in the markdown's Previous-stage block; no violating instance found	at least one docs.oasis-open.org URL required when the revision number exceeds 01
104	NA	previous-stage	A stage past 01 cites its previous stage on the HTML cover	NA: DOCX-render condition; this package carries no Word source	at least one docs.oasis-open.org URL required when the revision number exceeds 01
105	PASS	date-sync	The markdown front-matter date appears in the HTML	document_date: 28 May 2025; copyright_year: 2022	the rendered HTML text (absence means the HTML came from a different revision)
106	WARN	date-sync	The copyright year matches the document date year	Copyright year 2022 does not match the document date year 2025.	the year of the front-matter document date
107	NA	generator	A DOCX-native render was produced by Microsoft Word	NA: DOCX-render condition; this package carries no Word source	must contain 'Microsoft Word' (a LibreOffice render differs in kind from the TC's precedent)
108	PASS	vml-fallback	Every VML image has an <code><![if !vml]> img</code> fallback	vml_images: 0; img_fallbacks: 0	fallback count must cover VML count (the invisible-cover-logo class)
109	PASS	asset-refs	Every relative src/href the HTML references is included in the package	relative_refs_checked: 1; missing: 0	the package file tree; a missing target 404s on publication
110	PASS	conformance-structure	At least one Conformance heading is a genuine top-level numbered section (not nested deeper than the document's modal top-level depth, and not under an Annex/Appendix ancestor)	stage_prefix: csd; headings_scanned: 373; conformance_candidates: 27; modal_top_level: 1; modal_confidence: high; profiles_found: 9; clauses_extracted: 24; stability: no-op (first publication)	handbook-Conformance.txt: 'a separate, top-level numbered section of the work product (not a subsection buried elsewhere)'; BLOCKER at cs/os (WARN at wd/csd, or when the modal-depth signal itself is low-confidence)
111	WARN	conformance-structure	Each conformance profile scope yields at least one extracted clause identifier	Conformance section (profile 'A program satisfies the "CSAF superseder" conformance profile if the program:') is not populated with numbered clauses: no clause identifiers were extracted.	handbook-WPQualityRequirements.txt: 'a set of numbered conformance clauses to which any implementation must adhere'; BLOCKER at cs/os, WARN at wd/csd; an empty Conformance section is reported at either tier
112	PASS	conformance-structure	No clause identifier repeats within the same profile scope	stage_prefix: csd; headings_scanned: 373; conformance_candidates: 27; modal_top_level: 1; modal_confidence: high; profiles_found: 9; clauses_extracted: 24; stability: no-op (first publication)	handbook-Conformance.txt: 'individually numbered conformance clauses ... so that implementers and Statements of Use can cite specific clauses by number'; BLOCKER at cs/os, WARN at wd/csd
113	PASS	conformance-structure	Every (profile, clause number) pair in the previous stage is still present in this stage (append-only extension is fine; removal/renumbering, including a whole profile silently disappearing, is flagged)	stage_prefix: csd; headings_scanned: 373; conformance_candidates: 27; modal_top_level: 1; modal_confidence: high; profiles_found: 9; clauses_extracted: 24; stability: no-op (first publication)	handbook-WPQualityRequirements.txt 'Key principles': 'Clause numbering must be unique and stable across revisions'. Guidelines-sourced (recommended, not mandatory) so WARN-tier informational, never BLOCKER, and never fired for the CS->OS transition (that gets the zero-tolerance override instead)

#	Result	Check	Condition verified	Value pulled (observed)	Compared against
114	PASS	conformance-structure	A (profile, clause number) pair missing from this stage does not reappear under a DIFFERENT number in the same profile with the same content (a disguised renumber-via-delete-and-re-add)	stage_prefix: csd; headings_scanned: 373; conformance_candidates: 27; modal_top_level: 1; modal_confidence: high; profiles_found: 9; clauses_extracted: 24; stability: no-op (first publication)	the same Guidelines stability principle as 'removed/renumbered'; WARN-tier informational
115	PASS	conformance-structure	At the CS->OS transition, the current (profile, clause id) key set is a byte-for-byte match to the approved-CS key set, scoped per profile, so a whole profile silently dropped while a surviving profile happens to reuse its bare clause numbers is still caught	stage_prefix: csd; headings_scanned: 373; conformance_candidates: 27; modal_top_level: 1; modal_confidence: high; profiles_found: 9; clauses_extracted: 24; stability: no-op (first publication)	handbook-Conformance.txt 'OASIS Standard os': 'Conformance clauses are preserved unchanged from the approved Committee Specification' (TC Process 2.9): zero tolerance, always BLOCKER
116	PASS	conformance-structure	A clause whose (profile, number) key is unchanged at CS->OS is flagged for manual confirmation when its content hash changed	stage_prefix: csd; headings_scanned: 373; conformance_candidates: 27; modal_top_level: 1; modal_confidence: high; profiles_found: 9; clauses_extracted: 24; stability: no-op (first publication)	handbook-WPQualityRequirements.txt 'Allowed changes during publication': coordinated non-material changes are permitted (TC Process 2.2.4); not itself a zero-tolerance failure, so WARN/manual-review, never an automatic BLOCKER
117	PASS	conformance-structure	At the CS->OS transition, the approved-CS baseline artifact must be resolvable to verify clause-set preservation at all	stage_prefix: csd; headings_scanned: 373; conformance_candidates: 27; modal_top_level: 1; modal_confidence: high; profiles_found: 9; clauses_extracted: 24; stability: no-op (first publication)	TC Process 2.9's preservation obligation cannot be verified for a Standards Track OS approval if the CS baseline is unreachable, so it is elevated to BLOCKER rather than reported as a silent WARN
118	PASS	conformance-structure	A general (non-CS->OS) stability diff that could not resolve its previous-stage artifact says so in the report	stage_prefix: csd; headings_scanned: 373; conformance_candidates: 27; modal_top_level: 1; modal_confidence: high; profiles_found: 9; clauses_extracted: 24; stability: no-op (first publication)	the general stability check is WARN-tier informational; an unresolvable prior artifact (first publication is a separate, silent no-op) still surfaces the gap as a WARN
119	PASS	references-split	A bare 'References' heading carrying 2+ direct reference entries is split into separately labeled Normative/Informative child headings (or is too small a sample, 0 or 1 entries, to judge)	stage_prefix: csd; stage_track: standards; references_headings_found: 0	handbook-WPQualityChecklist.txt editorial quality checklist bullet: 'normative references listed separately from informative references' (WARN: staff-maintained best-practice checklist, not a TC Process must/shall clause)
120	PASS	references-split	No reference-entry ID appears under both a Normative References heading and an Informative References heading anywhere in the document	stage_prefix: csd; stage_track: standards; references_headings_found: 0	the two ID sets must not intersect; a shared ID is a labeling inconsistency or editorial duplication (handbook-WPQualityChecklist.txt same checklist bullet)
121	PASS	content-labels	Every Examples/Illustrative-Examples/Sample-<noun> heading carries a structural content-type label (heading suffix, first-sentence lead/predicate, labeled ancestor heading, or document-wide blanket statement)	track: markdown; headings_scanned: 373; example_candidates: 0; example_unlabeled: 0; appendix_candidates: 6; appendix_unlabeled: 6; blanket_statement_classes: example	handbook-Conformance.txt 'Normative versus non-normative content': Examples content is classified non-normative and 'should be clearly labelled'

#	Result	Check	Condition verified	Value pulled (observed)	Compared against
122	PASS	stage-token	Previous-stage URL stage token is not a retired abbreviation	doc_stage_token: csd; this_stage_block: present (not independently evaluated); previous_stage_status: N/A (first instance); latest_stage_urls: https://docs.oasis-open.org/csaf/csaf/v2.1/csaf-v2.1.html, https://docs.oasis-open.org/csaf/csaf/v2.1/csaf-v2.1.md, https://docs.oasis-open.org/csaf/csaf/v2.1/csaf-v2.1.pdf; result: PASS -- Previous-stage tokens match/legacy-clean or N/A, Latest-stage filenames carry no stage token	retired token set (csprd, cnprd, cos, csdpr, cndpr) per Naming Directives v1.7; WARN with a legacy-URI verification caveat since a pre-2024 Previous-stage URI may permanently retain a retired token (naming-directives.txt 6.3 Resource Permanence)
123	PASS	stage-token	Previous-stage URL stage token matches the document's own current csd/cnd stage abbreviation or the track's approved-stage counterpart	doc_stage_token: csd; this_stage_block: present (not independently evaluated); previous_stage_status: N/A (first instance); latest_stage_urls: https://docs.oasis-open.org/csaf/csaf/v2.1/csaf-v2.1.html, https://docs.oasis-open.org/csaf/csaf/v2.1/csaf-v2.1.md, https://docs.oasis-open.org/csaf/csaf/v2.1/csaf-v2.1.pdf; result: PASS -- Previous-stage tokens match/legacy-clean or N/A, Latest-stage filenames carry no stage token	the document's own current stage token, or the track's approved-stage set (csd: cs/os/errata; cnd: cn) when the block links a previous VERSION at its own approved stage (handbook-PublicReviews.txt: the cover page URIs 'should all reflect the csd stage abbreviation')
124	PASS	stage-token	Latest-stage URL's filename embeds no stage-abbreviation/revision token at all	doc_stage_token: csd; this_stage_block: present (not independently evaluated); previous_stage_status: N/A (first instance); latest_stage_urls: https://docs.oasis-open.org/csaf/csaf/v2.1/csaf-v2.1.html, https://docs.oasis-open.org/csaf/csaf/v2.1/csaf-v2.1.md, https://docs.oasis-open.org/csaf/csaf/v2.1/csaf-v2.1.pdf; result: PASS -- Previous-stage tokens match/legacy-clean or N/A, Latest-stage filenames carry no stage token	naming-directives.txt 6.2: the Latest-stage locator URI 'does not contain the path component [stage-abbrev][revisionNumber] or stage identifier in the filename', an absolute prohibition independent of whether the token matches the current stage
125	PASS	title-version	The rendered cover-page title incorporates the package's own Version identifier	stage: csd01; track: standards; pkg_version: 2.1; title_source: HTML <title>/<h1>; title_text: Common Security Advisory Framework Version 2.1; version_tokens_found: 1	naming-directives.txt 5.1: 'A Version identifier must also be incorporated into a Work Product name/title'
126	PASS	title-version	The Version cited in the title agrees with the package's own Version identifier	stage: csd01; track: standards; pkg_version: 2.1; title_source: HTML <title>/<h1>; title_text: Common Security Advisory Framework Version 2.1; version_tokens_found: 1	the package's own Version identifier (the version directory segment, with a leading 'v' stripped per naming-directives.txt Section 4's [version-id] grammar)
127	PASS	title-version	The title's Version token is composed as '<name/identifier> Version <number>' with no forbidden punctuation before it and only a sanctioned continuation after it (a '. Part N: <part title>' suffix; on a package whose own stage directory or immediate parent is named errataNN, also an 'Errata NN' or 'Plus Errata NN' suffix whose number matches the package's own errata number, per naming-directives.txt Section 4's separate Errata construction)	stage: csd01; track: standards; pkg_version: 2.1; title_source: HTML <title>/<h1>; title_text: Common Security Advisory Framework Version 2.1; version_tokens_found: 1	naming-directives.txt Section 7: MUST for Standards Track (csd/cs/os/errata) -> BLOCKER; SHOULD for Non-Standards Track (cnd/cn) -> WARN with the 'reasonable grounds for alternate constructions' exception; WARN also for any stage token outside the six Section-5.2-enumerated tokens (track unresolved, no corpus citation, never escalated to BLOCKER on an uncited classification)

#	Result	Check	Condition verified	Value pulled (observed)	Compared against
128	PASS	title-oasis-prefix	The Work Product title (the <h1> identified by _h1_title_match_info's 'exact' or 'singular-related-fallback' classification) does not begin with the word 'OASIS'	title_source: Common Security Advisory Framework Version 2.1; track: standards; track_confidence: confirmed; title_match: exact	naming-directives.txt s7: 'Preferably, a title should not begin with the name "OASIS" except on the recommendation of Project Administration for special cases.' Section 7's lead sentence track-scopes this to BLOCKER (Standards Track, must-observe) / WARN (Non-Standards Track, should-follow with an additional alternate-construction escape valve).
129	PASS	authors	A Technical Report/Technical Report Draft names its Authors on the cover page (heading or title-block byline)	work_product_type: committee specification draft	TC Handbook, Technical Reports: 'A Technical Report has one or more named Authors ... recorded on the cover page'
130	PASS	authors	The Authors heading/byline is not empty or placeholder-only (tbd/n/a/none), including list/task/blockquote-dressed variants	work_product_type: committee specification draft	at least one non-placeholder named entry must remain
131	PASS	authors	A Technical Report Draft's Authors section is not left on the registry's own tolerated 'Will be filled in' placeholder indefinitely (WARN while still a TRD)	work_product_type: committee specification draft	the existing residue-check precedent (check='residue') tolerating 'Will be filled in' pre-CS, scoped here to the Authors record of an in-progress Technical Report Draft
132	PASS	authors	An approved (non-draft) Technical Report's Authors section is resolved, not still the 'Will be filled in' placeholder	work_product_type: committee specification draft	the TRD-stage 'will be filled in' tolerance does not survive Full Majority Vote approval to the final Technical Report
133	PASS	name- chars	No underscore in an identifying (document-URI-bearing) package name	names_scanned: 12; identifying_stage: csd01; identifying_version: v2.1; multi_part_dirs: (none); junk_dirs_skipped: (none)	STRICT allowlist [A-Za-z0-9.-]. Naming Directives v1.7 s3: an UNDERSCORE 'must never be used in a filename or directory name that is used in a document URI'
134	PASS	name- chars	No character outside the sixty-four permitted characters in an identifying package name	names_scanned: 12; identifying_stage: csd01; identifying_version: v2.1; multi_part_dirs: (none); junk_dirs_skipped: (none)	STRICT allowlist [A-Za-z0-9.-]. Naming Directives v1.7 s3: 'TCs must use only the sixty-four characters from among alphanumerics [A-Za-z0-9] and the two punctuation characters ... PERIOD ... and ... HYPHEN'
135	PASS	name- chars	No character outside the sixty-four permitted characters plus UNDERSCORE in a supporting (non-identifying) package name	names_scanned: 12; identifying_stage: csd01; identifying_version: v2.1; multi_part_dirs: (none); junk_dirs_skipped: (none)	BASE allowlist [A-Za-z0-9._-]. Naming Directives v1.7 s3 base 'must use only' clause, with UNDERSCORE included per the conditional tolerance
136	PASS	name- chars	An identifying (document-URI-bearing) package name is non-empty	names_scanned: 12; identifying_stage: csd01; identifying_version: v2.1; multi_part_dirs: (none); junk_dirs_skipped: (none)	STRICT test ^[A-Za-z0-9.-]+\$: the '+' quantifier requires at least one character, so an empty identifying name trivially fails the sixty-four-permitted-character allowlist; mirrors how check_stage_name's and check_version_naming's own fullmatch patterns already reject an empty stage/version token without any special-casing

#	Result	Check	Condition verified	Value pulled (observed)	Compared against
137	PASS	extension-count	A stage-directory-root delivery item (the established document-identifier stem plus one packaged format) carries at least one file extension	tier_a_files_checked: csaf-v2.1-csd01.html, csaf-v2.1-csd01.md, csaf-v2.1-csd01.pdf; tier_a_severity: BLOCKER; tier_b_files_checked: 5; tier_b_flagged: (none)	Naming Directives v1.7 s4: 'A single file(name) extension must be used in each filename except for a recognized set of extensionless filenames in common use.' BLOCKER at published stages, WARN at wd (s5.2 Note: working drafts 'may use any file naming pattern preferred by the TC'); wd-stage match is case-folded.
138	PASS	extension-count	A stage-directory-root delivery item carries exactly one file extension after the stem (or one blessed compound: tar.gz/tar.bz2/tar.xz, and only when that compound is the WHOLE remaining suffix)	tier_a_files_checked: csaf-v2.1-csd01.html, csaf-v2.1-csd01.md, csaf-v2.1-csd01.pdf; tier_a_severity: BLOCKER; tier_b_files_checked: 5; tier_b_flagged: (none)	Naming Directives v1.7 s4's single-extension rule, structurally against the same stem boundary the 'filenames' check already validates. BLOCKER at published stages, WARN at wd.
139	PASS	extension-count	A non-delivery-item (Tier B) file with zero dots is one of the three literally recognized extensionless names	tier_a_files_checked: csaf-v2.1-csd01.html, csaf-v2.1-csd01.md, csaf-v2.1-csd01.pdf; tier_a_severity: BLOCKER; tier_b_files_checked: 5; tier_b_flagged: (none)	Naming Directives v1.7 s9: 'Exceptions to the rule that every filename must include a file extension include: CATALOG or catalog, README, ChangeLog.' Non-blocking WARN per s4's Applicability carve-out for non-identification-pattern files.
140	PASS	extension-count	A non-delivery-item (Tier B) dotted filename's penultimate segment does not look like a known extension token (or the trailing pair is a blessed compound)	tier_a_files_checked: csaf-v2.1-csd01.html, csaf-v2.1-csd01.md, csaf-v2.1-csd01.pdf; tier_a_severity: BLOCKER; tier_b_files_checked: 5; tier_b_flagged: (none)	A disclosed, non-exhaustive known-extension-token vocabulary (not an IANA-derived classification); flagged only as a non-blocking heuristic pattern-match advisory per s4's Applicability carve-out for non-identification-pattern files (schemas, images, WSDLs, XML/JSON artifacts).
141	PASS	extension-conformance	Every root principal/stage-identifying filename and every Multi-Part named-part filename uses an extension that matches a common OASIS publication rendering format	principal_files: csaf-v2.1-csd01.html, csaf-v2.1-csd01.md, csaf-v2.1-csd01.pdf; named_part_files: (none)	a curated allowlist of common OASIS document/publication rendering-format extensions (txt, md, html, htm, pdf, doc, docx, odt, ods, odp, xls,.xlsx, ppt, pptx, rtf, xml, json, epub), per Naming Directives Section 4 'File extensions should conform to industry best practice, matching well-known IANA MIME Media Types'; filenames on the Section 9 extensionless allowlist (CATALOG, catalog, README, ChangeLog) are exempt
142	PASS	artifact-naming	A non-document-identifier artifact's own filename does not embed a stage+revision token	supporting_files_scanned: 5; stage_revision_matches: 0	Naming Directives s4: 'it is considered inadvisable to incorporate instance-specific [stage][revision] data for any release in filenames other than in the document identifier files ... thus mySchema.xsd but NOT mySchema-csd02.xsd'; TCs are advised to use named subdirectories and retain stable/identical filenames per s5.2/5.3's stage-abbreviation and two-digit-revision definitions

#	Result	Check	Condition verified	Value pulled (observed)	Compared against
143	PASS	multi-part-naming	Every Multi-Part Work Product part filename embeds the identical WP-abbrev token	part_subdirs_scanned: (none); part_subdirs_unreadable: (none); matched_part_grammar_files: (none); part_grammar_files: 0; distinct_parts: 0; naming20_entries_scanned: 3; naming20_cores_resolved: csaf-v2.1-csd01; naming20_core: csaf-v2.1-csd01; naming20_distinct_tails:	the set of distinct WP-abbrev tokens across all matched part filenames must collapse to exactly one value, per TC Process 2.2.3's single Work Product name and the Handbook's Multi-part work products restatement
144	PASS	multi-part-naming	Every Multi-Part Work Product part filename embeds the identical version-id token	part_subdirs_scanned: (none); part_subdirs_unreadable: (none); matched_part_grammar_files: (none); part_grammar_files: 0; distinct_parts: 0; naming20_entries_scanned: 3; naming20_cores_resolved: csaf-v2.1-csd01; naming20_core: csaf-v2.1-csd01; naming20_distinct_tails:	the set of distinct version-id tokens across all matched part filenames must collapse to exactly one value, per TC Process 2.2.3's single Work Product version number and the Handbook's Multi-part work products restatement
145	PASS	multi-part-naming	No bare CORE.ext delivery filename coexists with genuine part files	part_subdirs_scanned: (none); part_subdirs_unreadable: (none); matched_part_grammar_files: (none); part_grammar_files: 0; distinct_parts: 0; naming20_entries_scanned: 3; naming20_cores_resolved: csaf-v2.1-csd01; naming20_core: csaf-v2.1-csd01; naming20_distinct_tails:	naming-directives.txt s4: the single-part bare-CORE filename rule does not apply once the package is multi-part
146	PASS	multi-part-naming	Every non-canonical delivery filename sharing the package core carries a well-formed -part<N>-<name> segment	part_subdirs_scanned: (none); part_subdirs_unreadable: (none); matched_part_grammar_files: (none); part_grammar_files: 0; distinct_parts: 0; naming20_entries_scanned: 3; naming20_cores_resolved: csaf-v2.1-csd01; naming20_core: csaf-v2.1-csd01; naming20_distinct_tails:	Naming Directives v1.7 s4 multi-part filename grammar: literal lowercase 'part' + Arabic numeral + hyphen + partName, positioned before the extension
147	PASS	multi-part-naming	A part file discovered inside an Option-1 URI part-subdirectory agrees with that subdirectory's own [partNumber]-[partName] segment	part_subdirs_scanned: (none); part_subdirs_unreadable: (none); matched_part_grammar_files: (none); part_grammar_files: 0; distinct_parts: 0; naming20_entries_scanned: 3; naming20_cores_resolved: csaf-v2.1-csd01; naming20_core: csaf-v2.1-csd01; naming20_distinct_tails:	naming-directives.txt s6.1 (Option 1): the subdirectory segment and the filename's part identifier must name the same part
148	PASS	multi-part-naming	Each part number maps to exactly one partName across every format variant and discovery location	part_subdirs_scanned: (none); part_subdirs_unreadable: (none); matched_part_grammar_files: (none); part_grammar_files: 0; distinct_parts: 0; naming20_entries_scanned: 3; naming20_cores_resolved: csaf-v2.1-csd01; naming20_core: csaf-v2.1-csd01; naming20_distinct_tails:	Naming Directives v1.7 s4: partNumber identifies one distinct separately-titled prose part, not two
149	PASS	multi-part-naming	Part numbering for a multi-part package begins at 1	part_subdirs_scanned: (none); part_subdirs_unreadable: (none); matched_part_grammar_files: (none); part_grammar_files: 0; distinct_parts: 0; naming20_entries_scanned: 3; naming20_cores_resolved: csaf-v2.1-csd01; naming20_core: csaf-v2.1-csd01; naming20_distinct_tails:	naming-directives.txt s4: partNumber begins with the number '1' (for Part 1)

#	Result	Check	Condition verified	Value pulled (observed)	Compared against
150	PASS	multi-part-naming	Part numbering for a multi-part package is contiguous with no gaps	part_subdirs_scanned: (none); part_subdirs_unreadable: (none); matched_part_grammar_files: (none); part_grammar_files: 0; distinct_parts: 0; naming20_entries_scanned: 3; naming20_cores_resolved: csaf-v2.1-csd01; naming20_core: csaf-v2.1-csd01; naming20_distinct_tails:	naming-directives.txt s4: partNumber increases monotonically (2, 3, 4, ...) for other parts, i.e. the exact sequence [1, 2, ..., N]
151	BLOCKER	public-review-metadata	A live, published csd/cnd stage directory confirmed (by tiered evidence) and successfully scanned to have undergone TC public review carries the required public-review-metadata companion file	csd01 underwent a TC public review (Tier 1 (a comment-resolution-log for this revision is already live)) but the live stage directory https://docs.oasis-open.org/csaf/csaf/v2.1/csd01/ does not carry the required companion file csaf-v2.1-csd01-public-review-metadata.html. Naming Directives v1.7 s5.2: 'Project Administration will publish an additional "public review metadata" file in the directory with the CSD or CND'; TC Handbook Naming: 'Work products undergoing public review must include a companion metadata file.'	the exact, case-sensitive filename [WP-abbrev]-[version-id]-[stage-abbrev][revisionNumber]-public-review-metadata.html (naming-directives.txt 5.2; handbook-Naming.txt 'Public-review metadata filename (new in v1.7)')
152	PASS	public-review-metadata	A present public-review-metadata companion file is non-empty	stage_directory_url: https://docs.oasis-open.org/csaf/csaf/v2.1/csd01/ ; http_status: 200; live_filenames: csaf-v2.1-csd01-comment-resolution-log.md, csaf-v2.1-csd01.html, csaf-v2.1-csd01.md, csaf-v2.1-csd01.pdf, csaf-v2.1-csd01.zip	naming-directives.txt 5.2: the file 'provides a publication history of the Work Product' (content validation itself is out of scope for this check; only non-zero size is tested here)
153	PASS	public-review-metadata	A public-review-metadata companion file listed in the live directory is actually reachable so its content can be evaluated	stage_directory_url: https://docs.oasis-open.org/csaf/csaf/v2.1/csd01/ ; http_status: 200; live_filenames: csaf-v2.1-csd01-comment-resolution-log.md, csaf-v2.1-csd01.html, csaf-v2.1-csd01.md, csaf-v2.1-csd01.pdf, csaf-v2.1-csd01.zip	a listing entry alone is not proof of a readable file; an unreachable listed file stays an open advisory rather than a silent, unreviewed pass
154	PASS	comment-resolution-log	A file resembling a comment-resolution-log, if present in a CSD/CND stage directory that itself carries a public-review-metadata file, carries the exact basename Naming Directives prescribes	public_review_metadata_expected: csaf-v2.1-csd01-public-review-metadata.html; public_review_metadata_present: False; siblings_scanned: 3	the expected basename [stem]-comment-resolution-log against naming-directives.txt s5.2's filename pattern for a produced comment resolution log
155	PASS	comment-resolution-log	Where in-package evidence (a later-stage sibling directory) shows a CSD/CND public review has demonstrably concluded, a comment-resolution-log basename match was sought and not found	public_review_metadata_expected: csaf-v2.1-csd01-public-review-metadata.html; public_review_metadata_present: False; siblings_scanned: 3	tc-process.txt s2.6/s2.7 (comment disposition is required to be posted to the TC's e-mail lists; the downstream approval ballot may only commence once every comment is resolved) against handbook-PublicReviews.txt's 'best practice, not a normative filing mandate' framing for HOW that record is kept
156	PASS	normdef-refs	Every candidate normative-definition file (schema/grammar/code plain-text file, excluding example/sample/test-case/non-normative and pipeline/asset directories) is referenced from the Work Product	candidates: schema/aggregator.json, schema/csaf.json, schema/meta.json, schema/provider.json; orphans: 0; ambiguous_basename_only: 0	TC Process 2.2.5: 'Each text file must be referenced from the Work Product; and'. Standards Track (csd, cs, os, errata) only

#	Result	Check	Condition verified	Value pulled (observed)	Compared against
157	PASS	normdef - refs	A basename-only match among candidate files sharing that basename in different directories is flagged for confirmation rather than silently satisfying the requirement for every tied file	candidates: schema/aggregator.json, schema/csaf.json, schema/meta.json, schema/provider.json; orphans: 0; ambiguous_basename_only: 0	TC Process 2.2.5's reference requirement; an ambiguous basename-only match does not unambiguously resolve which file was referenced
158	PASS	uri-alias	No live META-refresh element in any delivered HTML file	prong_a_html_files_scanned: 1; prong_b_files_hashed: 8; prong_b_duplicate_buckets: 0; prong_b_unreadable_entries_skipped: 0; prong_c_md_block_urls_scanned: 6; prong_c_md_anchor_links_scanned: 553; prong_c_md_bare_urls_scanned: 98	Naming Directives v1.7 s6.5(a): unauthorized URI aliasing via META-refresh elements is barred
159	PASS	uri-alias	No stage-root delivery file or manifest-cited file (by exact package-relative path) shares byte-identical content with another package-relative path	prong_a_html_files_scanned: 1; prong_b_files_hashed: 8; prong_b_duplicate_buckets: 0; prong_b_unreadable_entries_skipped: 0; prong_c_md_block_urls_scanned: 6; prong_c_md_anchor_links_scanned: 553; prong_c_md_bare_urls_scanned: 98	Naming Directives v1.7 s6.5(b): preparing files with identical content under two different filenames within a published instance is barred
160	PASS	uri-alias	An ancillary (non-delivery, non-manifest-cited) duplicate is flagged for review, not treated as a s6.5(b) aliasing risk	prong_a_html_files_scanned: 1; prong_b_files_hashed: 8; prong_b_duplicate_buckets: 0; prong_b_unreadable_entries_skipped: 0; prong_c_md_block_urls_scanned: 6; prong_c_md_anchor_links_scanned: 553; prong_c_md_bare_urls_scanned: 98	the package's own delivery-item paths and manifest.json authoritative/delivery-role paths
161	PASS	uri-alias	The markdown Previous-stage block cites no redirect/URL-shortening domain	prong_a_html_files_scanned: 1; prong_b_files_hashed: 8; prong_b_duplicate_buckets: 0; prong_b_unreadable_entries_skipped: 0; prong_c_md_block_urls_scanned: 6; prong_c_md_anchor_links_scanned: 553; prong_c_md_bare_urls_scanned: 98	the seed redirect-service domain list (tinyurl.com, bit.ly, goo.gl, ow.ly, t.co, is.gd, buff.ly, rebrand.ly, tiny.cc, cutt.ly, shorturl.at, rb.gy, purl.oclc.org)
162	NA	uri-alias	The DOCX-native rendered cover's This/Previous/Latest-version fields cite no redirect/URL-shortening domain	NA: DOCX-render condition; this package carries no Word source	the seed redirect-service domain list
163	PASS	uri-alias	Plain-prose anchor text that names oasis-open.org does not link to a redirect/URL-shortening domain (markdown source)	prong_a_html_files_scanned: 1; prong_b_files_hashed: 8; prong_b_duplicate_buckets: 0; prong_b_unreadable_entries_skipped: 0; prong_c_md_block_urls_scanned: 6; prong_c_md_anchor_links_scanned: 553; prong_c_md_bare_urls_scanned: 98	the seed redirect-service domain list, gated on the anchor text literally containing 'oasis-open.org'
164	NA	uri-alias	Plain-prose anchor text that names oasis-open.org does not link to a redirect/URL-shortening domain (HTML render)	NA: evaluated on the markdown-source row for this package	the seed redirect-service domain list, gated on the anchor text literally containing 'oasis-open.org'

#	Result	Check	Condition verified	Value pulled (observed)	Compared against
165	PASS	uri-alias	A bare URL's enclosing sentence that names oasis-open.org does not point at a redirect/URL-shortening domain (markdown source)	prong_a_html_files_scanned: 1; prong_b_files_hashed: 8; prong_b_duplicate_buckets: 0; prong_b_unreadable_entries_skipped: 0; prong_c_md_block_urls_scanned: 6; prong_c_md_anchor_links_scanned: 553; prong_c_md_bare_urls_scanned: 98	the seed redirect-service domain list, gated on the sentence window literally containing 'oasis-open.org'
166	NA	uri-alias	A bare URL's enclosing sentence that names oasis-open.org does not point at a redirect/URL-shortening domain (HTML render)	NA: evaluated on the markdown-source row for this package	the seed redirect-service domain list, gated on the sentence window literally containing 'oasis-open.org'
167	PASS	xml-namespace	An http(s) namespace's tail matches the docs.oasis-open.org/[tc-shortname]/ns/xxxx pattern	schema_files_scanned: 0; schema_files_excluded: 0; tc_shortname: csaf	Naming Directives s8 pattern http(s)://docs.oasis-open.org/[tc-shortname]/ns/xxxx, xxxx restricted to the s3 sixty-four-character set plus internal '/', terminating in '/', '#', or alphanumeric; BLOCKER when the tc-shortname has no pattern-grandfather allowlist entry
168	PASS	xml-namespace	A pattern-mismatched namespace's tc-shortname is a confirmed-approved pre-2012 pattern grandfather	schema_files_scanned: 0; schema_files_excluded: 0; tc_shortname: csaf	Naming Directives v1.2 s9: pre-2012 practice 'may be grandfathered, if approved by Project Administration': WARN when listed but approval is not machine-confirmable at check time
169	PASS	xml-namespace	The same namespace tail is declared under one scheme only, package-wide	schema_files_scanned: 0; schema_files_excluded: 0; tc_shortname: csaf	Naming Directives s8: 'While either "http" or "https" may be used ... they are not interchangeable. One or the other must be used consistently.'
170	PASS	xml-namespace	A urn:-scheme declared namespace's TC is on the URN-grandfather allowlist	schema_files_scanned: 0; schema_files_excluded: 0; tc_shortname: csaf	Naming Directives s8: URN-based namespaces 'must not be declared otherwise', permitted only for TCs that already used the feature (or Maintenance Activity TCs), approved by Project Administration
171	PASS	xml-namespace	A RELAX NG grammar declares only one namespace, on its root grammar/element node	schema_files_scanned: 0; schema_files_excluded: 0; tc_shortname: csaf	this check only validates the root-level self-declared namespace; a differing non-root ns is flagged for manual review rather than silently dropped
172	PASS	ns-segment	This-stage and Latest-stage cover URIs do not reuse the reserved /ns/ path segment	cover_uris_scanned: 6; this_stage_urls: https://docs.oasis-open.org/csaf/csaf/v2.1/csd01/csaf-v2.1-csd01.html, https://docs.oasis-open.org/csaf/csaf/v2.1/csd01/csaf-v2.1-csd01.md, https://docs.oasis-open.org/csaf/csaf/v2.1/csd01/csaf-v2.1-csd01.pdf; previous_stage_urls: (none); latest_stage_urls: https://docs.oasis-open.org/csaf/csaf/v2.1/csaf-v2.1.html, https://docs.oasis-open.org/csaf/csaf/v2.1/csaf-v2.1.md, https://docs.oasis-open.org/csaf/csaf/v2.1/csaf-v2.1.pdf	handbook-Naming.txt: '/ns/ ... is for namespace identifiers, not for retrievable documents. Do not use /ns/ in the URI of a document you intend to publish as a retrievable resource'

#	Result	Check	Condition verified	Value pulled (observed)	Compared against
173	PASS	ns - segment	Previous-stage cover URI does not reuse the reserved /ns/ path segment (non-blocking, manual-review if it does: an immutable inherited citation)	cover_uris_scanned: 6; this_stage_urls: https://docs.oasis-open.org/csaf/csaf/v2.1/csd01/csaf-v2.1-csd01.html , https://docs.oasis-open.org/csaf/csaf/v2.1/csd01/csaf-v2.1-csd01.md , https://docs.oasis-open.org/csaf/csaf/v2.1/csd01/csaf-v2.1-csd01.pdf ; previous_stage_urls: (none); latest_stage_urls: https://docs.oasis-open.org/csaf/csaf/v2.1/csaf-v2.1.html , https://docs.oasis-open.org/csaf/csaf/v2.1/csaf-v2.1.md , https://docs.oasis-open.org/csaf/csaf/v2.1/csaf-v2.1.pdf	handbook-Naming.txt's /ns/ reservation rule, applied to an already-published prior-stage citation the current package cannot alter