

Publication Validation Report (pub-check): OpenEoX Core Schema Version 1.0 CSD01

Field	Value
TC	openeox
Stage	csd01
Package validated	https://docs.oasis-open.org/openeox/eox-core/v1.0/csd01/
Ticket	TCADMIN-4725
Validation date	2026-07-27
Tool	oasis_pub_check.py (OASIS-Docs/publication-assurance)
Coverage	169 individual checks across 57 check classes, all run
Findings	0 error, 12 warning, 9 informational
Blockers	0

Result

PUBLICATION-READY: zero blockers. 46 of 57 check classes are fully clean (129 of 169 individual conditions in clean classes); every finding is itemized below against the check that raised it.

Check-by-Check Results

Every check class the tool carries is listed, whether or not it raised a finding. Conditions is the number of individual verifications inside the class.

#	Result	Check class	Cond.	Findings
1	PASS	artifact-naming	1	none
2	PASS	asset-refs	1	none
3	PASS	authors	4	none
4	PASS	boilerplate-dup	1	none
5	PASS	case	3	none
6	PASS	comment-resolution-log	2	none
7	WARN	conformance-structure	9	WARN: Conformance section (profile 'A Library satisfies the "Library with Basic Validation" conformance profile if the Library:') is not populated with numbered clauses: no clause identifiers were extracted. WARN: Conformance section (profile 'A Library satisfies the "Library with Extended Validation" conformance profile if the Library:') is not populated with numbered clauses: no clause identifiers were extracted. WARN: Conformance section (profile 'A program satisfies the "Merger" conformance profile if the program:') is not populated with numbered clauses: no clause identifiers were extracted.

#	Result	Check class	Cond.	Findings
8	INFO	content-labels	1	INFO: Appendix/Annex heading 'Annex A. License, Document Status and Notices ' (markdown line 1221) carries no content-type label. Advisory only: confirm whether this appendix/annex is part of the conformance requirements, and if not, label it 'Non-normative' per handbook-Conformance.txt. INFO: Appendix/Annex heading 'Annex B. References ' (markdown line 1264) carries no content-type label. Advisory only: confirm whether this appendix/annex is part of the conformance requirements, and if not, label it 'Non-normative' per handbook-Conformance.txt. INFO: Appendix/Annex heading 'Appendix 1. Acknowledgments ' (markdown line 1317) carries no content-type label. Advisory only: confirm whether this appendix/annex is part of the conformance requirements, and if not, label it 'Non-normative' per handbook-Conformance.txt. INFO: Appendix/Annex heading 'Appendix 2. Changes From Previous Version ' (markdown line 1354) carries no content-type label. Advisory only: confirm whether this appendix/annex is part of the conformance requirements, and if not, label it 'Non-normative' per handbook-Conformance.txt. INFO: Document-wide blanket example content-type statement found (no unlabeled example heading needed it): "All examples in this document are informative"
9	WARN	cover-hr	1	WARN: Horizontal rule between the OASIS logo and the title: the publication CSS treats as a page break, which opens the PDF with a blank page. Harmless in other renderers; remove if publishing through the OASIS HTML-to-PDF path.
10	PASS	date-sync	2	none
11	PASS	dead-lists	3	none
12	PASS	double-slash	1	none
13	PASS	extension-conformance	1	none
14	PASS	extension-count	4	none
15	PASS	fence-collapse	1	none
16	PASS	filenames	6	none
17	WARN	front-matter	12	WARN: URL declares version v2.1 (package is v1.0): https://docs.oasis-open.org/csaf/csaf/v2.1/csaf-v2.1.html -- confirm this is an intentional external reference. WARN: URL declares version v2.1 (package is v1.0): https://docs.oasis-open.org/csaf/csaf/v2.1/csd01/csaf-v2.1-csd01.html -- confirm this is an intentional external reference.
18	PASS	generator	1	none
19	PASS	html-anchors	2	none
20	PASS	html-residue	3	none
21	PASS	html-title	2	none
22	PASS	image-policy	10	none
23	PASS	junk-files	2	none
24	PASS	link-mismatch	2	none
25	PASS	logo	1	none
26	INFO	manifest	3	INFO: No manifest.json in the package. Emit one (--emit-manifest or your own tool) and intake verification becomes automatic.
27	WARN	md-links	2	WARN: Dual link url; prefer a bare URL (autolinked) or real anchor text: https://www.oasis-open.org/committees/openeox/ipr.php WARN: Dual link url; prefer a bare URL (autolinked) or real anchor text: https://www.oasis-open.org/policies-guidelines/trademark/

#	Result	Check class	Cond.	Findings
28	PASS	member-uri	1	none
29	PASS	multi-part-naming	8	none
30	PASS	name-chars	4	none
31	PASS	normdef-refs	2	none
32	PASS	ns-segment	2	none
33	PASS	odt-integrity	6	none
34	PASS	package-refs	1	none
35	PASS	pdf-cover	2	none
36	WARN	pdf-fonts	2	WARN: PDF embeds fonts not declared by the package's own CSS: LibertinusSerif, NewCM10, NewCMMath. The CSS declares: couriernew, liberationsans. Confirm the divergence is intentional (pdffonts <file.pdf> re-checks this after a toolchain change).
37	PASS	pdf-sync	5	none
38	PASS	previous-stage	2	none
39	INFO	public-review-metadata	3	INFO: Could not confirm from the published record whether csd01 underwent a TC public review (no live comment-resolution-log for this revision, no downstream cs/errata stage evidence found). Manually confirm with TC Admin; if a public review was opened, eox-core-v1.0-csd01-public-review-metadata.html must be present per Naming Directives v1.7 s5.2 / TC Handbook Naming.
40	PASS	ref-rfc	2	none
41	PASS	references-split	2	none
42	WARN	residue	4	WARN: 'Will be filled in ...' placeholder present in markdown (acceptable for an early stage; must be resolved before CS). WARN: 'Will be filled in ...' placeholder present in html (acceptable for an early stage; must be resolved before CS).
43	WARN	revision-collision	1	WARN: Stage /csd01/ is already published at https://docs.oasis-open.org/openeox/eox-core/v1.0/csd01/ ; a NEW submission for v1.0 must use the next revision number instead. Ignore this warning if you are re-checking the published package itself. INFO: Published stages already live under https://docs.oasis-open.org/openeox/eox-core/v1.0/ ; csd01.
44	PASS	rfc-keywords	2	none
45	PASS	schema-id	4	none
46	PASS	stage-name	3	none
47	PASS	stage-token	3	none
48	PASS	symlinks	1	none
49	PASS	template	3	none
50	INFO	template-css	2	INFO: HTML ships its own stylesheet rather than the canonical markdown-styles CSS; fonts match the template family. Accepted practice (OpenEoX publishes this way), noting it for the record.
51	PASS	title-oasis-prefix	1	none
52	PASS	title-version	3	none
53	PASS	uri-alias	9	none
54	PASS	uri-chars	1	none
55	PASS	version-naming	3	none
56	PASS	vml-fallback	1	none

#	Result	Check class	Cond.	Findings
57	PASS	xml-namespace	5	none

All Individual Conditions: Observed vs Expected

Every one of the 169 individual conditions the tool verifies, with the value its logic pulled from this package and what that value was compared against. NA rows state why a condition was not applicable to this package (authoring track or absent prerequisite); nothing is silently skipped.

#	Result	Condition verified	Value pulled (observed)	Compared against
1	PASS	stage-name: Stage directory name carries a two-digit revision number	stage_directory: csd01	valid stage prefixes must carry a two-digit suffix (csd01, never bare csd)
2	PASS	stage-name: Stage token is not a retired abbreviation	stage_directory: csd01	retired token set (csprd, cnprd, cos, csdpr, cndpr) per Naming Directives v1.7
3	PASS	stage-name: Stage token is a recognized current stage	stage_directory: csd01	valid stage set: wd, csd, cs, cnd, cn, os, ps, psd, pn, pnd, errata
4	PASS	version-naming: Version directory matches the vN.N(.N) convention	version_directory: v1.0; delivery_stem: eox-core-v1.0-csd01	the Naming Directives version-segment pattern vN.N(.N), e.g. v1.0, v2.0.1
5	PASS	version-naming: Version embedded in the delivery filename agrees with the version directory	version_directory: v1.0; delivery_stem: eox-core-v1.0-csd01	the version directory the package publishes under
6	PASS	version-naming: Delivery filename embeds the version segment	version_directory: v1.0; delivery_stem: eox-core-v1.0-csd01	the Naming Directives filename shape <base>-<version>-<stage>
7	WARN	revision-collision: The submitted stage does not already exist on the live site	Stage /csd01/ is already published at https://docs.oasis-open.org/openeox/eox-core/v1.0/csd01/ : a NEW submission for v1.0 must use the next revision number instead. Ignore this warning if you are re-checking the published package itself.	expected non-200 for a NEW submission; an existing stage means the revision must increment
8	PASS	filenames: The stage directory contains delivery items at all	stems: eox-core-v1.0-csd01; delivery_files: eox-core-v1.0-csd01.html, eox-core-v1.0-csd01.md, eox-core-v1.0-csd01.pdf; formats_present: html, md, pdf; required_formats: html, md, pdf	at least one delivery item (md/docx/odt/html/pdf) must be present
9	PASS	filenames: All delivery items share one basename	stems: eox-core-v1.0-csd01; delivery_files: eox-core-v1.0-csd01.html, eox-core-v1.0-csd01.md, eox-core-v1.0-csd01.pdf; formats_present: html, md, pdf; required_formats: html, md, pdf	exactly one distinct stem across md/docx/odt/html/pdf
10	PASS	filenames: Delivery filename carries no working token	stems: eox-core-v1.0-csd01; delivery_files: eox-core-v1.0-csd01.html, eox-core-v1.0-csd01.md, eox-core-v1.0-csd01.pdf; formats_present: html, md, pdf; required_formats: html, md, pdf	forbidden working tokens: draft, tmp, rc (files are named for the published stage)
11	PASS	filenames: Delivery filename ends in the stage suffix	stems: eox-core-v1.0-csd01; delivery_files: eox-core-v1.0-csd01.html, eox-core-v1.0-csd01.md, eox-core-v1.0-csd01.pdf; formats_present: html, md, pdf; required_formats: html, md, pdf	the stage directory name as a -<stage> suffix
12	PASS	filenames: All required delivery formats are present	stems: eox-core-v1.0-csd01; delivery_files: eox-core-v1.0-csd01.html, eox-core-v1.0-csd01.md, eox-core-v1.0-csd01.pdf; formats_present: html, md, pdf; required_formats: html, md, pdf	the track's required set: html+pdf plus the authoritative source (md, docx, or odt)
13	PASS	filenames: An authoritative source artifact travels with the renderings	stems: eox-core-v1.0-csd01; delivery_files: eox-core-v1.0-csd01.html, eox-core-v1.0-csd01.md, eox-core-v1.0-csd01.pdf; formats_present: html, md, pdf; required_formats: html, md, pdf	at least one authoritative source (.md, .docx, or .odt) expected beside HTML/PDF

#	Result	Condition verified	Value pulled (observed)	Compared against
14	PASS	front-matter: Markdown front matter carries a This-stage URL block	this_stage_urls: https://docs.oasis-open.org/openeox/eox-core/v1.0/csd01/eox-core-v1.0-csd01.html, https://docs.oasis-open.org/openeox/eox-core/v1.0/csd01/eox-core-v1.0-csd01.md, https://docs.oasis-open.org/openeox/eox-core/v1.0/csd01/eox-core-v1.0-csd01.pdf; latest_stage_urls: https://docs.oasis-open.org/openeox/eox-core/v1.0/eox-core-v1.0.html, https://docs.oasis-open.org/openeox/eox-core/v1.0/eox-core-v1.0.md, https://docs.oasis-open.org/openeox/eox-core/v1.0/eox-core-v1.0.pdf	at least one URL must be declared
15	PASS	front-matter: Every stage URL is under docs.oasis-open.org	this_stage_urls: https://docs.oasis-open.org/openeox/eox-core/v1.0/csd01/eox-core-v1.0-csd01.html, https://docs.oasis-open.org/openeox/eox-core/v1.0/csd01/eox-core-v1.0-csd01.md, https://docs.oasis-open.org/openeox/eox-core/v1.0/csd01/eox-core-v1.0-csd01.pdf; latest_stage_urls: https://docs.oasis-open.org/openeox/eox-core/v1.0/eox-core-v1.0.html, https://docs.oasis-open.org/openeox/eox-core/v1.0/eox-core-v1.0.md, https://docs.oasis-open.org/openeox/eox-core/v1.0/eox-core-v1.0.pdf	the canonical site prefix https://docs.oasis-open.org/
16	PASS	front-matter: This-stage URLs carry the version and stage path segments	this_stage_urls: https://docs.oasis-open.org/openeox/eox-core/v1.0/csd01/eox-core-v1.0-csd01.html, https://docs.oasis-open.org/openeox/eox-core/v1.0/csd01/eox-core-v1.0-csd01.md, https://docs.oasis-open.org/openeox/eox-core/v1.0/csd01/eox-core-v1.0-csd01.pdf; latest_stage_urls: https://docs.oasis-open.org/openeox/eox-core/v1.0/eox-core-v1.0.html, https://docs.oasis-open.org/openeox/eox-core/v1.0/eox-core-v1.0.md, https://docs.oasis-open.org/openeox/eox-core/v1.0/eox-core-v1.0.pdf	the package's /<version>/ and /<stage>/ path segments
17	PASS	front-matter: Every This-stage URL points at a file included in the package	this_stage_urls: https://docs.oasis-open.org/openeox/eox-core/v1.0/csd01/eox-core-v1.0-csd01.html, https://docs.oasis-open.org/openeox/eox-core/v1.0/csd01/eox-core-v1.0-csd01.md, https://docs.oasis-open.org/openeox/eox-core/v1.0/csd01/eox-core-v1.0-csd01.pdf; latest_stage_urls: https://docs.oasis-open.org/openeox/eox-core/v1.0/eox-core-v1.0.html, https://docs.oasis-open.org/openeox/eox-core/v1.0/eox-core-v1.0.md, https://docs.oasis-open.org/openeox/eox-core/v1.0/eox-core-v1.0.pdf	the set of delivery filenames actually in the package

#	Result	Condition verified	Value pulled (observed)	Compared against
18	PASS	front-matter: The This-stage block lists all three artifacts (md, html, pdf)	this_stage_urls: https://docs.oasis-open.org/openeox/eox-core/v1.0/csd01/eox-core-v1.0-csd01.html, https://docs.oasis-open.org/openeox/eox-core/v1.0/csd01/eox-core-v1.0-csd01.md, https://docs.oasis-open.org/openeox/eox-core/v1.0/csd01/eox-core-v1.0-csd01.pdf; latest_stage_urls: https://docs.oasis-open.org/openeox/eox-core/v1.0/eox-core-v1.0.html, https://docs.oasis-open.org/openeox/eox-core/v1.0/eox-core-v1.0.md, https://docs.oasis-open.org/openeox/eox-core/v1.0/eox-core-v1.0.pdf	the full delivery set: .md, .html, .pdf
19	PASS	front-matter: Latest-stage URLs point at the persistent version root	this_stage_urls: https://docs.oasis-open.org/openeox/eox-core/v1.0/csd01/eox-core-v1.0-csd01.html, https://docs.oasis-open.org/openeox/eox-core/v1.0/csd01/eox-core-v1.0-csd01.md, https://docs.oasis-open.org/openeox/eox-core/v1.0/csd01/eox-core-v1.0-csd01.pdf; latest_stage_urls: https://docs.oasis-open.org/openeox/eox-core/v1.0/eox-core-v1.0.html, https://docs.oasis-open.org/openeox/eox-core/v1.0/eox-core-v1.0.md, https://docs.oasis-open.org/openeox/eox-core/v1.0/eox-core-v1.0.pdf	must NOT contain the /<stage>/ segment (latest is the version-root path)
20	PASS	front-matter: Latest-stage URLs are under the package's version directory	this_stage_urls: https://docs.oasis-open.org/openeox/eox-core/v1.0/csd01/eox-core-v1.0-csd01.html, https://docs.oasis-open.org/openeox/eox-core/v1.0/csd01/eox-core-v1.0-csd01.md, https://docs.oasis-open.org/openeox/eox-core/v1.0/csd01/eox-core-v1.0-csd01.pdf; latest_stage_urls: https://docs.oasis-open.org/openeox/eox-core/v1.0/eox-core-v1.0.html, https://docs.oasis-open.org/openeox/eox-core/v1.0/eox-core-v1.0.md, https://docs.oasis-open.org/openeox/eox-core/v1.0/eox-core-v1.0.pdf	the package's /<version>/ path segment
21	WARN x2	front-matter: Any docs.oasis-open.org URL declaring a different version is intentional	URL declares version v2.1 (package is v1.0): https://docs.oasis-open.org/csaf/csaf/v2.1/csaf-v2.1.html -- confirm this is an intentional external reference. URL declares version v2.1 (package is v1.0): https://docs.oasis-open.org/csaf/csaf/v2.1/csd01/csaf-v2.1-csd01.html -- confirm this is an intentional external reference.	the package's own version; a different version is a stale-draft tell unless external
22	PASS	front-matter: No Latest-labelled line cites a stage-pinned URL for this spec	this_stage_urls: https://docs.oasis-open.org/openeox/eox-core/v1.0/csd01/eox-core-v1.0-csd01.html, https://docs.oasis-open.org/openeox/eox-core/v1.0/csd01/eox-core-v1.0-csd01.md, https://docs.oasis-open.org/openeox/eox-core/v1.0/csd01/eox-core-v1.0-csd01.pdf; latest_stage_urls: https://docs.oasis-open.org/openeox/eox-core/v1.0/eox-core-v1.0.html, https://docs.oasis-open.org/openeox/eox-core/v1.0/eox-core-v1.0.md, https://docs.oasis-open.org/openeox/eox-core/v1.0/eox-core-v1.0.pdf	the persistent version-root form (no /<stage>/ segment)
23	PASS	uri-chars: No underscore appears in a This/Latest-stage document URI	cover_uris_scanned: 6	Naming Directives v1.7 s3: '_' is barred from any filename or directory name used in a document URI

#	Result	Condition verified	Value pulled (observed)	Compared against
24	PASS	member-uri: No OASIS member-only (Kavi) URI is cited in the package	member_only_uris: (none)	Naming Directives v1.7 s6.6: member-only (password-protected) Kavi references must not appear in public TC documents
25	NA	front-matter: HTML cover carries a This-version URL block	NA: DOCX-render condition; this package carries no Word source	at least one URL must be present
26	NA	front-matter: Cover This-version URLs carry the version and stage segments	NA: DOCX-render condition; this package carries no Word source	the package's /<version>/ and /<stage>/ path segments
27	NA	front-matter: Cover Latest-version URLs point at the persistent version root	NA: DOCX-render condition; this package carries no Word source	must NOT contain the /<stage>/ segment
28	PASS	residue: No editor TODO markers left in prose	scanned: html, markdown	the patterns TODO(...) and TODO: must not occur
29	PASS	residue: No bare 'tbd' placeholder sections	scanned: html, markdown	no line consisting solely of 'tbd'
30	PASS	residue: No template editor-instruction text left in the published prose	scanned: html, markdown	the OASIS Board-approved work product templates, which state that 'All template instructions ... need to be deleted prior to publication'; an imperative to remove/delete something 'before publication' or 'prior to publication' surviving in the prose means an instruction block reached publication
31	WARN x2	residue: No 'Will be filled in' placeholders (early-stage tolerated, must resolve before CS)	'Will be filled in ...' placeholder present in markdown (acceptable for an early stage; must be resolved before CS). 'Will be filled in ...' placeholder present in html (acceptable for an early stage; must be resolved before CS).	the phrase 'Will be filled in' must not occur
32	PASS	html-title: HTML title carries no working residue	title: OpenEoX Core Schema Version 1.0	must not end in tmp, draft, or wip
33	PASS	html-title: HTML title is a plausible document title	title: OpenEoX Core Schema Version 1.0	a full spec title (at least 8 characters)
34	PASS	html-residue: No stale pandoc title-block header in the HTML	title_block_headers: 0; runner_paths: 0	the <header id="title-block-header"> element must be absent (lint D2)
35	PASS	html-residue: No CI runner paths in HTML hrefs or srcs	title_block_headers: 0; runner_paths: 0	the /home/runner/ path prefix must not occur (lint D3)
36	PASS	html-residue: The document title appears in exactly one H1	title_block_headers: 0; runner_paths: 0	exactly 1 (more renders the title twice on the PDF cover, lint D1)
37	PASS	html-anchors: Every internal fragment link resolves to an anchor	internal_links: 91; anchors: 273; unresolved: 0	every referenced fragment must exist as an id or <a name>
38	PASS	html-anchors: The HTML carries a linked table of contents	internal_links: 91; anchors: 273; unresolved: 0	at least one expected (a spec HTML without any is missing its TOC links)
39	WARN x2	md-links: No dual url links in the markdown	Dual link url; prefer a bare URL (autolinked) or real anchor text: https://www.oasis-open.org/committees/openeox/ipr.php Dual link url; prefer a bare URL (autolinked) or real anchor text: https://www.oasis-open.org/policies-guidelines/trademark/	text and target being the same URL calls for a bare autolink or real anchor text
40	PASS	md-links: No bare URL runs into '.' without a space	links_scanned: 53	the safe form '.' (otherwise pandoc pulls the period and backslash into the href)
41	PASS	fence-collapse: No opening code fence carries trailing text in its info string	fences_scanned: 42	a bare language token or curly-attribute form; trailing text collapses the block (lint D6)
42	PASS	image-policy: No empty img src attributes	img_tags: 1; image_payload_bytes: 0	src must be non-empty
43	PASS	image-policy: No absolute-path image sources	img_tags: 1; image_payload_bytes: 0	a leading / resolves outside the package on publication
44	PASS	image-policy: No path-traversal image sources	img_tags: 1; image_payload_bytes: 0	the path must not contain .. segments
45	PASS	image-policy: No responsive srcset image constructs	img_tags: 1; image_payload_bytes: 0	the publication pipeline's self-containment policy refuses srcset
46	PASS	image-policy: No <picture> elements	img_tags: 1; image_payload_bytes: 0	the publication pipeline's self-containment policy refuses <picture>

#	Result	Condition verified	Value pulled (observed)	Compared against
47	PASS	image-policy: Every image file is under the per-image size cap	img_tags: 1; image_payload_bytes: 0	the pipeline's 2MB per-image refusal cap
48	PASS	image-policy: No SVG carries script content	img_tags: 1; image_payload_bytes: 0	<script> elements are active content, refused on docs.oasis-open.org
49	PASS	image-policy: No SVG carries inline event handlers	img_tags: 1; image_payload_bytes: 0	on*= attributes are active content, refused
50	PASS	image-policy: No SVG references external image or use targets	img_tags: 1; image_payload_bytes: 0	external <image>/<use> hrefs break self-containment
51	PASS	image-policy: Total image payload is under the cumulative cap	img_tags: 1; image_payload_bytes: 0	the pipeline's 5MB cumulative inlining cap
52	PASS	pdf-cover: The document title appears exactly once on the PDF cover page	title: OpenEoX Core Schema Version 1.0; cover_page_occurrences: 1; runner_path_in_pdf: False	exactly 1 (more means stale title-block residue baked into the render, assertion A1)
53	PASS	pdf-cover: No CI runner path anywhere in the PDF text	title: OpenEoX Core Schema Version 1.0; cover_page_occurrences: 1; runner_path_in_pdf: False	the /home/runner/ path must not occur (assertion A2)
54	PASS	schema-id: Every .json file in the package parses as JSON	json_files: 2; expected_id_root: https://docs.oasis-open.org/openeox/eox-core/v1.0/	must parse without error
55	PASS	schema-id: A flattened \$id under the version root is a conscious convention	json_files: 2; expected_id_root: https://docs.oasis-open.org/openeox/eox-core/v1.0/	the file's publish path; a version-root flattened \$id (CSAF v2.0 style) needs a copy at that location
56	PASS	schema-id: Each schema's \$id agrees with where the file publishes	json_files: 2; expected_id_root: https://docs.oasis-open.org/openeox/eox-core/v1.0/	the canonical latest-version URL derived from the package path
57	PASS	schema-id: Schema-internal self-references agree with the declared \$id	json_files: 2; expected_id_root: https://docs.oasis-open.org/openeox/eox-core/v1.0/	the schema's own declared \$id
58	PASS	pdf-sync: The PDF cross-check toolchain is available	pdftotext: present; this_stage_base_in_pdf: True	pdftotext present; absent means the PDF front-matter cross-check is skipped here and runs at intake
59	PASS	pdf-sync: pdftotext executes against the PDF	pdftotext: present; this_stage_base_in_pdf: True	a clean execution
60	PASS	pdf-sync: The PDF is machine-readable	pdftotext: present; this_stage_base_in_pdf: True	exit 0
61	PASS	pdf-sync: The PDF front matter carries the canonical this-stage URL	pdftotext: present; this_stage_base_in_pdf: True	the this-stage base URL declared by the package front matter
62	PASS	pdf-sync: The PDF cites no unexpected other version of this spec	pdftotext: present; this_stage_base_in_pdf: True	the package's own version (previous-stage citations expected, anything else confirmed)
63	PASS	template: All required template front-matter sections are present	sections_found: Abstract, Chair(s), Citation format, Editor(s), Latest stage/version, Notices, Previous stage/version, Technical Committee, This stage/version; conformance_section: True	the template's required set: This/Previous/Latest stage, Technical Committee, Chairs, Editors, Abstract
64	PASS	template: Front-matter sections appear in template order	sections_found: Abstract, Chair(s), Citation format, Editor(s), Latest stage/version, Notices, Previous stage/version, Technical Committee, This stage/version; conformance_section: True	the canonical template ordering
65	PASS	template: A Conformance section exists	sections_found: Abstract, Chair(s), Citation format, Editor(s), Latest stage/version, Notices, Previous stage/version, Technical Committee, This stage/version; conformance_section: True	the TC Process requirement: every Standards Track Work Product carries conformance clauses
66	PASS	template-css: A non-canonical stylesheet keeps the template font family	stylesheet_links: 0; inline_style_blocks: 1	the template look: Liberation Sans / Arial / Helvetica
67	PASS	template-css: The HTML carries a stylesheet	stylesheet_links: 0; inline_style_blocks: 1	at least one styling source must be present
68	PASS	package-refs: Every file the document cites under its own stage path is included in the package	own_stage_citations_checked: 6	the cited relative path must exist as a file in the package
69	PASS	link-mismatch: Visible URL text and its link target agree	html_url_text_anchors: 37; shown_target_pairs: 3	shown and target must be the same URL (a disagreement is a rename artifact)

#	Result	Condition verified	Value pulled (observed)	Compared against
70	PASS	link-mismatch: Anchor text that displays a URL agrees with the anchor's href	html_url_text_anchors: 37; shown_target_pairs: 3	the displayed URL and the href must name the same resource (scheme, www., and trailing-slash differences and ellipsis display-truncation excepted); readers cite what they see
71	PASS	ref-rfc: An [RFCnnnn] references entry's URL cites the same RFC number as its label	markdown_rfc_reference_entries: 0; html_rfc_reference_entries: 0	the RFC number in the entry's own label; a disagreement means the label or the linked document is stale
72	PASS	ref-rfc: An [RFCnnnn] references entry's body text cites the same RFC number as its label and URL	markdown_rfc_reference_entries: 0; html_rfc_reference_entries: 0	the RFC number in the entry's label and URL (numbers drift when a reference is upgraded to a successor RFC and the prose is not)
73	PASS	boilerplate-dup: The template's 'send comments' status paragraph appears exactly once	markdown_comments_paragraphs: 1; html_comments_paragraphs: 1	exactly one occurrence per the Board-approved template (a duplicate rides in on a stale template merge and truncates the sentence it collides with)
74	PASS	double-slash: No relative link path contains a double slash	double_slash_paths: 0	single slashes only (the CDN 404s a double slash even where browsers tolerate it)
75	WARN	cover-hr: No horizontal rule between the OASIS logo and the title	Horizontal rule between the OASIS logo and the title: the publication CSS treats as a page break, which opens the PDF with a blank page. Harmless in other renderers; remove if publishing through the OASIS HTML-to-PDF path.	no --- / *** / ____ rule after the logo (the publication CSS renders it as a PDF page break)
76	PASS	pdf-fonts: pdffonts executes against the PDF	css_declared_families: couriernew, liberationsans; pdf_embedded_fonts: LibertinusSerif, NewCM10, NewCMMath	a clean execution
77	WARN	pdf-fonts: The PDF's embedded fonts are declared by the package's own CSS	PDF embeds fonts not declared by the package's own CSS: LibertinusSerif, NewCM10, NewCMMath. The CSS declares: couriernew, liberationsans. Confirm the divergence is intentional (pdffonts <file.pdf> re-checks this after a toolchain change).	the font families declared in the package's HTML/CSS (its own typography authority)
78	NA	manifest: manifest.json parses as JSON	NA: no manifest.json in the package (noted as informational)	must parse without error
79	NA	manifest: Every manifest item exists in the package	NA: no manifest.json in the package (noted as informational)	the package file tree
80	NA	manifest: Every manifest sha256 matches the file's actual digest	NA: no manifest.json in the package (noted as informational)	the digest recorded in the manifest
81	PASS	junk-files: No working directories inside the package	files_walked: 8	forbidden set: __MACOSX, .git, .env, venv, node_modules
82	PASS	junk-files: No OS junk or editor backup files in the package	files_walked: 8	forbidden: .DS_Store, Thumbs.db, desktop.ini, and ~ / .bak / .orig / .swp suffixes
83	PASS	case: Every filename in the package is lowercase	md_docs_urls_scanned: 16; mixed_case_files: (none)	its lowercase form (the publication origin is case-sensitive; the canonical logo filename is exempt)
84	PASS	case: Every self-referential docs.oasis-open.org URL path is lowercase (markdown source)	md_docs_urls_scanned: 16; mixed_case_files: (none)	its lowercase form (case-sensitive origin; /templates/ paths exempt)
85	NA	case: Every self-referential docs.oasis-open.org URL path is lowercase (HTML render)	NA: evaluated on the markdown-source row for this package	its lowercase form (case-sensitive origin; /templates/ paths exempt)
86	NA	odt-integrity: The ODT source opens as a ZIP archive	NA: ODT-source condition; this package carries no ODT source	a readable OpenDocument container
87	NA	odt-integrity: The ODT archive carries a mimetype member	NA: ODT-source condition; this package carries no ODT source	the OpenDocument package requirement of a mimetype entry
88	NA	odt-integrity: The declared mimetype is an OpenDocument type	NA: ODT-source condition; this package carries no ODT source	the application/vnd.oasis.opendocument.* family
89	NA	odt-integrity: The ODT archive carries the document body (content.xml)	NA: ODT-source condition; this package carries no ODT source	the OpenDocument package requirement of a content.xml body

#	Result	Condition verified	Value pulled (observed)	Compared against
90	NA	odt-integrity: The ODT document body parses as XML	NA: ODT-source condition; this package carries no ODT source	well-formed XML
91	NA	odt-integrity: The ODT carries no embedded macros or scripts	NA: ODT-source condition; this package carries no ODT source	the host's active-content policy (none permitted, same as SVG scripts)
92	PASS	symlinks: No symlink points at itself or an ancestor directory	symlinks_found: 0	must not equal or contain its own directory (deploys materialize symlinks into unbounded recursion)
93	PASS	dead-lists: No reference to a lists.oasis-open.org mailing address (markdown source)	md_lists_addresses: (none)	the dead-infrastructure rule: that mail host silently fails; comments route via Higher Logic
94	NA	dead-lists: No reference to a lists.oasis-open.org mailing address (HTML render)	NA: evaluated on the markdown-source row for this package	the dead-infrastructure rule: that mail host silently fails; comments route via Higher Logic
95	PASS	dead-lists: Links into the retired list archives are flagged for verification	md_lists_addresses: (none)	each must be individually verified while the archive infrastructure is retired
96	PASS	rfc-keywords: Normative key words are backed by an RFC 2119 citation	normative_keywords_present: True; rfc2119_cited: True; rfc8174_cited: True	an RFC 2119 citation must be present when key words are used
97	PASS	rfc-keywords: RFC 2119 citation is paired with RFC 8174	normative_keywords_present: True; rfc2119_cited: True; rfc8174_cited: True	the current template cites both 2119 and 8174 (uppercase-only clarification)
98	PASS	logo: The cover logo is the canonical OASIS logo	logo_sources: https://docs.oasis-open.org/templates/OASISLogo-v3.0.png	https://docs.oasis-open.org/templates/OASISLogo-v3.0.png
99	PASS	previous-stage: A stage past 01 cites its previous stage	pulled: the URLs in the markdown's Previous-stage block; no violating instance found	at least one docs.oasis-open.org URL required when the revision number exceeds 01
100	NA	previous-stage: A stage past 01 cites its previous stage on the HTML cover	NA: DOCX-render condition; this package carries no Word source	at least one docs.oasis-open.org URL required when the revision number exceeds 01
101	PASS	date-sync: The markdown front-matter date appears in the HTML	document_date: (not found); copyright_year: (not found)	the rendered HTML text (absence means the HTML came from a different revision)
102	PASS	date-sync: The copyright year matches the document date year	document_date: (not found); copyright_year: (not found)	the year of the front-matter document date
103	NA	generator: A DOCX-native render was produced by Microsoft Word	NA: DOCX-render condition; this package carries no Word source	must contain 'Microsoft Word' (a LibreOffice render differs in kind from the TC's precedent)
104	PASS	vml-fallback: Every VML image has an <![if !vml]> img fallback	vml_images: 0; img_fallbacks: 0	fallback count must cover VML count (the invisible-cover-logo class)
105	PASS	asset-refs: Every relative src/href the HTML references is included in the package	relative_refs_checked: 0; missing: 0	the package file tree; a missing target 404s on publication
106	PASS	conformance-structure: At least one Conformance heading is a genuine top-level numbered section (not nested deeper than the document's modal top-level depth, and not under an Annex/Appendix ancestor)	stage_prefix: csd; headings_scanned: 101; conformance_candidates: 18; modal_top_level: 1; modal_confidence: high; profiles_found: 14; clauses_extracted: 15; stability: no-op (first publication)	handbook-Conformance.txt: 'a separate, top-level numbered section of the work product (not a subsection buried elsewhere)'; BLOCKER at cs/os (WARN at wd/csd, or when the modal-depth signal itself is low-confidence)
107	WARN x3	conformance-structure: Each conformance profile scope yields at least one extracted clause identifier	Conformance section (profile 'A Library satisfies the "Library with Basic Validation" conformance profile if the Library:') is not populated with numbered clauses: no clause identifiers were extracted. Conformance section (profile 'A Library satisfies the "Library with Extended Validation" conformance profile if the Library:') is not populated with numbered clauses: no clause identifiers were extracted. Conformance section (profile 'A program satisfies the "Merger" conformance profile if the program:') is not populated with numbered clauses: no clause identifiers were extracted.	handbook-WPQualityRequirements.txt: 'a set of numbered conformance clauses to which any implementation must adhere'; BLOCKER at cs/os, WARN at wd/csd (fail-closed either way, so an empty section is reported rather than passing silently)

#	Result	Condition verified	Value pulled (observed)	Compared against
108	PASS	conformance-structure: No clause identifier repeats within the same profile scope	stage_prefix: csd; headings_scanned: 101; conformance_candidates: 18; modal_top_level: 1; modal_confidence: high; profiles_found: 14; clauses_extracted: 15; stability: no-op (first publication)	handbook-Conformance.txt: 'individually numbered conformance clauses ... so that implementers and Statements of Use can cite specific clauses by number'; BLOCKER at cs/os, WARN at wd/csd
109	PASS	conformance-structure: Every (profile, clause number) pair in the previous stage is still present in this stage (append-only extension is fine; removal/renumbering, including a whole profile silently disappearing, is flagged)	stage_prefix: csd; headings_scanned: 101; conformance_candidates: 18; modal_top_level: 1; modal_confidence: high; profiles_found: 14; clauses_extracted: 15; stability: no-op (first publication)	handbook-WPQualityRequirements.txt 'Key principles': 'Clause numbering must be unique and stable across revisions'. Guidelines-sourced (recommended, not mandatory) so WARN-tier informational, never BLOCKER, and never fired for the CS->OS transition (that gets the zero-tolerance override instead)
110	PASS	conformance-structure: A (profile, clause number) pair missing from this stage does not reappear under a DIFFERENT number in the same profile with the same content (a disguised renumber-via-delete-and-re-add)	stage_prefix: csd; headings_scanned: 101; conformance_candidates: 18; modal_top_level: 1; modal_confidence: high; profiles_found: 14; clauses_extracted: 15; stability: no-op (first publication)	the same Guidelines stability principle as 'removed/renumbered'; WARN-tier informational
111	PASS	conformance-structure: At the CS->OS transition, the current (profile, clause id) key set is a byte-for-byte match to the approved-CS key set, scoped per profile, so a whole profile silently dropped while a surviving profile happens to reuse its bare clause numbers is still caught	stage_prefix: csd; headings_scanned: 101; conformance_candidates: 18; modal_top_level: 1; modal_confidence: high; profiles_found: 14; clauses_extracted: 15; stability: no-op (first publication)	handbook-Conformance.txt 'OASIS Standard os': 'Conformance clauses are preserved unchanged from the approved Committee Specification' (TC Process 2.9): zero tolerance, always BLOCKER
112	PASS	conformance-structure: A clause whose (profile, number) key is unchanged at CS->OS is flagged for manual confirmation when its content hash changed	stage_prefix: csd; headings_scanned: 101; conformance_candidates: 18; modal_top_level: 1; modal_confidence: high; profiles_found: 14; clauses_extracted: 15; stability: no-op (first publication)	handbook-WPQualityRequirements.txt 'Allowed changes during publication': coordinated non-material changes are permitted (TC Process 2.2.4); not itself a zero-tolerance failure, so WARN/manual-review, never an automatic BLOCKER
113	PASS	conformance-structure: At the CS->OS transition, the approved-CS baseline artifact must be resolvable to verify clause-set preservation at all	stage_prefix: csd; headings_scanned: 101; conformance_candidates: 18; modal_top_level: 1; modal_confidence: high; profiles_found: 14; clauses_extracted: 15; stability: no-op (first publication)	TC Process 2.9's preservation obligation cannot be verified for a Standards Track OS approval if the CS baseline is unreachable, so it is elevated to BLOCKER rather than reported as a silent WARN
114	PASS	conformance-structure: A general (non-CS->OS) stability diff that could not resolve its previous-stage artifact is visible in the report, not silently skipped	stage_prefix: csd; headings_scanned: 101; conformance_candidates: 18; modal_top_level: 1; modal_confidence: high; profiles_found: 14; clauses_extracted: 15; stability: no-op (first publication)	the general stability check is WARN-tier informational; an unresolvable prior artifact (first publication is a separate, silent no-op) still surfaces the gap as a WARN
115	PASS	references-split: A bare 'References' heading carrying 2+ direct reference entries is split into separately labeled Normative/Informative child headings (or is too small a sample, 0 or 1 entries, to judge)	stage_prefix: csd; stage_track: standards; references_headings_found: 0	handbook-WPQualityChecklist.txt editorial quality checklist bullet: 'normative references listed separately from informative references' (WARN: staff-maintained best-practice checklist, not a TC Process must/shall clause)
116	PASS	references-split: No reference-entry ID appears under both a Normative References heading and an Informative References heading anywhere in the document	stage_prefix: csd; stage_track: standards; references_headings_found: 0	the two ID sets must not intersect; a shared ID is a labeling inconsistency or editorial duplication (handbook-WPQualityChecklist.txt same checklist bullet)
117	PASS	content-labels: Every Examples/Illustrative-Examples/Sample-<noun> heading carries a structural content-type label (heading suffix, first-sentence lead/predicate, labeled ancestor heading, or document-wide blanket statement)	track: markdown; headings_scanned: 101; example_candidates: 0; example_unlabeled: 0; appendix_candidates: 4; appendix_unlabeled: 4; blanket_statement_classes: example	handbook-Conformance.txt 'Normative versus non-normative content': Examples content is classified non-normative and 'should be clearly labelled'

#	Result	Condition verified	Value pulled (observed)	Compared against
118	PASS	stage-token: Previous-stage URL stage token is not a retired abbreviation	doc_stage_token: csd; this_stage_block: present (not independently evaluated); previous_stage_status: N/A (first instance); latest_stage_urls: https://docs.oasis-open.org/openeox/eox-core/v1.0/eox-core-v1.0.html , https://docs.oasis-open.org/openeox/eox-core/v1.0/eox-core-v1.0.md , https://docs.oasis-open.org/openeox/eox-core/v1.0/eox-core-v1.0.pdf ; result: PASS -- Previous-stage tokens match/legacy-clean or N/A, Latest-stage filenames carry no stage token	retired token set (csprd, cnprd, cos, csdpr, cndpr) per Naming Directives v1.7; WARN with a legacy-URI verification caveat since a pre-2024 Previous-stage URI may permanently retain a retired token (naming-directives.txt 6.3 Resource Permanence)
119	PASS	stage-token: Previous-stage URL stage token matches the document's own current csd/cnd stage abbreviation or the track's approved-stage counterpart	doc_stage_token: csd; this_stage_block: present (not independently evaluated); previous_stage_status: N/A (first instance); latest_stage_urls: https://docs.oasis-open.org/openeox/eox-core/v1.0/eox-core-v1.0.html , https://docs.oasis-open.org/openeox/eox-core/v1.0/eox-core-v1.0.md , https://docs.oasis-open.org/openeox/eox-core/v1.0/eox-core-v1.0.pdf ; result: PASS -- Previous-stage tokens match/legacy-clean or N/A, Latest-stage filenames carry no stage token	the document's own current stage token, or the track's approved-stage set (csd: cs/os/errata; cnd: cn) when the block links a previous VERSION at its own approved stage (handbook-PublicReviews.txt: the cover page URIs 'should all reflect the csd stage abbreviation')
120	PASS	stage-token: Latest-stage URL's filename embeds no stage-abbreviation/revision token at all	doc_stage_token: csd; this_stage_block: present (not independently evaluated); previous_stage_status: N/A (first instance); latest_stage_urls: https://docs.oasis-open.org/openeox/eox-core/v1.0/eox-core-v1.0.html , https://docs.oasis-open.org/openeox/eox-core/v1.0/eox-core-v1.0.md , https://docs.oasis-open.org/openeox/eox-core/v1.0/eox-core-v1.0.pdf ; result: PASS -- Previous-stage tokens match/legacy-clean or N/A, Latest-stage filenames carry no stage token	naming-directives.txt 6.2: the Latest-stage locator URI 'does not contain the path component [stage-abbrev] [revisionNumber] or stage identifier in the filename', an absolute prohibition independent of whether the token matches the current stage
121	PASS	title-version: The rendered cover-page title incorporates the package's own Version identifier	stage: csd01; track: standards; pkg_version: 1.0; title_source: HTML <title>/<h1>; title_text: OpenEoX Core Schema Version 1.0; version_tokens_found: 1	naming-directives.txt 5.1: 'A Version identifier must also be incorporated into a Work Product name/title'
122	PASS	title-version: The Version cited in the title agrees with the package's own Version identifier	stage: csd01; track: standards; pkg_version: 1.0; title_source: HTML <title>/<h1>; title_text: OpenEoX Core Schema Version 1.0; version_tokens_found: 1	the package's own Version identifier (the version directory segment, with a leading 'v' stripped per naming-directives.txt Section 4's [version-id] grammar)
123	PASS	title-version: The title's Version token is composed as '<name/identifier> Version <number>' with no forbidden punctuation before it and only a sanctioned continuation after it	stage: csd01; track: standards; pkg_version: 1.0; title_source: HTML <title>/<h1>; title_text: OpenEoX Core Schema Version 1.0; version_tokens_found: 1	naming-directives.txt Section 7: MUST for Standards Track (csd/cs/os/errata) -> BLOCKER; SHOULD for Non-Standards Track (cnd/cn) -> WARN with the 'reasonable grounds for alternate constructions' exception; WARN also for any stage token outside the six Section-5.2-enumerated tokens (track unresolved, no corpus citation, never escalated to BLOCKER on an uncited classification)
124	PASS	title-oasis-prefix: The Work Product title (the <h1> identified by _h1_title_match_info's 'exact' or 'singular-related-fallback' classification) does not begin with the word 'OASIS'	title_source: OpenEoX Core Schema Version 1.0; track: standards; track_confidence: confirmed; title_match: exact	naming-directives.txt s7: 'Preferably, a title should not begin with the name "OASIS" except on the recommendation of Project Administration for special cases.' Section 7's lead sentence track-scopes this to BLOCKER (Standards Track, must-observe) / WARN (Non-Standards Track, should-follow with an additional alternate-construction escape valve).
125	PASS	authors: A Technical Report/Technical Report Draft names its Authors on the cover page (heading or title-block byline)	work_product_type: committee specification draft	TC Handbook, Technical Reports: 'A Technical Report has one or more named Authors ... recorded on the cover page'

#	Result	Condition verified	Value pulled (observed)	Compared against
126	PASS	authors: The Authors heading/byline is not empty or placeholder-only (tbd/n/a/none), including list/task/blockquote-dressed variants	work_product_type: committee specification draft	at least one non-placeholder named entry must remain
127	PASS	authors: A Technical Report Draft's Authors section is not left on the registry's own tolerated 'Will be filled in' placeholder indefinitely (WARN while still a TRD)	work_product_type: committee specification draft	the existing residue-check precedent (check='residue') tolerating 'Will be filled in' pre-CS, scoped here to the Authors record of an in-progress Technical Report Draft
128	PASS	authors: An approved (non-draft) Technical Report's Authors section is resolved, not still the 'Will be filled in' placeholder	work_product_type: committee specification draft	the TRD-stage 'will be filled in' tolerance does not survive Full Majority Vote approval to the final Technical Report
129	PASS	name-chars: No underscore in an identifying (document-URI-bearing) package name	names_scanned: 11; identifying_stage: csd01; identifying_version: v1.0; multi_part_dirs: (none); junk_dirs_skipped: (none)	STRICT allowlist [A-Za-z0-9.-]. Naming Directives v1.7 s3: an UNDERSCORE 'must never be used in a filename or directory name that is used in a document URI'
130	PASS	name-chars: No character outside the sixty-four permitted characters in an identifying package name	names_scanned: 11; identifying_stage: csd01; identifying_version: v1.0; multi_part_dirs: (none); junk_dirs_skipped: (none)	STRICT allowlist [A-Za-z0-9.-]. Naming Directives v1.7 s3: 'TCs must use only the sixty-four characters from among alphanumerics [A-Za-z0-9] and the two punctuation characters ... PERIOD ... and ... HYPHEN'
131	PASS	name-chars: No character outside the sixty-four permitted characters plus UNDERSCORE in a supporting (non-identifying) package name	names_scanned: 11; identifying_stage: csd01; identifying_version: v1.0; multi_part_dirs: (none); junk_dirs_skipped: (none)	BASE allowlist [A-Za-z0-9._-]. Naming Directives v1.7 s3 base 'must use only' clause, with UNDERSCORE included per the conditional tolerance
132	PASS	name-chars: An identifying (document-URI-bearing) package name is non-empty	names_scanned: 11; identifying_stage: csd01; identifying_version: v1.0; multi_part_dirs: (none); junk_dirs_skipped: (none)	STRICT test ^[A-Za-z0-9.-]+\$: the '+' quantifier requires at least one character, so an empty identifying name trivially fails the sixty-four-permitted-character allowlist; mirrors how check_stage_name's and check_version_naming's own fullmatch patterns already reject an empty stage/version token without any special-casing
133	PASS	extension-count: A stage-directory-root delivery item (the established document-identifier stem plus one packaged format) carries at least one file extension	tier_a_files_checked: eox-core-v1.0-csd01.html, eox-core-v1.0-csd01.md, eox-core-v1.0-csd01.pdf; tier_a_severity: BLOCKER; tier_b_files_checked: 5; tier_b_flagged: (none)	Naming Directives v1.7 s4: 'A single file(name) extension must be used in each filename except for a recognized set of extensionless filenames in common use.' BLOCKER at published stages, WARN at wd (s5.2 Note: working drafts 'may use any file naming pattern preferred by the TC'); wd-stage match is case-folded.
134	PASS	extension-count: A stage-directory-root delivery item carries exactly one file extension after the stem (or one blessed compound: tar.gz/tar.bz2/tar.xz, and only when that compound is the WHOLE remaining suffix)	tier_a_files_checked: eox-core-v1.0-csd01.html, eox-core-v1.0-csd01.md, eox-core-v1.0-csd01.pdf; tier_a_severity: BLOCKER; tier_b_files_checked: 5; tier_b_flagged: (none)	Naming Directives v1.7 s4's single-extension rule, structurally against the same stem boundary the 'filenames' check already validates. BLOCKER at published stages, WARN at wd.
135	PASS	extension-count: A non-delivery-item (Tier B) file with zero dots is one of the three literally recognized extensionless names	tier_a_files_checked: eox-core-v1.0-csd01.html, eox-core-v1.0-csd01.md, eox-core-v1.0-csd01.pdf; tier_a_severity: BLOCKER; tier_b_files_checked: 5; tier_b_flagged: (none)	Naming Directives v1.7 s9: 'Exceptions to the rule that every filename must include a file extension include: CATALOG or catalog, README, ChangeLog.' Non-blocking WARN per s4's Applicability carve-out for non-identification-pattern files.
136	PASS	extension-count: A non-delivery-item (Tier B) dotted filename's penultimate segment does not look like a known extension token (or the trailing pair is a blessed compound)	tier_a_files_checked: eox-core-v1.0-csd01.html, eox-core-v1.0-csd01.md, eox-core-v1.0-csd01.pdf; tier_a_severity: BLOCKER; tier_b_files_checked: 5; tier_b_flagged: (none)	A disclosed, non-exhaustive known-extension-token vocabulary (not an IANA-derived classification); flagged only as a non-blocking heuristic pattern-match advisory per s4's Applicability carve-out for non-identification-pattern files (schemas, images, WSDLs, XML/JSON artifacts).

#	Result	Condition verified	Value pulled (observed)	Compared against
137	PASS	extension-conformance: Every root principal/stage-identifying filename and every Multi-Part named-part filename uses an extension that matches a common OASIS publication rendering format	principal_files: eox-core-v1.0-csd01.html, eox-core-v1.0-csd01.md, eox-core-v1.0-csd01.pdf, eox-core-v1.0-csd01.zip; named_part_files: (none)	a curated allowlist of common OASIS document/publication rendering-format extensions (txt, md, html, htm, pdf, doc, docx, odt, ods, odp, xls,.xlsx, ppt, pptx, rtf, xml, json, epub), per Naming Directives Section 4 'File extensions should conform to industry best practice, matching well-known IANA MIME Media Types'; filenames on the Section 9 extensionless allowlist (CATALOG, catalog, README, ChangeLog) are exempt
138	PASS	artifact-naming: A non-document-identifier artifact's own filename does not embed a stage+revision token	supporting_files_scanned: 4; stage_revision_matches: 0	Naming Directives s4: 'it is considered inadvisable to incorporate instance-specific [stage][revision] data for any release in filenames other than in the document identifier files ... thus mySchema.xsd but NOT mySchema-csd02.xsd'; TCs are advised to use named subdirectories and retain stable/identical filenames per s5.2/5.3's stage-abbreviation and two-digit-revision definitions
139	PASS	multi-part-naming: Every Multi-Part Work Product part filename embeds the identical WP-abbrev token	part_subdirs_scanned: (none); part_subdirs_unreadable: (none); matched_part_grammar_files: (none); part_grammar_files: 0; distinct_parts: 0; naming20_entries_scanned: 4; naming20_cores_resolved: eox-core-v1.0-csd01; naming20_core: eox-core-v1.0-csd01; naming20_distinct_tails:	the set of distinct WP-abbrev tokens across all matched part filenames must collapse to exactly one value, per TC Process 2.2.3's single Work Product name and the Handbook's Multi-part work products restatement
140	PASS	multi-part-naming: Every Multi-Part Work Product part filename embeds the identical version-id token	part_subdirs_scanned: (none); part_subdirs_unreadable: (none); matched_part_grammar_files: (none); part_grammar_files: 0; distinct_parts: 0; naming20_entries_scanned: 4; naming20_cores_resolved: eox-core-v1.0-csd01; naming20_core: eox-core-v1.0-csd01; naming20_distinct_tails:	the set of distinct version-id tokens across all matched part filenames must collapse to exactly one value, per TC Process 2.2.3's single Work Product version number and the Handbook's Multi-part work products restatement
141	PASS	multi-part-naming: No bare CORE.ext delivery filename coexists with genuine part files	part_subdirs_scanned: (none); part_subdirs_unreadable: (none); matched_part_grammar_files: (none); part_grammar_files: 0; distinct_parts: 0; naming20_entries_scanned: 4; naming20_cores_resolved: eox-core-v1.0-csd01; naming20_core: eox-core-v1.0-csd01; naming20_distinct_tails:	naming-directives.txt s4: the single-part bare-CORE filename rule does not apply once the package is multi-part
142	PASS	multi-part-naming: Every non-canonical delivery filename sharing the package core carries a well-formed -part<N>-<name> segment	part_subdirs_scanned: (none); part_subdirs_unreadable: (none); matched_part_grammar_files: (none); part_grammar_files: 0; distinct_parts: 0; naming20_entries_scanned: 4; naming20_cores_resolved: eox-core-v1.0-csd01; naming20_core: eox-core-v1.0-csd01; naming20_distinct_tails:	Naming Directives v1.7 s4 multi-part filename grammar: literal lowercase 'part' + Arabic numeral + hyphen + partName, positioned before the extension
143	PASS	multi-part-naming: A part file discovered inside an Option-1 URI part-subdirectory agrees with that subdirectory's own [partNumber]-[partName] segment	part_subdirs_scanned: (none); part_subdirs_unreadable: (none); matched_part_grammar_files: (none); part_grammar_files: 0; distinct_parts: 0; naming20_entries_scanned: 4; naming20_cores_resolved: eox-core-v1.0-csd01; naming20_core: eox-core-v1.0-csd01; naming20_distinct_tails:	naming-directives.txt s6.1 (Option 1): the subdirectory segment and the filename's part identifier must name the same part
144	PASS	multi-part-naming: Each part number maps to exactly one partName across every format variant and discovery location	part_subdirs_scanned: (none); part_subdirs_unreadable: (none); matched_part_grammar_files: (none); part_grammar_files: 0; distinct_parts: 0; naming20_entries_scanned: 4; naming20_cores_resolved: eox-core-v1.0-csd01; naming20_core: eox-core-v1.0-csd01; naming20_distinct_tails:	Naming Directives v1.7 s4: partNumber identifies one distinct separately-titled prose part, not two

#	Result	Condition verified	Value pulled (observed)	Compared against
145	PASS	multi-part-naming: Part numbering for a multi-part package begins at 1	part_subdirs_scanned: (none); part_subdirs_unreadable: (none); matched_part_grammar_files: (none); part_grammar_files: 0; distinct_parts: 0; naming20_entries_scanned: 4; naming20_cores_resolved: eox-core-v1.0-csd01; naming20_core: eox-core-v1.0-csd01; naming20_distinct_tails:	naming-directives.txt s4: partNumber begins with the number '1' (for Part 1)
146	PASS	multi-part-naming: Part numbering for a multi-part package is contiguous with no gaps	part_subdirs_scanned: (none); part_subdirs_unreadable: (none); matched_part_grammar_files: (none); part_grammar_files: 0; distinct_parts: 0; naming20_entries_scanned: 4; naming20_cores_resolved: eox-core-v1.0-csd01; naming20_core: eox-core-v1.0-csd01; naming20_distinct_tails:	naming-directives.txt s4: partNumber increases monotonically (2, 3, 4, ...) for other parts, i.e. the exact sequence [1, 2, ..., N]
147	PASS	public-review-metadata: A live, published csd/cnd stage directory confirmed (by tiered evidence) and successfully scanned to have undergone TC public review carries the required public-review-metadata companion file	stage_directory_url: https://docs.oasis-open.org/openeox/eox-core/v1.0/csd01/; http_status: 200; live_filenames: eox-core-v1.0-csd01.html, eox-core-v1.0-csd01.md, eox-core-v1.0-csd01.pdf, eox-core-v1.0-csd01.zip	the exact, case-sensitive filename [WP-abbrev]-[version-id]-[stage-abbrev][revisionNumber]-public-review-metadata.html (naming-directives.txt 5.2; handbook-Naming.txt 'Public-review metadata filename (new in v1.7)')
148	PASS	public-review-metadata: A present public-review-metadata companion file is non-empty	stage_directory_url: https://docs.oasis-open.org/openeox/eox-core/v1.0/csd01/; http_status: 200; live_filenames: eox-core-v1.0-csd01.html, eox-core-v1.0-csd01.md, eox-core-v1.0-csd01.pdf, eox-core-v1.0-csd01.zip	naming-directives.txt 5.2: the file 'provides a publication history of the Work Product' (content validation itself is out of scope for this check; only non-zero size is tested here)
149	PASS	public-review-metadata: A public-review-metadata companion file listed in the live directory is actually reachable so its content can be evaluated	stage_directory_url: https://docs.oasis-open.org/openeox/eox-core/v1.0/csd01/; http_status: 200; live_filenames: eox-core-v1.0-csd01.html, eox-core-v1.0-csd01.md, eox-core-v1.0-csd01.pdf, eox-core-v1.0-csd01.zip	a listing entry alone is not proof of a readable file; an unreachable listed file stays an open advisory rather than a silent, unreviewed pass
150	PASS	comment-resolution-log: A file resembling a comment-resolution-log, if present in a CSD/CND stage directory that itself carries a public-review-metadata file, carries the exact basename Naming Directives prescribes	public_review_metadata_expected: eox-core-v1.0-csd01-public-review-metadata.html; public_review_metadata_present: False; siblings_scanned: 5	the expected basename [stem]-comment-resolution-log against naming-directives.txt s5.2's filename pattern for a produced comment resolution log
151	PASS	comment-resolution-log: Where in-package evidence (a later-stage sibling directory) shows a CSD/CND public review has demonstrably concluded, a comment-resolution-log basename match was sought and not found	public_review_metadata_expected: eox-core-v1.0-csd01-public-review-metadata.html; public_review_metadata_present: False; siblings_scanned: 5	tc-process.txt s2.6/s2.7 (comment disposition is required to be posted to the TC's e-mail lists; the downstream approval ballot may only commence once every comment is resolved) against handbook-PublicReviews.txt's 'best practice, not a normative filing mandate' framing for HOW that record is kept
152	PASS	normdef-refs: Every candidate normative-definition file (schema/grammar/code plain-text file, excluding example/sample/test-case/non-normative and pipeline/asset directories) is referenced from the Work Product	candidates: schema/core.json, schema/meta.json; orphans: 0; ambiguous_basename_only: 0	TC Process 2.2.5: 'Each text file must be referenced from the Work Product; and'. Standards Track (csd, cs, os, errata) only
153	PASS	normdef-refs: A basename-only match among candidate files sharing that basename in different directories is flagged for confirmation rather than silently satisfying the requirement for every tied file	candidates: schema/core.json, schema/meta.json; orphans: 0; ambiguous_basename_only: 0	TC Process 2.2.5's reference requirement; an ambiguous basename-only match does not unambiguously resolve which file was referenced
154	PASS	uri-alias: No live META-refresh element in any delivered HTML file	prong_a_html_files_scanned: 3; prong_b_files_hashed: 8; prong_b_duplicate_buckets: 0; prong_b_unreadable_entries_skipped: 0; prong_c_md_block_urls_scanned: 6; prong_c_md_anchor_links_scanned: 132; prong_c_md_bare_urls_scanned: 29	Naming Directives v1.7 s6.5(a): unauthorized URI aliasing via META-refresh elements is barred

#	Result	Condition verified	Value pulled (observed)	Compared against
155	PASS	uri-alias: No stage-root delivery file or manifest-cited file (by exact package-relative path) shares byte-identical content with another package-relative path	prong_a_html_files_scanned: 3; prong_b_files_hashed: 8; prong_b_duplicate_buckets: 0; prong_b_unreadable_entries_skipped: 0; prong_c_md_block_urls_scanned: 6; prong_c_md_anchor_links_scanned: 132; prong_c_md_bare_urls_scanned: 29	Naming Directives v1.7 s6.5(b): preparing files with identical content under two different filenames within a published instance is barred
156	PASS	uri-alias: An ancillary (non-delivery, non-manifest-cited) duplicate is flagged for review, not treated as a s6.5(b) aliasing risk	prong_a_html_files_scanned: 3; prong_b_files_hashed: 8; prong_b_duplicate_buckets: 0; prong_b_unreadable_entries_skipped: 0; prong_c_md_block_urls_scanned: 6; prong_c_md_anchor_links_scanned: 132; prong_c_md_bare_urls_scanned: 29	the package's own delivery-item paths and manifest.json authoritative/delivery-role paths
157	PASS	uri-alias: The markdown Previous-stage block cites no redirect/URL-shortening domain	prong_a_html_files_scanned: 3; prong_b_files_hashed: 8; prong_b_duplicate_buckets: 0; prong_b_unreadable_entries_skipped: 0; prong_c_md_block_urls_scanned: 6; prong_c_md_anchor_links_scanned: 132; prong_c_md_bare_urls_scanned: 29	the seed redirect-service domain list (tinyurl.com, bit.ly, goo.gl, ow.ly, t.co, is.gd, buff.ly, rebrand.ly, tiny.cc, cutt.ly, shorturl.at, rb.gy, purl.oclc.org)
158	NA	uri-alias: The DOCX-native rendered cover's This/Previous/Latest-version fields cite no redirect/URL-shortening domain	NA: DOCX-render condition; this package carries no Word source	the seed redirect-service domain list
159	PASS	uri-alias: Plain-prose anchor text that names oasis-open.org does not link to a redirect/URL-shortening domain (markdown source)	prong_a_html_files_scanned: 3; prong_b_files_hashed: 8; prong_b_duplicate_buckets: 0; prong_b_unreadable_entries_skipped: 0; prong_c_md_block_urls_scanned: 6; prong_c_md_anchor_links_scanned: 132; prong_c_md_bare_urls_scanned: 29	the seed redirect-service domain list, gated on the anchor text literally containing 'oasis-open.org'
160	NA	uri-alias: Plain-prose anchor text that names oasis-open.org does not link to a redirect/URL-shortening domain (HTML render)	NA: evaluated on the markdown-source row for this package	the seed redirect-service domain list, gated on the anchor text literally containing 'oasis-open.org'
161	PASS	uri-alias: A bare URL's enclosing sentence that names oasis-open.org does not point at a redirect/URL-shortening domain (markdown source)	prong_a_html_files_scanned: 3; prong_b_files_hashed: 8; prong_b_duplicate_buckets: 0; prong_b_unreadable_entries_skipped: 0; prong_c_md_block_urls_scanned: 6; prong_c_md_anchor_links_scanned: 132; prong_c_md_bare_urls_scanned: 29	the seed redirect-service domain list, gated on the sentence window literally containing 'oasis-open.org'
162	NA	uri-alias: A bare URL's enclosing sentence that names oasis-open.org does not point at a redirect/URL-shortening domain (HTML render)	NA: evaluated on the markdown-source row for this package	the seed redirect-service domain list, gated on the sentence window literally containing 'oasis-open.org'
163	PASS	xml-namespace: An http(s) namespace's tail matches the docs.oasis-open.org/[tc-shortname]/ns/xxxx pattern	schema_files_scanned: 0; schema_files_excluded: 0; tc_shortcode: openeox	Naming Directives s8 pattern http(s)://docs.oasis-open.org/[tc-shortname]/ns/xxxx, xxxx restricted to the s3 sixty-four-character set plus internal '/', terminating in '/', '#', or alphanumeric; BLOCKER when the tc-shortname has no pattern-grandfather allowlist entry
164	PASS	xml-namespace: A pattern-mismatched namespace's tc-shortname is a confirmed-approved pre-2012 pattern grandfather	schema_files_scanned: 0; schema_files_excluded: 0; tc_shortcode: openeox	Naming Directives v1.2 s9: pre-2012 practice 'may be grandfathered, if approved by Project Administration': WARN when listed but approval is not machine-confirmable at check time
165	PASS	xml-namespace: The same namespace tail is declared under one scheme only, package-wide	schema_files_scanned: 0; schema_files_excluded: 0; tc_shortcode: openeox	Naming Directives s8: 'While either "http" or "https" may be used ... they are not interchangeable. One or the other must be used consistently.'

#	Result	Condition verified	Value pulled (observed)	Compared against
166	PASS	xml-namespace: A urn:-scheme declared namespace's TC is on the URN-grandfather allowlist	schema_files_scanned: 0; schema_files_excluded: 0; tc_shortcode: openeox	Naming Directives s8: URN-based namespaces 'must not be declared otherwise', permitted only for TCs that already used the feature (or Maintenance Activity TCs), approved by Project Administration
167	PASS	xml-namespace: A RELAX NG grammar declares only one namespace, on its root grammar/element node	schema_files_scanned: 0; schema_files_excluded: 0; tc_shortcode: openeox	this check only validates the root-level self-declared namespace; a differing non-root ns is flagged for manual review rather than silently dropped
168	PASS	ns-segment: This-stage and Latest-stage cover URIs do not reuse the reserved /ns/ path segment	cover_uris_scanned: 6; this_stage_uris: https://docs.oasis-open.org/openeox/eox-core/v1.0/csd01/eox-core-v1.0-csd01.html, https://docs.oasis-open.org/openeox/eox-core/v1.0/csd01/eox-core-v1.0-csd01.md, https://docs.oasis-open.org/openeox/eox-core/v1.0/csd01/eox-core-v1.0-csd01.pdf; previous_stage_uris: (none); latest_stage_uris: https://docs.oasis-open.org/openeox/eox-core/v1.0/eox-core-v1.0.html, https://docs.oasis-open.org/openeox/eox-core/v1.0/eox-core-v1.0.md, https://docs.oasis-open.org/openeox/eox-core/v1.0/eox-core-v1.0.pdf	handbook-Naming.txt: '/ns/ ... is for namespace identifiers, not for retrievable documents. Do not use /ns/ in the URI of a document you intend to publish as a retrievable resource'
169	PASS	ns-segment: Previous-stage cover URI does not reuse the reserved /ns/ path segment (non-blocking, manual-review if it does: an immutable inherited citation)	cover_uris_scanned: 6; this_stage_uris: https://docs.oasis-open.org/openeox/eox-core/v1.0/csd01/eox-core-v1.0-csd01.html, https://docs.oasis-open.org/openeox/eox-core/v1.0/csd01/eox-core-v1.0-csd01.md, https://docs.oasis-open.org/openeox/eox-core/v1.0/csd01/eox-core-v1.0-csd01.pdf; previous_stage_uris: (none); latest_stage_uris: https://docs.oasis-open.org/openeox/eox-core/v1.0/eox-core-v1.0.html, https://docs.oasis-open.org/openeox/eox-core/v1.0/eox-core-v1.0.md, https://docs.oasis-open.org/openeox/eox-core/v1.0/eox-core-v1.0.pdf	handbook-Naming.txt's /ns/ reservation rule, applied to an already-published prior-stage citation the current package cannot alter