



AKaDo 2.0 User Guide

19/04/2016

DATA QUALITY ANALYSIS FOR AVDTH

AKaDo 2.0 User Guide

DATA QUALITY ANALYSIS FOR AVDTH

Summary

INTRODUCTION	2
INSTALLATION	3
USAGE	8
SET OF CONTROLS.....	11
ANAP0 (OT TEAM ONLY)	1
ACKNOWLEDGEMENTS	2

INTRODUCTION

Context

The AKADO tool automatically performs a series of tests on the data and produces summary tables that provide more or less detailed balance anomalies. The new version of AKADO, called “AKaDo 2”, is a fusion of different software developed by the *Tropical Tuna Observatory* team, *i.e.* “BaBys”, “AKADO 4.x” and many SQL queries. The purpose of this new version is to prepare the transition with the electronic logbook based on the ERS.

AKaDo runs with compatible databases with the latest evolution of AVDTH model data (version 3.5). All predicates evaluated since the 3.3 version of the AKADO are included in this version. We also introduced many new controls. Like the previous version, the importation in T3+ shall not include major errors; it is a guarantee that engages the AVDTH technology.

The major point of the previous version was a translation in English and inclusion of comments in report analysis. We kept these evolutions and improved report analysis. We have codified each error encountered to perform detailed statistics if needed.

This version of AKaDo produces a spreadsheet document easy to read on screen. The spreadsheet must improve the treatment results with more effective than a web browser interface.

Prerequisites

To be an user of the AVDTH database, “*Acquisition et Validation des Données Thonières*”, created by the *Tropical Tuna Observatory, Institute of research for development*.

France, Ghana, Mauritius, Senegal, Seychelles and Spain AVDTH database (October 1, 2013).

Miscellaneous

This version of AKaDo is developed by Julien Lebranchu. Contact: [OT support team](#).

This guide was created the 8 July 2014.

The date of the last modification is 19 April 2016 by Julien LEBRANCHU, Sete IRD, 04 99 57 32 00.

Revision number: 356.

INSTALLATION


Preamble

To use AKaDo software, you must have already JAVA installed. You can download JAVA at <https://www.java.com/en/>, and follows the instructions to install it.


Procedure

Run the AKaDo installer by double clicking the “**akado-avdth-installer-XX-standard.jar**” file where XX is the version number; and follow instructions to install or update AKaDo.


1. Press Next to continue.




2. Read the README, and press Next to continue.



3. Accept the AKaDo's licence, and press Next to continue.




4. Select the packages you want to install (only the documentation, the Licence and Readme files are not mandatory).




5. Select the installation path, you can choose your directory by browsing your computer.




6. This panel presents information about the installation. Press Next to continue and begin the installation.



7. The installation is progressing.



8. The installation is done.



How to Uninstall

To uninstall **AKaDo**, you must follow the procedure:

1. You could click on the Uninstaller shortcut if exists in the start menu or you could run the uninstaller which is in the application directory. If you have not changed this directory :
 - o On Windows, the uninstaller file should be in
C:\Obs_Thonier\AKaDo2\Uninstaller;
 - o On Linux the uninstaller file should be in /opt/AKaDo2/Uninstaller.
2. Only if required, you could delete the configuration files:
 - o On Windows, the script file is C:\Obs_Thonier\AKaDo2\delete-config.bat.
 - o On Linux, the script file is /opt/AKaDo2/delete-config.sh

USAGE

To launch AKaDo, you could run the script which is in the application directory¹.

When you run AKaDo, the interface is showed (see Figure 1). There are four menus: File, Option, VMS and Help.

- In the File menu, you can load an AVDTH database or quit the application.
- In the Option menu, you can choose your language (need a restart), you can also turn on/off all inspectors.
- In the VMS menu, you can handle the ANAPO functionalities (for more information see the section “Anapo (OT team only)”, p. 1).
- In the Help menu, you can see the information about AKaDo.




FIGURE 1

For loading a database, you must browse your directories and choose a database file (see Figure 2). You can use the shortcut keyboard **Ctrl+O** or **File>Open....**

¹ If you have not changed this directory, the file should be in **C:\Obs_Thonier\AKaDo2\akado.bat** on Windows and in user home **/opt /AKaDo2//akado.sh** on UNIX/LINUX.




FIGURE 2

Once you have loaded the database, you must press the start button to run the process (see Figure 3). During the processing, the application prints for each invalid control a message². At the end, a result file is generated and the program prints the path on your system. This file is a spreadsheet and it can be opened with different software like **Microsoft Excel** or **LibreOffice Calc**³.

² The message can be of three types: INFO, WARNING and ERROR. We will see thereafter actions to be taken depending on the type of messages.

³ **LibreOffice** is free and open source software; you can download it at <https://www.libreoffice.org/>.





FIGURE 3

Results in the spread sheet

For each group of controls, there is a dedicated file: Trip, Activity... By default, we have realised some conditional formatting. For example, if the catch weight in activity is different to the elementary catches weight then the cell is coloured red (see Figure 4). There is two colours: warnings are in orange and errors are in red.



akado_avdth_result_model.xlsx - LibreOffice Calc

Édition Affichage Insertion Format Outils Données Fenêtre Aide

Arial 10

N3 Côte d'Ivoire/false

	C	D	E	F	G	H	I	J	K	L	M	N
	Landing Date	Activity date	Activity number	Operation	Catch weight	Catch weight expected from elementary catches	School type	Fishing context	Quadrant	Ocean	Ocean AO/IO	In Land/On co line
3	06/01/2014 00:00	22/11/2013 10:00	1	26	0,000	0,000 3 Indéterminé	?	?	4	1	false/false	Côte d'Ivoire
4	06/01/2014 00:00	27/11/2013 09:30	3	1	5,000	0,000 1 Banc sous objet	?	?	4	1	true/false	
5	06/01/2014 00:00	27/11/2013 13:50	4	1	5,000	5,000 1 Banc sous objet	?	?	4	1	true/false	
6	06/01/2014 00:00	02/12/2013 08:40	1	1	16,000	12,000 2 Banc libre	?	?	4	1	true/false	
7	06/01/2014 00:00	10/12/2013 09:25	1	1	20,000	20,000 1 Banc sous objet	?	?	3	1	true/false	
8	06/01/2014 00:00	13/12/2013 15:50	1	1	17,000	17,000 1 Banc sous objet	?	?	4	1	true/false	
9	06/01/2014 00:00	16/12/2013 06:20	1	1	30,000	30,000 1 Banc sous objet	?	?	4	1	true/false	

Feuille 5 / 7 Par défaut Somme=0 100%

FIGURE 4

SET OF CONTROLS

Trip

Activity (Warning)

- ▣ In this case, we check if the trip has at least one activity and the flag “F_ENQ” equals 1.
- Is flag F_ENQ consistent with the official declaration? We check database with application AVDTH -> Landings -> Trip file update -> Logbook?

Fishing Time

- ▣ In this case, we check if the fishing time in trip equals the sum of fishing time in all activities.
- If the values are not equal, you must report the sum value in the “fishing time” in the trip.

Time at Sea

- ▣ In this case, we check if the time at sea in equals the sum of time at sea all activities.
- If the values are not equal, you must report the sum value in the “time at sea” in the trip.

Landing (Warning)

- ▣ We calculate the capacity in tons from the vessel, we check if the capacity is superior of the landing total weight.
- If the landing total weight is superior of the capacity, you must check if the “landing weight” in the trip is correct.

Landing Total Weight

- ▣ We check if the landing total weight is consistent with the elementary landing weight.
- If the values are not equal, you must report the sum value in the “landing weight” in the trip.

Loch (Warning)

- ▣ We check if the value is between 0 and the maximum distance which is calculated from the maximum speed and the number of activities.

Recovery Time

- ▣ We check if the activities are continuous during a trip.
- You must examine if a day is missing in logbook.

Temporal Limit

- ▣ We check if the temporal limits, the first and last day, of the trip are consistent with activities.
- You must check Departure and Arrival date between logbook and landing documents.

Total Catch Weight

- ▣ We check if the total catch weight from activities and elementary catches are equals.
- If the values are not equal, you must check the catch weight in the “Activity” sheet of the result file.

Harbour

- ▣ We check if the departure harbour of the trip and the return harbour of the previous trip are consistent.
- Check if all logbooks have been entered.
- Check with the master if trips have not been in the meantime.

Raising Factor (Info)

- ▣ We calculate the raising factor for all trips (included trip with partial landings).
- If the ratio is not between $0.9 < R < 1.1$ (Landing/Catches), you must inspect the flag partial landing.

EXPLOITATION OF ERRORS

Vessel ID	Engine	Landing Date	Landing Harbour	Departure date	Departure Harbour	Has Logbook	First activity date	Last activity date
401	Grand senneur	06/01/2014	CIABJ	23/11/2013	? CIABJ	0	21/11/2013	06/01/2014
401	Grand senneur	25/02/2014	GHTM	11/01/2014	CIABJ	1	11/01/2014	25/02/2014
427	Canne / congélateur	16/01/2014	SNDKR	27/12/2013	? SNDKR	1	27/12/2013	16/01/2014
427	Canne / congélateur	15/02/2014	SNDKR	18/01/2014	SNDKR	1	18/01/2014	15/02/2014
483	Grand senneur	21/01/2014	CIABJ	30/11/2013	? CIABJ	1	30/11/2013	21/01/2014
490	Grand senneur	05/02/2014	CIABJ		? null	1		
492	Grand senneur	20/02/2014	CIABJ	30/12/2013	? CIABJ	1	30/12/2013	20/02/2014
502	Grand senneur	04/02/2014	CIABJ	21/12/2013	? CIABJ	1	21/12/2013	04/02/2014
703	Grand senneur	03/02/2014	CIABJ	23/01/2014	? CIABJ	1	23/01/2014	03/02/2014
703	Grand senneur	04/03/2014	CIABJ	02/03/2014	CIABJ	1		

The figure above highlights several from errors of various controls⁴:

- In the column 'Departure Harbour', the harbours highlighted correspond to a different harbour between the landing harbour of a previous trip and the departure harbour of this trip.
- In the column "Has logbook", it is important to check the consistency of the value 0 (false) and 1 (true) with the information from the dates of activities.
 - If the value is 1 then the date of the first activity must be populated.
 - And in return, if the value is 0, then the date of the first activity should not be populated.
- In the "First Activity Date" column, the dates highlighted indicate a difference between the departure date of the trip ('Departure Date' column) and the date of the first activity.
- In the "Last Activity Date" column, the dates highlighted indicate a difference between the landing date of the trip ('Landing Date' column) and the date of the last activity.

⁴ Note that we have hidden some columns of the output file for readability.

Vessel ID	Engine	Landing Date	Landing Harbour	Time At Sea	Time At Sea expected	Fishing time	Fishing time Expected	Landing weight	Landing weight Expected	Partial landing Indicator
401	Grand senneur	06/01/2014	CIABJ	1061	1033	506	482	225,272	225,272	1
401	Grand senneur	25/02/2014	GHTM	1080	1080	540	540	823,65	823,65	1
427	Canne / congélateur	16/01/2014	SNDKR	485	461	168	156	65,612	65,612	1
427	Canne / congélateur	15/02/2014	SNDKR	664	664	192	192	37,14	37,04	1
483	Grand senneur	21/01/2014	CIABJ	1217	1217	592	592	668,438	568,438	1
490	Grand senneur	05/02/2014	CIABJ	0	0	0	0	0	0	1
492	Grand senneur	20/02/2014	CIABJ	1197	1197	537	537	785,055	785,055	1
502	Grand senneur	04/02/2014	CIABJ	1037	1037	311	511	748,263	748,263	1
703	Grand senneur	03/02/2014	CIABJ	259	259	119	119	535,906	535,906	1
703	Grand senneur	04/03/2014	CIABJ	72	0	36	0	0	0	1

The figure above shows several errors of various controls⁵:

- In the column "Time at Sea", the highlighted value indicates a difference with the sum of the values 'Time at sea' for all activities of the trip.
- In the column 'Fishing Time', the highlighted value indicates a difference with the sum of the values 'Fishing time' for all activities of the trip.
- In the column "Landing Weight", the highlighted value indicates a difference with the sum of the landed weight of commercial of the trip.

⁵ Note that we have hidden some columns of the output file for readability.

Activity

Fishing Context

- ▣ We check if the school type and the fishing context are consistent.
 - If the school type is an artificial school (code 1), then it must at least one fishing context;
 - If the school type is an artificial school (code 1), then the fishing context code must be equal to 10, 60, 81 or between 20 and 28;
 - If the school type is a free school (code 2), then the fishing context code must **not** be equal to 10, 60, 81 or between 20 and 28.

Operation

- ▣ We check if the operation associated with activity is consistent with other information.
 - If the operation code is 0, then the value of the total catch weight must be equal to 0;
 - If the operation code is 1 or 2, then the value of the total catch weight must not be equal to 0;
 - If the value of the total catch weight isn't equal to 0, then the operation code is 1 or 2;
 - If the operation code is 12, 13 or 14, then the value of the total catch weight must be equal to 0.

Position

- ▣ We check if the position activity is in ocean or inland, and if the position activity and ocean are consistent.
 - If the position is in land, you must inspect the latitude, longitude and quadrant fields.
 - If the position activity and the ocean field are not equal, you must examine these fields and correct it.

Quadrant

- ▣ We check if the quadrant and the position activity are consistency, i.e.
 - ▣ If the quadrant value is 3 or 4, the ocean value must be “Atlantic Ocean”.
 - ▣ If the quadrant value is 3 or 4, the position must be located in “Atlantic Ocean”.
- You must verify the ocean field, the quadrant field and the position field.

Weight

- ▣ We check if the total catch weight is consistent with elementary catches.
 - If the values are not equal, you must report the sum value of elementary catches weight in the activity.

EXPLOITATION OF ERRORS

Vessel Code	Landing Date	Activity date	Activity number	Operation	Catch weight	Catch weight expected from elementary	School type	Fishing context	Quadrant	Ocean	Ocean AO/IO	In Land	Temperature
401	06/01/2014	21/11/2013	1	3	10	0	3 Indéterminé		4	AO	AO		29
401	06/01/2014	22/11/2013	1	26	0	0	3 Indéterminé	24	4	AO	-	Côte d'Ivoire	29
401	06/01/2014	27/11/2013	3	1	5	0	1 Banc sous objet	? 62 24	4	AO	AO		28
401	06/01/2014	02/12/2013	1	1	16	12	2 Banc libre		4	AO	AO		28,9
401	06/01/2014	04/12/2013	1	1	2	2	2 Banc libre	24	4	AO	AO		26,5
401	06/01/2014	06/12/2013	2	1	15	15	1 Banc sous objet	? 62	4	AO	AO		12,5
401	06/01/2014	10/12/2013	1	1	20	20	1 Banc sous objet	?	3	AO	AO		25,3
483	21/01/2014	02/12/2013	1	1	85,8	85,8	2 Banc libre	24	4	AO	AO		28
490	26/01/2014	27/12/2013	3	23	0	0	3 Indéterminé		4	IO	AO		28,4
502	04/02/2014	23/12/2013	1	1	24	24	1 Banc sous objet	? 35	4	AO	AO		32,8
502	04/02/2014	28/12/2013	1	1	11	11	2 Banc libre	24	4	AO	AO		28,5

The figure above shows several errors of various controls⁶:

- In the column "Catch weight", the highlighted value indicates a difference with the sum of the weights of the elementary catch of the activity.
- In the columns "School type" and "Fishing context", the highlighted value indicates an inconsistency between the columns, for example the association.
- In the 'Ocean AO/IO' column, the value is calculated from the positions activity, and there is a highlighting of the associated value in the column «Ocean» when they differ.
- In the column "In Land", the highlighted value indicates that the position is an activity in land.
- In the column "Temperature", the highlighted value indicates that the temperature is not between 15 and 32.

⁶ Note that we have hidden some columns of the output file for readability.

Sample

Activity

- ▣ We check if the activity information for each sample well is consistent.
- You must examine the following information: the date, the activity number, the quadrant, the latitude, the longitude and the school type

Length class

- ▣ We check if the length class is consistent with each length class of species (L=80cm for YFT and BET and L=42cm for ALB).

Species

- ▣ We check if the species sampled is authorised.

Measure

- ▣ We check if the sample species number is consistent with the measure number.

Position

- ▣ We check if the position activity for each sample well is consistent.

Sample without Measure

- ▣ We check if the sample has at least one measure.

Sample without Species

- ▣ We check if the sample has at least one species.

Sample without Trip

- ▣ We check if the sample is linked at one trip.

Super Sample

- ▣ We check if the sub-sample number is consistent.

Well

- ▣ We check if the sample is linked at one trip.

Ratio of little and big fish

- ▣ We check if the percentage of little and big fish sampled is consistent.

Weighting

- ▣ We examine the weighting information for each sample well is consistent.
- ▣ If the vessel engine is a purse seine, the sample weight must be inferior to 100kg.
- ▣ If the vessel engine is a purse seine, the weighted weight must be inferior to the weight and the ration between weighted weight and the weight must be superior or equal to 0,85.
- ▣ If the vessel engine is a bait boat,

EXPLOITATION OF ERRORS

Vessel ID	Landing Date	Trip exist	Activity	Activity Position	F _{EN} Q	Sampling number	Subsampling number	Sampling weight M10	Sampling weight P10	Sampling global weight
401	06/01/2014	VRAI			0	2	1	13	3	18
401	06/01/2014	VRAI			0	2	1	13	3	18
401	06/01/2014	VRAI			0	2	1	13	3	18
401	06/01/2014	VRAI			0	2	1	13	3	18
401	06/01/2014	VRAI			0	2	1	13	3	18
401	06/01/2014	VRAI			0	3	2	56	0	
401	09/01/2014	FAUX	? 24/12/2013, 1		-1	1	0	22	5	0
427	16/01/2014	VRAI			1	1	0	0	0	32
427	16/01/2014	VRAI			1	2	0	0	0	31
427	15/02/2014	VRAI	? 06/02/2014, 1	06/02/2014, 1: 4 ? 1120 1933	1	1	0	0	0	28
482	27/01/2014	VRAI	? 18/01/2014, 2	18/01/2014, 2: 2 56 ? 258	1	14	0	0	65	0
483	21/01/2014	VRAI	? 02/12/2013, 1	02/12/2013, 1: 4 31 127	1	4	1	48	1	0

The figure above shows several errors of various controls⁷:

- In the column "Sampling overall weight", the highlighted value means that the column should be 0 if the values for the columns "Sampling weight M10" and "Sampling weight P10" are different from 0, or vice versa.
- In the column 'Trip exist', the highlighted value means that the sample is not bound to a trip.
- In the "Activity" column, the highlighted value means that the sample is not associated with a well.
- In the "Activity" and "Activity position", the highlighted columns mean that the associated activity does not exist. Moreover, we specify if possible the field posing problem using the marker "?" with a blue color.

⁷ Note that we have hidden some columns of the output file for readability.

ID	Landing Date	Sampling weight M10	Sampling weight P10	Sampling global weight	S_Poids	S_Pond	Species	Length class (Count)	LDLF	Measured count	Sample Freq count	Little	Big	Has Well	Distribution +10/-10
401	06/01/2014	13	3	18	18	20	1	-	1	156	156	0.89	0.11	VRAI	
401	06/01/2014	13	3	18	18	20	1	-	2	156	156	0.89	0.11	VRAI	
401	06/01/2014	13	3	18	18	20	2	-	!!1!!	156	156	0.89	0.11	VRAI	
401	06/01/2014	13	3	18	18	20	3	-	2	156	156	0.89	0.11	VRAI	
401	06/01/2014	13	3	18	18	20	4 ?LD1	60.0(2)	1	156	156	0.89	0.11	VRAI	
401	06/01/2014	56	0	0	56	66	1	-	?1	200	200	0.0	1.0	VRAI	401 06/01/2014 7 2
401	06/01/2014	56	0	0	56	66	3	-	?1	200	200	0.0	1.0	VRAI	401 06/01/2014 7 2
401	06/01/2014	56	0	0	56	66	1 ?LD1	82.0(1)	?1	200	200	0.0	1.0	VRAI	401 06/01/2014 7 2
401	06/01/2014	56	0	0	56	66	3	-	?1	200	200	0.0	1.0	VRAI	401 06/01/2014 7 2
401	09/01/2014	22	5	0	27	50	-	-	-	131	121	-	-	FAUX	
483	21/01/2014	0	48	0	48	52	?7	37.0(3)	1	200	200	0.5	0.5	VRAI	
483	21/01/2014	0	48	0	48	52	?7	38.0(4)	1	200	200	0.5	0.5	VRAI	

The figure above shows several errors of various controls⁸:

- In the column 'Species', the highlighted values can mean the following errors:
 - If the case code is preceded by a "?", this means that the species should not be sampled;
 - If the case code is followed by "? LD1", this means that there is an error on the classes of sizes.
 - The maximum size for YFT class (1) and BET (3) is 55cm.
 - The maximum size for AB class (4) is 42cm.
- In the "LDLF" column, the highlighted values can mean the following errors:
 - If the LDLF code is framed of "!", it means that the species code is incompatible with this value of LDLF.
 - If the LDLF code is preceded of "? ", this means that the values filled in columns "Sampling weight M10", "Sampling weight P10" and "Sampling overall weight" are inconsistent with this value of LDLF.
 - If LDLF equal 1 or 3 while PM10 or overall weight must be greater than 0 or "warning."
 - If equal LDLF 2 then M10 or overall weight must be greater than 0 or "warning."
- In the column "Measured count", the highlighted value means the number of measure is different from the number of measured individuals.

⁸ Note that we have hidden some columns of the output file for readability.

- In the column "Has well", the highlighted value means that it has no tank associated with the sample.
- In the column ' Distribution + 10 /-10 ', the highlighted value means that the distribution values - 10 / + 10 are inconsistent with that of the postponed well.

Well

Activity

- ▣ We check if the activity information for each well plan is consistent. We examine the date and the number.
- You must examine in the well plan the date and the number of the activity.
- You must check if the logbook is in AVDTH.

Well without Trip

- ▣ We check if the well is associated at one trip existing.
- You must enter the logbook in AVDTH.

Well without Well Plan

- ▣ We check if the well is associated at least one well plans existing.

EXPLOITATION OF ERRORS

Vessel ID	Engine	Landing Date	Trip exist	Well plan empty	Activity Date	Activity Number	Well Number	Activity exist
401	Grand senneur	06/01/2014	VRAI	FAUX	24/12/2013	1	2	FAUX
401	Grand senneur	06/01/2014	VRAI	FAUX	24/12/2013	1	2	FAUX
401	Grand senneur	06/01/2014	VRAI	FAUX	16/12/2013	1	3	VRAI
401	Grand senneur	06/01/2014	VRAI	FAUX	16/12/2013	1	3	VRAI
401	Grand senneur	06/01/2014	VRAI	FAUX	24/12/2013	1	3	FAUX
401	Grand senneur	06/01/2014	VRAI	FAUX	24/12/2013	1	3	FAUX
401	Grand senneur	25/02/2014	VRAI	FAUX	02/02/2014	1	3	VRAI
401	Grand senneur	25/02/2014	VRAI	FAUX	02/02/2014	1	3	VRAI
492	Grand senneur	20/02/2014	VRAI	VRAI		0	5	FAUX
492	Grand senneur	20/02/2014	VRAI	VRAI		0	8	FAUX
502	Grand senneur	04/02/2014	VRAI	FAUX	22/12/2013	1	2	VRAI
502	Grand senneur	04/02/2014	VRAI	FAUX	23/12/2013	1	2	VRAI
502	Grand senneur	04/02/2014	VRAI	FAUX	25/12/2013	8	2	FAUX
502	Grand senneur	04/02/2014	VRAI	FAUX	28/12/2013	1	2	VRAI
502	Grand senneur	04/02/2014	VRAI	FAUX	30/12/2013	1	2	VRAI
703	Grand senneur	04/03/2014	VRAI	FAUX	02/03/2014	1	1	FAUX
703	Grand senneur	19/06/2014	FAUX	VRAI		0	2	FAUX

The figure above shows several errors of various controls⁹:

- In the column 'Trip exist', the highlighted element indicates that the well is not linked to a trip.
- In the column 'Well Plan exist', the highlighted element indicates if the well is missing.
- In the column "Activity exist", the highlighted element indicates that the activity associated with the well (regarding the date and the number of activity) dont exist.

⁹ Note that we have hidden some columns of the output file for readability.

ANAPO (OT TEAM ONLY)

See the French version of this guide.

ACKNOWLEDGEMENTS

Jean-Jacques Lechauve and Laurent Floc'h for the development of the previous version.

Pascal Cauquil, Jean-Jacques Lechauve for the development of the AVDTH database.

Pierre Chavance, Emmanuel Chassot, Patrice Dewals and Alain Damiano for their scientific and fisheries information.

Pierre Lopez for the design of the logo on the front page.