

Orange County Department of Health: Annual Data Review Guide

Summary for 2025

The guide provides a comprehensive review of the most current data available stratified by Prevention Agenda Area for Orange County and New York State. Where available, trends from the previous year and comparison data from New York State are included. Below are the key summary points. The full updated 2025 Community Health Assessment Data Review Guide can be found here: <https://www.orangecountygov.com/2325/Reports-Assessments>

Key Summary Points

Which health metrics contribute **MOST** to mortality each year?

- Heart disease and cancer are the leading causes of death in 2022, followed by unintentional injury (accidents), COVID-19, and chronic lower respiratory diseases. The leading cause of premature death (death before age 75) in 2022 was cancer followed by heart disease, unintentional injury, COVID-19, and diabetes.¹

Which health metrics are getting **WORSE**?

- Premature deaths (before age 65 years), difference in percentages between Black non-Hispanics and White non-Hispanics
- Premature deaths (before age 65 years), difference in percentages between Hispanics and White non-Hispanics
- Percentage of population in poverty
- Percentage of children aged <18 years below poverty
- Percent of labor force unemployed
- Percentage of adults with obesity
- Percentage of children and adolescents with obesity
- Food insecurity rate
- Percentage of cigarette smoking among adults with income less than \$25,000
- Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines
- Asthma emergency department visits, rate per 10,000, aged 0-17 years
- Age-Adjusted Cirrhosis mortality rate per 100,000
- Assault-related hospitalizations, rate per 10,000 population
- Assault-related hospitalizations, ratio of rates between Black non-Hispanics and White non-Hispanics
- Assault-related hospitalizations, ratio of rates between Hispanics and White non-Hispanics
- Alcohol related motor vehicle injuries and deaths per 100,000
- Percentage of births with late (initiated during third trimester) or no prenatal care
- Child and adolescent mortality rate per 100,000 population aged 10-19 years
- Neonatal deaths rate per 1,000 live births

Which health metrics are getting **BETTER**?

- Percentage of deaths that are premature (before age 65 years)
- Age-adjusted percentage of adults who have a regular health care provider
- Percentage of adults who participate in leisure-time physical activity
- Age-adjusted heart attack mortality rate per 100,000
- Asthma hospitalization rate per 10,000, aged 0-4 years

¹Vital Statistics Data as of April 2024

- Age-adjusted asthma hospitalization rate per 10,000
- Age-adjusted chronic lower respiratory disease hospitalization rate per 10,000
- Age-adjusted all cancer mortality rate per 100,000
- Age-adjusted female breast cancer mortality rate per 100,000
- Age-adjusted colon and rectum cancer mortality rate per 100,000
- Opioid deaths crude rate per 100,000
- Suicide mortality among youth, rate per 100,000, aged 15-19 years
- Age-adjusted self-inflicted injury hospitalization rate per 10,000
- Driving While Intoxicated (DWI) Arrests- Vehicle and Traffic Law Section 1192
- Age-adjusted homicide mortality rate per 100,000
- Percentage of people who commute to work using alternate modes of transportation (e.g., public transportation, carpool, bike/walk) or who telecommute
- Incidence of confirmed high blood lead level (10 micrograms or higher per deciliter) - rate per 1,000 tested children aged <72 months

Where is Orange County FALLING BEHIND the New York State indicators?

- Percentage of deaths that are premature (before age 65 years)
- Percentage of premature deaths (< 75 years)
- Potentially preventable hospitalizations among adults, age-adjusted rate per 10,000
- Percentage of children aged <18 years below poverty
- Age-adjusted percentage of adults who did not receive medical care because of cost
- Percentage of renter occupied units in which gross rent is 30% or more of household income
- Percentage of adults with obesity
- Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines
- Percentage of adults who receive a colorectal cancer screening based on the most recent guidelines, aged 50-64 years
- Age-adjusted percentage of adults diagnosed with prediabetes
- Age-adjusted cardiovascular disease hospitalization rate per 10,000
- Age-adjusted cerebrovascular disease (stroke) hospitalization rate per 10,000
- Asthma emergency department visits, rate per 10,000, aged 0-17 years
- Age-adjusted asthma hospitalization rate per 10,000
- Age-adjusted chronic lower respiratory disease hospitalization rate per 10,000
- Age-adjusted all cancer mortality rate per 100,000
- Age-adjusted female breast cancer mortality rate per 100,000
- Age-adjusted colon and rectum cancer mortality rate per 100,000
- Age-adjusted lung and bronchus cancer incidence rate per 100,000
- Age-adjusted chronic kidney disease emergency department visit rate per 10,000 (any diagnosis)
- Overdose deaths involving any opioid, age-adjusted rate per 100,000 population
- Suicide mortality, age-adjusted rate per 100,000 population
- Alcohol related motor vehicle injuries and deaths per 100,000
- Driving While Intoxicated (DWI) Arrests- Vehicle and Traffic Law Section 1192
- Percentage of residents served by community water systems that have optimally fluoridated water
- Elevated blood lead levels (greater than or equal to 10 micrograms per deciliter) per 100,000 employed persons aged 16 years and older

- Percentage of 24-35-month old children with the 4:3:1:3:3:1:4 immunization series
- Percentage of 2 year olds up to date on age appropriate vaccines
- Early syphilis case rate per 100,000
- Age-adjusted primary and secondary syphilis case rate per 100,000 males
- Primary and secondary syphilis age-adjusted rate per 100,000 total
- Newly reported cases of Hepatitis C (chronic, acute, and perinatal cases) rate per 100,000, excluding cases in persons incarcerated in DOCCS facilities
- Percentage of HPV vaccination coverage among county girls and boys aged 13 years
- Percentage of births with early (1st trimester) prenatal care
- Percentage of births with adequate prenatal care
- Percentage of births with late (initiated during third trimester) or no prenatal care
- Teen birth rate per 1,000 females ages 15-19
- Percentage of births that are Medicaid or self-pay

Where are the DISPARITIES?

- Non-Hispanic Black and Hispanic residents experience higher rates than non-Hispanic White residents in many health indicators where data are available. Examples include:
 - Premature deaths (before age 75 years)
 - Unemployment
 - Lack of health insurance
 - Poverty
 - Food insecurity
 - Hospitalizations and mortality due to diabetes
 - Asthma hospitalizations
 - Premature and low birthweight births
 - Infant mortality
- Additionally, non-Hispanic Black residents experience higher rates than other racial and ethnic groups in the following indicators:
 - Total mortality and years of potential life lost
 - Potentially preventable hospitalizations
 - Unintentional injury mortality
 - Hospitalizations and mortality due to heart disease
 - Hospitalizations and mortality due to cerebrovascular disease (stroke)
 - Chronic Lower Respiratory Disease (CLRD) hospitalizations
 - Female breast cancer mortality
 - Colorectal cancer mortality
 - Prostate cancer incidence and mortality
- Non-Hispanic Asian, Native Hawaiian, and other Pacific Islander residents experience higher rates compared to some other racial and ethnic groups in some health indicators, including:
 - Premature death (before age 75 years)
 - Uninsured
 - Speak English less than very well
 - Mortality due to cerebrovascular disease (stroke)
 - Female Medicare enrollees (65-74 yrs) receiving annual mammography screening
 - Premature and low birthweight births

Which New York State Prevention Agenda indicator goals are **UNMET?**

- Premature deaths (before age 65 years)
- Percentage of adults aged 18-64 years with health insurance
- Percentage of adults with obesity
- Percentage of children and adolescents with obesity
- Percentage of cigarette smoking among adults with income less than \$25,000
- Suicide mortality, age-adjusted rate per 100,000 population
- Assault-related hospitalizations, ratio of rates between Black non-Hispanics and White non-Hispanics
- Percentage of people who commute to work using alternate modes of transportation (e.g., public transportation, carpool, bike/walk) or who telecommute
- Percentage of residents served by community water systems that have optimally fluoridated water
- Percentage of 24-35-month old children with the 4:3:1:3:3:1:4 immunization series
- Percentage of women with a preventive medical visit in the past year, aged 18-44 years
- Maternal mortality, rate per 100,000 live births
- Child and adolescent mortality rate per 100,000 population aged 10-19 years