



# PLATINUM

BY PTI

## Prestigious by Nature

Introducing Platinum, the  
ultimate solution for your cash  
acceptance needs.

Platinum's best-in-class validation  
technology elevates fast transactions.  
Our state-of-the-art design handles cash  
like never before--say goodbye to those  
frustrating errors and delays! Platinum  
quickly and accurately validates currency,  
ensuring swift and secure transactions  
every time. Performance meets prestige in  
Platinum by PTI.



**PYRAMID**  
TECHNOLOGIES, INC.

**Inc.**  
**500**  
AMERICA'S  
FASTEST  
GROWING  
PRIVATE  
COMPANIES





## Under the Hood

Automatic self-calibration, along with all the accessories and options you need to get the job done.

Platinum is the currency validator of choice for today's premiere machine operators and manufacturers.

## Specifications

Warranty: 2 years, parts and labor (See Limited Warranty Section).

Operating Voltage 12 VDC +- 10 % (120 VAC and MDB 24V optional).

Operating Currents Idle, 150 mA.

Operating, 2.2 A Max.

Operating Temperature 0 to 60 C, 90% Maximum Non-Condensing Humidity.

Acceptance Rate: Greater than 95%.

Acceptance Speed:  
Approx. 27 bills per minute.

Net Weight: 2.45 lbs. / 1.11 kg.

## Security



Lockable, removable cash box available.

The highest security against fraudulent bills.

Dual-stage optical anti-stringing technology.

Mechanical Anti-Stringing lever (MAS).

**\*\*Platinum supports a large number of currencies including multiple currencies supported in one firmware. Please contact your sales representative to learn more.**



## Flexibility

Simple PC Configuration.

Firmware updated via USB Drive.

Bills up to 78 mm wide accepted.

150, 500, and larger bill cassettes available, please contact.

Many Industry Interfaces supported: Pulse, MDB, RS-232, USB, 600 Baud.

Auto-Calibration - the unit never needs calibration.

Unparalleled diagnostic features.

## Model Number Description

**PTI - XXX - XX - ISO**

X - Cashbox Type  
L - Locking

X - Cashbox Capacity  
A - 150 Note  
B - 500 Note

X - Power Supply  
1 - 12 VDC  
3 - 120 VAC  
4 - MDB (24VAC)

XX - Bill Path Width  
67 - Notes up to 67 mm  
72 - Notes up to 72 mm  
78 - Notes up to 78 mm

ISO - Country Code  
Please specify the currency you wish to accept when placing an order.  
USA - United States  
CAN - Canada  
EUR - European Union



sales@pyramidacceptors.com  
+1 480-507-0088  
pyramidacceptors.com



**PYRAMID**  
TECHNOLOGIES, INC.