GnuCOBOL Sample Programs

For Version 3.2 - Final [9 April 2025 at 19:00 GMT.], for 3.3 and 4.0 (partial & tentative only).

Gary L. Cutler (`cutlergl@gmail.com`).
For updates Vincent B. Coen (`vbcoen@gmail.com`).

This manual documents GnuCOBOL 3.2 - Final, 9 April 2025 at 19:00 GMT. build.

Table of Contents

1 FileStat-Msgs

The FileStat-Msgs.cpy copybook contains an EVALUATE statement to translate the two-digit file status codes that may be generated by file I/O statements.

The copybook assumes that the file status data item name is "STATUS" and the error message data item is named "MSG". By using the COPY statement's REPLACING clause, however, you may use the data names you wish, as follows:

```
COPY FileStat-Msgs
     REPLACING STATUS BY file-status-data-item-name
               MSG    BY error-message-data-item-name
```

Here's the current FileStat-Msgs.cpy copybook:

```
EVALUATE STATUS
    WHEN 00 MOVE 'SUCCESS                 ' TO MSG
    WHEN 02 MOVE 'SUCCESS DUPLICATE       ' TO MSG
    WHEN 04 MOVE 'SUCCESS INCOMPLETE      ' TO MSG
    WHEN 05 MOVE 'SUCCESS OPTIONAL        ' TO MSG
    WHEN 06 MOVE 'LS Multiple records     ' TO MSG
    WHEN 07 MOVE 'SUCCESS NO UNIT         ' TO MSG
    WHEN 10 MOVE 'END OF FILE             ' TO MSG
    WHEN 14 MOVE 'OUT OF KEY RANGE        ' TO MSG
    WHEN 21 MOVE 'KEY INVALID             ' TO MSG
    WHEN 22 MOVE 'KEY EXISTS              ' TO MSG
    WHEN 23 MOVE 'KEY NOT EXISTS          ' TO MSG
    WHEN 24 MOVE 'KEY BOUNDARY VIOLATION  ' TO MSG
    WHEN 30 MOVE 'PERMANENT ERROR         ' TO MSG
    WHEN 31 MOVE 'INCONSISTENT FILENAME   ' TO MSG
    WHEN 34 MOVE 'BOUNDARY VIOLATION      ' TO MSG
    WHEN 35 MOVE 'FILE NOT FOUND          ' TO MSG
    WHEN 37 MOVE 'PERMISSION DENIED       ' TO MSG
    WHEN 38 MOVE 'CLOSED WITH LOCK        ' TO MSG
    WHEN 39 MOVE 'CONFLICT ATTRIBUTE      ' TO MSG
    WHEN 41 MOVE 'ALREADY OPEN            ' TO MSG
    WHEN 42 MOVE 'NOT OPEN                ' TO MSG
    WHEN 43 MOVE 'READ NOT DONE           ' TO MSG
    WHEN 44 MOVE 'RECORD OVERFLOW         ' TO MSG
    WHEN 46 MOVE 'READ ERROR              ' TO MSG
    WHEN 47 MOVE 'INPUT DENIED            ' TO MSG
    WHEN 48 MOVE 'OUTPUT DENIED           ' TO MSG
    WHEN 49 MOVE 'I/O DENIED              ' TO MSG
    WHEN 51 MOVE 'RECORD LOCKED           ' TO MSG
    WHEN 52 MOVE 'END-OF-PAGE             ' TO MSG
    WHEN 57 MOVE 'I/O LINAGE              ' TO MSG
    WHEN 61 MOVE 'FILE SHARING FAILURE    ' TO MSG
    WHEN 71 MOVE 'BAD CHARACTER           ' TO MSG
    WHEN 91 MOVE 'FILE NOT AVAILABLE      ' TO MSG
    WHEN OTHER MOVE 'UNKNOWN ERROR        ' TO MSG
END-EVALUATE.
```

2 COBDUMP

COBDUMP is a useful little utility subroutine to produce a formatted hexadecimal and character dump of the data area passed to it.

If you follow the GnuCOBOL forums, you've undoubtedly heard about the CBL_OC_DUMP subroutine that was the winning entry in a GnuCOBOL programming contest. It's a great tool for producing data dumps, and it's now included in the official GnuCOBOL distributions.

For now though, I'll keep using my good ol' "COBDUMP" routine. It's been my travelling companion from COBOL job to COBOL job since 1971. Here it is, all tuned up for GnuCOBOL, with new tires and a fresh coat of paint.

In addition to general GnuCOBOL concepts, this program provides a useful demonstration of the following:

- Coding a GnuCOBOL subroutine
- Using `USAGE POINTER` data items
- Using the `ANY LENGTH` data item attribute
- Coding for an `OPTIONAL` subprogram argument
- Using the `NUMBER-OF-CALL-PARAMETERS` special register
- Using the `C$PRINTABLE` built-in system subroutine

The program source and cross-reference listing, produced using the GnuCOBOL Interactive Compiler front-end (GCic.cbl, one of the sample programs included here), begins on the next page.

```
GNUCOBOL 3.1.2 06MAR202 Source Listing                              2022/03/06
                                                                   COBDUMP.cbl
Line    Statement                                                     Page: 1
====== =========================================================================
     1        >>SOURCE FORMAT IS FIXED
     2         IDENTIFICATION DIVISION.
     3         PROGRAM-ID.   COBDUMP.
     4        *>*********************************************************
     5        *> This is an OpenCOBOL subroutine that will generate a      **
     6        *> formatted Hex/Char dump of a storage area.  To use this   **
     7        *> subroutine, simply CALL it as follows:                    **
     8        *>                                                            **
     9        *> CALL "COBDUMP" USING <data-item>                          **
    10        *>                   [ <length> ]                            **
    11        *>                                                           **
    12        *> If specified, the <length> argument specifies how many    **
    13        *> bytes of <data-item> are to be dumped.  If absent, all of **
    14        *> <data-item> will be dumped (i.e. LENGTH(<data-item>) will **
    15        *> be assumed for <length>).                                 **
    16        *>                                                           **
    17        *> >>> Note that the subroutine name MUST be specified in  <<< **
    18        *> >>> UPPERCASE                                          <<< **
    19        *>                                                           **
    20        *> The dump is generated to STDERR, so you may pipe it to a   **
    21        *> file when you execute your program using "2> file".        **
    22        *>                                                           **
    23        *> AUTHOR:      GARY L. CUTLER                               **
    24        *>                                                           **
    25        *> NOTE:        The author has a sentimental attachment to    **
    26        *>              this subroutine - it's been around since 1971 **
    27        *>              and it's been converted to and run on 10 dif- **
    28        *>              ferent operating system/compiler environments **
    29        *>                                                           **
    30        *> DATE-WRITTEN: October 14, 1971                            **
    31        *>                                                           **
    32        *>*********************************************************
    33        *>  DATE  CHANGE DESCRIPTION                                 **
    34        *> ====== ================================================= **
    35        *> GC1071 Initial coding - Univac Dept. of Defense COBOL '68  **
    36        *> GC0577 Converted to Univac ASCII COBOL (ACOB) - COBOL '74  **
    37        *> GC1182 Converted to Univac UTS4000 COBOL - COBOL '74 w/    **
    38        *>        SCREEN SECTION enhancements                        **
    39        *> GC0883 Converted to Honeywell/Bull COBOL - COBOL '74       **
    40        *> GC0983 Converted to IBM VS COBOL - COBOL '74               **
    41        *> GC0887 Converted to IBM VS COBOL II - COBOL '85            **
    42        *> GC1294 Converted to Micro Focus COBOL V3.0 - COBOL '85 w/  **
    43        *>        extensions                                         **
    44        *> GC0703 Converted to Unisys Universal Compiling System (UCS) **
    45        *>        COBOL (UCOB) - COBOL '85                            **
    46        *> GC1204 Converted to Unisys Object COBOL (OCOB) - COBOL 2002 **
    47        *> GC0609 Converted to OpenCOBOL 1.1 - COBOL '85 w/ some COBOL **
    48        *>        2002 features                                      **
    49        *> GC0410 Enhanced to make 2nd argument (buffer length)       **
    50        *>        optional                                          **
    51        *> GC0211 Ported to IBM Enterprise COBOL                     **
    52        *> GC0612 Updated for OpenCOBOL 2.0                          **
    53        *> VC0322 Moved lines only with . to end of previous statement **
```

====== ===
```
    54        *>         Fix for bug #816 by making WS-Buffer-Byte-NUM          **
    55        *>         UNSIGNED                                               **
    56        *>**************************************************************
    57         ENVIRONMENT DIVISION.
    58         CONFIGURATION SECTION.
    59         REPOSITORY.
    60             FUNCTION ALL INTRINSIC.
    61         DATA DIVISION.
    62         WORKING-STORAGE SECTION.
    63         01  WS-Addr-PTR                       USAGE POINTER.
    64         01  WS-Addr-NUM REDEFINES WS-Addr-PTR
    65                                               USAGE BINARY-LONG.
    66
    67         01  WS-Addr-SUB                       USAGE BINARY-CHAR.
    68
    69         01  WS-Addr-Value-NUM                 USAGE BINARY-LONG.
    70
    71         01  WS-Buffer-Byte-CHR.
    72             05 WS-Buffer-Byte-NUM             USAGE BINARY-CHAR
    73                                                   UNSIGNED.
    74
    75         01  WS-Buffer-Length-NUM             USAGE BINARY-LONG.
    76
    77         01  WS-Buffer-SUB                     PIC 9(4) COMP-5.
    78
    79         01  WS-Hex-Digit-TXT VALUE '0123456789ABCDEF'.
    80             05 WS-Hex-Digit-CHR               OCCURS 16 TIMES
    81                                               PIC X(1).
    82
    83         01  WS-Nibble-SUB                     PIC 9(1) COMP-5.
    84
    85         01  WS-Nibble-Left-SUB               PIC 9(1) COMP-5.
    86
    87         01  WS-Nibble-Right-SUB             PIC 9(1) COMP-5.
    88
    89         01  WS-Output-Detail-TXT.
    90             05 WS-OD-Addr-TXT.
    91                 10 WS-OD-Addr-Hex-CHR         OCCURS 8 TIMES PIC X.
    92             05 FILLER                         PIC X(1).
    93             05 WS-OD-Relative-Byte-NUM       PIC Z(3)9.
    94             05 FILLER                         PIC X(1).
    95             05 WS-OD-Hex-TXT                  OCCURS 16 TIMES.
    96                 10 WS-OD-Hex-1-CHR            PIC X.
    97                 10 WS-OD-Hex-2-CHR            PIC X.
    98                 10 FILLER                     PIC X.
    99             05 WS-OD-ASCII-Data-TXT.
   100                 10 WS-OD-ASCII-CHR            OCCURS 16 TIMES
   101                                               PIC X.
   102         01  WS-Output-SUB                     PIC 9(2) COMP-5.
   103
   104         >>SOURCE FORMAT IS FREE
   105         01  WS-Output-Header-1-TXT.
   106             05 VALUE '<-Addr-> Byte <--------------- Hexadecimal ''--------------> <---
```

```
GNUCOBOL 3.1.2 06MAR202 Source Listing                              2022/03/06
                                                                    COBDUMP.cbl
Line    Statement                                                   Page: 3
====== ==========================================================================
  107 - Char ---->' PIC X(80).
  108
  109       01  WS-Output-Header-2-TXT.
  110           05 VALUE '======== ==== ============================================ ======
  111 =========' PIC X(80).
  112       >>SOURCE FORMAT IS FIXED
  113
  114       LINKAGE SECTION.
  115       01  L-Buffer-TXT                         PIC X ANY LENGTH.
  116
  117       01  L-Buffer-Length-NUM                  USAGE BINARY-LONG.
  118
  119       PROCEDURE DIVISION USING L-Buffer-TXT,
  120                            OPTIONAL L-Buffer-Length-NUM.
  121       000-Main SECTION.
  122           IF NUMBER-OF-CALL-PARAMETERS = 1
  123               MOVE LENGTH(L-Buffer-TXT) TO WS-Buffer-Length-NUM
  124           ELSE
  125               MOVE L-Buffer-Length-NUM  TO WS-Buffer-Length-NUM
  126           END-IF
  127           MOVE SPACES TO WS-Output-Detail-TXT
  128           SET WS-Addr-PTR TO ADDRESS OF L-Buffer-TXT
  129           PERFORM 100-Generate-Address
  130           MOVE 0 TO WS-Output-SUB
  131           DISPLAY WS-Output-Header-1-TXT UPON SYSERR
  132           DISPLAY WS-Output-Header-2-TXT UPON SYSERR
  133           PERFORM VARYING WS-Buffer-SUB FROM 1 BY 1
  134                   UNTIL WS-Buffer-SUB > WS-Buffer-Length-NUM
  135               ADD 1 TO WS-Output-SUB
  136               IF WS-Output-SUB = 1
  137                   MOVE WS-Buffer-SUB TO WS-OD-Relative-Byte-NUM
  138               END-IF
  139               MOVE L-Buffer-TXT (WS-Buffer-SUB : 1)
  140                 TO WS-OD-ASCII-CHR (WS-Output-SUB)
  141                    WS-Buffer-Byte-CHR
  142               DIVIDE WS-Buffer-Byte-NUM BY 16
  143                   GIVING WS-Nibble-Left-SUB
  144                   REMAINDER WS-Nibble-Right-SUB
  145               ADD 1 TO WS-Nibble-Left-SUB
  146                       WS-Nibble-Right-SUB
  147               MOVE WS-Hex-Digit-CHR (WS-Nibble-Left-SUB)
  148                 TO WS-OD-Hex-1-CHR  (WS-Output-SUB)
  149               MOVE WS-Hex-Digit-CHR (WS-Nibble-Right-SUB)
  150                 TO WS-OD-Hex-2-CHR  (WS-Output-SUB)
  151               IF WS-Output-SUB = 16
  152                   CALL "C$PRINTABLE" USING WS-OD-ASCII-Data-TXT
  153                   DISPLAY WS-Output-Detail-TXT UPON SYSERR
  154                   MOVE SPACES TO WS-Output-Detail-TXT
  155                   MOVE 0 TO WS-Output-SUB
  156                   SET WS-Addr-PTR UP BY 16
  157                   PERFORM 100-Generate-Address
  158               END-IF
  159           END-PERFORM
```

====== ===
```
   160          IF WS-Output-SUB > 0
   161              CALL "C$PRINTABLE" USING WS-OD-ASCII-Data-TXT
   162              DISPLAY WS-Output-Detail-TXT UPON SYSERR
   163          END-IF
   164          EXIT PROGRAM.
   165
   166      100-Generate-Address SECTION.
   167          MOVE 8 TO WS-Addr-SUB
   168          MOVE WS-Addr-NUM TO WS-Addr-Value-NUM
   169          MOVE ALL '0' TO WS-OD-Addr-TXT
   170          PERFORM WITH TEST BEFORE UNTIL WS-Addr-Value-NUM = 0
   171              DIVIDE WS-Addr-Value-NUM BY 16
   172                  GIVING WS-Addr-Value-NUM
   173                  REMAINDER WS-Nibble-SUB
   174              ADD 1 TO WS-Nibble-SUB
   175              MOVE WS-Hex-Digit-CHR (WS-Nibble-SUB)
   176                TO WS-OD-Addr-Hex-CHR (WS-Addr-SUB)
   177              SUBTRACT 1 FROM WS-Addr-SUB
   178          END-PERFORM
   179              .
```

```
GNU COBOL 2.1 23NOV2013 Cross-Reference Listing                        2014/03/27
                              C:/Users/tda010/Documents/Programs/Samples/COBDUMP.cbl
PROGRAM-ID     Identifier/Register/Function     Defn  Where Defined   References       Page: 5
==============  ===============================  ======  ===============  ========================
COBDUMP         000-Main                          116 PROCEDURE
COBDUMP         100-Generate-Address              161 PROCEDURE         124    152
COBDUMP         L-Buffer-Length-NUM               112 LINKAGE           115    120
COBDUMP         L-Buffer-TXT                      110 LINKAGE           114    118    123
                                                                        134
COBDUMP         NUMBER-OF-CALL-PARAMETERS             PROCEDURE         117
COBDUMP         WS-Addr-NUM                        61 WORKING-STORAGE   163
COBDUMP         WS-Addr-PTR                        60 WORKING-STORAGE    61    123*   151*
COBDUMP         WS-Addr-SUB                        64 WORKING-STORAGE   162*   171    172
COBDUMP         WS-Addr-Value-NUM                  66 WORKING-STORAGE   163*   165    166
                                                                        167*
COBDUMP         WS-Buffer-Byte-CHR                 68 WORKING-STORAGE   136
COBDUMP         WS-Buffer-Byte-NUM                 69 WORKING-STORAGE   137
COBDUMP         WS-Buffer-Length-NUM               71 WORKING-STORAGE   118*   120*   129
COBDUMP         WS-Buffer-SUB                      73 WORKING-STORAGE   128*   129    132
                                                                        134
COBDUMP         WS-Hex-Digit-CHR                   76 WORKING-STORAGE   142    144    170
COBDUMP         WS-Hex-Digit-TXT                   75 WORKING-STORAGE
COBDUMP         WS-Nibble-Left-SUB                 81 WORKING-STORAGE   138*   140*   142
COBDUMP         WS-Nibble-Right-SUB                83 WORKING-STORAGE   139*   141*   144
COBDUMP         WS-Nibble-SUB                      79 WORKING-STORAGE   168*   169*   170
COBDUMP         WS-OD-Addr-Hex-CHR                 87 WORKING-STORAGE   171*
COBDUMP         WS-OD-Addr-TXT                     86 WORKING-STORAGE   164*
COBDUMP         WS-OD-ASCII-CHR                    96 WORKING-STORAGE   135*
COBDUMP         WS-OD-ASCII-Data-TXT               95 WORKING-STORAGE   147C   156C
COBDUMP         WS-OD-Hex-1-CHR                    92 WORKING-STORAGE   143*
COBDUMP         WS-OD-Hex-2-CHR                    93 WORKING-STORAGE   145*
COBDUMP         WS-OD-Hex-TXT                      91 WORKING-STORAGE
COBDUMP         WS-OD-Relative-Byte-NUM            89 WORKING-STORAGE   132*
COBDUMP         WS-Output-Detail-TXT               85 WORKING-STORAGE   122*   148    149*
                                                                        157
COBDUMP         WS-Output-Header-1-TXT            102 WORKING-STORAGE   126
COBDUMP         WS-Output-Header-2-TXT            105 WORKING-STORAGE   127
COBDUMP         WS-Output-SUB                      99 WORKING-STORAGE   125*   130*   131
```

3 Colors

Colors is a handy little GnuCOBOL utility program that will produce a screen showing all possible combinations of:

- FOREGROUND-COLOR
- BACKGROUND-COLOR
- BLINKING (or absence of BLINKING)
- HIGHLIGHT, LOWLIGHT or absence of either (i.e. "Normal")
- REVERSE-VIDEO

Here is a sample of the screen generated by this program:

The program source and cross-reference listing, produced using the cobxref, begins on the next page.

```
ACS Cobol Xref v2.02.02        Dictionary File for COLORS    07/12/2019  16:57:00:16

    1          >>SOURCE FREE
    2   IDENTIFICATION DIVISION.
    3   PROGRAM-ID. colors.
    4   DATA DIVISION.
    5   WORKING-STORAGE SECTION.
    6   SCREEN SECTION.
    7   01 S-COLORTST-SCR BACKGROUND-COLOR 0 FOREGROUND-COLOR 7 BLANK SCREEN.
    8   05 LINE 01.
    9   10 COL 1 VALUE ' LOWLIGHT  -------- HIGHLIGHT  LOWLIGHT  -------- HIGHLIGHT'.
   10   05 LINE + 1.
   11   10 COL 1 VALUE ' --------  --------  --------  --------  --------  --------'.
   12   05 LINE + 1.
   13   10 COL 1 VALUE ' --------  --------  --------   REVERSE   REVERSE   REVERSE'.
   14   05 LINE + 1.
   15   10 COL 1 VALUE ' 01234567  01234567  01234567  01234567  01234567  01234567'.
   16   05 LINE + 1.
   17   10 COL 1 VALUE '0         0         0         0         0         0        '.
   18   05 LINE + 1.
   19   10 COL 1 VALUE '1         1         1         1         1         1        '.
   20   05 LINE + 1.
   21   10 COL 1 VALUE '2         2         2         2         2         2        '.
   22   05 LINE + 1.
   23   10 COL 1 VALUE '3    1    3    2    3    3    3    4    3    5    3    6    '.
   24   05 LINE + 1.
   25   10 COL 1 VALUE '4         4         4         4         4         4        '.
   26   05 LINE + 1.
   27   10 COL 1 VALUE '5         5         5         5         5         5        '.
   28   05 LINE + 1.
   29   10 COL 1 VALUE '6         6         6         6         6         6        '.
   30   05 LINE + 1.
   31   10 COL 1 VALUE '7         7         7         7         7         7        '.
   32   05 LINE + 1.
   33   10 COL 1 VALUE ' LOWLIGHT  -------- HIGHLIGHT  LOWLIGHT  -------- HIGHLIGHT'.
   34   05 LINE + 1.
   35   10 COL 1 VALUE '    BLINK     BLINK     BLINK     BLINK     BLINK     BLINK'.
   36   05 LINE + 1.
   37   10 COL 1 VALUE ' --------  --------  --------   REVERSE   REVERSE   REVERSE'.
   38   05 LINE + 1.
   39   10 COL 1 VALUE ' 01234567  01234567  01234567  01234567  01234567  01234567'.
   40   05 LINE + 1.
   41   10 COL 1 VALUE '0         0         0         0         0         0        '.
   42   05 LINE + 1.
   43   10 COL 1 VALUE '1         1         1         1         1         1        '.
   44   05 LINE + 1.
   45   10 COL 1 VALUE '2         2         2         2         2         2        '.
   46   05 LINE + 1.
   47   10 COL 1 VALUE '3    7    3    8    3    9    3    10   3    11   3    12   '.
   48   05 LINE + 1.
   49   10 COL 1 VALUE '4         4         4         4         4         4        '.
   50   05 LINE + 1.
   51   10 COL 1 VALUE '5         5         5         5         5         5        '.
   52   05 LINE + 1.
   53   10 COL 1 VALUE '6         6         6         6         6         6        '.
   54   05 LINE + 1.
```

```
ACS Cobol Xref v2.02.02         Dictionary File for COLORS    07/12/2019  16:57:00:16
   55   10 COL 1 VALUE '7        7           7           7          7          7          '.
   56   *> #1
   57   05 LINE 05.
   58   10 COL 2   BACKGROUND-COLOR 0 FOREGROUND-COLOR 0 LOWLIGHT VALUE 'X'.
   59   10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 1 LOWLIGHT VALUE 'X'.
   60   10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 2 LOWLIGHT VALUE 'X'.
   61   10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 3 LOWLIGHT VALUE 'X'.
   62   10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 4 LOWLIGHT VALUE 'X'.
   63   10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 5 LOWLIGHT VALUE 'X'.
   64   10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 6 LOWLIGHT VALUE 'X'.
   65   10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 7 LOWLIGHT VALUE 'X'.
   66   05 LINE + 1.
   67   10 COL 2   BACKGROUND-COLOR 1 FOREGROUND-COLOR 0 LOWLIGHT VALUE 'X'.
   68   10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 1 LOWLIGHT VALUE 'X'.
   69   10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 2 LOWLIGHT VALUE 'X'.
   70   10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 3 LOWLIGHT VALUE 'X'.
   71   10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 4 LOWLIGHT VALUE 'X'.
   72   10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 5 LOWLIGHT VALUE 'X'.
   73   10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 6 LOWLIGHT VALUE 'X'.
   74   10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 7 LOWLIGHT VALUE 'X'.
   75   05 LINE + 1.
   76   10 COL 2   BACKGROUND-COLOR 2 FOREGROUND-COLOR 0 LOWLIGHT VALUE 'X'.
   77   10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 1 LOWLIGHT VALUE 'X'.
   78   10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 2 LOWLIGHT VALUE 'X'.
   79   10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 3 LOWLIGHT VALUE 'X'.
   80   10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 4 LOWLIGHT VALUE 'X'.
   81   10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 5 LOWLIGHT VALUE 'X'.
   82   10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 6 LOWLIGHT VALUE 'X'.
   83   10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 7 LOWLIGHT VALUE 'X'.
   84   05 LINE + 1.
   85   10 COL 2   BACKGROUND-COLOR 3 FOREGROUND-COLOR 0 LOWLIGHT VALUE 'X'.
   86   10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 1 LOWLIGHT VALUE 'X'.
   87   10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 2 LOWLIGHT VALUE 'X'.
   88   10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 3 LOWLIGHT VALUE 'X'.
   89   10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 4 LOWLIGHT VALUE 'X'.
   90   10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 5 LOWLIGHT VALUE 'X'.
   91   10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 6 LOWLIGHT VALUE 'X'.
   92   10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 7 LOWLIGHT VALUE 'X'.
   93   05 LINE + 1.
   94   10 COL 2   BACKGROUND-COLOR 4 FOREGROUND-COLOR 0 LOWLIGHT VALUE 'X'.
   95   10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 1 LOWLIGHT VALUE 'X'.
   96   10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 2 LOWLIGHT VALUE 'X'.
   97   10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 3 LOWLIGHT VALUE 'X'.
   98   10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 4 LOWLIGHT VALUE 'X'.
   99   10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 5 LOWLIGHT VALUE 'X'.
  100   10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 6 LOWLIGHT VALUE 'X'.
  101   10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 7 LOWLIGHT VALUE 'X'.
  102   05 LINE + 1.
  103   10 COL 2   BACKGROUND-COLOR 5 FOREGROUND-COLOR 0 LOWLIGHT VALUE 'X'.
  104   10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 1 LOWLIGHT VALUE 'X'.
  105   10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 2 LOWLIGHT VALUE 'X'.
  106   10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 3 LOWLIGHT VALUE 'X'.
  107   10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 4 LOWLIGHT VALUE 'X'.
  108   10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 5 LOWLIGHT VALUE 'X'.
```

```
ACS Cobol Xref v2.02.02        Dictionary File for COLORS     07/12/2019  16:57:00:17

    109    10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 6 LOWLIGHT VALUE 'X'.
    110    10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 7 LOWLIGHT VALUE 'X'.
    111    05 LINE + 1.
    112    10 COL 2  BACKGROUND-COLOR 6 FOREGROUND-COLOR 0 LOWLIGHT VALUE 'X'.
    113    10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 1 LOWLIGHT VALUE 'X'.
    114    10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 2 LOWLIGHT VALUE 'X'.
    115    10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 3 LOWLIGHT VALUE 'X'.
    116    10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 4 LOWLIGHT VALUE 'X'.
    117    10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 5 LOWLIGHT VALUE 'X'.
    118    10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 6 LOWLIGHT VALUE 'X'.
    119    10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 7 LOWLIGHT VALUE 'X'.
    120    05 LINE + 1.
    121    10 COL 2  BACKGROUND-COLOR 7 FOREGROUND-COLOR 0 LOWLIGHT VALUE 'X'.
    122    10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 1 LOWLIGHT VALUE 'X'.
    123    10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 2 LOWLIGHT VALUE 'X'.
    124    10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 3 LOWLIGHT VALUE 'X'.
    125    10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 4 LOWLIGHT VALUE 'X'.
    126    10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 5 LOWLIGHT VALUE 'X'.
    127    10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 6 LOWLIGHT VALUE 'X'.
    128    10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 7 LOWLIGHT VALUE 'X'.
    129    *> #2
    130    05 LINE 05.
    131    10 COL 12  BACKGROUND-COLOR 0 FOREGROUND-COLOR 0 VALUE 'X'.
    132    10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 1 VALUE 'X'.
    133    10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 2 VALUE 'X'.
    134    10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 3 VALUE 'X'.
    135    10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 4 VALUE 'X'.
    136    10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 5 VALUE 'X'.
    137    10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 6 VALUE 'X'.
    138    10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 7 VALUE 'X'.
    139    05 LINE + 1.
    140    10 COL 12  BACKGROUND-COLOR 1 FOREGROUND-COLOR 0 VALUE 'X'.
    141    10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 1 VALUE 'X'.
    142    10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 2 VALUE 'X'.
    143    10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 3 VALUE 'X'.
    144    10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 4 VALUE 'X'.
    145    10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 5 VALUE 'X'.
    146    10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 6 VALUE 'X'.
    147    10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 7 VALUE 'X'.
    148    05 LINE + 1.
    149    10 COL 12  BACKGROUND-COLOR 2 FOREGROUND-COLOR 0 VALUE 'X'.
    150    10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 1 VALUE 'X'.
    151    10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 2 VALUE 'X'.
    152    10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 3 VALUE 'X'.
    153    10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 4 VALUE 'X'.
    154    10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 5 VALUE 'X'.
    155    10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 6 VALUE 'X'.
    156    10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 7 VALUE 'X'.
    157    05 LINE + 1.
    158    10 COL 12  BACKGROUND-COLOR 3 FOREGROUND-COLOR 0 VALUE 'X'.
    159    10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 1 VALUE 'X'.
    160    10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 2 VALUE 'X'.
    161    10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 3 VALUE 'X'.
    162    10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 4 VALUE 'X'.
```

```
ACS Cobol Xref v2.02.02        Dictionary File for COLORS    07/12/2019  16:57:00:17

 163   10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 5 VALUE 'X'.
 164   10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 6 VALUE 'X'.
 165   10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 7 VALUE 'X'.
 166   05 LINE + 1.
 167   10 COL 12  BACKGROUND-COLOR 4 FOREGROUND-COLOR 0 VALUE 'X'.
 168   10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 1 VALUE 'X'.
 169   10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 2 VALUE 'X'.
 170   10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 3 VALUE 'X'.
 171   10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 4 VALUE 'X'.
 172   10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 5 VALUE 'X'.
 173   10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 6 VALUE 'X'.
 174   10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 7 VALUE 'X'.
 175   05 LINE + 1.
 176   10 COL 12  BACKGROUND-COLOR 5 FOREGROUND-COLOR 0 VALUE 'X'.
 177   10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 1 VALUE 'X'.
 178   10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 2 VALUE 'X'.
 179   10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 3 VALUE 'X'.
 180   10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 4 VALUE 'X'.
 181   10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 5 VALUE 'X'.
 182   10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 6 VALUE 'X'.
 183   10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 7 VALUE 'X'.
 184   05 LINE + 1.
 185   10 COL 12  BACKGROUND-COLOR 6 FOREGROUND-COLOR 0 VALUE 'X'.
 186   10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 1 VALUE 'X'.
 187   10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 2 VALUE 'X'.
 188   10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 3 VALUE 'X'.
 189   10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 4 VALUE 'X'.
 190   10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 5 VALUE 'X'.
 191   10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 6 VALUE 'X'.
 192   10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 7 VALUE 'X'.
 193   05 LINE + 1.
 194   10 COL 12  BACKGROUND-COLOR 7 FOREGROUND-COLOR 0 VALUE 'X'.
 195   10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 1 VALUE 'X'.
 196   10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 2 VALUE 'X'.
 197   10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 3 VALUE 'X'.
 198   10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 4 VALUE 'X'.
 199   10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 5 VALUE 'X'.
 200   10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 6 VALUE 'X'.
 201   10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 7 VALUE 'X'.
 202   *> #3
 203   05 LINE 05.
 204   10 COL 22  BACKGROUND-COLOR 0 FOREGROUND-COLOR 0 HIGHLIGHT VALUE 'X'.
 205   10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 1 HIGHLIGHT VALUE 'X'.
 206   10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 2 HIGHLIGHT VALUE 'X'.
 207   10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 3 HIGHLIGHT VALUE 'X'.
 208   10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 4 HIGHLIGHT VALUE 'X'.
 209   10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 5 HIGHLIGHT VALUE 'X'.
 210   10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 6 HIGHLIGHT VALUE 'X'.
 211   10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 7 HIGHLIGHT VALUE 'X'.
 212   05 LINE + 1.
 213   10 COL 22  BACKGROUND-COLOR 1 FOREGROUND-COLOR 0 HIGHLIGHT VALUE 'X'.
 214   10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 1 HIGHLIGHT VALUE 'X'.
 215   10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 2 HIGHLIGHT VALUE 'X'.
 216   10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 3 HIGHLIGHT VALUE 'X'.
```

```
ACS Cobol Xref v2.02.02        Dictionary File for COLORS     07/12/2019  16:57:00:17

  217    10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 4 HIGHLIGHT VALUE 'X'.
  218    10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 5 HIGHLIGHT VALUE 'X'.
  219    10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 6 HIGHLIGHT VALUE 'X'.
  220    10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 7 HIGHLIGHT VALUE 'X'.
  221    05 LINE + 1.
  222    10 COL 22  BACKGROUND-COLOR 2 FOREGROUND-COLOR 0 HIGHLIGHT VALUE 'X'.
  223    10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 1 HIGHLIGHT VALUE 'X'.
  224    10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 2 HIGHLIGHT VALUE 'X'.
  225    10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 3 HIGHLIGHT VALUE 'X'.
  226    10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 4 HIGHLIGHT VALUE 'X'.
  227    10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 5 HIGHLIGHT VALUE 'X'.
  228    10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 6 HIGHLIGHT VALUE 'X'.
  229    10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 7 HIGHLIGHT VALUE 'X'.
  230    05 LINE + 1.
  231    10 COL 22  BACKGROUND-COLOR 3 FOREGROUND-COLOR 0 HIGHLIGHT VALUE 'X'.
  232    10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 1 HIGHLIGHT VALUE 'X'.
  233    10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 2 HIGHLIGHT VALUE 'X'.
  234    10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 3 HIGHLIGHT VALUE 'X'.
  235    10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 4 HIGHLIGHT VALUE 'X'.
  236    10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 5 HIGHLIGHT VALUE 'X'.
  237    10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 6 HIGHLIGHT VALUE 'X'.
  238    10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 7 HIGHLIGHT VALUE 'X'.
  239    05 LINE + 1.
  240    10 COL 22  BACKGROUND-COLOR 4 FOREGROUND-COLOR 0 HIGHLIGHT VALUE 'X'.
  241    10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 1 HIGHLIGHT VALUE 'X'.
  242    10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 2 HIGHLIGHT VALUE 'X'.
  243    10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 3 HIGHLIGHT VALUE 'X'.
  244    10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 4 HIGHLIGHT VALUE 'X'.
  245    10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 5 HIGHLIGHT VALUE 'X'.
  246    10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 6 HIGHLIGHT VALUE 'X'.
  247    10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 7 HIGHLIGHT VALUE 'X'.
  248    05 LINE + 1.
  249    10 COL 22  BACKGROUND-COLOR 5 FOREGROUND-COLOR 0 HIGHLIGHT VALUE 'X'.
  250    10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 1 HIGHLIGHT VALUE 'X'.
  251    10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 2 HIGHLIGHT VALUE 'X'.
  252    10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 3 HIGHLIGHT VALUE 'X'.
  253    10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 4 HIGHLIGHT VALUE 'X'.
  254    10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 5 HIGHLIGHT VALUE 'X'.
  255    10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 6 HIGHLIGHT VALUE 'X'.
  256    10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 7 HIGHLIGHT VALUE 'X'.
  257    05 LINE + 1.
  258    10 COL 22  BACKGROUND-COLOR 6 FOREGROUND-COLOR 0 HIGHLIGHT VALUE 'X'.
  259    10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 1 HIGHLIGHT VALUE 'X'.
  260    10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 2 HIGHLIGHT VALUE 'X'.
  261    10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 3 HIGHLIGHT VALUE 'X'.
  262    10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 4 HIGHLIGHT VALUE 'X'.
  263    10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 5 HIGHLIGHT VALUE 'X'.
  264    10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 6 HIGHLIGHT VALUE 'X'.
  265    10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 7 HIGHLIGHT VALUE 'X'.
  266    05 LINE + 1.
  267    10 COL 22  BACKGROUND-COLOR 7 FOREGROUND-COLOR 0 HIGHLIGHT VALUE 'X'.
  268    10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 1 HIGHLIGHT VALUE 'X'.
  269    10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 2 HIGHLIGHT VALUE 'X'.
  270    10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 3 HIGHLIGHT VALUE 'X'.
```

```
ACS Cobol Xref v2.02.02        Dictionary File for COLORS    07/12/2019  16:57:00:18

271    10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 4 HIGHLIGHT VALUE 'X'.
272    10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 5 HIGHLIGHT VALUE 'X'.
273    10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 6 HIGHLIGHT VALUE 'X'.
274    10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 7 HIGHLIGHT VALUE 'X'.
275    *> #4
276    05 LINE 05.
277    10 COL 32  BACKGROUND-COLOR 0 FOREGROUND-COLOR 0 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
278    10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 1 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
279    10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 2 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
280    10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 3 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
281    10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 4 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
282    10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 5 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
283    10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 6 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
284    10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 7 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
285    05 LINE + 1.
286    10 COL 32  BACKGROUND-COLOR 1 FOREGROUND-COLOR 0 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
287    10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 1 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
288    10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 2 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
289    10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 3 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
290    10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 4 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
291    10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 5 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
292    10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 6 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
293    10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 7 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
294    05 LINE + 1.
295    10 COL 32  BACKGROUND-COLOR 2 FOREGROUND-COLOR 0 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
296    10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 1 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
297    10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 2 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
298    10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 3 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
299    10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 4 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
300    10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 5 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
301    10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 6 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
302    10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 7 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
303    05 LINE + 1.
304    10 COL 32  BACKGROUND-COLOR 3 FOREGROUND-COLOR 0 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
305    10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 1 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
306    10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 2 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
307    10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 3 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
308    10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 4 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
309    10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 5 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
310    10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 6 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
311    10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 7 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
312    05 LINE + 1.
313    10 COL 32  BACKGROUND-COLOR 4 FOREGROUND-COLOR 0 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
314    10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 1 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
315    10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 2 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
316    10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 3 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
317    10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 4 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
318    10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 5 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
319    10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 6 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
320    10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 7 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
321    05 LINE + 1.
322    10 COL 32 BACKGROUND-COLOR 5 FOREGROUND-COLOR 0 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
323    10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 1 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
324    10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 2 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
```

```
ACS Cobol Xref v2.02.02        Dictionary File for COLORS     07/12/2019  16:57:00:18

   325    10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 3 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
   326    10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 4 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
   327    10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 5 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
   328    10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 6 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
   329    10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 7 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
   330    05 LINE + 1.
   331    10 COL 32  BACKGROUND-COLOR 6 FOREGROUND-COLOR 0 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
   332    10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 1 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
   333    10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 2 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
   334    10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 3 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
   335    10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 4 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
   336    10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 5 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
   337    10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 6 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
   338    10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 7 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
   339    05 LINE + 1.
   340    10 COL 32  BACKGROUND-COLOR 7 FOREGROUND-COLOR 0 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
   341    10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 1 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
   342    10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 2 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
   343    10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 3 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
   344    10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 4 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
   345    10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 5 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
   346    10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 6 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
   347    10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 7 LOWLIGHT REVERSE-VIDEO VALUE 'X'.
   348    *> #5
   349    05 LINE 05.
   350    10 COL 42  BACKGROUND-COLOR 0 FOREGROUND-COLOR 0 REVERSE-VIDEO VALUE 'X'.
   351    10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 1 REVERSE-VIDEO VALUE 'X'.
   352    10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 2 REVERSE-VIDEO VALUE 'X'.
   353    10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 3 REVERSE-VIDEO VALUE 'X'.
   354    10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 4 REVERSE-VIDEO VALUE 'X'.
   355    10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 5 REVERSE-VIDEO VALUE 'X'.
   356    10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 6 REVERSE-VIDEO VALUE 'X'.
   357    10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 7 REVERSE-VIDEO VALUE 'X'.
   358    05 LINE + 1.
   359    10 COL 42  BACKGROUND-COLOR 1 FOREGROUND-COLOR 0 REVERSE-VIDEO VALUE 'X'.
   360    10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 1 REVERSE-VIDEO VALUE 'X'.
   361    10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 2 REVERSE-VIDEO VALUE 'X'.
   362    10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 3 REVERSE-VIDEO VALUE 'X'.
   363    10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 4 REVERSE-VIDEO VALUE 'X'.
   364    10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 5 REVERSE-VIDEO VALUE 'X'.
   365    10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 6 REVERSE-VIDEO VALUE 'X'.
   366    10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 7 REVERSE-VIDEO VALUE 'X'.
   367    05 LINE + 1.
   368    10 COL 42  BACKGROUND-COLOR 2 FOREGROUND-COLOR 0 REVERSE-VIDEO VALUE 'X'.
   369    10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 1 REVERSE-VIDEO VALUE 'X'.
   370    10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 2 REVERSE-VIDEO VALUE 'X'.
   371    10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 3 REVERSE-VIDEO VALUE 'X'.
   372    10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 4 REVERSE-VIDEO VALUE 'X'.
   373    10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 5 REVERSE-VIDEO VALUE 'X'.
   374    10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 6 REVERSE-VIDEO VALUE 'X'.
   375    10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 7 REVERSE-VIDEO VALUE 'X'.
   376    05 LINE + 1.
   377    10 COL 42  BACKGROUND-COLOR 3 FOREGROUND-COLOR 0 REVERSE-VIDEO VALUE 'X'.
   378    10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 1 REVERSE-VIDEO VALUE 'X'.
```

```
ACS Cobol Xref v2.02.02        Dictionary File for COLORS    07/12/2019  16:57:00:18

 379     10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 2 REVERSE-VIDEO VALUE 'X'.
 380     10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 3 REVERSE-VIDEO VALUE 'X'.
 381     10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 4 REVERSE-VIDEO VALUE 'X'.
 382     10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 5 REVERSE-VIDEO VALUE 'X'.
 383     10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 6 REVERSE-VIDEO VALUE 'X'.
 384     10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 7 REVERSE-VIDEO VALUE 'X'.
 385     05 LINE + 1.
 386     10 COL 42  BACKGROUND-COLOR 4 FOREGROUND-COLOR 0 REVERSE-VIDEO VALUE 'X'.
 387     10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 1 REVERSE-VIDEO VALUE 'X'.
 388     10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 2 REVERSE-VIDEO VALUE 'X'.
 389     10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 3 REVERSE-VIDEO VALUE 'X'.
 390     10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 4 REVERSE-VIDEO VALUE 'X'.
 391     10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 5 REVERSE-VIDEO VALUE 'X'.
 392     10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 6 REVERSE-VIDEO VALUE 'X'.
 393     10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 7 REVERSE-VIDEO VALUE 'X'.
 394     05 LINE + 1.
 395     10 COL 42  BACKGROUND-COLOR 5 FOREGROUND-COLOR 0 REVERSE-VIDEO VALUE 'X'.
 396     10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 1 REVERSE-VIDEO VALUE 'X'.
 397     10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 2 REVERSE-VIDEO VALUE 'X'.
 398     10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 3 REVERSE-VIDEO VALUE 'X'.
 399     10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 4 REVERSE-VIDEO VALUE 'X'.
 400     10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 5 REVERSE-VIDEO VALUE 'X'.
 401     10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 6 REVERSE-VIDEO VALUE 'X'.
 402     10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 7 REVERSE-VIDEO VALUE 'X'.
 403     05 LINE + 1.
 404     10 COL 42  BACKGROUND-COLOR 6 FOREGROUND-COLOR 0 REVERSE-VIDEO VALUE 'X'.
 405     10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 1 REVERSE-VIDEO VALUE 'X'.
 406     10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 2 REVERSE-VIDEO VALUE 'X'.
 407     10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 3 REVERSE-VIDEO VALUE 'X'.
 408     10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 4 REVERSE-VIDEO VALUE 'X'.
 409     10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 5 REVERSE-VIDEO VALUE 'X'.
 410     10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 6 REVERSE-VIDEO VALUE 'X'.
 411     10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 7 REVERSE-VIDEO VALUE 'X'.
 412     05 LINE + 1.
 413     10 COL 42  BACKGROUND-COLOR 7 FOREGROUND-COLOR 0 REVERSE-VIDEO VALUE 'X'.
 414     10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 1 REVERSE-VIDEO VALUE 'X'.
 415     10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 2 REVERSE-VIDEO VALUE 'X'.
 416     10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 3 REVERSE-VIDEO VALUE 'X'.
 417     10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 4 REVERSE-VIDEO VALUE 'X'.
 418     10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 5 REVERSE-VIDEO VALUE 'X'.
 419     10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 6 REVERSE-VIDEO VALUE 'X'.
 420     10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 7 REVERSE-VIDEO VALUE 'X'.
 421     *> #6
 422     05 LINE 05.
 423     10 COL 52  BACKGROUND-COLOR 0 FOREGROUND-COLOR 0 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
 424     10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 1 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
 425     10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 2 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
 426     10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 3 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
 427     10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 4 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
 428     10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 5 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
 429     10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 6 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
 430     10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 7 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
 431     05 LINE + 1.
 432     10 COL 52  BACKGROUND-COLOR 1 FOREGROUND-COLOR 0 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
```

```
ACS Cobol Xref v2.02.02        Dictionary File for COLORS    07/12/2019  16:57:00:19

433    10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 1 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
434    10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 2 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
435    10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 3 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
436    10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 4 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
437    10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 5 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
438    10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 6 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
439    10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 7 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
440    05 LINE + 1.
441    10 COL 52  BACKGROUND-COLOR 2 FOREGROUND-COLOR 0 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
442    10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 1 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
443    10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 2 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
444    10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 3 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
445    10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 4 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
446    10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 5 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
447    10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 6 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
448    10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 7 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
449    05 LINE + 1.
450    10 COL 52  BACKGROUND-COLOR 3 FOREGROUND-COLOR 0 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
451    10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 1 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
452    10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 2 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
453    10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 3 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
454    10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 4 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
455    10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 5 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
456    10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 6 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
457    10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 7 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
458    05 LINE + 1.
459    10 COL 52  BACKGROUND-COLOR 4 FOREGROUND-COLOR 0 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
460    10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 1 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
461    10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 2 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
462    10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 3 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
463    10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 4 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
464    10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 5 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
465    10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 6 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
466    10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 7 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
467    05 LINE + 1.
468    10 COL 52  BACKGROUND-COLOR 5 FOREGROUND-COLOR 0 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
469    10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 1 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
470    10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 2 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
471    10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 3 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
472    10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 4 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
473    10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 5 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
474    10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 6 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
475    10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 7 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
476    05 LINE + 1.
477    10 COL 52  BACKGROUND-COLOR 6 FOREGROUND-COLOR 0 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
478    10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 1 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
479    10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 2 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
480    10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 3 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
481    10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 4 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
482    10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 5 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
483    10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 6 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
484    10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 7 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
485    05 LINE + 1.
486    10 COL 52  BACKGROUND-COLOR 7 FOREGROUND-COLOR 0 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
```

```
ACS Cobol Xref v2.02.02        Dictionary File for COLORS     07/12/2019  16:57:00:19

   487   10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 1 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
   488   10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 2 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
   489   10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 3 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
   490   10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 4 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
   491   10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 5 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
   492   10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 6 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
   493   10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 7 HIGHLIGHT REVERSE-VIDEO VALUE 'X'.
   494   *> #7
   495   05 LINE 17.
   496   10 COL 02  BACKGROUND-COLOR 0 FOREGROUND-COLOR 0 LOWLIGHT BLINK VALUE 'X'.
   497   10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 1 LOWLIGHT BLINK VALUE 'X'.
   498   10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 2 LOWLIGHT BLINK VALUE 'X'.
   499   10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 3 LOWLIGHT BLINK VALUE 'X'.
   500   10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 4 LOWLIGHT BLINK VALUE 'X'.
   501   10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 5 LOWLIGHT BLINK VALUE 'X'.
   502   10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 6 LOWLIGHT BLINK VALUE 'X'.
   503   10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 7 LOWLIGHT BLINK VALUE 'X'.
   504   05 LINE + 1.
   505   10 COL 02  BACKGROUND-COLOR 1 FOREGROUND-COLOR 0 LOWLIGHT BLINK VALUE 'X'.
   506   10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 1 LOWLIGHT BLINK VALUE 'X'.
   507   10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 2 LOWLIGHT BLINK VALUE 'X'.
   508   10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 3 LOWLIGHT BLINK VALUE 'X'.
   509   10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 4 LOWLIGHT BLINK VALUE 'X'.
   510   10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 5 LOWLIGHT BLINK VALUE 'X'.
   511   10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 6 LOWLIGHT BLINK VALUE 'X'.
   512   10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 7 LOWLIGHT BLINK VALUE 'X'.
   513   05 LINE + 1.
   514   10 COL 02  BACKGROUND-COLOR 2 FOREGROUND-COLOR 0 LOWLIGHT BLINK VALUE 'X'.
   515   10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 1 LOWLIGHT BLINK VALUE 'X'.
   516   10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 2 LOWLIGHT BLINK VALUE 'X'.
   517   10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 3 LOWLIGHT BLINK VALUE 'X'.
   518   10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 4 LOWLIGHT BLINK VALUE 'X'.
   519   10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 5 LOWLIGHT BLINK VALUE 'X'.
   520   10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 6 LOWLIGHT BLINK VALUE 'X'.
   521   10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 7 LOWLIGHT BLINK VALUE 'X'.
   522   05 LINE + 1.
   523   10 COL 02  BACKGROUND-COLOR 3 FOREGROUND-COLOR 0 LOWLIGHT BLINK VALUE 'X'.
   524   10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 1 LOWLIGHT BLINK VALUE 'X'.
   525   10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 2 LOWLIGHT BLINK VALUE 'X'.
   526   10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 3 LOWLIGHT BLINK VALUE 'X'.
   527   10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 4 LOWLIGHT BLINK VALUE 'X'.
   528   10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 5 LOWLIGHT BLINK VALUE 'X'.
   529   10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 6 LOWLIGHT BLINK VALUE 'X'.
   530   10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 7 LOWLIGHT BLINK VALUE 'X'.
   531   05 LINE + 1.
   532   10 COL 02  BACKGROUND-COLOR 4 FOREGROUND-COLOR 0 LOWLIGHT BLINK VALUE 'X'.
   533   10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 1 LOWLIGHT BLINK VALUE 'X'.
   534   10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 2 LOWLIGHT BLINK VALUE 'X'.
   535   10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 3 LOWLIGHT BLINK VALUE 'X'.
   536   10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 4 LOWLIGHT BLINK VALUE 'X'.
   537   10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 5 LOWLIGHT BLINK VALUE 'X'.
   538   10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 6 LOWLIGHT BLINK VALUE 'X'.
   539   10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 7 LOWLIGHT BLINK VALUE 'X'.
   540   05 LINE + 1.
```

```
ACS Cobol Xref v2.02.02         Dictionary File for COLORS     07/12/2019  16:57:00:19

  541   10 COL 02  BACKGROUND-COLOR 5 FOREGROUND-COLOR 0 LOWLIGHT BLINK VALUE 'X'.
  542   10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 1 LOWLIGHT BLINK VALUE 'X'.
  543   10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 2 LOWLIGHT BLINK VALUE 'X'.
  544   10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 3 LOWLIGHT BLINK VALUE 'X'.
  545   10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 4 LOWLIGHT BLINK VALUE 'X'.
  546   10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 5 LOWLIGHT BLINK VALUE 'X'.
  547   10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 6 LOWLIGHT BLINK VALUE 'X'.
  548   10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 7 LOWLIGHT BLINK VALUE 'X'.
  549   05 LINE + 1.
  550   10 COL 02  BACKGROUND-COLOR 6 FOREGROUND-COLOR 0 LOWLIGHT BLINK VALUE 'X'.
  551   10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 1 LOWLIGHT BLINK VALUE 'X'.
  552   10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 2 LOWLIGHT BLINK VALUE 'X'.
  553   10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 3 LOWLIGHT BLINK VALUE 'X'.
  554   10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 4 LOWLIGHT BLINK VALUE 'X'.
  555   10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 5 LOWLIGHT BLINK VALUE 'X'.
  556   10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 6 LOWLIGHT BLINK VALUE 'X'.
  557   10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 7 LOWLIGHT BLINK VALUE 'X'.
  558   05 LINE + 1.
  559   10 COL 02  BACKGROUND-COLOR 7 FOREGROUND-COLOR 0 LOWLIGHT BLINK VALUE 'X'.
  560   10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 1 LOWLIGHT BLINK VALUE 'X'.
  561   10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 2 LOWLIGHT BLINK VALUE 'X'.
  562   10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 3 LOWLIGHT BLINK VALUE 'X'.
  563   10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 4 LOWLIGHT BLINK VALUE 'X'.
  564   10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 5 LOWLIGHT BLINK VALUE 'X'.
  565   10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 6 LOWLIGHT BLINK VALUE 'X'.
  566   10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 7 LOWLIGHT BLINK VALUE 'X'.
  567   *> #8
  568   05 LINE 17.
  569   10 COL 12  BACKGROUND-COLOR 0 FOREGROUND-COLOR 0 BLINK VALUE 'X'.
  570   10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 1 BLINK VALUE 'X'.
  571   10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 2 BLINK VALUE 'X'.
  572   10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 3 BLINK VALUE 'X'.
  573   10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 4 BLINK VALUE 'X'.
  574   10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 5 BLINK VALUE 'X'.
  575   10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 6 BLINK VALUE 'X'.
  576   10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 7 BLINK VALUE 'X'.
  577   05 LINE + 1.
  578   10 COL 12  BACKGROUND-COLOR 1 FOREGROUND-COLOR 0 BLINK VALUE 'X'.
  579   10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 1 BLINK VALUE 'X'.
  580   10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 2 BLINK VALUE 'X'.
  581   10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 3 BLINK VALUE 'X'.
  582   10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 4 BLINK VALUE 'X'.
  583   10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 5 BLINK VALUE 'X'.
  584   10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 6 BLINK VALUE 'X'.
  585   10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 7 BLINK VALUE 'X'.
  586   05 LINE + 1.
  587   10 COL 12  BACKGROUND-COLOR 2 FOREGROUND-COLOR 0 BLINK VALUE 'X'.
  588   10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 1 BLINK VALUE 'X'.
  589   10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 2 BLINK VALUE 'X'.
  590   10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 3 BLINK VALUE 'X'.
  591   10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 4 BLINK VALUE 'X'.
  592   10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 5 BLINK VALUE 'X'.
  593   10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 6 BLINK VALUE 'X'.
  594   10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 7 BLINK VALUE 'X'.
```

```
ACS Cobol Xref v2.02.02         Dictionary File for COLORS      07/12/2019  16:57:00:19

 595   05 LINE + 1.
 596   10 COL 12  BACKGROUND-COLOR 3 FOREGROUND-COLOR 0 BLINK VALUE 'X'.
 597   10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 1 BLINK VALUE 'X'.
 598   10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 2 BLINK VALUE 'X'.
 599   10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 3 BLINK VALUE 'X'.
 600   10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 4 BLINK VALUE 'X'.
 601   10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 5 BLINK VALUE 'X'.
 602   10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 6 BLINK VALUE 'X'.
 603   10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 7 BLINK VALUE 'X'.
 604   05 LINE + 1.
 605   10 COL 12  BACKGROUND-COLOR 4 FOREGROUND-COLOR 0 BLINK VALUE 'X'.
 606   10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 1 BLINK VALUE 'X'.
 607   10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 2 BLINK VALUE 'X'.
 608   10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 3 BLINK VALUE 'X'.
 609   10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 4 BLINK VALUE 'X'.
 610   10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 5 BLINK VALUE 'X'.
 611   10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 6 BLINK VALUE 'X'.
 612   10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 7 BLINK VALUE 'X'.
 613   05 LINE + 1.
 614   10 COL 12  BACKGROUND-COLOR 5 FOREGROUND-COLOR 0 BLINK VALUE 'X'.
 615   10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 1 BLINK VALUE 'X'.
 616   10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 2 BLINK VALUE 'X'.
 617   10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 3 BLINK VALUE 'X'.
 618   10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 4 BLINK VALUE 'X'.
 619   10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 5 BLINK VALUE 'X'.
 620   10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 6 BLINK VALUE 'X'.
 621   10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 7 BLINK VALUE 'X'.
 622   05 LINE + 1.
 623   10 COL 12  BACKGROUND-COLOR 6 FOREGROUND-COLOR 0 BLINK VALUE 'X'.
 624   10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 1 BLINK VALUE 'X'.
 625   10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 2 BLINK VALUE 'X'.
 626   10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 3 BLINK VALUE 'X'.
 627   10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 4 BLINK VALUE 'X'.
 628   10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 5 BLINK VALUE 'X'.
 629   10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 6 BLINK VALUE 'X'.
 630   10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 7 BLINK VALUE 'X'.
 631   05 LINE + 1.
 632   10 COL 12  BACKGROUND-COLOR 7 FOREGROUND-COLOR 0 BLINK VALUE 'X'.
 633   10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 1 BLINK VALUE 'X'.
 634   10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 2 BLINK VALUE 'X'.
 635   10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 3 BLINK VALUE 'X'.
 636   10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 4 BLINK VALUE 'X'.
 637   10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 5 BLINK VALUE 'X'.
 638   10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 6 BLINK VALUE 'X'.
 639   10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 7 BLINK VALUE 'X'.
 640   *> #9
 641   05 LINE 17.
 642   10 COL 22  BACKGROUND-COLOR 0 FOREGROUND-COLOR 0 HIGHLIGHT BLINK VALUE 'X'.
 643   10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 1 HIGHLIGHT BLINK VALUE 'X'.
 644   10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 2 HIGHLIGHT BLINK VALUE 'X'.
 645   10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 3 HIGHLIGHT BLINK VALUE 'X'.
 646   10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 4 HIGHLIGHT BLINK VALUE 'X'.
 647   10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 5 HIGHLIGHT BLINK VALUE 'X'.
 648   10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 6 HIGHLIGHT BLINK VALUE 'X'.
```

```
ACS Cobol Xref v2.02.02          Dictionary File for COLORS     07/12/2019  16:57:00:20

649   10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 7 HIGHLIGHT BLINK VALUE 'X'.
650   05 LINE + 1.
651   10 COL 22  BACKGROUND-COLOR 1 FOREGROUND-COLOR 0 HIGHLIGHT BLINK VALUE 'X'.
652   10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 1 HIGHLIGHT BLINK VALUE 'X'.
653   10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 2 HIGHLIGHT BLINK VALUE 'X'.
654   10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 3 HIGHLIGHT BLINK VALUE 'X'.
655   10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 4 HIGHLIGHT BLINK VALUE 'X'.
656   10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 5 HIGHLIGHT BLINK VALUE 'X'.
657   10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 6 HIGHLIGHT BLINK VALUE 'X'.
658   10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 7 HIGHLIGHT BLINK VALUE 'X'.
659   05 LINE + 1.
660   10 COL 22  BACKGROUND-COLOR 2 FOREGROUND-COLOR 0 HIGHLIGHT BLINK VALUE 'X'.
661   10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 1 HIGHLIGHT BLINK VALUE 'X'.
662   10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 2 HIGHLIGHT BLINK VALUE 'X'.
663   10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 3 HIGHLIGHT BLINK VALUE 'X'.
664   10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 4 HIGHLIGHT BLINK VALUE 'X'.
665   10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 5 HIGHLIGHT BLINK VALUE 'X'.
666   10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 6 HIGHLIGHT BLINK VALUE 'X'.
667   10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 7 HIGHLIGHT BLINK VALUE 'X'.
668   05 LINE + 1.
669   10 COL 22  BACKGROUND-COLOR 3 FOREGROUND-COLOR 0 HIGHLIGHT BLINK VALUE 'X'.
670   10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 1 HIGHLIGHT BLINK VALUE 'X'.
671   10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 2 HIGHLIGHT BLINK VALUE 'X'.
672   10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 3 HIGHLIGHT BLINK VALUE 'X'.
673   10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 4 HIGHLIGHT BLINK VALUE 'X'.
674   10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 5 HIGHLIGHT BLINK VALUE 'X'.
675   10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 6 HIGHLIGHT BLINK VALUE 'X'.
676   10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 7 HIGHLIGHT BLINK VALUE 'X'.
677   05 LINE + 1.
678   10 COL 22  BACKGROUND-COLOR 4 FOREGROUND-COLOR 0 HIGHLIGHT BLINK VALUE 'X'.
679   10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 1 HIGHLIGHT BLINK VALUE 'X'.
680   10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 2 HIGHLIGHT BLINK VALUE 'X'.
681   10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 3 HIGHLIGHT BLINK VALUE 'X'.
682   10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 4 HIGHLIGHT BLINK VALUE 'X'.
683   10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 5 HIGHLIGHT BLINK VALUE 'X'.
684   10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 6 HIGHLIGHT BLINK VALUE 'X'.
685   10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 7 HIGHLIGHT BLINK VALUE 'X'.
686   05 LINE + 1.
687   10 COL 22  BACKGROUND-COLOR 5 FOREGROUND-COLOR 0 HIGHLIGHT BLINK VALUE 'X'.
688   10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 1 HIGHLIGHT BLINK VALUE 'X'.
689   10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 2 HIGHLIGHT BLINK VALUE 'X'.
690   10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 3 HIGHLIGHT BLINK VALUE 'X'.
691   10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 4 HIGHLIGHT BLINK VALUE 'X'.
692   10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 5 HIGHLIGHT BLINK VALUE 'X'.
693   10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 6 HIGHLIGHT BLINK VALUE 'X'.
694   10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 7 HIGHLIGHT BLINK VALUE 'X'.
695   05 LINE + 1.
696   10 COL 22  BACKGROUND-COLOR 6 FOREGROUND-COLOR 0 HIGHLIGHT BLINK VALUE 'X'.
697   10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 1 HIGHLIGHT BLINK VALUE 'X'.
698   10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 2 HIGHLIGHT BLINK VALUE 'X'.
699   10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 3 HIGHLIGHT BLINK VALUE 'X'.
700   10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 4 HIGHLIGHT BLINK VALUE 'X'.
701   10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 5 HIGHLIGHT BLINK VALUE 'X'.
702   10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 6 HIGHLIGHT BLINK VALUE 'X'.
```

```
ACS Cobol Xref v2.02.02          Dictionary File for COLORS     07/12/2019  16:57:00:20

703    10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 7 HIGHLIGHT BLINK VALUE ’X’.
704    05 LINE + 1.
705    10 COL 22  BACKGROUND-COLOR 7 FOREGROUND-COLOR 0 HIGHLIGHT BLINK VALUE ’X’.
706    10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 1 HIGHLIGHT BLINK VALUE ’X’.
707    10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 2 HIGHLIGHT BLINK VALUE ’X’.
708    10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 3 HIGHLIGHT BLINK VALUE ’X’.
709    10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 4 HIGHLIGHT BLINK VALUE ’X’.
710    10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 5 HIGHLIGHT BLINK VALUE ’X’.
711    10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 6 HIGHLIGHT BLINK VALUE ’X’.
712    10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 7 HIGHLIGHT BLINK VALUE ’X’.
713    *> #10
714    05 LINE 17.
715    10 COL 32  BACKGROUND-COLOR 0 FOREGROUND-COLOR 0 LOWLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
716    10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 1 LOWLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
717    10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 2 LOWLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
718    10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 3 LOWLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
719    10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 4 LOWLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
720    10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 5 LOWLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
721    10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 6 LOWLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
722    10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 7 LOWLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
723    05 LINE + 1.
724    10 COL 32  BACKGROUND-COLOR 1 FOREGROUND-COLOR 0 LOWLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
725    10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 1 LOWLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
726    10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 2 LOWLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
727    10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 3 LOWLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
728    10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 4 LOWLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
729    10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 5 LOWLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
730    10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 6 LOWLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
731    10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 7 LOWLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
732    05 LINE + 1.
733    10 COL 32  BACKGROUND-COLOR 2 FOREGROUND-COLOR 0 LOWLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
734    10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 1 LOWLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
735    10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 2 LOWLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
736    10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 3 LOWLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
737    10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 4 LOWLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
738    10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 5 LOWLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
739    10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 6 LOWLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
740    10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 7 LOWLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
741    05 LINE + 1.
742    10 COL 32  BACKGROUND-COLOR 3 FOREGROUND-COLOR 0 LOWLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
743    10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 1 LOWLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
744    10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 2 LOWLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
745    10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 3 LOWLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
746    10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 4 LOWLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
747    10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 5 LOWLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
748    10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 6 LOWLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
749    10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 7 LOWLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
750    05 LINE + 1.
751    10 COL 32  BACKGROUND-COLOR 4 FOREGROUND-COLOR 0 LOWLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
752    10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 1 LOWLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
753    10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 2 LOWLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
754    10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 3 LOWLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
755    10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 4 LOWLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
756    10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 5 LOWLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
```

```
ACS Cobol Xref v2.02.02        Dictionary File for COLORS    07/12/2019  16:57:00:20

   757    10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 6 LOWLIGHT BLINK REVERSE-VIDEO VALUE 'X'.
   758    10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 7 LOWLIGHT BLINK REVERSE-VIDEO VALUE 'X'.
   759    05 LINE + 1.
   760    10 COL 32  BACKGROUND-COLOR 5 FOREGROUND-COLOR 0 LOWLIGHT BLINK REVERSE-VIDEO VALUE 'X'.
   761    10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 1 LOWLIGHT BLINK REVERSE-VIDEO VALUE 'X'.
   762    10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 2 LOWLIGHT BLINK REVERSE-VIDEO VALUE 'X'.
   763    10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 3 LOWLIGHT BLINK REVERSE-VIDEO VALUE 'X'.
   764    10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 4 LOWLIGHT BLINK REVERSE-VIDEO VALUE 'X'.
   765    10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 5 LOWLIGHT BLINK REVERSE-VIDEO VALUE 'X'.
   766    10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 6 LOWLIGHT BLINK REVERSE-VIDEO VALUE 'X'.
   767    10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 7 LOWLIGHT BLINK REVERSE-VIDEO VALUE 'X'.
   768    05 LINE + 1.
   769    10 COL 32  BACKGROUND-COLOR 6 FOREGROUND-COLOR 0 LOWLIGHT BLINK REVERSE-VIDEO VALUE 'X'.
   770    10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 1 LOWLIGHT BLINK REVERSE-VIDEO VALUE 'X'.
   771    10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 2 LOWLIGHT BLINK REVERSE-VIDEO VALUE 'X'.
   772    10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 3 LOWLIGHT BLINK REVERSE-VIDEO VALUE 'X'.
   773    10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 4 LOWLIGHT BLINK REVERSE-VIDEO VALUE 'X'.
   774    10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 5 LOWLIGHT BLINK REVERSE-VIDEO VALUE 'X'.
   775    10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 6 LOWLIGHT BLINK REVERSE-VIDEO VALUE 'X'.
   776    10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 7 LOWLIGHT BLINK REVERSE-VIDEO VALUE 'X'.
   777    05 LINE + 1.
   778    10 COL 32  BACKGROUND-COLOR 7 FOREGROUND-COLOR 0 LOWLIGHT BLINK REVERSE-VIDEO VALUE 'X'.
   779    10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 1 LOWLIGHT BLINK REVERSE-VIDEO VALUE 'X'.
   780    10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 2 LOWLIGHT BLINK REVERSE-VIDEO VALUE 'X'.
   781    10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 3 LOWLIGHT BLINK REVERSE-VIDEO VALUE 'X'.
   782    10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 4 LOWLIGHT BLINK REVERSE-VIDEO VALUE 'X'.
   783    10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 5 LOWLIGHT BLINK REVERSE-VIDEO VALUE 'X'.
   784    10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 6 LOWLIGHT BLINK REVERSE-VIDEO VALUE 'X'.
   785    10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 7 LOWLIGHT BLINK REVERSE-VIDEO VALUE 'X'.
   786    *> #11
   787    05 LINE 17.
   788    10 COL 42  BACKGROUND-COLOR 0 FOREGROUND-COLOR 0 BLINK REVERSE-VIDEO VALUE 'X'.
   789    10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 1 BLINK REVERSE-VIDEO VALUE 'X'.
   790    10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 2 BLINK REVERSE-VIDEO VALUE 'X'.
   791    10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 3 BLINK REVERSE-VIDEO VALUE 'X'.
   792    10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 4 BLINK REVERSE-VIDEO VALUE 'X'.
   793    10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 5 BLINK REVERSE-VIDEO VALUE 'X'.
   794    10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 6 BLINK REVERSE-VIDEO VALUE 'X'.
   795    10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 7 BLINK REVERSE-VIDEO VALUE 'X'.
   796    05 LINE + 1.
   797    10 COL 42  BACKGROUND-COLOR 1 FOREGROUND-COLOR 0 BLINK REVERSE-VIDEO VALUE 'X'.
   798    10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 1 BLINK REVERSE-VIDEO VALUE 'X'.
   799    10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 2 BLINK REVERSE-VIDEO VALUE 'X'.
   800    10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 3 BLINK REVERSE-VIDEO VALUE 'X'.
   801    10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 4 BLINK REVERSE-VIDEO VALUE 'X'.
   802    10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 5 BLINK REVERSE-VIDEO VALUE 'X'.
   803    10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 6 BLINK REVERSE-VIDEO VALUE 'X'.
   804    10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 7 BLINK REVERSE-VIDEO VALUE 'X'.
   805    05 LINE + 1.
   806    10 COL 42  BACKGROUND-COLOR 2 FOREGROUND-COLOR 0 BLINK REVERSE-VIDEO VALUE 'X'.
   807    10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 1 BLINK REVERSE-VIDEO VALUE 'X'.
   808    10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 2 BLINK REVERSE-VIDEO VALUE 'X'.
   809    10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 3 BLINK REVERSE-VIDEO VALUE 'X'.
   810    10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 4 BLINK REVERSE-VIDEO VALUE 'X'.
```

```
ACS Cobol Xref v2.02.02        Dictionary File for COLORS    07/12/2019  16:57:00:21

  811   10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 5 BLINK REVERSE-VIDEO VALUE ’X’.
  812   10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 6 BLINK REVERSE-VIDEO VALUE ’X’.
  813   10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 7 BLINK REVERSE-VIDEO VALUE ’X’.
  814   05 LINE + 1.
  815   10 COL 42  BACKGROUND-COLOR 3 FOREGROUND-COLOR 0 BLINK REVERSE-VIDEO VALUE ’X’.
  816   10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 1 BLINK REVERSE-VIDEO VALUE ’X’.
  817   10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 2 BLINK REVERSE-VIDEO VALUE ’X’.
  818   10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 3 BLINK REVERSE-VIDEO VALUE ’X’.
  819   10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 4 BLINK REVERSE-VIDEO VALUE ’X’.
  820   10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 5 BLINK REVERSE-VIDEO VALUE ’X’.
  821   10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 6 BLINK REVERSE-VIDEO VALUE ’X’.
  822   10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 7 BLINK REVERSE-VIDEO VALUE ’X’.
  823   05 LINE + 1.
  824   10 COL 42  BACKGROUND-COLOR 4 FOREGROUND-COLOR 0 BLINK REVERSE-VIDEO VALUE ’X’.
  825   10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 1 BLINK REVERSE-VIDEO VALUE ’X’.
  826   10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 2 BLINK REVERSE-VIDEO VALUE ’X’.
  827   10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 3 BLINK REVERSE-VIDEO VALUE ’X’.
  828   10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 4 BLINK REVERSE-VIDEO VALUE ’X’.
  829   10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 5 BLINK REVERSE-VIDEO VALUE ’X’.
  830   10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 6 BLINK REVERSE-VIDEO VALUE ’X’.
  831   10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 7 BLINK REVERSE-VIDEO VALUE ’X’.
  832   05 LINE + 1.
  833   10 COL 42  BACKGROUND-COLOR 5 FOREGROUND-COLOR 0 BLINK REVERSE-VIDEO VALUE ’X’.
  834   10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 1 BLINK REVERSE-VIDEO VALUE ’X’.
  835   10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 2 BLINK REVERSE-VIDEO VALUE ’X’.
  836   10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 3 BLINK REVERSE-VIDEO VALUE ’X’.
  837   10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 4 BLINK REVERSE-VIDEO VALUE ’X’.
  838   10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 5 BLINK REVERSE-VIDEO VALUE ’X’.
  839   10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 6 BLINK REVERSE-VIDEO VALUE ’X’.
  840   10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 7 BLINK REVERSE-VIDEO VALUE ’X’.
  841   05 LINE + 1.
  842   10 COL 42  BACKGROUND-COLOR 6 FOREGROUND-COLOR 0 BLINK REVERSE-VIDEO VALUE ’X’.
  843   10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 1 BLINK REVERSE-VIDEO VALUE ’X’.
  844   10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 2 BLINK REVERSE-VIDEO VALUE ’X’.
  845   10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 3 BLINK REVERSE-VIDEO VALUE ’X’.
  846   10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 4 BLINK REVERSE-VIDEO VALUE ’X’.
  847   10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 5 BLINK REVERSE-VIDEO VALUE ’X’.
  848   10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 6 BLINK REVERSE-VIDEO VALUE ’X’.
  849   10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 7 BLINK REVERSE-VIDEO VALUE ’X’.
  850   05 LINE + 1.
  851   10 COL 42  BACKGROUND-COLOR 7 FOREGROUND-COLOR 0 BLINK REVERSE-VIDEO VALUE ’X’.
  852   10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 1 BLINK REVERSE-VIDEO VALUE ’X’.
  853   10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 2 BLINK REVERSE-VIDEO VALUE ’X’.
  854   10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 3 BLINK REVERSE-VIDEO VALUE ’X’.
  855   10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 4 BLINK REVERSE-VIDEO VALUE ’X’.
  856   10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 5 BLINK REVERSE-VIDEO VALUE ’X’.
  857   10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 6 BLINK REVERSE-VIDEO VALUE ’X’.
  858   10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 7 BLINK REVERSE-VIDEO VALUE ’X’.
  859   *> #12
  860   05 LINE 17.
  861   10 COL 52  BACKGROUND-COLOR 0 FOREGROUND-COLOR 0 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
  862   10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 1 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
  863   10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 2 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
  864   10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 3 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
```

```
ACS Cobol Xref v2.02.02         Dictionary File for COLORS    07/12/2019  16:57:00:21

  865    10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 4 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
  866    10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 5 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
  867    10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 6 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
  868    10 COL + 1 BACKGROUND-COLOR 0 FOREGROUND-COLOR 7 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
  869    05 LINE + 1.
  870    10 COL 52  BACKGROUND-COLOR 1 FOREGROUND-COLOR 0 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
  871    10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 1 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
  872    10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 2 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
  873    10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 3 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
  874    10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 4 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
  875    10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 5 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
  876    10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 6 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
  877    10 COL + 1 BACKGROUND-COLOR 1 FOREGROUND-COLOR 7 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
  878    05 LINE + 1.
  879    10 COL 52  BACKGROUND-COLOR 2 FOREGROUND-COLOR 0 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
  880    10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 1 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
  881    10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 2 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
  882    10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 3 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
  883    10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 4 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
  884    10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 5 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
  885    10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 6 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
  886    10 COL + 1 BACKGROUND-COLOR 2 FOREGROUND-COLOR 7 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
  887    05 LINE + 1.
  888    10 COL 52  BACKGROUND-COLOR 3 FOREGROUND-COLOR 0 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
  889    10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 1 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
  890    10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 2 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
  891    10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 3 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
  892    10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 4 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
  893    10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 5 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
  894    10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 6 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
  895    10 COL + 1 BACKGROUND-COLOR 3 FOREGROUND-COLOR 7 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
  896    05 LINE + 1.
  897    10 COL 52  BACKGROUND-COLOR 4 FOREGROUND-COLOR 0 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
  898    10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 1 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
  899    10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 2 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
  900    10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 3 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
  901    10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 4 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
  902    10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 5 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
  903    10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 6 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
  904    10 COL + 1 BACKGROUND-COLOR 4 FOREGROUND-COLOR 7 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
  905    05 LINE + 1.
  906    10 COL 52  BACKGROUND-COLOR 5 FOREGROUND-COLOR 0 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
  907    10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 1 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
  908    10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 2 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
  909    10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 3 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
  910    10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 4 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
  911    10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 5 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
  912    10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 6 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
  913    10 COL + 1 BACKGROUND-COLOR 5 FOREGROUND-COLOR 7 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
  914    05 LINE + 1.
  915    10 COL 52  BACKGROUND-COLOR 6 FOREGROUND-COLOR 0 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
  916    10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 1 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
  917    10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 2 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
  918    10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 3 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
```

```
ACS Cobol Xref v2.02.02         Dictionary File for COLORS      07/12/2019  16:57:00:21

    919    10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 4 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
    920    10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 5 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
    921    10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 6 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
    922    10 COL + 1 BACKGROUND-COLOR 6 FOREGROUND-COLOR 7 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
    923    05 LINE + 1.
    924    10 COL 52  BACKGROUND-COLOR 7 FOREGROUND-COLOR 0 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
    925    10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 1 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
    926    10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 2 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
    927    10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 3 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
    928    10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 4 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
    929    10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 5 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
    930    10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 6 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
    931    10 COL + 1 BACKGROUND-COLOR 7 FOREGROUND-COLOR 7 HIGHLIGHT BLINK REVERSE-VIDEO VALUE ’X’.
    932    PROCEDURE DIVISION.
    933    000-Main SECTION.
    934     DISPLAY S-COLORTST-SCR.
    935     STOP RUN.
    936         *>>>Info: Total Copy Depth Used = 01
```

```
ACS Cobol Xref v2.02.02        Dictionary File for COLORS    07/12/2019  16:57:00:22
Symbols of Module: COLORS (COLORS)
----------------------------------

Data Section (SCREEN)          Defn    Locations
-----------------------------+----------------------------------------------------------------

S-COLORTST-SCR                 000007S  000934
```

```
ACS Cobol Xref v2.02.02         Dictionary File for COLORS     07/12/2019  16:57:00:22
Symbols of Module: COLORS (COLORS)
--------------------------------
Procedure                       Defn    Locations
------------------------------+-------------------------------------------------------------

None
```

```
ACS Cobol Xref v2.02.02         Dictionary File for COLORS     07/12/2019  16:57:00:22
Symbols of Module: COLORS (COLORS)
---------------------------------
Unreferenced Working Storage Symbols

None
```

```
ACS Cobol Xref v2.02.02          Dictionary File for COLORS    07/12/2019  16:57:00:22
Symbols of Module: COLORS (COLORS)
---------------------------------
Unreferenced Procedures

None
```

4 DAY-FROM-DATE

DAY-FROM-DATE is a user-defined function that accepts a single numeric `USAGE DISPLAY` argument –æ either a 7-digit Julian date in the form *yyyyddd* or an 8-digit Gregorian date in the form *yyyymmdd*. This argument may be supplied either as a PIC 9(n) USAGE DISPLAY data item (n=7 or 8) or as a 7- or 8-digit numeric literal.

The subroutine will determine if the supplied date is a valid date in the year range 0000 through 9999 and what day of the week that date fell on.

The value returned will be zero if the date argument was invalid or an integer in the range 1-7, representing Sunday through Saturday.

In addition to general GnuCOBOL concepts, this program provides a useful demonstration of the following:

- Coding a GnuCOBOL user-defined function
- Using the `ANY LENGTH` data item attribute
- Using the `RETURNING` option in a subprogram
- Using the `DATE-OF-INTEGER` intrinsic function
- Using the `C$PARAMSIZE` built-in system subroutine

The program source and cross-reference listing, produced using the GnuCOBOL Interactive Compiler front-end (GCic.cbl, one of the sample programs included here), begins on the next page.

```
GNU COBOL 2.1 23NOV2013 Source Listing                                2014/03/27
                            C:/Users/tda010/Documents/Programs/Samples/DAY-FROM-DATE.cbl
Line    Statement                                                       Page: 1
======  ==========================================================================
      1        >>SOURCE FORMAT IS FIXED
      2         IDENTIFICATION DIVISION.
      3         FUNCTION-ID. DAY-FROM-DATE.
      4        *>****************************************************************
      5        *> This GNU COBOL user-defined function converts a Gregorian or **
      6        *> Julian date into a numeric day of the week.                 **
      7        *>****************************************************************
      8        *> Arguments:                                                  **
      9        *>                                                             **
     10        *> Calendar-Date    A PIC 9 data item or numeric literal which **
     11        *>                  will be treated as a calendar date as fol-  **
     12        *>                  lows:                                       **
     13        *>                                                             **
     14        *>                  7-digit value: Interpreted as a Julian date **
     15        *>                                 in the form yyyyddd         **
     16        *>                  8-digit value: Interpreted as a Gregorian   **
     17        *>                                 date in the form yyyymmdd    **
     18        *>                                                             **
     19        *> The result returned will be one of the following:           **
     20        *>                                                             **
     21        *> 0:  The supplied date is invalid                            **
     22        *> 1:  The supplied date is a Sunday                           **
     23        *> 2:  The supplied date is a Monday                           **
     24        *> .                                                           **
     25        *> .                                                           **
     26        *> .                                                           **
     27        *> 7:  The supplied date is a Saturday                         **
     28        *>****************************************************************
     29         ENVIRONMENT DIVISION.
     30         CONFIGURATION SECTION.
     31         REPOSITORY.
     32            FUNCTION ALL INTRINSIC.
     33         DATA DIVISION.
     34         WORKING-STORAGE SECTION.
     35         01  WS-Input-Date-DT.
     36             05 WS-ID-YYYY-NUM                 PIC 9(4).
     37             05 WS-ID-MM-NUM                   PIC 9(2).
     38             05 WS-ID-DD-NUM                   PIC 9(2).
     39         01  WS-Y-NUM                          BINARY-LONG.
     40         01  WS-M-NUM                          BINARY-LONG.
     41         01  WS-Temp-NUM                       BINARY-LONG.
     42         LINKAGE SECTION.
     43         01  L-Input-Date-DT                   PIC 9 ANY LENGTH.
     44         01  L-Output-Day-NUM                  USAGE BINARY-LONG
     45                                               SIGNED.
     46         PROCEDURE DIVISION USING L-Input-Date-DT
     47                    RETURNING L-Output-Day-NUM.
     48         000-Main SECTION.
     49             CALL "C$PARAMSIZE" USING 1
```

==
GCic for OSX Copyright (C) 2009-2014, Gary L. Cutler, GPL   Page: 1

```
GNU COBOL 2.1 23NOV2013 Source Listing                                        2014/03/27
                             C:/Users/tda010/Documents/Programs/Samples/DAY-FROM-DATE.cbl
Line    Statement                                                                   Page: 2
====== =====================================================================================
    50            EVALUATE RETURN-CODE
    51            WHEN 7
    52                IF TEST-DAY-YYYYDDD(L-Input-Date-DT) > 0
    53                    MOVE 0 TO L-Output-Day-NUM
    54                    GOBACK
    55                END-IF
    56                MOVE DATE-OF-INTEGER(INTEGER-OF-DAY(L-Input-Date-DT))
    57                  TO WS-Input-Date-DT
    58            WHEN 8
    59                IF TEST-DATE-YYYYMMDD(L-Input-Date-DT) > 0
    60                    MOVE 0 TO L-Output-Day-NUM
    61                    GOBACK
    62                END-IF
    63                MOVE L-Input-Date-DT TO WS-Input-Date-DT
    64            WHEN OTHER
    65                MOVE 0 TO L-Output-Day-NUM
    66                GOBACK
    67            END-EVALUATE
    68        *> IF january OR february
    69        *>    y = year - 1
    70        *>    m = month + 10
    71        *> ELSE
    72        *>    y = year
    73        *>    m = month - 2
    74        *> END-IF
    75        *> For Gregorian calendar:
    76        *>    result = (day + y + y/4 - y/100 + y/400 + (31*m)/12) mod 7
    77        *> (All divisions are integer divisions, discarding any remainder)
    78            IF WS-ID-MM-NUM = 1 OR 2
    79                SUBTRACT 1 FROM WS-ID-YYYY-NUM GIVING WS-Y-NUM
    80                ADD WS-ID-MM-NUM, 10 GIVING WS-M-NUM
    81            ELSE
    82                MOVE WS-ID-YYYY-NUM TO WS-Y-NUM
    83                SUBTRACT 2 FROM WS-ID-MM-NUM GIVING WS-M-NUM
    84            END-IF
    85            COMPUTE L-Output-Day-NUM =
    86                WS-ID-DD-NUM
    87              + WS-Y-NUM
    88              + INTEGER(WS-Y-NUM/4)
    89              - INTEGER(WS-Y-NUM/100)
    90              + INTEGER(WS-Y-NUM/400)
    91              + INTEGER((31*WS-M-NUM)/12)
    92            DIVIDE L-Output-Day-NUM BY 7
    93                GIVING WS-Temp-NUM
    94                REMAINDER L-Output-Day-NUM
    95            ADD 1 TO L-Output-Day-NUM
    96            GOBACK
    97            .
    98

====================================================================================================
GCic for OSX Copyright (C) 2009-2014, Gary L. Cutler, GPL                            Page: 2
```

```
GNU COBOL 2.1 23NOV2013 Cross-Reference Listing                          2014/03/27
                          C:/Users/tda010/Documents/Programs/Samples/DAY-FROM-DATE.cbl
PROGRAM-ID      Identifier/Register/Function    Defn   Where Defined   References        Page: 3
==============  ==============================  ======  ==============  ========================
DAY-FROM-DATE   000-Main                         48 PROCEDURE
DAY-FROM-DATE   L-Input-Date-DT                  43 LINKAGE            46      52      56
                                                                      59      63
DAY-FROM-DATE   L-Output-Day-NUM                 44 LINKAGE            47      53*     60*
                                                                      65*     85*     92
                                                                      94*     95*
DAY-FROM-DATE   RETURN-CODE                         PROCEDURE          50
DAY-FROM-DATE   WS-ID-DD-NUM                     38 WORKING-STORAGE    86
DAY-FROM-DATE   WS-ID-MM-NUM                     37 WORKING-STORAGE    78      80      83
DAY-FROM-DATE   WS-ID-YYYY-NUM                   36 WORKING-STORAGE    79      82
DAY-FROM-DATE   WS-Input-Date-DT                 35 WORKING-STORAGE    57*     63*
DAY-FROM-DATE   WS-M-NUM                         40 WORKING-STORAGE    80*     83*     91
DAY-FROM-DATE   WS-Temp-NUM                      41 WORKING-STORAGE    93*
DAY-FROM-DATE   WS-Y-NUM                         39 WORKING-STORAGE    79*     82*     87
                                                                      88      89      90
```

```
===================================================================================================
GCic for OSX Copyright (C) 2009-2014, Gary L. Cutler, GPL                          Page: 3
```

5 GCic

This is MUCH more than a mere demonstration program – it's also a very practical utility! The "GCic" (GnuCOBOL Interactive Compiler) is a TUI (Textual User Interface) program that may be used as a full-screen interface to the "cobc" compiler. In addition, GCic can produce neat, concise and useful cross-reference listings of GnuCOBOL programs, showing not only where user-defined names and built-in registers and intrinsic functions are referenced, but also where user-defined data items ARE MODIFIED by program code!

The program is well documented (IMHO) and you should find it fairly easy to follow. The GCic.cbl program was written to work with a native Windows or Windows/MinGW build of GnuCOBOL as well as a Windows/Cygwin, UNIX or OS X build.

Source listings generated by GCic will show the original source code of your programs, with all indentation and comments preserved. Additionally, any COPYed code will be included in the listing immediately (in compressed form) following the COPY statement that triggered its inclusion into your program.

Cross-reference listings will show all user-defined data items and procedures as well as intrinsic function and special register references. In addition to showing the line numbers at which items were defined and referenced, those references that MODIFY the contents of the data item will have an asterisk appended to them.

In addition to general GnuCOBOL concepts, this program provides a useful demonstration of the following:

- Creating a GnuCOBOL compilation unit that consists of multiple programs
- Using CDF conditional compilation facilities
- Using the `SCREEN SECTION` and associated `ACCEPT` and `DISPLAY` statements
- Using `DECLARATIVES` to trap file I/O errors
- Using `FILE-STATUS`
- Using the `REPLACING` clause on a CDF `COPY` statement
- Using the following statements:
    - o `ACCEPT FROM COMMAND-LINE` statement
    - o `ACCEPT FROM DATE/TIME` statement
    - o `ACCEPT FROM ENVIRONMENT` statement
    - o `EXIT PERFORM` statement
    - o `EXIT SECTION` statement
    - o `INSPECT` statement
    - o `PERFORM FOREVER` statement
    - o `SEARCH ALL` statement
    - o `SET ENVIRONMENT` statement
    - o `SORT` statement
    - o `STRING` statement
    - o `UNSTRING` statement
- Using the following built-in subroutines:
    - o `C$JUSTIFY` built-in system subroutine
    - o `C$SLEEP` built-in system subroutine
    - o `CBL_CHANGE_DIR` built-in system subroutine
    - o `CBL_CHECK_FILE_EXIST` built-in system subroutine

- o `CBL_DELETE_FILE` built-in system subroutine
- o `SYSTEM` built-in system subroutine
- Using the following intrinsic functions:
  - o `CONCATENATE` intrinsic function
  - o `LENGTH` intrinsic function
  - o `LOWER-CASE` intrinsic function
  - o `NUMVAL` intrinsic function
  - o `TRIM` intrinsic function
  - o `UPPER-CASE` intrinsic function
- Using the `COB-CRT-STATUS,Special Registers` special register
- Programmatically producing a report destined for either portrait or landscape printing

Here is a sample of the screen generated by this program:

The program source and cross-reference listing, generated by cobxref, begins on the next page.

```
ACS Cobol Xref v2.02.04        Dictionary File for GCIC    06/03/2022  23:09:10:96  Page    1

    1          >>SOURCE FORMAT IS FIXED
    2          *> CONFIGURATION SETTINGS: adjust const-set-1.cpy before
    3          *> compiling GCic to adjust the way it works.
    4          *copy "const-set-1.cpy".
    5          *> CONFIGURATION SETTINGS: Set these switches before compiling:
    6          *>
    7          *> Set these 2 for the compiler version.
    8          *>
    9           >>DEFINE CONSTANT COMP-VERS  AS 'GNUCOBOL 3.1.2 06MAR2022'
   10           >>DEFINE CONSTANT COMP-YEAR  AS '2022'
   11          *>
   12          *> LINEDRAW Set to:
   13          *>    0   To use spaces (no lines)
   14          *>    1   To use the line-drawing characterset (PC codepage 437)
   15          *>    2   To use conventional ASCII characters (+, -, |)
   16          *>
   17          *>          OSX USERS - To use the linedrawing characterset,
   18          *>                   set your 'terminal' font to 'Lucida Console'
   19          *>
   20          *> OS      Set to one of the following:
   21          *>          'CYGWIN'   For a Windows/Cygwin version
   22          *>          'MINGW'    For a Windows/MinGW version
   23          *>          'OSX'      For a Macintosh OSX version
   24          *>          'UNIX'     For a Unix/Linux version
   25          *>          'WINDOWS'  For a Native Windows version
   26          *>
   27          *> SELCHAR  Set to the desired single character to be used as the red
   28          *>          'feature selected' character on the screen.
   29          *>          SUGGESTIONS: '>', '*', '=', '+'
   30          *>
   31          *> LPP      Set to maximum printable lines per page when the listing
   32          *>          should be generated for LANDSCAPE orientation (can be over-
   33          *>          ridden at execution time using the GCXREF_LINES environment
   34          *>          variable.
   35          *>
   36          *> LPPP     Set to maximum printable lines per page when the listing
   37          *>          should be generated for PORTRAIT orientation (can be over-
   38          *>          ridden at execution time using the GCXREF_LINES_PORT
   39          *>          environment variable.
   40          *>
   41 GC0712 >>DEFINE CONSTANT LINEDRAW    AS 2
   42 GC0712 >>DEFINE CONSTANT OS          AS 'UNIX'
   43 GC0712 >>DEFINE CONSTANT SELCHAR     AS '>'
   44 GC1213 >>DEFINE CONSTANT LPP         AS 50   *> LANDSCAPE (GCXREF_LINES)
   45 GC1213 >>DEFINE CONSTANT LPPP        AS 60   *> PORTRAIT  (GCXREF_LINES_PORT)
   46        *> -----------------------------------------------------------
   47        *> Now set these switches to establish initial (default) settings
   48        *> for the various on-screen options.  Set them to a value of
   49        *> 0 if they are to be 'OFF' and 1 if they are to be 'ON'
   50 GC1213*> (for F5, 1=ON (Landscape), 2=ON (Portrait))
   51        *>
   52 GC0712 >>DEFINE CONSTANT F1  AS 0 *> Assume WITH DEBUGGING MODE
   53 GC0712 >>DEFINE CONSTANT F2  AS 0 *> Procedure+Statement Trace
   54 GC0712 >>DEFINE CONSTANT F3  AS 0 *> Make A Library (DLL)
```

```
ACS Cobol Xref v2.02.04        Dictionary File for GCIC    06/03/2022  23:09:10:96  Page    2

    55  GC0712 >>DEFINE CONSTANT F4  AS 0 *> Execute If Compilation OK
    56  GC1213 >>DEFINE CONSTANT F5  AS 0 *> Listings
    57  GC0712 >>DEFINE CONSTANT F6  AS 1 *> "FUNCTION" Is Optional
    58  GC0712 >>DEFINE CONSTANT F7  AS 1 *> Enable All Warnings
    59  GC0712 >>DEFINE CONSTANT F8  AS 1 *> Source Is Free-Format
    60  GC0712 >>DEFINE CONSTANT F9  AS 1 *> No COMP/BINARY Truncation
    61  GC0712 >>DEFINE CONSTANT F12 AS 4 *> Default config file (1-7):
    62         *>                              1 = BS2000
    63         *>                              2 = COBOL85
    64         *>                              3 = COBOL2002
    65         *>                              4 = DEFAULT
    66         *>                              5 = IBM
    67         *>                              6 = MF (i.e. Microfocus)
    68         *>                              7 = MVS
    69         /
    70          IDENTIFICATION DIVISION.
    71          PROGRAM-ID. GCic.
    72         *>****************************************************************
    73         *>     >NOTE<   >NOTE<   >NOTE<   >NOTE<   >NOTE<   >NOTE<     **
    74         *>                                                            **
    75         *> If this program is compiled with '-fdebugging-line', you    **
    76         *> will need to pipe SYSERR to a text file when executing GCic **
    77         *> (by adding the text '2> filename' to the end of the GCic    **
    78         *> command).  You may also need to press the ENTER key when    **
    79         *> GCic is finished.                                           **
    80         *>****************************************************************
    81         *> This program provides a Textual User Interface (TUI) to the **
    82         *> process of compiling and (optionally) executing a GNU COBOL **
    83         *> program.                                                    **
    84         *>                                                            **
    85         *> This programs execution syntax is as follows:              **
    86         *>                                                            **
    87         *> GCic <program-path-and-filename> [ <switch>... ]           **
    88         *>                                                            **
    89         *> Once executed, a display screen will be presented showing  **
    90         *> the compilation options that will be used.  The user will  **
    91         *> have the opportunity to change options, specify new ones    **
    92         *> and specify any program execution arguments to be used if   **
    93         *> you select the 'Execute' option.  When you press the Enter  **
    94         *> key the program will be compiled.                          **
    95         *>                                                            **
    96         *> The SCREEN SECTION contains an image of the screen.        **
    97         *>                                                            **
    98         *> The '010-Parse-Args' section in the PROCEDURE DIVISION has  **
    99         *> documentation on switches and their function.              **
   100         *>****************************************************************
   101         *>                                                            **
   102         *> AUTHOR:      GARY L. CUTLER                                **
   103         *>             Copyright (C) 2009-2018, Gary L. Cutler, GPL   **
   104         *>  Updated by  Vincent B Coen, 2018-2020+.                   **
   105         *>                                                            **
   106         *> DATE-WRITTEN: June 14, 2009                                **
   107         *>                                                            **
   108         *>****************************************************************
```

```
ACS Cobol Xref v2.02.04        Dictionary File for GCIC    06/03/2022  23:09:10:96   Page    3

   109        *>  DATE  CHANGE DESCRIPTION                                    **
   110        *> ====== =================================================== **
   111        *> GC0609 Don't display compiler messages file if compilation **
   112        *>  GLC   Is successful.  Also don't display messages if the  **
   113        *>        output file is busy (just put a message on the      **
   114        *>        screen, leave the OC screen up & let the user fix    **
   115        *>        the problem & resubmit.                              **
   116        *> GC0709 When 'EXECUTE' is selected, a 'FILE BUSY' error will **
   117        *>  CLC   still cause the (old) executable to be launched.     **
   118        *>        Also, the 'EXTRA SWITCHES' field is being ignored.   **
   119        *>        Changed the title bar to lowlighted reverse video &  **
   120        *>        the message area to highlighted reverse-video.       **
   121        *> GC0809 Add a SPACE in front of command-line args when       **
   122        *>  GLC   executing users program.  Add a SPACE after the      **
   123        *>        -ftraceall switch when building cobc command.        **
   124        *> GC0909 Convert to work on Cygwin/Linux as well as MinGW     **
   125        *> GC0310 Virtualized the key codes for S-F1 thru S-F7 as they **
   126        *>  GLC   differ depending upon whether PDCurses or NCurses is **
   127        *>        being used.                                          **
   128        *> GC0410 Introduced the cross-reference and source listing    **
   129        *>  GLC   features.  Also fixed a bug in EXTRA switch proces-  **
   130        *>        sing where garbage will result if more than the      **
   131        *>        EXTRA switch is specified.                           **
   132        *> GC1010 Corrected several problems reported by Vince Coen:   **
   133        *>  GLC   1) Listing/Xref wouldn't work if '-I' additional     **
   134        *>           cobc switch specified.                            **
   135        *>        2) Programs coded with lowercase reserved words did   **
   136        *>           not get parsed properly when generating listing   **
   137        *>           and/or xref reports.                              **
   138        *>        3) Reliance on a TEMP environment variable caused    **
   139        *>           non-recoverable errors when generating listing    **
   140        *>           and/or xref reports in a session that lacks a     **
   141        *>           TEMP variable.                                    **
   142        *>        As a result of this change, GCic no longer runs a    **
   143        *>        second 'cobc' when generating listing and/or xref    **
   144        *>        reports.  A '-save-temps' (without '=dir') specified **
   145        *>        in the EXTRA options field will be ignored.  A       **
   146        *>        '-save-temps=dir' specified in the EXTRA options     **
   147        *>        field will negate both the XREF and SOURCE opts,     **
   148        *>        if specified.                                        **
   149        *> GC0711 Tailored for 29APR2011 version of GNU COBOL 2.0      **
   150        *> GC0712 Replaced all switches with configuration settings;   **
   151        *>  GLC   Tailored for 11FEB2012 version of GNU COBOL 2.0;     **
   152        *>        Reformatted screen layout to fit a 24x80 screen      **
   153        *>        rather than a 25x81 screen and to accommodate shell  **
   154        *>        environments having only F1-F12 (like 'terminal' in  **
   155        *>        OSX); Fully tested under OSX (required a few altera- **
   156        *>        tions); Expanded both extra-options and runtime-     **
   157        *>        arguments areas to TWO lines (152 chars total) each; **
   158        *>        Added support for MF/IBM/BS2000 listing-control      **
   159        *>        directives EJECT,SKIP1,SKIP2,SKIP3 (any of these in  **
   160        *>        copybooks will be ignored)                           **
   161        *> GC0313 Expand the source code record from 80 chars to 256   **
   162        *>  GLC   to facilitate looking for "LINKAGE SECTION" in a     **
```

```
163     *>      free-format file.                              **
164     *> GC1113 Edited to support the change of "OpenCOBOL" to "GNU  **
165     *>  GLC   COBOL"                                        **
166     *> GC1213 Updated for 23NOV2013 version of GNU COBOL 2.1      **
167     *> GC0114 Introduce a "Press ENTER to Close" action after run- **
168     *>  GLC   ning the compiled program in the compiler window (F4)**
169     *> VC0617 Remove the Blinking in meny screen as uncomfortable  **
170     *>  VBC   Update version printed to 2.2 30JUN2017.           **
171     *>      Move the system constant settings to a copy file    **
172     *>      const-set-1.cpy  in case GCic is updated.          **
173     *>      Added  SET ENVIRONMENT "COB_EXIT_WAIT" TO "0" to    **
174     *>      100-Initialization section.                      **
175     *> VC0717 Replaced compile param instrinsic=all with        **
176     *>  VBC   intrinstics=ALL. Changed mod detail inits for Gary  **
177     *>      from GCL to GLC.                                 **
178     *>      Update version printed to 2.2 20JUL2017.          **
179     *>      Should really get this from the compiler if avail?  **
180     *> VC1217 Update compiler version to v3.0 24DEC2017.         **
181     *>      and copyright to 2018 (in 3 places).             **
182     *> VC0811 Updated compiler to 3.1 July2020 and the copyright.  **
183     *> VC0322 Update compiler version to v3.1.2 06MAR2022.        **
184     *>****************************************************************
185     *>
186      ENVIRONMENT DIVISION.
187      CONFIGURATION SECTION.
188      REPOSITORY.
189          FUNCTION ALL INTRINSIC.
190      INPUT-OUTPUT SECTION.
191      FILE-CONTROL.
192 GC1010   SELECT F-Cobc-Output-FILE   ASSIGN TO WS-Listing-Filename-TXT
193                                       ORGANIZATION IS LINE SEQUENTIAL.
194
195          SELECT F-Source-Code-FILE   ASSIGN TO WS-File-Name-TXT
196                                       ORGANIZATION IS LINE SEQUENTIAL
197                                       FILE STATUS IS WS-FSM-Status-CD.
198      /
199      DATA DIVISION.
200      FILE SECTION.
201      FD  F-Cobc-Output-FILE.
202      01  F-Cobc-Output-REC           PIC X(256).
203
204      FD  F-Source-Code-FILE.
205 GC0313 01  F-Source-Code-REC           PIC X(256).
206
207      WORKING-STORAGE SECTION.
208      >>source free
209 *>C      COPY screenio.
210 *> Copyright (C) 2008-2012, 2015-2016  Free Software Foundation, Inc.
211 *> Written by Roger While
212 *>
213 *> This file is part of GnuCOBOL.
214 *>
215 *> The GnuCOBOL compiler is free software: you can redistribute
216 *> it and/or modify it under the terms of the GNU General Public
```

```
ACS Cobol Xref v2.02.04        Dictionary File for GCIC    06/03/2022  23:09:10:96   Page    5

  217  *>  License as published by the Free Software Foundation, either
  218  *>  version 3 of the License, or (at your option) any later
  219  *>  version.
  220  *>
  221  *>  GnuCOBOL is distributed in the hope that it will be useful,
  222  *>  but WITHOUT ANY WARRANTY; without even the implied warranty of
  223  *>  MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.  See the
  224  *>  GNU General Public License for more details.
  225  *>
  226  *>  You should have received a copy of the GNU General Public
  227  *>  License along with GnuCOBOL.
  228  *>  If not, see <http://www.gnu.org/licenses/>.
  229  *>
  230  *>   Colors
  231  *>
  232  78  cob-color-black     value 0.
  233  78  COB-COLOR-BLUE      VALUE 1.
  234  78  COB-COLOR-GREEN     VALUE 2.
  235  78  COB-COLOR-CYAN      VALUE 3.
  236  78  COB-COLOR-RED       VALUE 4.
  237  78  COB-COLOR-MAGENTA   VALUE 5.
  238  78  COB-COLOR-YELLOW    VALUE 6.
  239  78  COB-COLOR-WHITE     VALUE 7.
  240  *>
  241  *> Values that may be returned in CRT STATUS (or COB-CRT-STATUS)
  242  *> Normal return - Value 0000
  243  78  COB-SCR-OK          VALUE 0.
  244  *>  Function keys - Values 1xxx
  245  78  COB-SCR-F1          VALUE 1001.
  246  78  COB-SCR-F2          VALUE 1002.
  247  78  COB-SCR-F3          VALUE 1003.
  248  78  COB-SCR-F4          VALUE 1004.
  249  78  COB-SCR-F5          VALUE 1005.
  250  78  COB-SCR-F6          VALUE 1006.
  251  78  COB-SCR-F7          VALUE 1007.
  252  78  COB-SCR-F8          VALUE 1008.
  253  78  COB-SCR-F9          VALUE 1009.
  254  78  COB-SCR-F10         VALUE 1010.
  255  78  COB-SCR-F11         VALUE 1011.
  256  78  COB-SCR-F12         VALUE 1012.
  257  78  COB-SCR-F13         VALUE 1013.
  258  78  COB-SCR-F14         VALUE 1014.
  259  78  COB-SCR-F15         VALUE 1015.
  260  78  COB-SCR-F16         VALUE 1016.
  261  78  COB-SCR-F17         VALUE 1017.
  262  78  COB-SCR-F18         VALUE 1018.
  263  78  COB-SCR-F19         VALUE 1019.
  264  78  COB-SCR-F20         VALUE 1020.
  265  78  COB-SCR-F21         VALUE 1021.
  266  78  COB-SCR-F22         VALUE 1022.
  267  78  COB-SCR-F23         VALUE 1023.
  268  78  COB-SCR-F24         VALUE 1024.
  269  78  COB-SCR-F25         VALUE 1025.
  270  78  COB-SCR-F26         VALUE 1026.
```

```
271   78  COB-SCR-F27       VALUE 1027.
272   78  COB-SCR-F28       VALUE 1028.
273   78  COB-SCR-F29       VALUE 1029.
274   78  COB-SCR-F30       VALUE 1030.
275   78  COB-SCR-F31       VALUE 1031.
276   78  COB-SCR-F32       VALUE 1032.
277   78  COB-SCR-F33       VALUE 1033.
278   78  COB-SCR-F34       VALUE 1034.
279   78  COB-SCR-F35       VALUE 1035.
280   78  COB-SCR-F36       VALUE 1036.
281   78  COB-SCR-F37       VALUE 1037.
282   78  COB-SCR-F38       VALUE 1038.
283   78  COB-SCR-F39       VALUE 1039.
284   78  COB-SCR-F40       VALUE 1040.
285   78  COB-SCR-F41       VALUE 1041.
286   78  COB-SCR-F42       VALUE 1042.
287   78  COB-SCR-F43       VALUE 1043.
288   78  COB-SCR-F44       VALUE 1044.
289   78  COB-SCR-F45       VALUE 1045.
290   78  COB-SCR-F46       VALUE 1046.
291   78  COB-SCR-F47       VALUE 1047.
292   78  COB-SCR-F48       VALUE 1048.
293   78  COB-SCR-F49       VALUE 1049.
294   78  COB-SCR-F50       VALUE 1050.
295   78  COB-SCR-F51       VALUE 1051.
296   78  COB-SCR-F52       VALUE 1052.
297   78  COB-SCR-F53       VALUE 1053.
298   78  COB-SCR-F54       VALUE 1054.
299   78  COB-SCR-F55       VALUE 1055.
300   78  COB-SCR-F56       VALUE 1056.
301   78  COB-SCR-F57       VALUE 1057.
302   78  COB-SCR-F58       VALUE 1058.
303   78  COB-SCR-F59       VALUE 1059.
304   78  COB-SCR-F60       VALUE 1060.
305   78  COB-SCR-F61       VALUE 1061.
306   78  COB-SCR-F62       VALUE 1062.
307   78  COB-SCR-F63       VALUE 1063.
308   78  COB-SCR-F64       VALUE 1064.
309   *>  Exception keys - Values 2xxx
310   78  COB-SCR-PAGE-UP     VALUE 2001.
311   78  Cob-Scr-Page_Up     value 2001.
312   78  COB-SCR-PAGE-DOWN   VALUE 2002.
313   78  Cob-Scr-Page_Down   value 2002.
314   78  COB-SCR-KEY-UP      VALUE 2003.
315   78  COB-SCR-KEY_UP      VALUE 2003.
316   78  COB-SCR-KEY-DOWN    VALUE 2004.
317   78  COB-SCR-KEY_DOWN    VALUE 2004.
318   78  COB-SCR-ESC         VALUE 2005.
319   78  COB-SCR-PRINT       VALUE 2006.
320   78  COB-SCR-TAB         VALUE 2007.
321   78  COB-SCR-BACK-TAB    VALUE 2008.
322   78  COB-SCR-KEY-LEFT    VALUE 2009.
323   78  COB-SCR-KEY-RIGHT   VALUE 2010.
324   *>  The following exception keys are currently *only* returned
```

```
ACS Cobol Xref v2.02.04       Dictionary File for GCIC    06/03/2022  23:09:10:97   Page    7

  325  *>  on ACCEPT OMITTED
  326  78  COB-SCR-INSERT     VALUE 2011.
  327  78  COB-SCR-DELETE     VALUE 2012.
  328  78  COB-SCR-BACKSPACE  VALUE 2013.
  329  78  COB-SCR-KEY-HOME   VALUE 2014.
  330  78  COB-SCR-KEY-END    VALUE 2015.
  331  *>  Input validation - Values 8xxx
  332  78  COB-SCR-NO-FIELD   VALUE 8000.
  333  78  COB-SCR-TIME-OUT   VALUE 8001.
  334  *>  Other errors - Values 9xxx
  335  78  COB-SCR-FATAL      VALUE 9000.
  336  78  COB-SCR-MAX-FIELD  VALUE 9001.
  337         >>source fixed
  338  GC0712 01  WS-Compilation-Switches-TXT.
  339  GC0712     05 WS-CS-Args-TXT VALUE SPACES.
  340  GC0712        10 WS-CS-Arg-H1-TXT             PIC X(76).
  341  GC0712        10 WS-CS-Arg-H2-TXT             PIC X(76).
  342  GC0712     05 WS-CS-Filenames-TXT.
  343  GC0712        10 VALUE 'BS2000'              PIC X(9).
  344  GC0712        10 VALUE 'COBOL85'             PIC X(9).
  345  GC0712        10 VALUE 'COBOL2002'           PIC X(9).
  346  GC0712        10 VALUE 'DEFAULT'             PIC X(9).
  347  GC0712        10 VALUE 'IBM'                 PIC X(9).
  348  GC0712        10 VALUE 'MF'                  PIC X(9).
  349  GC0712        10 VALUE 'MVS'                 PIC X(9).
  350  GC0712     05 WS-CS-Filenames-Table-TXT REDEFINES WS-CS-Filenames-TXT.
  351  GC0712        10 WS-CS-Filename-TXT           OCCURS 7 TIMES
  352  GC0712                                        PIC X(9).
  353  GC0712 >>IF F12 < 1
  354  GC0712     05 WS-CS-Config-NUM    VALUE 4    PIC 9(1).
  355  GC0712 >>ELIF F12 > 7
  356  GC0712     05 WS-CS-Config-NUM    VALUE 4    PIC 9(1).
  357  GC0712 >>ELSE
  358  GC0712     05 WS-CS-Config-NUM    VALUE F12  PIC 9(1).
  359  GC0712 >>END-IF
  360  GC0712     05 WS-CS-Extra-TXT VALUE SPACES.
  361  GC0712        10 WS-CS-Extra-H1-TXT           PIC X(76).
  362  GC0712        10 WS-CS-Extra-H2-TXT           PIC X(76).
  363  GC0712     05 WS-CS-Switch-Defaults-TXT.
  364  GC0712        10 VALUE F1                     PIC 9(1). *> WS-CS-DEBUG-CHR
  365  GC0712        10 VALUE F4                     PIC 9(1). *> WS-CS-EXECUTE-CHR
  366  GC0712        10 VALUE F8                     PIC 9(1). *> WS-CS-FREE-CHR
  367  GC0712        10 VALUE F3                     PIC 9(1). *> WS-CS-LIBRARY-CHR
  368  GC0712        10 VALUE F5                     PIC 9(1). *> WS-CS-LISTING-CHR
  369  GC0712        10 VALUE F6                     PIC 9(1). *> WS-CS-NOFUNC-CHR
  370  GC0712        10 VALUE F9                     PIC 9(1). *> WS-CS-NOTRUNC-CHR
  371  GC0712        10 VALUE F2                     PIC 9(1). *> WS-CS-TRACEALL-CHR
  372  GC0712        10 VALUE F7                     PIC 9(1). *> WS-CS-WARNALL-CHR
  373  GC0712     05 WS-CS-All-Switches-TXT REDEFINES
  374  GC0712                          WS-CS-Switch-Defaults-TXT.
  375  GC0712        10 WS-CS-DEBUG-CHR              PIC X(1).
  376  GC0712        10 WS-CS-EXECUTE-CHR            PIC X(1).
  377  GC0712        10 WS-CS-FREE-CHR               PIC X(1).
  378  GC0712        10 WS-CS-LIBRARY-CHR            PIC X(1).
```

```
ACS Cobol Xref v2.02.04        Dictionary File for GCIC    06/03/2022  23:09:10:97   Page    8

379  GC0712          10 WS-CS-LISTING-CHR               PIC X(1).
380  GC0712          10 WS-CS-NOFUNC-CHR                PIC X(1).
381  GC0712          10 WS-CS-NOTRUNC-CHR               PIC X(1).
382  GC0712          10 WS-CS-TRACEALL-CHR              PIC X(1).
383  GC0712          10 WS-CS-WARNALL-CHR               PIC X(1).
384
385  GC0909 01  WS-Cmd-TXT                              PIC X(512).
386
387  GC0712 01  WS-Cmd-Args-TXT                         PIC X(256).
388
389  GC0712 01  WS-Cmd-End-Quote-CHR                    PIC X(1).
390
391  GC0712 01  WS-Cmd-SUB                              USAGE BINARY-LONG.
392
393         01  WS-Cobc-Cmd-TXT                         PIC X(256).
394
395         01  WS-Config-Fn-TXT                        PIC X(12).
396
397  GC1113 01  WS-Delete-Fn-TXT                        PIC X(256).
398
399         01  WS-File-Name-TXT.
400             05 WS-FN-CHR                            OCCURS 256 TIMES
401                                                     PIC X(1).
402
403         01  WS-File-Status-Message-TXT.
404             05 VALUE 'Status Code: '                PIC X(13).
405             05 WS-FSM-Status-CD                     PIC 9(2).
406             05 VALUE ', Meaning: '                  PIC X(11).
407             05 WS-FSM-Msg-TXT                       PIC X(25).
408
409  GC0909 01  WS-Horizontal-Line-TXT                  PIC X(80).
410  GC0909
411         01  WS-I-SUB                                USAGE BINARY-LONG.
412
413         01  WS-J-SUB                                USAGE BINARY-LONG.
414
415  GC1213 01  WS-Listing-CD VALUE F5                  PIC 9(1).
416
417  GC0712 01  WS-Listing-Filename-TXT                 PIC X(256).
418
419  GC1213 01  WS-Listing-TXT VALUE SPACES             PIC X(27).
420
421         01  WS-OC-Compile-DT                        PIC XXXX/XX/XXBXX/XX.
422
423  GC0712 >>IF OS = 'CYGWIN'
424  GC0712 01  WS-OS-Dir-CHR        VALUE '/'     PIC X(1).
425  GC0712 78  WS-OS-Exe-Ext-CONST  VALUE '.exe'.
426  GC0712 78  WS-OS-Lib-Ext-CONST  VALUE '.dll'.
427  GC0712 78  WS-OS-Lib-Type-CONST VALUE 'DLL)'.
428  GC0712 01  WS-OS-Type-CD        VALUE 2       PIC 9(1).
429  GC0712 >>ELIF OS = 'MINGW'
430  GC0712 01  WS-OS-Dir-CHR        VALUE '\'     PIC X(1).
431  GC0712 78  WS-OS-Exe-Ext-CONST  VALUE '.exe'.
432  GC0712 78  WS-OS-Lib-Ext-CONST  VALUE '.dll'.
```

```
ACS Cobol Xref v2.02.04        Dictionary File for GCIC    06/03/2022  23:09:10:97   Page    9

 433  GC0712 78  WS-OS-Lib-Type-CONST  VALUE 'DLL)'.
 434  GC0712 01  WS-OS-Type-CD          VALUE 5        PIC 9(1).
 435  GC0712 >>ELIF OS = 'OSX'
 436  GC0712 01  WS-OS-Dir-CHR          VALUE '/'      PIC X(1).
 437  GC0712 78  WS-OS-Exe-Ext-CONST    VALUE ' '.
 438  GC0712 78  WS-OS-Lib-Ext-CONST    VALUE '.dylib'.
 439  GC0712 78  WS-OS-Lib-Type-CONST   VALUE 'DYLIB)'.
 440  GC0712 01  WS-OS-Type-CD          VALUE 4        PIC 9(1).
 441  GC0712 >>ELIF OS = 'UNIX'
 442  GC0712 01  WS-OS-Dir-CHR          VALUE '/'      PIC X(1).
 443  GC0712 78  WS-OS-Exe-Ext-CONST    VALUE ' '.
 444  GC0712 78  WS-OS-Lib-Ext-CONST    VALUE '.so'.
 445  GC0712 78  WS-OS-Lib-Type-CONST   VALUE 'SO)'.
 446  GC0712 01  WS-OS-Type-CD          VALUE 3        PIC 9(1).
 447  GC0712 >>ELIF OS = 'WINDOWS'
 448  GC0712 01  WS-OS-Dir-CHR          VALUE '\'      PIC X(1).
 449  GC0712 78  WS-OS-Exe-Ext-CONST    VALUE '.exe'.
 450  GC0712 78  WS-OS-Lib-Ext-CONST    VALUE '.dll'.
 451  GC0712 78  WS-OS-Lib-Type-CONST   VALUE 'DLL)'.
 452  GC0712 01  WS-OS-Type-CD          VALUE 1        PIC 9(1).
 453  GC0712 >>END-IF
 454  GC0909     88 WS-OS-Windows-BOOL VALUE 1, 5.
 455  GC0909     88 WS-OS-Cygwin-BOOL  VALUE 2.
 456  GC0712     88 WS-OS-UNIX-BOOL    VALUE 3, 4.
 457  GC0712     88 WS-OS-OSX-BOOL     VALUE 4.
 458
 459         01  WS-OS-Type-FILLER-TXT.
 460             05 VALUE 'Windows'             PIC X(14).
 461             05 VALUE 'Windows/Cygwin'      PIC X(14).
 462             05 VALUE 'UNIX/Linux'          PIC X(14).
 463             05 VALUE 'OSX'                 PIC X(14).
 464             05 VALUE 'Windows/MinGW'       PIC X(14).
 465         01  WS-OS-Types-TXT REDEFINES WS-OS-Type-FILLER-TXT.
 466             05 WS-OS-Type-TXT              OCCURS 5 TIMES
 467                                            PIC X(14).
 468
 469         01  WS-Output-Msg-TXT             PIC X(80).
 470
 471         01  WS-Path-Delimiter-CHR         PIC X(1).
 472
 473         01  WS-Prog-Extension-TXT         PIC X(256).
 474
 475         01  WS-Prog-Folder-TXT            PIC X(256).
 476
 477  GC0712 01  WS-Prog-File-Name-TXT.
 478  GC0712     05 WS-PFN-CHR                 OCCURS 256 TIMES
 479  GC0712                                   PIC X(1).
 480
 481  GC0712 01  WS-Pgm-Nm-TXT                 PIC X(31).
 482
 483         01  WS-Runtime-Switches-TXT.
 484             05 WS-RS-Compile-OK-CHR       PIC X(1).
 485                88 WS-RS-Compile-OK-BOOL       VALUE 'Y'.
 486  GC0909       88 WS-RS-Compile-OK-Warn-BOOL   VALUE 'W'.
```

```
ACS Cobol Xref v2.02.04        Dictionary File for GCIC    06/03/2022  23:09:10:97   Page   10

487                   88 WS-RS-Compile-Failed-BOOL        VALUE 'N'.
488 GC0609      05 WS-RS-Complete-CHR               PIC X(1).
489 GC0609          88 WS-RS-Complete-BOOL             VALUE 'Y'.
490 GC0609          88 WS-RS-Not-Complete-BOOL         VALUE 'N'.
491 GC0712      05 WS-RS-Quote-CHR                  PIC X(1).
492 GC0712          88 WS-RS-Double-Quote-Used-BOOL    VALUE 'Y' FALSE 'N'.
493 GC0809      05 WS-RS-IDENT-DIV-CHR              PIC X(1).
494 GC0809          88 WS-RS-1st-Prog-Complete-BOOL    VALUE 'Y'.
495 GC0809          88 WS-RS-More-To-1st-Prog-BOOL     VALUE 'N'.
496              05 WS-RS-No-Switch-Chgs-CHR         PIC X(1).
497                  88 WS-RS-No-Switch-Changes-BOOL    VALUE 'Y'.
498                  88 WS-RS-Switch-Changes-BOOL       VALUE 'N'.
499 GC0709      05 WS-RS-Output-File-Busy-CHR       PIC X(1).
500 GC0709          88 WS-RS-Output-File-Busy-BOOL      VALUE 'Y'.
501 GC0709          88 WS-RS-Output-File-Avail-BOOL     VALUE 'N'.
502 GC0809      05 WS-RS-Source-Record-Type-CHR     PIC X(1).
503 GC0809          88 WS-RS-Source-Rec-Linkage-BOOL    VALUE 'L'.
504 GC0809          88 WS-RS-Source-Rec-Ident-BOOL      VALUE 'I'.
505 GC0712          88 WS-RS-Source-Rec-Ignored-BOOL    VALUE ' '.
506              05 WS-RS-Switch-Error-CHR           PIC X(1).
507                  88 WS-RS-Switch-Is-Bad-BOOL         VALUE 'Y'.
508                  88 WS-RS-Switch-Is-Good-BOOL        VALUE 'N'.
509
510       01  WS-Tally-QTY                      USAGE BINARY-LONG.
511       /
512        SCREEN SECTION.
513       *>
514       *> Here is the layout of the GCic screen.
515       *>
516       *> The sample screen below shows how the screen would look if the LINEDRAW
517       *> configuration setting is set to a value of 2
518       *>
519       *> The following sample screen layout shows how the screen looks with line-drawing
520       *> characters disabled.
521       *>
522       *>         1         2         3         4         5         6         7         8
523       *>12345678901234567890123456789012345678901234567890123456789012345678901234567890
524       *>================================================================================
525 VC 01 *> GCic (2020/08/11 23:00) - GNU COBOL V3.1 01July2020 Interactive Compilation
526    02 *>+----------------------------------------------------------------------------+
527    03 *>| Folder:   E:\GNU COBOL\Samples                                             |
528    04 *>| Filename: GCic.cbl                                                         |
529    05 *>+----------------------------------------------------------------------------+
530    06 *> Set/Clr Switches Via F1-F9; Set Config Via F12; ENTER Key Compiles; ESC Quits
531    07 *>+------------------------------------------------------------+------------+
532    08 *>| F1  Assume WITH DEBUGGING MODE  F6  "FUNCTION" Is Optional | Current    |
533    09 *>| F2  Procedure+Statement Trace   F7  Enable All Warnings    | Config:    |
534    10 *>| F3  Make A Library (DLL)        F8  Source Is Free-Format  | XXXXXXXXXX |
535    11 *>| F4  Execute If Compilation OK   F9  No COMP/BINARY Truncation |         |
536    12 *>| F5 >Produce Listing (Landscape)                           |            |
537    13 *>+------------------------------------------------------------+------------+
538    14 *> Extra "cobc" Switches, If Any ("-save-temps=xxx" Prevents Listings):
539    15 *>+----------------------------------------------------------------------------+
540    16 *>| _____ |
```

```
ACS Cobol Xref v2.02.04         Dictionary File for GCIC     06/03/2022  23:09:10:97   Page   11
   541      17 *>| _____ |
   542      18 *>+-------------------------------------------------------------------------------+
   543      19 *> Program Execution Arguments, If Any:
   544      20 *>+-------------------------------------------------------------------------------+
   545      21 *>| _____ |
   546      22 *>| _____ |
   547      23 *>+-------------------------------------------------------------------------------+
   548  VC 24 *> GCic Copyright (C) 2009-2022, Gary L. Cutler, GPL
   549         *>==============================================================================
   550         *>12345678901234567890123456789012345678901234567890123456789012345678901234567890
   551         *>         1         2         3         4         5         6         7         8
   552         *>
   553         *> If this program is run on Windows, it must run with codepage 437 activated to
   554         *> display the line-drawing characters.  With a native Windows build or a
   555         *> Windows/MinGW build, one could use the command 'chcp 437' to set that codepage
   556         *> for display within a Windows console window (that should be the default though).
   557         *> With a Windows/Cygwin build, set the environment variable CYGWIN to a value of
   558         *> 'codepage:oem' (this cannot be done from within the program though - you will
   559         *> have to use the 'Computer/Advanced System Settings/Environment Variables' (Vista
   560         *> or Windows 7) function to define the variable.  XP Users: use 'My Computer/
   561         *> Properties/Advanced/Environment Variables'.
   562         *>
   563         *> OSX users may use line drawing characters in this and any GNU COBOL program
   564         *> simply by setting their 'terminal' application's font to "Lucida Console".
   565         *>
   566          >>IF LINEDRAW IS EQUAL TO 0
   567          78 LD-UL-Corner                 VALUE ' '.
   568          78 LD-LL-Corner                 VALUE ' '.
   569          78 LD-UR-Corner                 VALUE ' '.
   570          78 LD-LR-Corner                 VALUE ' '.
   571          78 LD-Upper-T                   VALUE ' '.
   572          78 LD-Lower-T                   VALUE ' '.
   573          78 LD-Horiz-Line                VALUE ' '.
   574          78 LD-Vert-Line                 VALUE ' '.
   575          >>ELIF LINEDRAW IS EQUAL TO 1
   576          78 LD-UL-Corner                 VALUE X'DA'.
   577          78 LD-LL-Corner                 VALUE X'C0'.
   578          78 LD-UR-Corner                 VALUE X'BF'.
   579          78 LD-LR-Corner                 VALUE X'D9'.
   580          78 LD-Upper-T                   VALUE X'C2'.
   581          78 LD-Lower-T                   VALUE X'C1'.
   582          78 LD-Horiz-Line                VALUE X'C4'.
   583          78 LD-Vert-Line                 VALUE X'B3'.
   584          >>ELSE
   585          78 LD-UL-Corner                 VALUE '+'.
   586          78 LD-LL-Corner                 VALUE '+'.
   587          78 LD-UR-Corner                 VALUE '+'.
   588          78 LD-LR-Corner                 VALUE '+'.
   589          78 LD-Upper-T                   VALUE '+'.
   590          78 LD-Lower-T                   VALUE '+'.
   591          78 LD-Horiz-Line                VALUE '-'.
   592          78 LD-Vert-Line                 VALUE '|'.
   593          >>END-IF
   594
```

```
ACS Cobol Xref v2.02.04          Dictionary File for GCIC    06/03/2022  23:09:10:97  Page   12
   595          01 S-Blank-SCR LINE 1 COLUMN 1 BLANK SCREEN.
   596
   597           01 S-Switches-SCR BACKGROUND-COLOR COB-COLOR-BLACK
   598                          FOREGROUND-COLOR COB-COLOR-WHITE AUTO.
   599       *>
   600       *> GENERAL SCREEN FRAMEWORK
   601       *>
   602          03 BACKGROUND-COLOR COB-COLOR-BLACK
   603             FOREGROUND-COLOR COB-COLOR-GREEN HIGHLIGHT.
   604  GC0712     05 LINE 02 COL 01         VALUE LD-UL-Corner.
   605  GC0712     05         COL 02 PIC X(78) FROM  WS-Horizontal-Line-TXT.
   606            05         COL 80         VALUE LD-UR-Corner.
   607
   608  GC0712     05 LINE 03 COL 01         VALUE LD-Vert-Line.
   609            05         COL 80         VALUE LD-Vert-Line.
   610
   611  GC0712     05 LINE 04 COL 01         VALUE LD-Vert-Line.
   612            05         COL 80         VALUE LD-Vert-Line.
   613
   614  GC0712     05 LINE 05 COL 01         VALUE LD-LL-Corner.
   615  GC0712     05         COL 02 PIC X(78) FROM  WS-Horizontal-Line-TXT.
   616            05         COL 80         VALUE LD-LR-Corner.
   617
   618  GC0712     05 LINE 07 COL 01         VALUE LD-UL-Corner.
   619  GC0712     05         COL 02 PIC X(65) FROM  WS-Horizontal-Line-TXT.
   620  GC0712     05         COL 67         VALUE LD-Upper-T.
   621  GC0712     05         COL 68 PIC X(12) FROM  WS-Horizontal-Line-TXT.
   622            05         COL 80         VALUE LD-UR-Corner.
   623
   624  GC0712     05 LINE 08 COL 01         VALUE LD-Vert-Line.
   625  GC0712     05         COL 67         VALUE LD-Vert-Line.
   626            05         COL 80         VALUE LD-Vert-Line.
   627
   628  GC0712     05 LINE 09 COL 01         VALUE LD-Vert-Line.
   629  GC0712     05         COL 67         VALUE LD-Vert-Line.
   630            05         COL 80         VALUE LD-Vert-Line.
   631
   632  GC0712     05 LINE 10 COL 01         VALUE LD-Vert-Line.
   633  GC0712     05         COL 67         VALUE LD-Vert-Line.
   634            05         COL 80         VALUE LD-Vert-Line.
   635
   636  GC0712     05 LINE 11 COL 01         VALUE LD-Vert-Line.
   637  GC0712     05         COL 67         VALUE LD-Vert-Line.
   638            05         COL 80         VALUE LD-Vert-Line.
   639
   640  GC0712     05 LINE 12 COL 01         VALUE LD-Vert-Line.
   641  GC0712     05         COL 67         VALUE LD-Vert-Line.
   642            05         COL 80         VALUE LD-Vert-Line.
   643
   644  GC0712     05 LINE 13 COL 01         VALUE LD-LL-Corner.
   645  GC0712     05         COL 02 PIC X(65) FROM  WS-Horizontal-Line-TXT.
   646  GC0712     05         COL 67         VALUE LD-Lower-T.
   647  GC0712     05         COL 68 PIC X(12) FROM  WS-Horizontal-Line-TXT.
   648            05         COL 80         VALUE LD-LR-Corner.
```

```
ACS Cobol Xref v2.02.04        Dictionary File for GCIC    06/03/2022  23:09:10:97   Page   13
   649
   650  GC0712      05 LINE 15 COL 01           VALUE LD-UL-Corner.
   651  GC0712      05          COL 02 PIC X(78) FROM  WS-Horizontal-Line-TXT.
   652              05          COL 80           VALUE LD-UR-Corner.
   653
   654  GC0712      05 LINE 16 COL 01           VALUE LD-Vert-Line.
   655              05          COL 80           VALUE LD-Vert-Line.
   656
   657  GC0712      05 LINE 17 COL 01           VALUE LD-Vert-Line.
   658              05          COL 80           VALUE LD-Vert-Line.
   659
   660  GC0712      05 LINE 18 COL 01           VALUE LD-LL-Corner.
   661  GC0712      05          COL 02 PIC X(78) FROM  WS-Horizontal-Line-TXT.
   662              05          COL 80           VALUE LD-LR-Corner.
   663
   664  GC0712      05 LINE 20 COL 01           VALUE LD-UL-Corner.
   665  GC0712      05          COL 02 PIC X(78) FROM  WS-Horizontal-Line-TXT.
   666              05          COL 80           VALUE LD-UR-Corner.
   667
   668  GC0712      05 LINE 21 COL 01           VALUE LD-Vert-Line.
   669              05          COL 80           VALUE LD-Vert-Line.
   670
   671  GC0712      05 LINE 22 COL 01           VALUE LD-Vert-Line.
   672              05          COL 80           VALUE LD-Vert-Line.
   673
   674  GC0712      05 LINE 23 COL 01           VALUE LD-LL-Corner.
   675  GC0712      05          COL 02 PIC X(78) FROM  WS-Horizontal-Line-TXT.
   676              05          COL 80           VALUE LD-LR-Corner.
   677        *>
   678        *> TOP AND BOTTOM LINES
   679        *>
   680  GC0712     03 BACKGROUND-COLOR COB-COLOR-BLUE
   681             FOREGROUND-COLOR COB-COLOR-WHITE HIGHLIGHT.
   682  GC0410     05 LINE 01 COL 01 VALUE ' GCic ('.
   683  GC0410     05          COL 08 PIC X(16) FROM WS-OC-Compile-DT.
   684  GC1213     05          COL 24 VALUE ') GNUCOBOL 3.1.2 06MAR2022 ' &
   685  GC0410                        'Interactive Compilation       '.
   686  VC0617     03 BACKGROUND-COLOR COB-COLOR-RED
   687  GC0712        FOREGROUND-COLOR COB-COLOR-WHITE HIGHLIGHT.
   688  GC0712     05 LINE 24 COL 01 PIC X(80) FROM WS-Output-Msg-TXT.
   689        *>
   690        *> LABELS
   691        *>
   692             03 BACKGROUND-COLOR COB-COLOR-BLACK
   693             FOREGROUND-COLOR COB-COLOR-CYAN  HIGHLIGHT.
   694  GC0712     05 LINE 06 COL 02 VALUE 'Set/Clr Switches Via F1-F9; ' &
   695  GC0712                        'Set Config Via F12; Enter Key ' &
   696  GC0712                        'Compiles; Esc Quits'.
   697  GC0712     05 LINE 14 COL 02 VALUE 'Extra "cobc" Switches, If Any ' &
   698  GC0712                        '("-save-temps=xxx" Prevents ' &
   699  GC0712                        'Listings):'.
   700  GC0712     05 LINE 19 COL 02 VALUE 'Program Execution Arguments, ' &
   701  GC0712                        'If Any:'.
   702  GC0712     03 BACKGROUND-COLOR COB-COLOR-BLACK
```

```
ACS Cobol Xref v2.02.04        Dictionary File for GCIC    06/03/2022  23:09:10:98   Page   14

703 GC0712       FOREGROUND-COLOR COB-COLOR-WHITE HIGHLIGHT.
704 GC0712       05 LINE 06 COL 23 VALUE 'F1'.
705 GC0712       05        COL 26 VALUE 'F9'.
706 GC0712       05        COL 45 VALUE 'F12'.
707 GC0712       05        COL 50 VALUE 'ENTER'.
708 GC0712       05        COL 70 VALUE 'ESC'.
709      *>
710      *> TOP SECTION BACKGROUND
711      *>
712          03 BACKGROUND-COLOR COB-COLOR-BLACK
713             FOREGROUND-COLOR COB-COLOR-WHITE HIGHLIGHT.
714 GC0712       05 LINE 03 COL 62 VALUE 'Enter'.
715 GC0712       05 LINE 04 COL 62 VALUE 'Esc'.
716
717          03 BACKGROUND-COLOR COB-COLOR-BLACK
718             FOREGROUND-COLOR COB-COLOR-GREEN HIGHLIGHT.
719 GC0712       05 LINE 04 COL 03 VALUE 'Folder:   '.
720 GC0712       05 LINE 03 COL 03 VALUE 'Filename: '.
721
722 GC0712       05 LINE 03 COL 67 VALUE ': Compile   '.
723 GC0712       05 LINE 04 COL 65 VALUE ':   Quit      '.
724      *>
725      *> TOP SECTION PROGRAM INFO
726      *>
727          03 BACKGROUND-COLOR COB-COLOR-BLACK
728             FOREGROUND-COLOR COB-COLOR-WHITE HIGHLIGHT.
729 GC0712       05 LINE 03 COL 13 PIC X(66) FROM WS-Prog-File-Name-TXT.
730 GC0712       05 LINE 04 COL 13 PIC X(66) FROM WS-Prog-Folder-TXT.
731      *>
732      *> MIDDLE LEFT SECTION F-KEYS
733      *>
734          03 BACKGROUND-COLOR COB-COLOR-BLACK
735             FOREGROUND-COLOR COB-COLOR-WHITE HIGHLIGHT.
736 GC0712       05 LINE 08 COL 03 VALUE 'F1'.
737 GC0712       05 LINE 09 COL 03 VALUE 'F2'.
738 GC0712       05 LINE 10 COL 03 VALUE 'F3'.
739 GC0712       05 LINE 11 COL 03 VALUE 'F4'.
740 GC0712       05 LINE 12 COL 03 VALUE 'F5'.
741
742 GC0712       05 LINE 08 COL 35 VALUE 'F6'.
743 GC0712       05 LINE 09 COL 35 VALUE 'F7'.
744 GC0712       05 LINE 10 COL 35 VALUE 'F8'.
745 GC0712       05 LINE 11 COL 35 VALUE 'F9'.
746      *>
747      *> MIDDLE LEFT SECTION SWITCHES
748      *>
749          03 BACKGROUND-COLOR COB-COLOR-BLACK
750             FOREGROUND-COLOR COB-COLOR-RED   HIGHLIGHT.
751 GC0712       05 LINE 08 COL 06 PIC X(1) FROM WS-CS-DEBUG-CHR.
752 GC0712       05 LINE 09 COL 06 PIC X(1) FROM WS-CS-TRACEALL-CHR.
753 GC0712       05 LINE 10 COL 06 PIC X(1) FROM WS-CS-LIBRARY-CHR.
754 GC0712       05 LINE 11 COL 06 PIC X(1) FROM WS-CS-EXECUTE-CHR.
755 GC0712       05 LINE 12 COL 06 PIC X(1) FROM WS-CS-LISTING-CHR.
756
```

```
ACS Cobol Xref v2.02.04        Dictionary File for GCIC    06/03/2022  23:09:10:98   Page   15

 757  GC0712        05 LINE 08 COL 38 PIC X(1) FROM WS-CS-NOFUNC-CHR.
 758  GC0712        05 LINE 09 COL 38 PIC X(1) FROM WS-CS-WARNALL-CHR.
 759  GC0712        05 LINE 10 COL 38 PIC X(1) FROM WS-CS-FREE-CHR.
 760  GC0712        05 LINE 11 COL 38 PIC X(1) FROM WS-CS-NOTRUNC-CHR.
 761       *>
 762       *> MIDDLE LEFT SECTION BACKGROUND
 763       *>
 764           03 BACKGROUND-COLOR COB-COLOR-BLACK
 765              FOREGROUND-COLOR COB-COLOR-GREEN HIGHLIGHT.
 766  GC0712        05 LINE 08 COL 07 VALUE 'Assume WITH DEBUGGING MODE'.
 767  GC0712        05 LINE 09 COL 07 VALUE 'Procedure+Statement Trace '.
 768  GC0712        05 LINE 10 COL 07 VALUE 'Make a Library ('.
 769  GC0712        05         COL 23 VALUE WS-OS-Lib-Type-CONST.
 770  GC0712        05 LINE 11 COL 07 VALUE 'Execute If Compilation OK '.
 771  GC1213        05 LINE 12 COL 07 FROM  WS-Listing-TXT.
 772
 773  GC0712        05 LINE 08 COL 39 VALUE '"FUNCTION" Is Optional    '.
 774  GC0712        05 LINE 09 COL 39 VALUE 'Enable All Warnings       '.
 775  GC0712        05 LINE 10 COL 39 VALUE 'Source Is Free-Format     '.
 776  GC0712        05 LINE 11 COL 39 VALUE 'No COMP/BINARY Truncation '.
 777       *>
 778       *> MIDDLE RIGHT SECTION Text
 779       *>
 780           03 BACKGROUND-COLOR COB-COLOR-BLACK
 781              FOREGROUND-COLOR COB-COLOR-GREEN HIGHLIGHT.
 782  GC0712        05 LINE 08 COL 69 VALUE 'Current'.
 783  GC0712        05 LINE 09 COL 69 VALUE 'Config:'.
 784       *>
 785       *> MIDDLE RIGHT SECTION CONFIG FILE
 786       *>
 787           03 BACKGROUND-COLOR COB-COLOR-BLACK
 788              FOREGROUND-COLOR COB-COLOR-WHITE HIGHLIGHT.
 789  GC0712        05 LINE 10 COL 69 PIC X(10)
 790  GC0712           FROM WS-CS-Filename-TXT (WS-CS-Config-NUM).
 791       *>
 792       *> FREE-FORM OPTIONS FIELDS
 793       *>
 794           03 BACKGROUND-COLOR COB-COLOR-BLACK
 795              FOREGROUND-COLOR COB-COLOR-WHITE HIGHLIGHT.
 796  GC0712        05 LINE 16 COL 03 PIC X(76) USING WS-CS-Extra-H1-TXT.
 797  GC0712        05 LINE 17 COL 03 PIC X(76) USING WS-CS-Extra-H2-TXT.
 798  GC0712        05 LINE 21 COL 03 PIC X(76) USING WS-CS-Arg-H1-TXT.
 799  GC0712        05 LINE 22 COL 03 PIC X(76) USING WS-CS-Arg-H2-TXT.
 800       /
 801        PROCEDURE DIVISION.
 802       *>************************************************************
 803       *> Legend to procedure names:                          **
 804       *>                                                      **
 805       *> 00x-xxx   All MAIN driver procedures                **
 806       *> 0xx-xxx   All GLOBAL UTILITY procedures             **
 807       *> 1xx-xxx   All INITIALIZATION procedures             **
 808       *> 2xx-xxx   All CORE PROCESSING procedures            **
 809       *> 9xx-xxx   All TERMINATION procedures                **
 810       *>************************************************************
```

```
ACS Cobol Xref v2.02.04        Dictionary File for GCIC     06/03/2022  23:09:10:98   Page   16
  811         DECLARATIVES.
  812          000-File-Error SECTION.
  813             USE AFTER STANDARD ERROR PROCEDURE ON F-Source-Code-FILE.
  814      *    COPY FileStat-Msgs
  815      *       REPLACING STATUS BY WS-FSM-Status-CD
  816      *                 MSG    BY WS-FSM-Msg-TXT.
  817      *> **************************************************************
  818      *> ** Author: Gary L. Cutler                            **
  819      *> **         CutlerGL@gmail.com                         **
  820      *> **                                                    **
  821      *> ** This copybook defines an EVALUATE statement capable of  **
  822      *> ** translating two-digit FILE-STATUS codes to a message.   **
  823      *> **                                                    **
  824      *> ** Use the REPLACING option to COPY to change the names of  **
  825      *> ** the MSG and STATUS identifiers to the names your program **
  826      *> ** needs.                                             **
  827      *> **************************************************************
  828             EVALUATE WS-FSM-Status-CD
  829             WHEN 00 MOVE 'SUCCESS                 ' TO WS-FSM-Msg-TXT
  830             WHEN 02 MOVE 'SUCCESS DUPLICATE       ' TO WS-FSM-Msg-TXT
  831             WHEN 04 MOVE 'SUCCESS INCOMPLETE      ' TO WS-FSM-Msg-TXT
  832             WHEN 05 MOVE 'SUCCESS OPTIONAL        ' TO WS-FSM-Msg-TXT
  833             WHEN 07 MOVE 'SUCCESS NO UNIT         ' TO WS-FSM-Msg-TXT
  834             WHEN 10 MOVE 'END OF FILE             ' TO WS-FSM-Msg-TXT
  835             WHEN 14 MOVE 'OUT OF KEY RANGE        ' TO WS-FSM-Msg-TXT
  836             WHEN 21 MOVE 'KEY INVALID             ' TO WS-FSM-Msg-TXT
  837             WHEN 22 MOVE 'KEY EXISTS              ' TO WS-FSM-Msg-TXT
  838             WHEN 23 MOVE 'KEY NOT EXISTS          ' TO WS-FSM-Msg-TXT
  839             WHEN 30 MOVE 'PERMANENT ERROR         ' TO WS-FSM-Msg-TXT
  840             WHEN 31 MOVE 'INCONSISTENT FILENAME   ' TO WS-FSM-Msg-TXT
  841             WHEN 34 MOVE 'BOUNDARY VIOLATION      ' TO WS-FSM-Msg-TXT
  842             WHEN 35 MOVE 'FILE NOT FOUND          ' TO WS-FSM-Msg-TXT
  843             WHEN 37 MOVE 'PERMISSION DENIED       ' TO WS-FSM-Msg-TXT
  844             WHEN 38 MOVE 'CLOSED WITH LOCK        ' TO WS-FSM-Msg-TXT
  845             WHEN 39 MOVE 'CONFLICT ATTRIBUTE      ' TO WS-FSM-Msg-TXT
  846             WHEN 41 MOVE 'ALREADY OPEN            ' TO WS-FSM-Msg-TXT
  847             WHEN 42 MOVE 'NOT OPEN                ' TO WS-FSM-Msg-TXT
  848             WHEN 43 MOVE 'READ NOT DONE           ' TO WS-FSM-Msg-TXT
  849             WHEN 44 MOVE 'RECORD OVERFLOW         ' TO WS-FSM-Msg-TXT
  850             WHEN 46 MOVE 'READ ERROR              ' TO WS-FSM-Msg-TXT
  851             WHEN 47 MOVE 'INPUT DENIED            ' TO WS-FSM-Msg-TXT
  852             WHEN 48 MOVE 'OUTPUT DENIED           ' TO WS-FSM-Msg-TXT
  853             WHEN 49 MOVE 'I/O DENIED              ' TO WS-FSM-Msg-TXT
  854             WHEN 51 MOVE 'RECORD LOCKED           ' TO WS-FSM-Msg-TXT
  855             WHEN 52 MOVE 'END-OF-PAGE             ' TO WS-FSM-Msg-TXT
  856             WHEN 57 MOVE 'I/O LINAGE              ' TO WS-FSM-Msg-TXT
  857             WHEN 61 MOVE 'FILE SHARING FAILURE    ' TO WS-FSM-Msg-TXT
  858             WHEN 91 MOVE 'FILE NOT AVAILABLE      ' TO WS-FSM-Msg-TXT
  859             END-EVALUATE.
  860  *>>W Msg29 Caution: One or more replacing sources not found
  861             MOVE SPACES TO WS-Output-Msg-TXT
  862             IF WS-FSM-Status-CD = 35
  863                 DISPLAY
  864                     'File not found: "'
```

```
ACS Cobol Xref v2.02.04        Dictionary File for GCIC    06/03/2022  23:09:10:98   Page   17
    865                      TRIM(WS-File-Name-TXT,TRAILING)
    866                      '"'
    867              ELSE
    868                  DISPLAY
    869                      'Error accessing file: "'
    870                      TRIM(WS-File-Name-TXT,TRAILING)
    871                      '"'
    872              END-IF
    873              GOBACK
    874              .
    875          END DECLARATIVES.
    876
    877          000-Main SECTION.
    878              PERFORM 100-Initialization
    879  GC0609     SET WS-RS-Not-Complete-BOOL TO TRUE
    880  GC0609     PERFORM UNTIL WS-RS-Complete-BOOL
    881  GC0609         PERFORM 200-Let-User-Set-Switches
    882  GC0609         PERFORM 210-Run-Compiler
    883  GC0410         IF (WS-RS-Compile-OK-BOOL OR WS-RS-Compile-OK-Warn-BOOL)
    884  GC0712         AND (WS-CS-LISTING-CHR > SPACE)
    885  GC0712             DISPLAY S-Blank-SCR
    886  GC0410             PERFORM 220-Make-Listing
    887  GC0410         END-IF
    888  GC0709         IF  (WS-CS-EXECUTE-CHR NOT = SPACES)
    889  GC0709         AND (WS-RS-Output-File-Avail-BOOL)
    890  GC0609             PERFORM 230-Run-Program
    891  GC0609         END-IF
    892  GC0712         PERFORM 250-Autoload-Listing
    893  GC0609     END-PERFORM
    894              PERFORM 900-Terminate
    895      * -- Control will NOT return
    896              .
    897      /
    898      *>************************************************************
    899      *> Perform all program-wide initialization operations       **
    900      *>************************************************************
    901       100-Initialization SECTION.
    902      *>************************************************************
    903      *> Make sure full screen-handling is in effect              **
    904      *>************************************************************
    905          SET ENVIRONMENT 'COB_SCREEN_EXCEPTIONS' TO 'Y'
    906          SET ENVIRONMENT 'COB_SCREEN_ESC'        TO 'Y'
    907  VC0617    SET ENVIRONMENT "COB_EXIT_WAIT"        TO "0".
    908      *>************************************************************
    909      *> Get GCic Compilation Date/Time                           **
    910      *>************************************************************
    911          MOVE WHEN-COMPILED (1:12) TO WS-OC-Compile-DT
    912          INSPECT WS-OC-Compile-DT
    913              REPLACING ALL '/' BY ':'
    914              AFTER INITIAL SPACE
    915      *>************************************************************
    916      *> Convert WS-CS-All-Switches-TXT to Needed Alphanumeric Values**
    917      *>************************************************************
    918          INSPECT WS-CS-All-Switches-TXT
```

```
ACS Cobol Xref v2.02.04        Dictionary File for GCIC    06/03/2022  23:09:10:98   Page   18
  919                   REPLACING ALL '0' BY SPACE
  920                             ALL '1' BY SELCHAR
  921 GC1213                      ALL '2' BY SELCHAR
  922         *>****************************************************************
  923         *> Process filename (the only command-line argument)         **
  924         *>****************************************************************
  925 GC0712     ACCEPT WS-Cmd-Args-TXT FROM COMMAND-LINE
  926 GC0712     MOVE 1 TO WS-Cmd-SUB
  927 GC0712     IF WS-Cmd-Args-TXT(WS-Cmd-SUB:1) = '"' OR "'"
  928 GC0712         MOVE WS-Cmd-Args-TXT(WS-Cmd-SUB:1)
  929 GC0712           TO WS-Cmd-End-Quote-CHR
  930 GC0712         ADD 1 TO WS-Cmd-SUB
  931 GC0712         UNSTRING WS-Cmd-Args-TXT
  932 GC0712             DELIMITED BY WS-Cmd-End-Quote-CHR
  933 GC0712             INTO WS-File-Name-TXT
  934 GC0712             WITH POINTER WS-Cmd-SUB
  935 GC0712     ELSE
  936 GC0712         UNSTRING WS-Cmd-Args-TXT
  937 GC0712             DELIMITED BY ALL SPACES
  938 GC0712             INTO WS-File-Name-TXT
  939 GC0712             WITH POINTER WS-Cmd-SUB
  940 GC0712     END-IF
  941             IF WS-File-Name-TXT = SPACES
  942 GC0712         DISPLAY 'No program filename was specified'
  943             PERFORM 900-Terminate
  944       * ------ Control will NOT return
  945             END-IF
  946         *>****************************************************************
  947         *> Determine if 'Make A Library' feature should be forced 'ON' **
  948         *>****************************************************************
  949             PERFORM 240-Find-LINKAGE-SECTION
  950         *>****************************************************************
  951         *> Split 'WS-File-Name-TXT' into 'WS-Prog-Folder-TXT' and      **
  952         *> 'WS-Prog-File-Name-TXT'                                     **
  953         *>****************************************************************
  954 GC0909     IF WS-OS-Cygwin-BOOL AND WS-File-Name-TXT (2:1) = ':'
  955 GC0712         MOVE '\' TO WS-OS-Dir-CHR
  956 GC0909     END-IF
  957 GC0712     MOVE LENGTH(WS-File-Name-TXT) TO WS-I-SUB
  958 GC0712     PERFORM UNTIL WS-I-SUB = 0
  959 GC0712     OR WS-FN-CHR (WS-I-SUB) = WS-OS-Dir-CHR
  960             SUBTRACT 1 FROM WS-I-SUB
  961             END-PERFORM
  962             IF WS-I-SUB = 0
  963                 MOVE SPACES    TO WS-Prog-Folder-TXT
  964                 MOVE WS-File-Name-TXT TO WS-Prog-File-Name-TXT
  965             ELSE
  966                 MOVE '*' TO WS-FN-CHR (WS-I-SUB)
  967                 UNSTRING WS-File-Name-TXT DELIMITED BY '*'
  968                     INTO WS-Prog-Folder-TXT
  969                         WS-Prog-File-Name-TXT
  970 GC0712         MOVE WS-OS-Dir-CHR TO WS-FN-CHR (WS-I-SUB)
  971             END-IF
  972             IF WS-Prog-Folder-TXT = SPACES
```

```
ACS Cobol Xref v2.02.04        Dictionary File for GCIC    06/03/2022  23:09:10:98   Page   19

  973                   ACCEPT WS-Prog-Folder-TXT FROM ENVIRONMENT 'CD'
  974  GC0909     ELSE
  975  GC0909         CALL 'CBL_CHANGE_DIR'
  976  GC0909             USING TRIM(WS-Prog-Folder-TXT,TRAILING)
  977             END-IF
  978  GC0909     IF WS-OS-Cygwin-BOOL AND WS-File-Name-TXT (2:1) = ':'
  979  GC0712         MOVE '/' TO WS-OS-Dir-CHR
  980  GC0909     END-IF
  981         *>**************************************************************
  982         *> Split 'WS-Prog-File-Name-TXT' into 'WS-Pgm-Nm-TXT' &       **
  983         *> 'WS-Prog-Extension-TXT'                                    **
  984         *>**************************************************************
  985  GC0712     MOVE LENGTH(WS-Prog-File-Name-TXT) TO WS-I-SUB
  986  GC0712     PERFORM UNTIL WS-I-SUB = 0
  987  GC0712     OR WS-PFN-CHR (WS-I-SUB) = '.'
  988  GC0712         SUBTRACT 1 FROM WS-I-SUB
  989  GC0712     END-PERFORM
  990  GC0712     IF WS-I-SUB = 0
  991  GC0712         MOVE WS-Prog-File-Name-TXT TO WS-Pgm-Nm-TXT
  992  GC0712         MOVE SPACES         TO WS-Prog-Extension-TXT
  993  GC0712     ELSE
  994  GC0712         MOVE '*' TO WS-PFN-CHR (WS-I-SUB)
  995  GC0712         UNSTRING WS-Prog-File-Name-TXT DELIMITED BY '*'
  996  GC0712             INTO WS-Pgm-Nm-TXT
  997  GC0712                  WS-Prog-Extension-TXT
  998  GC0712         MOVE '.' TO WS-PFN-CHR (WS-I-SUB)
  999  GC0712     END-IF
 1000         *>**************************************************************
 1001         *> Build initial Line 24 Message                             **
 1002         *>**************************************************************
 1003  GC0909     MOVE ALL LD-Horiz-Line TO WS-Horizontal-Line-TXT.
 1004  GC0410     MOVE CONCATENATE(' GCic for '
 1005  GC0410                       TRIM(WS-OS-Type-TXT(WS-OS-Type-CD),Trailing)
 1006  VC0811                       ' Copyright (C) 2009-2022, Gary L. '
 1007  GC0410                       'Cutler, GPL')
 1008  GC0410        TO WS-Output-Msg-TXT.
 1009  GC0909
 1010       /
 1011         *>**************************************************************
 1012         *> Show the user the current switch settings and allow them to **
 1013         *> be changed.                                               **
 1014         *>**************************************************************
 1015       200-Let-User-Set-Switches SECTION.
 1016           SET WS-RS-Switch-Changes-BOOL TO TRUE
 1017           PERFORM UNTIL WS-RS-No-Switch-Changes-BOOL
 1018  GC1213       EVALUATE WS-Listing-CD
 1019  GC1213       WHEN 0
 1020  GC1213           MOVE 'Listing Off'         TO WS-Listing-TXT
 1021  GC1213           MOVE SPACE                 TO WS-CS-LISTING-CHR
 1022  GC1213       WHEN 1
 1023  GC1213           MOVE 'Listing On (Landscape)' TO WS-Listing-TXT
 1024  GC1213           MOVE SELCHAR               TO WS-CS-LISTING-CHR
 1025  GC1213       WHEN 2
 1026  GC1213           MOVE 'Listing On (Portrait)' TO WS-Listing-TXT
```

```
ACS Cobol Xref v2.02.04       Dictionary File for GCIC    06/03/2022  23:09:10:98   Page   20

   1027  GC1213            MOVE SELCHAR                  TO WS-CS-LISTING-CHR
   1028  GC1213         END-EVALUATE
   1029                  ACCEPT S-Switches-SCR
   1030                  IF COB-CRT-STATUS > 0
   1031                     EVALUATE COB-CRT-STATUS
   1032                        WHEN COB-SCR-F1
   1033                           IF WS-CS-DEBUG-CHR = SPACE
   1034  GC0712                     MOVE SELCHAR TO WS-CS-DEBUG-CHR
   1035                           ELSE
   1036                              MOVE ' ' TO WS-CS-DEBUG-CHR
   1037                           END-IF
   1038  GC0712              WHEN COB-SCR-F2
   1039  GC0712                 IF  WS-CS-TRACEALL-CHR = SPACE
   1040  GC0712                    MOVE SELCHAR TO WS-CS-TRACEALL-CHR
   1041  GC0712                 ELSE
   1042  GC0712                    MOVE ' ' TO WS-CS-TRACEALL-CHR
   1043  GC0712                 END-IF
   1044                     WHEN COB-SCR-F3
   1045  GC0712                 IF WS-CS-LIBRARY-CHR = SPACE
   1046  GC0712                    MOVE SELCHAR TO WS-CS-LIBRARY-CHR
   1047                        ELSE
   1048  GC0712                    MOVE ' ' TO WS-CS-LIBRARY-CHR
   1049                        END-IF
   1050                     WHEN COB-SCR-F4
   1051                        IF  WS-CS-EXECUTE-CHR = SPACE
   1052  GC0712                    MOVE SELCHAR TO WS-CS-EXECUTE-CHR
   1053                        ELSE
   1054                           MOVE ' ' TO WS-CS-EXECUTE-CHR
   1055                        END-IF
   1056  GC0712           WHEN COB-SCR-F5
   1057  GC1213              ADD 1 TO WS-Listing-CD
   1058  GC1213              IF WS-Listing-CD > 2
   1059  GC1213                 MOVE 0 TO WS-Listing-CD
   1060  GC1213              END-IF
   1061  GC0712           WHEN COB-SCR-F6
   1062  GC0712              IF WS-CS-NOFUNC-CHR = SPACE
   1063  GC0712                 MOVE SELCHAR TO WS-CS-NOFUNC-CHR
   1064  GC0712              ELSE
   1065  GC0712                 MOVE ' ' TO WS-CS-NOFUNC-CHR
   1066  GC0712              END-IF
   1067  GC0712           WHEN COB-SCR-F7
   1068  GC0712              IF WS-CS-WARNALL-CHR = SPACE
   1069  GC0712                 MOVE SELCHAR TO WS-CS-WARNALL-CHR
   1070  GC0712              ELSE
   1071  GC0712                 MOVE ' ' TO WS-CS-WARNALL-CHR
   1072  GC0712              END-IF
   1073  GC0712           WHEN COB-SCR-F8
   1074  GC0712              IF WS-CS-FREE-CHR = SPACE
   1075  GC0712                 MOVE SELCHAR TO WS-CS-FREE-CHR
   1076  GC0712              ELSE
   1077  GC0712                 MOVE ' ' TO WS-CS-FREE-CHR
   1078  GC0712              END-IF
   1079  GC0712           WHEN COB-SCR-F9
   1080  GC0712              IF  WS-CS-NOTRUNC-CHR = SPACE
```

```
ACS Cobol Xref v2.02.04      Dictionary File for GCIC    06/03/2022  23:09:10:98   Page   21

   1081  GC0712                         MOVE SELCHAR TO WS-CS-NOTRUNC-CHR
   1082  GC0712                      ELSE
   1083  GC0712                         MOVE ' ' TO WS-CS-NOTRUNC-CHR
   1084  GC0712                      END-IF
   1085                            WHEN COB-SCR-ESC
   1086                               PERFORM 900-Terminate
   1087        * ----------------- Control will NOT return
   1088  GC0712                    WHEN COB-SCR-F12
   1089  GC0712                        ADD 1 TO WS-CS-Config-NUM
   1090  GC0712                        IF WS-CS-Config-NUM > 7
   1091  GC0712                            MOVE 1 TO WS-CS-Config-NUM
   1092  GC0712                        END-IF
   1093                            WHEN OTHER
   1094                               MOVE 'An unsupported key was pressed'
   1095                                 TO WS-Output-Msg-TXT
   1096                         END-EVALUATE
   1097                   ELSE
   1098                       SET WS-RS-No-Switch-Changes-BOOL TO TRUE
   1099                   END-IF
   1100             END-PERFORM
   1101             .
   1102        /
   1103        *>****************************************************************
   1104        *> Run the compiler using the switch settings we've prepared.  **
   1105        *>****************************************************************
   1106         210-Run-Compiler SECTION.
   1107           MOVE SPACES TO WS-Cmd-TXT
   1108                          WS-Cobc-Cmd-TXT
   1109                          WS-Output-Msg-TXT
   1110           DISPLAY S-Switches-SCR
   1111           MOVE 1 TO WS-I-SUB
   1112  GC0712   MOVE LOWER-CASE(WS-CS-Filename-TXT (WS-CS-Config-NUM))
   1113  GC0712      TO WS-Config-Fn-TXT
   1114        *>****************************************************************
   1115        *> Build the 'cobc' command                                   **
   1116        *>****************************************************************
   1117  GC0909    MOVE SPACES TO WS-Cobc-Cmd-TXT
   1118  GC0909    STRING 'cobc -v -std='
   1119  GC0909       TRIM(WS-Config-Fn-TXT,TRAILING)
   1120  GC0909       ' '
   1121  GC0909       INTO WS-Cobc-Cmd-TXT
   1122  GC0909       WITH POINTER WS-I-SUB
   1123           IF WS-CS-LIBRARY-CHR NOT = ' '
   1124               STRING '-m '
   1125                   DELIMITED SIZE INTO WS-Cobc-Cmd-TXT
   1126                   WITH POINTER WS-I-SUB
   1127           ELSE
   1128               STRING '-x '
   1129                   DELIMITED SIZE INTO WS-Cobc-Cmd-TXT
   1130                   WITH POINTER WS-I-SUB
   1131           END-IF
   1132           IF WS-CS-DEBUG-CHR NOT = ' '
   1133               STRING '-fdebugging-line '
   1134                   DELIMITED SIZE INTO WS-Cobc-Cmd-TXT
```

```
ACS Cobol Xref v2.02.04        Dictionary File for GCIC    06/03/2022  23:09:10:99   Page   22
  1135                   WITH POINTER WS-I-SUB
  1136            END-IF
  1137            IF WS-CS-NOTRUNC-CHR NOT = ' '
  1138                STRING '-fnotrunc '
  1139                    DELIMITED SIZE INTO WS-Cobc-Cmd-TXT
  1140                    WITH POINTER WS-I-SUB
  1141            END-IF
  1142            IF WS-CS-TRACEALL-CHR NOT = ' '
  1143  GC0809        STRING '-ftraceall '
  1144                    DELIMITED SIZE INTO WS-Cobc-Cmd-TXT
  1145                    WITH POINTER WS-I-SUB
  1146            END-IF
  1147  GC0712    IF WS-CS-NOFUNC-CHR NOT = ' '
  1148  VC0717        STRING '-fintrinsics=ALL '
  1149  GC0712            DELIMITED SIZE INTO WS-Cobc-Cmd-TXT
  1150  GC0712            WITH POINTER WS-I-SUB
  1151  GC0712    END-IF
  1152  GC0712    IF WS-CS-WARNALL-CHR NOT = ' '
  1153  GC0712        STRING '-Wall '
  1154  GC0712            DELIMITED SIZE INTO WS-Cobc-Cmd-TXT
  1155  GC0712            WITH POINTER WS-I-SUB
  1156  GC0712    END-IF
  1157  GC0712    IF WS-CS-FREE-CHR NOT = ' '
  1158  GC0712        STRING '-free '
  1159  GC0712            DELIMITED SIZE INTO WS-Cobc-Cmd-TXT
  1160  GC0712            WITH POINTER WS-I-SUB
  1161  GC0712    ELSE
  1162  GC0712        STRING '-fixed '
  1163  GC0712            DELIMITED SIZE INTO WS-Cobc-Cmd-TXT
  1164  GC0712            WITH POINTER WS-I-SUB
  1165  GC0712    END-IF
  1166
  1167  GC0712    MOVE 0 TO WS-Tally-QTY
  1168  GC0712    INSPECT WS-CS-Extra-TXT
  1169  GC0712        TALLYING WS-Tally-QTY FOR ALL '-save-temps'
  1170  GC0712    IF WS-CS-LISTING-CHR > SPACE
  1171  GC0712    AND WS-Tally-QTY > 0
  1172  GC0712        MOVE SPACE TO WS-CS-LISTING-CHR *> Can't generate listing if -save-temps used
  1173  GC0712    END-IF
  1174  GC0712    IF WS-CS-LISTING-CHR > SPACE
  1175  GC1010        STRING '-save-temps '
  1176  GC1010            DELIMITED SIZE INTO WS-Cobc-Cmd-TXT
  1177  GC1010            WITH POINTER WS-I-SUB
  1178  GC1010    END-IF
  1179
  1180  GC0709    IF WS-CS-Extra-TXT > SPACES
  1181  GC0709        STRING ' '
  1182  GC0709                TRIM(WS-CS-Extra-TXT,TRAILING)
  1183  GC0709                ' '
  1184  GC0709                DELIMITED SIZE INTO WS-Cobc-Cmd-TXT
  1185  GC0709                WITH POINTER WS-I-SUB
  1186  GC0709    END-IF
  1187  GC0909    STRING TRIM(WS-Prog-File-Name-TXT,TRAILING)
  1188  GC0909        DELIMITED SIZE INTO WS-Cobc-Cmd-TXT
```

```
ACS Cobol Xref v2.02.04        Dictionary File for GCIC    06/03/2022  23:09:10:99   Page   23

 1189  GC0909        WITH POINTER WS-I-SUB
 1190        *>****************************************************************
 1191        *> Prepare the compilation listing file                       **
 1192        *>****************************************************************
 1193  GC1113    MOVE CONCATENATE(TRIM(WS-Pgm-Nm-TXT,Trailing),'.gclst')
 1194  GC0712       TO WS-Listing-Filename-TXT
 1195  GC0712    CALL 'CBL_DELETE_FILE' USING WS-Listing-Filename-TXT
 1196        *>****************************************************************
 1197        *> Now execute the 'cobc' command                             **
 1198        *>****************************************************************
 1199  GC0410    MOVE ' Compiling...' TO WS-Output-Msg-TXT
 1200  GC0410    DISPLAY S-Switches-SCR
 1201  GC0609    SET WS-RS-Output-File-Avail-BOOL TO TRUE
 1202            MOVE SPACES TO WS-Cmd-TXT
 1203            STRING TRIM(WS-Cobc-Cmd-TXT,TRAILING)
 1204  GC0712          ' >' WS-Listing-Filename-TXT
 1205  GC0712          ' 2>&1'
 1206               DELIMITED SIZE
 1207               INTO WS-Cmd-TXT
 1208  DEBUG D   DISPLAY WS-Cmd-TXT UPON SYSERR
 1209            CALL 'SYSTEM' USING TRIM(WS-Cmd-TXT,TRAILING)
 1210  GC0712    OPEN EXTEND F-Cobc-Output-FILE
 1211  GC0712    WRITE F-Cobc-Output-REC FROM SPACES
 1212  GC0712    IF RETURN-CODE = 0
 1213  GC0712        SET WS-RS-Compile-OK-BOOL TO TRUE
 1214  GC0712        MOVE ' Compilation Was Successful' TO WS-Output-Msg-TXT
 1215  GC0712        MOVE CONCATENATE('GNU COBOL',WS-Output-Msg-TXT)
 1216  GC0712          TO F-Cobc-Output-REC
 1217  GC0712        WRITE F-Cobc-Output-REC
 1218  GC0712        SET WS-RS-Complete-BOOL TO TRUE
 1219  GC0712    ELSE
 1220  GC0712        SET WS-RS-Compile-Failed-BOOL TO TRUE
 1221  GC0712        MOVE CONCATENATE(' Compilation Failed - See ',
 1222  GC0712                 TRIM(WS-Listing-Filename-TXT,Trailing))
 1223  GC0712          TO WS-Output-Msg-TXT
 1224  GC0712        MOVE 'GNU COBOL Compilation HAS FAILED - See Above'
 1225  GC0712          TO F-Cobc-Output-REC
 1226  GC0712        WRITE F-Cobc-Output-REC
 1227  GC0712    END-IF
 1228  GC0712    CLOSE F-Cobc-Output-FILE
 1229  GC0712    DISPLAY S-Switches-SCR
 1230  GC0712    CALL 'C$SLEEP' USING 2
 1231  GC0712    MOVE SPACES TO WS-Output-Msg-TXT
 1232            IF WS-RS-Compile-Failed-BOOL
 1233  GC0712        PERFORM 250-Autoload-Listing
 1234            PERFORM 900-Terminate
 1235        *> ----- Control will not return
 1236            END-IF
 1237            .
 1238        /
 1239        *>****************************************************************
 1240        *> Generate a source + xref listing using 'LISTING' subroutine **
 1241        *>****************************************************************
 1242  GC0410 220-Make-Listing SECTION.
```

```
ACS Cobol Xref v2.02.04        Dictionary File for GCIC    06/03/2022  23:09:10:99  Page   24

 1243  GC0410     MOVE ' Generating listing...' TO WS-Output-Msg-TXT
 1244  GC0410     DISPLAY S-Switches-SCR
 1245  GC0410     MOVE 0 TO RETURN-CODE
 1246         *>**************************************************************
 1247         *> Create the listing                                     **
 1248         *>**************************************************************
 1249  GC0410     MOVE SPACES TO WS-Output-Msg-TXT
 1250  GC0410     CALL 'LISTING' USING WS-Listing-Filename-TXT
 1251  GC0712                          WS-File-Name-TXT
 1252  GC0712                          WS-OS-Type-CD
 1253  GC1213                          LPP
 1254  GC1213                          LPPP
 1255  GC1213                          WS-Listing-CD
 1256  GC0410     ON EXCEPTION
 1257  GC0410        MOVE ' LISTING module is not available'
 1258  GC0410          TO WS-Output-Msg-TXT
 1259  GC0410        MOVE 1 TO RETURN-CODE
 1260  GC0410     END-CALL
 1261  GC0410     IF RETURN-CODE = 0
 1262  GC0712        MOVE ' Source+Xref listing generated '
 1263  GC0712          TO WS-Output-Msg-TXT
 1264  GC0410     END-IF
 1265  GC0712     DISPLAY S-Switches-SCR
 1266  GC0712     CALL 'C$SLEEP' USING 2
 1267  GC0712     PERFORM 250-Autoload-Listing
 1268  GC0410     .
 1269        /
 1270         *>**************************************************************
 1271         *> Run the compiled program                               **
 1272         *>**************************************************************
 1273         230-Run-Program SECTION.
 1274  GC0114     MOVE ' Preparing to run program ... press ENTER to close '
 1275  GC0114       TO WS-Output-Msg-TXT
 1276  GC0114     DISPLAY S-Switches-SCR
 1277  GC0114     CALL 'C$SLEEP' USING 3
 1278  GC0909     MOVE SPACES TO WS-Cmd-TXT
 1279  GC0909     MOVE 1 TO WS-I-SUB
 1280         *>**************************************************************
 1281         *> If necessary, start with 'cobcrun' command             **
 1282         *>**************************************************************
 1283  GC0712     IF WS-CS-LIBRARY-CHR NOT = ' '
 1284               STRING 'cobcrun ' DELIMITED SIZE
 1285                    INTO WS-Cmd-TXT
 1286                    WITH POINTER WS-I-SUB
 1287               END-IF
 1288         *>**************************************************************
 1289         *> Add any necessary path prefix                          **
 1290         *>**************************************************************
 1291  GC0712     SET WS-RS-Double-Quote-Used-BOOL TO FALSE
 1292            IF WS-Prog-Folder-TXT NOT = SPACES
 1293  GC0909       IF WS-OS-Cygwin-BOOL AND WS-Prog-Folder-TXT (2:1) = ':'
 1294  GC0909          STRING '/cygdrive/'
 1295  GC0909             INTO WS-Cmd-TXT
 1296  GC0909             WITH POINTER WS-I-SUB
```

```
ACS Cobol Xref v2.02.04        Dictionary File for GCIC    06/03/2022  23:09:10:99   Page   25

 1297  GC0909              STRING LOWER-CASE(WS-Prog-Folder-TXT (1:1))
 1298  GC0909                  INTO WS-Cmd-TXT
 1299  GC0909                  WITH POINTER WS-I-SUB
 1300  GC0909              PERFORM
 1301  GC0909                  VARYING WS-J-SUB FROM 3 BY 1
 1302  GC0909                  UNTIL WS-J-SUB > LENGTH(TRIM(WS-Prog-Folder-TXT))
 1303  GC0909                  IF WS-Prog-Folder-TXT (WS-J-SUB:1) = '\'
 1304  GC0909                      STRING '/'
 1305  GC0909                          INTO WS-Cmd-TXT
 1306  GC0909                          WITH POINTER WS-I-SUB
 1307  GC0909                  ELSE
 1308  GC0909                      STRING WS-Prog-Folder-TXT (WS-J-SUB:1)
 1309  GC0909                          INTO WS-Cmd-TXT
 1310  GC0909                          WITH POINTER WS-I-SUB
 1311  GC0909                  END-IF
 1312  GC0909              END-PERFORM
 1313  GC0909          ELSE
 1314  GC0410              STRING '"' TRIM(WS-Prog-Folder-TXT,TRAILING)
 1315  GC0909                  INTO WS-Cmd-TXT
 1316  GC0909                  WITH POINTER WS-I-SUB
 1317  GC0712              SET WS-RS-Double-Quote-Used-BOOL TO TRUE
 1318  GC0909          END-IF
 1319  GC0712          STRING WS-OS-Dir-CHR
 1320  GC0909              INTO WS-Cmd-TXT
 1321  GC0909              WITH POINTER WS-I-SUB
 1322  GC0909      ELSE
 1323  GC0909          IF WS-OS-Cygwin-BOOL OR WS-OS-UNIX-BOOL
 1324  GC0909              STRING './'
 1325  GC0909                  INTO WS-Cmd-TXT
 1326  GC0909                  WITH POINTER WS-I-SUB
 1327  GC0909          END-IF
 1328          END-IF
 1329      *>*************************************************************
 1330      *> Insert program filename                                 **
 1331      *>*************************************************************
 1332  GC0909    STRING TRIM(WS-Pgm-Nm-TXT,TRAILING)
 1333  GC0909        INTO WS-Cmd-TXT
 1334  GC0909        WITH POINTER WS-I-SUB
 1335      *>*************************************************************
 1336      *> Insert proper extension                                 **
 1337      *>*************************************************************
 1338  GC0712    IF WS-CS-LIBRARY-CHR = ' '
 1339  GC0712        IF WS-OS-Exe-Ext-CONST > ' '
 1340  GC0712            STRING WS-OS-Exe-Ext-CONST DELIMITED SPACE
 1341  GC0712                INTO WS-Cmd-TXT
 1342  GC0712                WITH POINTER WS-I-SUB
 1343  GC0712        END-IF
 1344  GC0712    ELSE
 1345  GC0712        IF WS-OS-Lib-Ext-CONST > ' '
 1346  GC0712            STRING WS-OS-Lib-Ext-CONST DELIMITED SPACE
 1347  GC0712                INTO WS-Cmd-TXT
 1348  GC0712                WITH POINTER WS-I-SUB
 1349  GC0712        END-IF
 1350  GC0712    END-IF
```

```
 1351  GC0712     IF WS-RS-Double-Quote-Used-BOOL
 1352  GC0712        STRING '"' DELIMITED SIZE
 1353  GC0712            INTO WS-Cmd-TXT
 1354  GC0712            WITH POINTER WS-I-SUB
 1355  GC0712     END-IF
 1356             IF WS-CS-Args-TXT NOT = SPACES
 1357  GC0809        STRING ' ' TRIM(WS-CS-Args-TXT,TRAILING)
 1358                    INTO WS-Cmd-TXT
 1359                    WITH POINTER WS-I-SUB
 1360             END-IF
 1361        *>****************************************************************
 1362        *> Run the program                                            **
 1363        *>****************************************************************
 1364  GC0114     CALL X'E4'
 1365             CALL 'SYSTEM' USING TRIM(WS-Cmd-TXT,TRAILING)
 1366  GC0712     MOVE SPACES TO WS-Output-Msg-TXT
 1367  GC0114     ACCEPT WS-Output-Msg-TXT(1:1) AT 0101
 1368             PERFORM 900-Terminate
 1369        * -- Control will NOT return
 1370             .
 1371        /
 1372        *>****************************************************************
 1373        *> Determine if the program being compiled is a MAIN program   **
 1374        *>****************************************************************
 1375         240-Find-LINKAGE-SECTION SECTION.
 1376             OPEN INPUT F-Source-Code-FILE
 1377  GC0712     MOVE ' ' TO WS-CS-LIBRARY-CHR
 1378             SET WS-RS-More-To-1st-Prog-BOOL   TO TRUE
 1379             PERFORM UNTIL WS-RS-1st-Prog-Complete-BOOL
 1380                 READ F-Source-Code-FILE AT END
 1381                     CLOSE F-Source-Code-FILE
 1382                     EXIT SECTION
 1383                 END-READ
 1384  GC0712         CALL 'CHECKSRC'
 1385  GC0712            USING BY CONTENT   F-Source-Code-REC
 1386  GC0712                  BY REFERENCE WS-RS-Source-Record-Type-CHR
 1387                 IF WS-RS-Source-Rec-Ident-BOOL
 1388                     SET WS-RS-1st-Prog-Complete-BOOL TO TRUE
 1389                 END-IF
 1390             END-PERFORM
 1391  GC0712     SET WS-RS-Source-Rec-Ignored-BOOL TO TRUE
 1392             PERFORM UNTIL WS-RS-Source-Rec-Linkage-BOOL
 1393                     OR WS-RS-Source-Rec-Ident-BOOL
 1394                 READ F-Source-Code-FILE AT END
 1395                     CLOSE F-Source-Code-FILE
 1396                     EXIT SECTION
 1397                 END-READ
 1398  GC0712         CALL 'CHECKSRC'
 1399  GC0712            USING BY CONTENT   F-Source-Code-REC
 1400  GC0712                  BY REFERENCE WS-RS-Source-Record-Type-CHR
 1401             END-PERFORM
 1402             CLOSE F-Source-Code-FILE
 1403             IF WS-RS-Source-Rec-Linkage-BOOL
 1404  GC0712        MOVE SELCHAR TO WS-CS-LIBRARY-CHR
```

```
ACS Cobol Xref v2.02.04          Dictionary File for GCIC    06/03/2022  23:09:10:99  Page   27
  1405          END-IF
  1406             .
  1407       /
  1408  GC0712*>****************************************************************
  1409  GC0712*> Attempt to open the listing file as a command.  This will - **
  1410  GC1113*> if the user has associated filetype/extension 'gclst' with  **
  1411  GC0712*> an application - invoke the appropriate application to       **
  1412  GC0712*> allow the user to view the listing.                         **
  1413  GC0712*>****************************************************************'
  1414  GC0712 250-Autoload-Listing SECTION.
  1415  GC0712     EVALUATE TRUE
  1416  GC0712         WHEN WS-OS-Windows-BOOL OR WS-OS-Cygwin-BOOL
  1417  GC0712             MOVE SPACES TO WS-Cmd-TXT
  1418  GC0712             STRING
  1419  GC0712                 'cmd /c '
  1420  GC0712                 TRIM(WS-Listing-Filename-TXT,TRAILING)
  1421  GC0712                 DELIMITED SIZE INTO WS-Cmd-TXT
  1422  GC0712             CALL 'SYSTEM' USING TRIM(WS-Cmd-TXT,TRAILING)
  1423  GC0712         WHEN WS-OS-OSX-BOOL
  1424  GC0712             MOVE SPACES TO WS-Cmd-TXT
  1425  GC0712             STRING
  1426  GC0712                 'open -t '
  1427  GC0712                 TRIM(WS-Listing-Filename-TXT,TRAILING)
  1428  GC0712                 DELIMITED SIZE INTO WS-Cmd-TXT
  1429  GC0712             CALL 'SYSTEM' USING TRIM(WS-Cmd-TXT,TRAILING)
  1430  GC0712     END-EVALUATE
  1431  GC0712*>    ************************************************************
  1432  GC0712*>    ** Since we had to do our own '-save-temps' when we       **
  1433  GC0712*>    ** compiled (in order to generate the cross-reference     **
  1434  GC0712*>    ** listing) we now need to clean up after ourselves.      **
  1435  GC0712*>    ************************************************************
  1436  GC1112     DISPLAY S-Blank-SCR
  1437  GC0712     IF WS-OS-Windows-BOOL
  1438  GC0712         MOVE CONCATENATE('del ',TRIM(WS-Pgm-Nm-TXT,TRAILING))
  1439  GC0712           TO WS-Cmd-TXT
  1440  GC0712     ELSE
  1441  GC0712         MOVE CONCATENATE('rm ',TRIM(WS-Pgm-Nm-TXT,TRAILING))
  1442  GC0712           TO WS-Cmd-TXT
  1443  GC0712     END-IF
  1444  GC0712     CALL 'SYSTEM'
  1445  GC0712         USING CONCATENATE(TRIM(WS-Cmd-TXT,TRAILING),'.c')
  1446  GC0712     CALL 'SYSTEM'
  1447  GC0712         USING CONCATENATE(TRIM(WS-Cmd-TXT,TRAILING),'.c.h')
  1448  GC0712     CALL 'SYSTEM'
  1449  GC0712         USING CONCATENATE(TRIM(WS-Cmd-TXT,TRAILING),'.c.l*.h')
  1450  GC0712     CALL 'SYSTEM'
  1451  GC0712         USING CONCATENATE(TRIM(WS-Cmd-TXT,TRAILING),'.i')
  1452  GC0712     CALL 'SYSTEM'
  1453  GC0712         USING CONCATENATE(TRIM(WS-Cmd-TXT,TRAILING),'.o')
  1454
  1455  GC0712     .
  1456       /
  1457       *>****************************************************************
  1458       *> Display a message and halt the program                      **
```

```
ACS Cobol Xref v2.02.04        Dictionary File for GCIC    06/03/2022  23:09:10:99   Page   28

  1459        *>************************************************************
  1460         900-Terminate SECTION.
  1461 GC0909     IF WS-Output-Msg-TXT > SPACES
  1462 GC0909        DISPLAY S-Switches-SCR
  1463 GC0909        CALL 'C$SLEEP' USING 2
  1464 GC0909     END-IF
  1465            DISPLAY S-Blank-SCR
  1466            STOP RUN
  1467            .
  1468
  1469         END PROGRAM GCic.
  1470       /
```

```
ACS Cobol Xref v2.02.04         Dictionary File for GCIC    06/03/2022  23:09:10:99   Page   29
Symbols of Module: GCIC (GCIC)
-----------------------------


Data Section (FILE)             Defn    Locations
-----------------------------+------------------------------------------------------------------
F-COBC-OUTPUT-FILE              000192F  000201 001210 001228
F-COBC-OUTPUT-REC               000202F  001211 001216 001217 001225 001226
F-SOURCE-CODE-FILE              000195F  000204 000813 001376 001380 001381 001394 001395 001402
F-SOURCE-CODE-REC               000205F  001385 001399
WS-FILE-NAME-TXT                000195F  000399 000865 000870 000933 000938 000941 000954 000957
                                         000964 000967 000978 001251
WS-FSM-STATUS-CD                000197F  000405 000828 000862
WS-LISTING-FILENAME-TXT         000192F  000417 001194 001195 001204 001222 001250 001420 001427
```

```
ACS Cobol Xref v2.02.04        Dictionary File for GCIC     06/03/2022  23:09:11:00   Page   30
Symbols of Module: GCIC (GCIC)
-----------------------------


Data Section (WORKING-STORAGE)  Defn    Locations
-------------------------------+----------------------------------------------------------------


COB-COLOR-BLACK                 000232W  000597 000602 000692 000702 000712 000717 000727 000734
                                         000749 000764 000780 000787 000794
COB-COLOR-BLUE                  000233W  000680
COB-COLOR-CYAN                  000235W  000693
COB-COLOR-GREEN                 000234W  000603 000718 000765 000781
COB-COLOR-MAGENTA               000237W
COB-COLOR-RED                   000236W  000686 000750
COB-COLOR-WHITE                 000239W  000598 000681 000687 000703 000713 000728 000735 000788
                                         000795
COB-COLOR-YELLOW                000238W
COB-SCR-BACK-TAB                000321W
COB-SCR-BACKSPACE               000328W
COB-SCR-DELETE                  000327W
COB-SCR-ESC                     000318W  001085
COB-SCR-F1                      000245W  001032
COB-SCR-F10                     000254W
COB-SCR-F11                     000255W
COB-SCR-F12                     000256W  001088
COB-SCR-F13                     000257W
COB-SCR-F14                     000258W
COB-SCR-F15                     000259W
COB-SCR-F16                     000260W
COB-SCR-F17                     000261W
COB-SCR-F18                     000262W
COB-SCR-F19                     000263W
COB-SCR-F2                      000246W  001038
COB-SCR-F20                     000264W
COB-SCR-F21                     000265W
COB-SCR-F22                     000266W
COB-SCR-F23                     000267W
COB-SCR-F24                     000268W
COB-SCR-F25                     000269W
COB-SCR-F26                     000270W
COB-SCR-F27                     000271W
COB-SCR-F28                     000272W
COB-SCR-F29                     000273W
COB-SCR-F3                      000247W  001044
COB-SCR-F30                     000274W
COB-SCR-F31                     000275W
COB-SCR-F32                     000276W
COB-SCR-F33                     000277W
COB-SCR-F34                     000278W
COB-SCR-F35                     000279W
COB-SCR-F36                     000280W
COB-SCR-F37                     000281W
COB-SCR-F38                     000282W
COB-SCR-F39                     000283W
COB-SCR-F4                      000248W  001050
COB-SCR-F40                     000284W
```

```
ACS Cobol Xref v2.02.04        Dictionary File for GCIC    06/03/2022  23:09:11:00   Page   31
Symbols of Module: GCIC (GCIC)
-----------------------------


Data Section (WORKING-STORAGE)  Defn     Locations
-----------------------------+-------------------------------------------------------------------

COB-SCR-F41                    000285W
COB-SCR-F42                    000286W
COB-SCR-F43                    000287W
COB-SCR-F44                    000288W
COB-SCR-F45                    000289W
COB-SCR-F46                    000290W
COB-SCR-F47                    000291W
COB-SCR-F48                    000292W
COB-SCR-F49                    000293W
COB-SCR-F5                     000249W  001056
COB-SCR-F50                    000294W
COB-SCR-F51                    000295W
COB-SCR-F52                    000296W
COB-SCR-F53                    000297W
COB-SCR-F54                    000298W
COB-SCR-F55                    000299W
COB-SCR-F56                    000300W
COB-SCR-F57                    000301W
COB-SCR-F58                    000302W
COB-SCR-F59                    000303W
COB-SCR-F6                     000250W  001061
COB-SCR-F60                    000304W
COB-SCR-F61                    000305W
COB-SCR-F62                    000306W
COB-SCR-F63                    000307W
COB-SCR-F64                    000308W
COB-SCR-F7                     000251W  001067
COB-SCR-F8                     000252W  001073
COB-SCR-F9                     000253W  001079
COB-SCR-FATAL                  000335W
COB-SCR-INSERT                 000326W
COB-SCR-KEY-DOWN               000316W
COB-SCR-KEY-END                000330W
COB-SCR-KEY-HOME               000329W
COB-SCR-KEY-LEFT               000322W
COB-SCR-KEY-RIGHT              000323W
COB-SCR-KEY-UP                 000314W
COB-SCR-KEY_DOWN               000317W
COB-SCR-KEY_UP                 000315W
COB-SCR-MAX-FIELD              000336W
COB-SCR-NO-FIELD               000332W
COB-SCR-OK                     000243W
COB-SCR-PAGE-DOWN              000312W
COB-SCR-PAGE-UP                000310W
COB-SCR-PAGE_DOWN              000313W
COB-SCR-PAGE_UP                000311W
COB-SCR-PRINT                  000319W
COB-SCR-TAB                    000320W
COB-SCR-TIME-OUT               000333W
```

```
ACS Cobol Xref v2.02.04        Dictionary File for GCIC    06/03/2022  23:09:11:00   Page   32
Symbols of Module: GCIC (GCIC)
-----------------------------


Data Section (WORKING-STORAGE)  Defn    Locations
-----------------------------+---------------------------------------------------------------


F1                      000364W
F12                     000358W
F2                      000371W
F3                      000367W
F4                      000365W
F5                      000368W  000415
F6                      000369W
F7                      000372W
F8                      000366W
F9                      000370W
WS-CMD-ARGS-TXT         000387W  000925 000927 000928 000931 000936
WS-CMD-END-QUOTE-CHR    000389W  000929 000932
WS-CMD-SUB              000391W  000926 000930 000934 000939
WS-CMD-TXT              000385W  001107 001202 001207 001208 001209 001278 001285 001295
                                 001298 001305 001309 001315 001320 001325 001333 001341
                                 001347 001353 001358 001365 001417 001421 001422 001424
                                 001428 001429 001439 001442 001445 001447 001449 001451
                                 001453
WS-COBC-CMD-TXT         000393W  001108 001117 001121 001125 001129 001134 001139 001144
                                 001149 001154 001159 001163 001176 001184 001188 001203
WS-COMPILATION-SWITCHES-TXT 000338W
WS-CONFIG-FN-TXT        000395W  001113 001119
WS-CS-ALL-SWITCHES-TXT  000373W  000918
WS-CS-ARG-H1-TXT        000340W  000798
WS-CS-ARG-H2-TXT        000341W  000799
WS-CS-ARGS-TXT          000339W  001356 001357
WS-CS-CONFIG-NUM        000354W  000356 000358 001089 001090 001091 001112
WS-CS-DEBUG-CHR         000375W  000751 001033 001034 001036 001132
WS-CS-EXECUTE-CHR       000376W  000754 000888 001051 001052 001054
WS-CS-EXTRA-H1-TXT      000361W  000796
WS-CS-EXTRA-H2-TXT      000362W  000797
WS-CS-EXTRA-TXT         000360W  001168 001180 001182
WS-CS-FILENAME-TXT      000351W  000790 001112
WS-CS-FILENAMES-TABLE-TXT 000350W
WS-CS-FILENAMES-TXT     000342W  000350
WS-CS-FREE-CHR          000377W  000759 001074 001075 001077 001157
WS-CS-LIBRARY-CHR       000378W  000753 001045 001046 001048 001123 001283 001338 001377
                                 001404
WS-CS-LISTING-CHR       000379W  000755 000884 001021 001024 001027 001170 001172 001174
WS-CS-NOFUNC-CHR        000380W  000757 001062 001063 001065 001147
WS-CS-NOTRUNC-CHR       000381W  000760 001080 001081 001083 001137
WS-CS-SWITCH-DEFAULTS-TXT 000363W  000374
WS-CS-TRACEALL-CHR      000382W  000752 001039 001040 001042 001142
WS-CS-WARNALL-CHR       000383W  000758 001068 001069 001071 001152
WS-DELETE-FN-TXT        000397W
WS-FILE-NAME-TXT        000399W  000865 000870 000933 000938 000941 000954 000957 000964
                                 000967 000978 001251
WS-FILE-STATUS-MESSAGE-TXT 000403W
WS-FN-CHR               000400W  000959 000966 000970
```

```
ACS Cobol Xref v2.02.04        Dictionary File for GCIC    06/03/2022  23:09:11:00   Page   33
Symbols of Module: GCIC (GCIC)
-----------------------------


Data Section (WORKING-STORAGE)  Defn    Locations
-----------------------------+----------------------------------------------------------------


WS-FSM-MSG-TXT                  000407W  000829 000830 000831 000832 000833 000834 000835 000836
                                         000837 000838 000839 000840 000841 000842 000843 000844
                                         000845 000846 000847 000848 000849 000850 000851 000852
                                         000853 000854 000855 000856 000857 000858
WS-FSM-STATUS-CD                000405W  000828 000862
WS-HORIZONTAL-LINE-TXT          000409W  000605 000615 000619 000621 000645 000647 000651 000661
                                         000665 000675 001003
WS-I-SUB                        000411W  000957 000958 000959 000960 000962 000966 000970 000985
                                         000986 000987 000988 000990 000994 000998 001111 001122
                                         001126 001130 001135 001140 001145 001150 001155 001160
                                         001164 001177 001185 001189 001279 001286 001296 001299
                                         001306 001310 001316 001321 001326 001334 001342 001348
                                         001354 001359
WS-J-SUB                        000413W  001301 001302
WS-LISTING-CD                   000415W  001018 001057 001058 001059 001255
WS-LISTING-FILENAME-TXT         000417W  001194 001195 001204 001222 001250 001420 001427
WS-LISTING-TXT                  000419W  000771 001020 001023 001026
WS-OC-COMPILE-DT                000421W  000683 000911 000912
WS-OS-CYGWIN-BOOL               000455W  000954 000978 001293 001323 001416
WS-OS-DIR-CHR                   000424W  000430 000436 000442 000448 000955 000959 000970 000979
                                         001319
WS-OS-EXE-EXT-CONST             000425W  000431 000437 000443 000449 001339 001340
WS-OS-LIB-EXT-CONST             000426W  000432 000438 000444 000450 001345 001346
WS-OS-LIB-TYPE-CONST            000427W  000433 000439 000445 000451 000769
WS-OS-OSX-BOOL                  000457W  001423
WS-OS-TYPE-CD                   000428W  000434 000440 000446 000452 001005 001252
WS-OS-TYPE-FILLER-TXT           000459W  000465
WS-OS-TYPE-TXT                  000466W  001005
WS-OS-TYPES-TXT                 000465W
WS-OS-UNIX-BOOL                 000456W  001323
WS-OS-WINDOWS-BOOL              000454W  001416 001437
WS-OUTPUT-MSG-TXT               000469W  000688 000861 001008 001095 001109 001199 001214 001215
                                         001223 001231 001243 001249 001258 001263 001275 001366
                                         001367 001461
WS-PATH-DELIMITER-CHR           000471W
WS-PFN-CHR                      000478W  000987 000994 000998
WS-PGM-NM-TXT                   000481W  000991 000996 001193 001332 001438 001441
WS-PROG-EXTENSION-TXT           000473W  000992 000997
WS-PROG-FILE-NAME-TXT           000477W  000729 000964 000969 000985 000991 000995 001187
WS-PROG-FOLDER-TXT              000475W  000730 000963 000968 000972 000973 000976 001292 001293
                                         001297 001302 001303 001308 001314
WS-RS-1ST-PROG-COMPLETE-BOOL    000494W  001379 001388
WS-RS-COMPILE-FAILED-BOOL       000487W  001220 001232
WS-RS-COMPILE-OK-BOOL           000485W  000883 001213
WS-RS-COMPILE-OK-CHR            000484W
WS-RS-COMPILE-OK-WARN-BOOL      000486W  000883
WS-RS-COMPLETE-BOOL             000489W  000880 001218
WS-RS-COMPLETE-CHR              000488W
WS-RS-DOUBLE-QUOTE-USED-BOOL    000492W  001291 001317 001351
```

```
ACS Cobol Xref v2.02.04        Dictionary File for GCIC    06/03/2022  23:09:11:00   Page   34
Symbols of Module: GCIC (GCIC)
-----------------------------


Data Section (WORKING-STORAGE)  Defn     Locations
-----------------------------+-----------------------------------------------------------------

WS-RS-IDENT-DIV-CHR             000493W
WS-RS-MORE-TO-1ST-PROG-BOOL     000495W  001378
WS-RS-NO-SWITCH-CHANGES-BOOL    000497W  001017 001098
WS-RS-NO-SWITCH-CHGS-CHR        000496W
WS-RS-NOT-COMPLETE-BOOL         000490W  000879
WS-RS-OUTPUT-FILE-AVAIL-BOOL    000501W  000889 001201
WS-RS-OUTPUT-FILE-BUSY-BOOL     000500W
WS-RS-OUTPUT-FILE-BUSY-CHR      000499W
WS-RS-QUOTE-CHR                 000491W
WS-RS-SOURCE-REC-IDENT-BOOL     000504W  001387 001393
WS-RS-SOURCE-REC-IGNORED-BOOL   000505W  001391
WS-RS-SOURCE-REC-LINKAGE-BOOL   000503W  001392 001403
WS-RS-SOURCE-RECORD-TYPE-CHR    000502W  001386 001400
WS-RS-SWITCH-CHANGES-BOOL       000498W  001016
WS-RS-SWITCH-ERROR-CHR          000506W
WS-RS-SWITCH-IS-BAD-BOOL        000507W
WS-RS-SWITCH-IS-GOOD-BOOL       000508W
WS-RUNTIME-SWITCHES-TXT         000483W
WS-TALLY-QTY                    000510W  001167 001169 001171
```

```
ACS Cobol Xref v2.02.04        Dictionary File for GCIC    06/03/2022  23:09:11:00   Page   35
Symbols of Module: GCIC (GCIC)
-----------------------------

Data Section (SCREEN)          Defn    Locations
-------------------------------+------------------------------------------------------------------

COB-COLOR-BLACK                000597S  000602 000692 000702 000712 000717 000727 000734 000749
                                        000764 000780 000787 000794
COB-COLOR-BLUE                 000680S
COB-COLOR-CYAN                 000693S
COB-COLOR-GREEN                000603S  000718 000765 000781
COB-COLOR-RED                  000686S  000750
COB-COLOR-WHITE                000598S  000681 000687 000703 000713 000728 000735 000788 000795
LD-HORIZ-LINE                  000573S  000582 000591 001003
LD-LL-CORNER                   000568S  000577 000586 000614 000644 000660 000674
LD-LOWER-T                     000572S  000581 000590 000646
LD-LR-CORNER                   000570S  000579 000588 000616 000648 000662 000676
LD-UL-CORNER                   000567S  000576 000585 000604 000618 000650 000664
LD-UPPER-T                     000571S  000580 000589 000620
LD-UR-CORNER                   000569S  000578 000587 000606 000622 000652 000666
LD-VERT-LINE                   000574S  000583 000592 000608 000609 000611 000612 000624 000625
                                        000626 000628 000629 000630 000632 000633 000634 000636
                                        000637 000638 000640 000641 000642 000654 000655 000657
                                        000658 000668 000669 000671 000672
S-BLANK-SCR                    000595S  000885 001436 001465
S-SWITCHES-SCR                 000597S  001029 001110 001200 001229 001244 001265 001276 001462
WS-CS-ARG-H1-TXT               000798S
WS-CS-ARG-H2-TXT               000799S
WS-CS-DEBUG-CHR                000751S  001033 001034 001036 001132
WS-CS-EXECUTE-CHR              000754S  000888 001051 001052 001054
WS-CS-EXTRA-H1-TXT             000796S
WS-CS-EXTRA-H2-TXT             000797S
WS-CS-FILENAME-TXT             000790S  001112
WS-CS-FREE-CHR                 000759S  001074 001075 001077 001157
WS-CS-LIBRARY-CHR              000753S  001045 001046 001048 001123 001283 001338 001377 001404
WS-CS-LISTING-CHR              000755S  000884 001021 001024 001027 001170 001172 001174
WS-CS-NOFUNC-CHR               000757S  001062 001063 001065 001147
WS-CS-NOTRUNC-CHR              000760S  001080 001081 001083 001137
WS-CS-TRACEALL-CHR             000752S  001039 001040 001042 001142
WS-CS-WARNALL-CHR              000758S  001068 001069 001071 001152
WS-HORIZONTAL-LINE-TXT         000605S  000615 000619 000621 000645 000647 000651 000661 000665
                                        000675 001003
WS-LISTING-TXT                 000771S  001020 001023 001026
WS-OC-COMPILE-DT               000683S  000911 000912
WS-OS-LIB-TYPE-CONST           000769S
WS-OUTPUT-MSG-TXT              000688S  000861 001008 001095 001109 001199 001214 001215 001223
                                        001231 001243 001249 001258 001263 001275 001366 001367
                                        001461
WS-PROG-FILE-NAME-TXT          000729S  000964 000969 000985 000991 000995 001187
WS-PROG-FOLDER-TXT             000730S  000963 000968 000972 000973 000976 001292 001293 001297
                                        001302 001303 001308 001314
```

```
ACS Cobol Xref v2.02.04        Dictionary File for GCIC    06/03/2022  23:09:11:00  Page   36
Symbols of Module: GCIC (GCIC)
-----------------------------
Variable Tested [S]            Symbol (88-Conditions)
--------------------------------------------------------------

WS-OS-TYPE-CD                  WS-OS-WINDOWS-BOOL
WS-OS-TYPE-CD                  WS-OS-CYGWIN-BOOL
WS-OS-TYPE-CD                  WS-OS-UNIX-BOOL
WS-OS-TYPE-CD                  WS-OS-OSX-BOOL
WS-RS-COMPILE-OK-CHR           WS-RS-COMPILE-OK-BOOL
WS-RS-COMPILE-OK-CHR           WS-RS-COMPILE-OK-WARN-BOOL
WS-RS-COMPILE-OK-CHR           WS-RS-COMPILE-FAILED-BOOL
WS-RS-COMPLETE-CHR             WS-RS-COMPLETE-BOOL
WS-RS-COMPLETE-CHR             WS-RS-NOT-COMPLETE-BOOL
WS-RS-IDENT-DIV-CHR            WS-RS-1ST-PROG-COMPLETE-BOOL
WS-RS-IDENT-DIV-CHR            WS-RS-MORE-TO-1ST-PROG-BOOL
WS-RS-NO-SWITCH-CHGS-CHR       WS-RS-NO-SWITCH-CHANGES-BOOL
WS-RS-NO-SWITCH-CHGS-CHR       WS-RS-SWITCH-CHANGES-BOOL
WS-RS-OUTPUT-FILE-BUSY-CHR     WS-RS-OUTPUT-FILE-BUSY-BOOL
WS-RS-OUTPUT-FILE-BUSY-CHR     WS-RS-OUTPUT-FILE-AVAIL-BOOL
WS-RS-QUOTE-CHR                WS-RS-DOUBLE-QUOTE-USED-BOOL
WS-RS-SOURCE-RECORD-TYPE-CHR   WS-RS-SOURCE-REC-LINKAGE-BOOL
WS-RS-SOURCE-RECORD-TYPE-CHR   WS-RS-SOURCE-REC-IDENT-BOOL
WS-RS-SOURCE-RECORD-TYPE-CHR   WS-RS-SOURCE-REC-IGNORED-BOOL
WS-RS-SWITCH-ERROR-CHR         WS-RS-SWITCH-IS-BAD-BOOL
WS-RS-SWITCH-ERROR-CHR         WS-RS-SWITCH-IS-GOOD-BOOL
```

```
ACS Cobol Xref v2.02.04        Dictionary File for GCIC    06/03/2022  23:09:11:00   Page   37
Symbols of Module: GCIC (GCIC)
------------------------------
Variable Tested            Symbol (88-Conditions) [S]
--------------------------------------------------------------

WS-OS-TYPE-CD              WS-OS-CYGWIN-BOOL
WS-OS-TYPE-CD              WS-OS-OSX-BOOL
WS-OS-TYPE-CD              WS-OS-UNIX-BOOL
WS-OS-TYPE-CD              WS-OS-WINDOWS-BOOL
WS-RS-IDENT-DIV-CHR        WS-RS-1ST-PROG-COMPLETE-BOOL
WS-RS-COMPILE-OK-CHR       WS-RS-COMPILE-FAILED-BOOL
WS-RS-COMPILE-OK-CHR       WS-RS-COMPILE-OK-BOOL
WS-RS-COMPILE-OK-CHR       WS-RS-COMPILE-OK-WARN-BOOL
WS-RS-COMPLETE-CHR         WS-RS-COMPLETE-BOOL
WS-RS-QUOTE-CHR            WS-RS-DOUBLE-QUOTE-USED-BOOL
WS-RS-IDENT-DIV-CHR        WS-RS-MORE-TO-1ST-PROG-BOOL
WS-RS-NO-SWITCH-CHGS-CHR   WS-RS-NO-SWITCH-CHANGES-BOOL
WS-RS-COMPLETE-CHR         WS-RS-NOT-COMPLETE-BOOL
WS-RS-OUTPUT-FILE-BUSY-CHR WS-RS-OUTPUT-FILE-AVAIL-BOOL
WS-RS-OUTPUT-FILE-BUSY-CHR WS-RS-OUTPUT-FILE-BUSY-BOOL
WS-RS-SOURCE-RECORD-TYPE-CHR WS-RS-SOURCE-REC-IDENT-BOOL
WS-RS-SOURCE-RECORD-TYPE-CHR WS-RS-SOURCE-REC-IGNORED-BOOL
WS-RS-SOURCE-RECORD-TYPE-CHR WS-RS-SOURCE-REC-LINKAGE-BOOL
WS-RS-NO-SWITCH-CHGS-CHR   WS-RS-SWITCH-CHANGES-BOOL
WS-RS-SWITCH-ERROR-CHR     WS-RS-SWITCH-IS-BAD-BOOL
WS-RS-SWITCH-ERROR-CHR     WS-RS-SWITCH-IS-GOOD-BOOL
```

```
ACS Cobol Xref v2.02.04         Dictionary File for GCIC     06/03/2022  23:09:11:00   Page   38
Symbols of Module: GCIC (GCIC)
-----------------------------
Functions                       Defn    Locations
-----------------------------+-----------------------------------------------------------------
CONCATENATE                     001004I 001193 001215 001221 001438 001441 001445 001447 001449
                                        001451 001453
LOWER-CASE                      001112I 001297
TRIM                            000865I 000870 000976 001005 001119 001182 001187 001193 001203
                                        001209 001222 001302 001314 001332 001357 001365 001420
                                        001422 001427 001429 001438 001441 001445 001447 001449
                                        001451 001453
```

```
ACS Cobol Xref v2.02.04        Dictionary File for GCIC    06/03/2022  23:09:11:00   Page   39
Symbols of Module: GCIC (GCIC)
-----------------------------
Called Procedures              Type   Locations
-----------------------------+-------------------------------------------------------
 
C$SLEEP                        SYSTEM 001230 001266 001277 001463
CBL_CHANGE_DIR                 SYSTEM 000975
CBL_DELETE_FILE                SYSTEM 001195
CHECKSRC                       USER   001384 001398
E4                             SYSTEM 001364
LISTING                        USER   001250
SYSTEM                         SYSTEM 001209 001365 001422 001429 001444 001446 001448 001450
                                      001452
```

```
ACS Cobol Xref v2.02.04        Dictionary File for GCIC    06/03/2022  23:09:11:00   Page   40
Symbols of Module: GCIC (GCIC)
-----------------------------
Procedure                      Defn    Locations
-----------------------------+-----------------------------------------------------------------

CAUTION:                       000860P
FOUND                          000860P
G29                            000860P
LPP                            001253P
LPPP                           001254P
MORE                           000860P
ONE                            000860P
SELCHAR                        000920P  000921 001024 001027 001034 001040 001046 001052 001063
                                        001069 001075 001081 001404
SYSERR                         001208P
```

```
ACS Cobol Xref v2.02.04        Dictionary File for GCIC    06/03/2022  23:09:11:00   Page   41
Symbols of Module: GCIC (GCIC)
------------------------------
Unreferenced Working Storage Symbols


CBL_CHANGE_DIR                 000975C
CBL_DELETE_FILE                001195C
COB-COLOR-MAGENTA              000237W
COB-COLOR-YELLOW               000238W
COB-SCR-BACK-TAB               000321W
COB-SCR-BACKSPACE              000328W
COB-SCR-DELETE                 000327W
COB-SCR-F10                    000254W
COB-SCR-F11                    000255W
COB-SCR-F13                    000257W
COB-SCR-F14                    000258W
COB-SCR-F15                    000259W
COB-SCR-F16                    000260W
COB-SCR-F17                    000261W
COB-SCR-F18                    000262W
COB-SCR-F19                    000263W
COB-SCR-F20                    000264W
COB-SCR-F21                    000265W
COB-SCR-F22                    000266W
COB-SCR-F23                    000267W
COB-SCR-F24                    000268W
COB-SCR-F25                    000269W
COB-SCR-F26                    000270W
COB-SCR-F27                    000271W
COB-SCR-F28                    000272W
COB-SCR-F29                    000273W
COB-SCR-F30                    000274W
COB-SCR-F31                    000275W
COB-SCR-F32                    000276W
COB-SCR-F33                    000277W
COB-SCR-F34                    000278W
COB-SCR-F35                    000279W
COB-SCR-F36                    000280W
COB-SCR-F37                    000281W
COB-SCR-F38                    000282W
COB-SCR-F39                    000283W
COB-SCR-F40                    000284W
COB-SCR-F41                    000285W
COB-SCR-F42                    000286W
COB-SCR-F43                    000287W
COB-SCR-F44                    000288W
COB-SCR-F45                    000289W
COB-SCR-F46                    000290W
COB-SCR-F47                    000291W
COB-SCR-F48                    000292W
COB-SCR-F49                    000293W
COB-SCR-F50                    000294W
COB-SCR-F51                    000295W
COB-SCR-F52                    000296W
COB-SCR-F53                    000297W
COB-SCR-F54                    000298W
```

```
ACS Cobol Xref v2.02.04        Dictionary File for GCIC    06/03/2022  23:09:11:00   Page   42
Symbols of Module: GCIC (GCIC)
------------------------------
Unreferenced Working Storage Symbols

COB-SCR-F55                   000299W
COB-SCR-F56                   000300W
COB-SCR-F57                   000301W
COB-SCR-F58                   000302W
COB-SCR-F59                   000303W
COB-SCR-F60                   000304W
COB-SCR-F61                   000305W
COB-SCR-F62                   000306W
COB-SCR-F63                   000307W
COB-SCR-F64                   000308W
COB-SCR-FATAL                 000335W
COB-SCR-INSERT                000326W
COB-SCR-KEY-DOWN              000316W
COB-SCR-KEY-END               000330W
COB-SCR-KEY-HOME              000329W
COB-SCR-KEY-LEFT              000322W
COB-SCR-KEY-RIGHT             000323W
COB-SCR-KEY-UP                000314W
COB-SCR-KEY_DOWN              000317W
COB-SCR-KEY_UP                000315W
COB-SCR-MAX-FIELD             000336W
COB-SCR-NO-FIELD              000332W
COB-SCR-OK                    000243W
COB-SCR-PAGE-DOWN             000312W
COB-SCR-PAGE-UP               000310W
COB-SCR-PAGE_DOWN             000313W
COB-SCR-PAGE_UP               000311W
COB-SCR-PRINT                 000319W
COB-SCR-TAB                   000320W
COB-SCR-TIME-OUT              000333W
E4                            001364C
F1                            000364W
F12                           000358W
F2                            000371W
F3                            000367W
F4                            000365W
F6                            000369W
F7                            000372W
F8                            000366W
F9                            000370W
LISTING                       001250C
WS-COMPILATION-SWITCHES-TXT   000338W
WS-CS-FILENAMES-TABLE-TXT     000350W
WS-DELETE-FN-TXT              000397W
WS-FILE-STATUS-MESSAGE-TXT    000403W
WS-OS-TYPES-TXT               000465W
WS-PATH-DELIMITER-CHR         000471W
WS-RS-COMPILE-OK-CHR          000484W
WS-RS-COMPLETE-CHR            000488W
WS-RS-IDENT-DIV-CHR           000493W
WS-RS-NO-SWITCH-CHGS-CHR      000496W
```

```
ACS Cobol Xref v2.02.04          Dictionary File for GCIC     06/03/2022  23:09:11:00   Page   43
Symbols of Module: GCIC (GCIC)
------------------------------
Unreferenced Working Storage Symbols

WS-RS-OUTPUT-FILE-BUSY-BOOL        000500W
WS-RS-OUTPUT-FILE-BUSY-CHR         000499W
WS-RS-QUOTE-CHR                    000491W
WS-RS-SWITCH-ERROR-CHR             000506W
WS-RS-SWITCH-IS-BAD-BOOL           000507W
WS-RS-SWITCH-IS-GOOD-BOOL          000508W
WS-RUNTIME-SWITCHES-TXT            000483W
```

```
ACS Cobol Xref v2.02.04        Dictionary File for GCIC    06/03/2022  23:09:11:00   Page   44
Symbols of Module: GCIC (GCIC)
-----------------------------
Unreferenced Procedures

CAUTION:                  000860P
FOUND                     000860P
G29                       000860P
LPP                       001253P
LPPP                      001254P
MORE                      000860P
ONE                       000860P
SYSERR                    001208P
```

```
ACS Cobol Xref v2.02.04       Dictionary File for GCIC    06/03/2022  23:09:11:00   Page   45
    1471        IDENTIFICATION DIVISION.
    1472        PROGRAM-ID.  CHECKSRC.
    1473        *>**************************************************************
    1474        *> This subprogram will scan a line of source code it is given **
    1475        *> looking for 'LINKAGE SECTION' or 'IDENTIFICATION DIVISION'. **
    1476        *>                                                            **
    1477        *>  ****NOTE****   ****NOTE****    ****NOTE****   ****NOTE*** **
    1478        *>                                                            **
    1479        *> These two strings must be found IN THEIR ENTIRETY within   **
    1480        *> the 1st 80 columns of program source records, and cannot   **
    1481        *> follow either a '*>' sequence OR a '*' in col 7.           **
    1482        *>**************************************************************
    1483        *>  DATE  CHANGE DESCRIPTION                                  **
    1484        *> ====== ================================================== **
    1485        *> GC0809 Initial coding.                                     **
    1486        *>**************************************************************
    1487        ENVIRONMENT DIVISION.
    1488        CONFIGURATION SECTION.
    1489        REPOSITORY.
    1490            FUNCTION ALL INTRINSIC.
    1491        DATA DIVISION.
    1492        WORKING-STORAGE SECTION.
    1493        01  WS-Compressed-Src-TXT.
    1494            05 WS-CS-CHR                     OCCURS 80 TIMES
    1495                                            PIC X(1).
    1496
    1497        01  WS-Runtime-Switches-TXT.
    1498            05 WS-RS-Found-SPACE-CHR         PIC X(1).
    1499               88 WS-RS-Skipping-SPACE-BOOL    VALUE 'Y'.
    1500               88 WS-RS-Not-Skipping-SPACE-BOOL VALUE 'N'.
    1501
    1502        01  WS-I-SUB                        USAGE BINARY-CHAR.
    1503
    1504        01  WS-J-SUB                        USAGE BINARY-CHAR.
    1505        LINKAGE SECTION.
    1506        01  L-Argument-1-TXT.
    1507            02 L-A1-CHR                      OCCURS 80 TIMES
    1508                                            PIC X(1).
    1509
    1510        01  L-Argument-2-CHR               PIC X(1).
    1511            88 L-A2-LINKAGE-SECTION-BOOL VALUE 'L'.
    1512            88 L-A2-IDENT-DIVISION-BOOL  VALUE 'I'.
    1513            88 L-A2-Nothing-Special-BOOL VALUE ' '.
    1514      /
    1515 GC0712 PROCEDURE DIVISION USING BY VALUE     L-Argument-1-TXT
    1516 GC0712                          BY REFERENCE L-Argument-2-CHR.
    1517      000-Main SECTION.
    1518          SET L-A2-Nothing-Special-BOOL TO TRUE
    1519          IF L-A1-CHR (7) = '*'
    1520              GOBACK
    1521          END-IF
    1522          .
    1523      *>
    1524      *> Compress multiple consecutive spaces
```

```
1525         *>
1526               SET WS-RS-Not-Skipping-SPACE-BOOL TO TRUE
1527               MOVE 0 TO WS-J-SUB
1528               MOVE SPACES TO WS-Compressed-Src-TXT
1529               PERFORM VARYING WS-I-SUB FROM 1 BY 1
1530                     UNTIL WS-I-SUB > 80
1531                  IF L-A1-CHR (WS-I-SUB) = SPACE
1532                     IF WS-RS-Not-Skipping-SPACE-BOOL
1533                        ADD 1 TO WS-J-SUB
1534                        MOVE UPPER-CASE(L-A1-CHR (WS-I-SUB))
1535                          TO WS-CS-CHR (WS-J-SUB)
1536                        SET WS-RS-Skipping-SPACE-BOOL TO TRUE
1537                     END-IF
1538                  ELSE
1539                     SET WS-RS-Not-Skipping-SPACE-BOOL TO TRUE
1540                     ADD 1 TO WS-J-SUB
1541                     MOVE L-A1-CHR (WS-I-SUB) TO WS-CS-CHR (WS-J-SUB)
1542                  END-IF
1543               END-PERFORM
1544         *>
1545         *> Scan the compressed source line
1546         *>
1547               PERFORM VARYING WS-I-SUB FROM 1 BY 1
1548                     UNTIL WS-I-SUB > 66
1549                  EVALUATE TRUE
1550                     WHEN WS-CS-CHR (WS-I-SUB) = '*'
1551                        IF WS-Compressed-Src-TXT (WS-I-SUB : 2) = '*>'
1552                           GOBACK
1553                        END-IF
1554                     WHEN (WS-CS-CHR (WS-I-SUB) = 'L') AND (WS-I-SUB < 66)
1555                        IF WS-Compressed-Src-TXT (WS-I-SUB : 15)
1556                           = 'LINKAGE SECTION'
1557                           SET L-A2-LINKAGE-SECTION-BOOL TO TRUE
1558                           GOBACK
1559                        END-IF
1560                     WHEN (WS-CS-CHR (WS-I-SUB) = 'I') AND (WS-I-SUB < 58)
1561                        IF WS-Compressed-Src-TXT (WS-I-SUB : 23)
1562                           = 'IDENTIFICATION DIVISION'
1563                           SET L-A2-IDENT-DIVISION-BOOL TO TRUE
1564                           GOBACK
1565                        END-IF
1566                  END-EVALUATE
1567               END-PERFORM
1568         *>
1569         *> If we get to here, we never found anything!
1570         *>
1571   +          GOBACK
1572                .
1573          END PROGRAM CHECKSRC.
1574
```

```
ACS Cobol Xref v2.02.04        Dictionary File for GCIC (CHECKSRC) 06/03/2022  23:09:11:00    Page   47
Symbols of Module: GCIC (CHECKSRC)
----------------------------------

Data Section (WORKING-STORAGE)  Defn    Locations
-----------------------------+---------------------------------------------------------------

WS-COMPRESSED-SRC-TXT           001493W  001528 001551 001555 001561
WS-CS-CHR                       001494W  001535 001541 001550 001554 001560
WS-I-SUB                        001502W  001529 001530 001531 001534 001541 001547 001548 001550
                                         001551 001554 001555 001560 001561
WS-J-SUB                        001504W  001527 001533 001535 001540 001541
WS-RS-FOUND-SPACE-CHR           001498W
WS-RS-NOT-SKIPPING-SPACE-BOOL   001500W  001526 001532 001539
WS-RS-SKIPPING-SPACE-BOOL       001499W  001536
WS-RUNTIME-SWITCHES-TXT         001497W
```

```
ACS Cobol Xref v2.02.04        Dictionary File for GCIC (CHECKSRC) 06/03/2022  23:09:11:00   Page  48
Symbols of Module: GCIC (CHECKSRC)
--------------------------------

Data Section (LINKAGE)          Defn    Locations
----------------------------+--------------------------------------------------------------

L-A1-CHR                        001507K  001519 001531 001534 001541
L-A2-IDENT-DIVISION-BOOL        001512K  001563
L-A2-LINKAGE-SECTION-BOOL       001511K  001557
L-A2-NOTHING-SPECIAL-BOOL       001513K  001518
L-ARGUMENT-1-TXT                001506K  001515
L-ARGUMENT-2-CHR                001510K  001516
```

```
ACS Cobol Xref v2.02.04        Dictionary File for GCIC (CHECKSRC) 06/03/2022  23:09:11:00    Page   49
Symbols of Module: GCIC (CHECKSRC)
-------------------------------
Variable Tested [S]            Symbol (88-Conditions)
-------------------------------------------------------------

L-ARGUMENT-2-CHR               L-A2-LINKAGE-SECTION-BOOL
L-ARGUMENT-2-CHR               L-A2-IDENT-DIVISION-BOOL
L-ARGUMENT-2-CHR               L-A2-NOTHING-SPECIAL-BOOL
WS-RS-FOUND-SPACE-CHR          WS-RS-SKIPPING-SPACE-BOOL
WS-RS-FOUND-SPACE-CHR          WS-RS-NOT-SKIPPING-SPACE-BOOL
```

```
ACS Cobol Xref v2.02.04          Dictionary File for GCIC (CHECKSRC) 06/03/2022  23:09:11:00    Page   50
Symbols of Module: GCIC (CHECKSRC)
--------------------------------
Variable Tested                 Symbol (88-Conditions) [S]
------------------------------------------------------------

L-ARGUMENT-2-CHR                L-A2-IDENT-DIVISION-BOOL
L-ARGUMENT-2-CHR                L-A2-LINKAGE-SECTION-BOOL
L-ARGUMENT-2-CHR                L-A2-NOTHING-SPECIAL-BOOL
WS-RS-FOUND-SPACE-CHR           WS-RS-NOT-SKIPPING-SPACE-BOOL
WS-RS-FOUND-SPACE-CHR           WS-RS-SKIPPING-SPACE-BOOL
```

```
ACS Cobol Xref v2.02.04         Dictionary File for GCIC (CHECKSRC) 06/03/2022  23:09:11:00    Page   51
Symbols of Module: GCIC (CHECKSRC)
---------------------------------
Functions                       Defn    Locations
------------------------------+-------------------------------------------------------------------

UPPER-CASE                      001534I
```

```
ACS Cobol Xref v2.02.04          Dictionary File for GCIC (CHECKSRC) 06/03/2022  23:09:11:00    Page   52
Symbols of Module: GCIC (CHECKSRC)
----------------------------------
Procedure                       Defn    Locations
------------------------------+-------------------------------------------------------------------

None
```

```
ACS Cobol Xref v2.02.04         Dictionary File for GCIC (CHECKSRC) 06/03/2022  23:09:11:00    Page   53
Symbols of Module: GCIC (CHECKSRC)
--------------------------------
Unreferenced Working Storage Symbols

WS-RS-FOUND-SPACE-CHR          001498W
WS-RUNTIME-SWITCHES-TXT        001497W


ACS Cobol Xref v2.02.04         Dictionary File for GCIC (CHECKSRC) 06/03/2022  23:09:11:00    Page   54
Symbols of Module: GCIC (CHECKSRC)
--------------------------------
Unreferenced Procedures

None
```

```
1575         IDENTIFICATION DIVISION.
1576         PROGRAM-ID.  LISTING.
1577         *>**************************************************************
1578         *> This subprogram generates a cross-reference listing of an   **
1579         *> GNU COBOL program.                                          **
1580         *>**************************************************************
1581         *>                                                            **
1582         *> AUTHOR:      GARY L. CUTLER                                 **
1583         *>              Copyright (C) 2010, Gary L. Cutler, GPL        **
1584         *>                                                            **
1585         *> DATE-WRITTEN: April 1, 2010                                **
1586         *>                                                            **
1587         *>**************************************************************
1588         *>  DATE  CHANGE DESCRIPTION                                  **
1589         *> ====== =================================================== **
1590         *> GC0410 Initial coding                                       **
1591         *> GC0711 Updates to accommodate the 12MAR2010 version of OC   **
1592         *> GC0710 Handle duplicate data names (i.e. 'CORRESPONDING' or **
1593         *>        qualified items) better; ignore 'END PROGRAM' recs  **
1594         *>        so program name doesn't appear in listing.           **
1595         *> GC0313 Fix problem where the first procedure name defined   **
1596         *>        in the PROCEDURE DIVISION lacks a "Defined" line     **
1597         *>        number.                                             **
1598         *> GC1213 Updated for 23NOV2013 version of GNU COBOL 2.1; Stop **
1599         *>        showing functions as if they were identifiers in the **
1600         *>        xref listing; Flag all CALL argument references with **
1601         *>        a "C" rather than "*" because they aren't necessari- **
1602         *>        ly altered; Fixed assorted formatting bugs; DOWN-    **
1603         *>        WARD COMPATIBLE WITH GNU COBOL 2.0 SYNTAX            **
1604         *> GC0314 Fix problem where 1st char of 1st token on a line is **
1605         *>        lost if >>SOURCE MODE IS FREE is in effect and the   **
1606         *>        1st character is non-blank.                          **
1607         *> VC1217 Updated compiler version & date to v3.0 & 24DEC2017. **
1608         *> VC0720 Updated compiler to 3.1 July2020 and the copyright.  **
1609         *> VC0322 Updated compiler to 3.1.2 March2022 & the copyright. **
1610         *>**************************************************************
1611         ENVIRONMENT DIVISION.
1612         CONFIGURATION SECTION.
1613         REPOSITORY.
1614             FUNCTION ALL INTRINSIC.
1615         INPUT-OUTPUT SECTION.
1616         FILE-CONTROL.
1617             SELECT F-Expanded-Src-FILE  ASSIGN TO WS-Expanded-Src-Fn-TXT
1618                                         ORGANIZATION IS LINE SEQUENTIAL.
1619  GC0712     SELECT F-Listing-FILE       ASSIGN TO L-Listing-Fn-TXT
1620                                         ORGANIZATION IS LINE SEQUENTIAL.
1621             SELECT F-Original-Src-FILE  ASSIGN TO L-Src-Fn-TXT
1622                                         ORGANIZATION IS LINE SEQUENTIAL.
1623             SELECT F-Sort-Work-FILE     ASSIGN TO DISK.
1624         DATA DIVISION.
1625         FILE SECTION.
1626         FD  F-Expanded-Src-FILE.
1627         01  F-Expanded-Src-REC.
1628             05 F-ES-1-CHR                     PIC X.
```

```
ACS Cobol Xref v2.02.04      Dictionary File for GCIC (LISTING) 06/03/2022  23:09:11:00     Page   56

  1629               05 F-ES-2-256-TXT-256             PIC X(256).
  1630  GC0712 01  F-Expanded-Src2-REC.
  1631  GC0712     05 F-ES-1-7-TXT                     PIC X(7).
  1632  GC0712     05 F-ES-8-256-TXT                   PIC X(249).
  1633
  1634  GC0712 FD  F-Listing-FILE.
  1635  GC1213 01  F-Listing-96-REC                    PIC X(96).
  1636  GC1213 01  F-Listing-135-REC                   PIC X(135).
  1637         01  F-Listing-REC                       PIC X(135).
  1638
  1639         FD  F-Original-Src-FILE.
  1640         01  F-Original-Src-REC.
  1641  GC0410     05 F-OS-1-128-TXT.
  1642  GC0410        10 FILLER                         PIC X(6).
  1643  GC0410        10 F-OS-7-CHR                     PIC X(1).
  1644  GC0712        10 F-OS-8-72-TXT                  PIC X(65).
  1645  GC0712        10 FILLER                         PIC X(56).
  1646         05 F-OS-129-256-TXT                      PIC X(128).
  1647
  1648         SD  F-Sort-Work-FILE.
  1649         01  F-Sort-Work-REC.
  1650             05 F-SW-Prog-ID-TXT                 PIC X(15).
  1651             05 F-SW-Token-Uc-TXT                PIC X(32).
  1652             05 F-SW-Token-TXT                   PIC X(32).
  1653             05 F-SW-Section-TXT                 PIC X(15).
  1654             05 F-SW-Def-Line-NUM                PIC 9(6).
  1655             05 F-SW-Reference-TXT.
  1656                10 F-SW-Ref-Line-NUM             PIC 9(6).
  1657                10 F-SW-Ref-Flag-CHR             PIC X(1).
  1658
  1659         WORKING-STORAGE SECTION.
  1660  GC1213 01  WS-Copyright-TXT                    PIC X(86).
  1661
  1662         01  WS-Curr-CHR                         PIC X(1).
  1663             88 WS-Curr-Char-Is-Punct-BOOL       VALUE '=', '(', ')',
  1664                                                       '*', '/', '&',
  1665                                                       ';', ',', '<',
  1666                                                       '>', ':'.
  1667             88 WS-Curr-Char-Is-Quote-BOOL       VALUE "'", '"'.
  1668             88 WS-Curr-Char-Is-X-BOOL           VALUE 'x', 'X'.
  1669             88 WS-Curr-Char-Is-Z-BOOL           VALUE 'z', 'Z'.
  1670
  1671         01  WS-Curr-Division-TXT                PIC X(1).
  1672  GC1010     88 WS-CD-In-IDENT-DIV-BOOL          VALUE 'i', 'I', '?'.
  1673  GC1010     88 WS-CD-In-ENV-DIV-BOOL            VALUE 'e', 'E'.
  1674  GC1010     88 WS-CD-In-DATA-DIV-BOOL           VALUE 'd', 'D'.
  1675  GC1010     88 WS-CD-In-PROC-DIV-BOOL           VALUE 'p', 'P'.
  1676
  1677         01  WS-Curr-Line-NUM                    PIC 9(6).
  1678
  1679         01  WS-Curr-Prog-ID-TXT.
  1680             05 FILLER                           PIC X(12).
  1681             05 WS-CPI-13-15-TXT                 PIC X(3).
  1682  GC0712     05 WS-CPI-16-CHR                    PIC X(1).
```

```
ACS Cobol Xref v2.02.04        Dictionary File for GCIC (LISTING) 06/03/2022  23:09:11:00    Page   57
   1683
   1684         01  WS-Curr-Section-TXT.
   1685             05 WS-CS-1-CHR                  PIC X(1).
   1686             05 WS-CS-2-14-TXT.
   1687                 10 FILLER                    PIC X(10).
   1688                 10 WS-CS-11-14-TXT           PIC X(3).
   1689             05 WS-CS-15-CHR                 PIC X(1).
   1690
   1691         01  WS-Curr-Verb-TXT              PIC X(12).
   1692
   1693         01  WS-Delim-TXT                  PIC X(2).
   1694
   1695         01  WS-Dummy-TXT                  PIC X(1).
   1696
   1697         01  WS-Expanded-Src-Fn-TXT        PIC X(256).
   1698
   1699         01  WS-Filename-TXT               PIC X(256).
   1700
   1701  GC1213 01  WS-Flags-TXT.
   1702  GC1213     05 WS-Suppress-FF-CHR            PIC X(1).
   1703
   1704  GC1213 01  WS-Formatted-DT               PIC 9999/99/99.
   1705
   1706         01  WS-Group-Indicators-TXT.
   1707             05 WS-GI-Prog-ID-TXT            PIC X(15).
   1708             05 WS-GI-Token-TXT              PIC X(32).
   1709
   1710         01  WS-Held-Reference-TXT         PIC X(100).
   1711
   1712         01  WS-I-SUB                      USAGE BINARY-LONG.
   1713
   1714         01  WS-J-SUB                      USAGE BINARY-LONG.
   1715
   1716         01  WS-Lines-Left-NUM             USAGE BINARY-LONG.
   1717
   1718         01  WS-Lines-Per-Page-NUM         USAGE BINARY-LONG.
   1719
   1720         01  WS-Lines-Per-Page-Env-TXT     PIC X(256).
   1721
   1722  GC1010 01  WS-Main-Module-Name-TXT       PIC X(256).
   1723
   1724         01  WS-Next-CHR                   PIC X(1).
   1725             88 WS-Next-Char-Is-Quote-BOOL     VALUE '"', "'".
   1726
   1727         01  WS-OS-Type-FILLER-TXT.
   1728             05 VALUE 'Windows'             PIC X(14).
   1729             05 VALUE 'Windows/Cygwin'      PIC X(14).
   1730             05 VALUE 'UNIX/Linux'          PIC X(14).
   1731             05 VALUE 'OSX'                 PIC X(14).
   1732             05 VALUE 'Windows/MinGW'       PIC X(14).
   1733         01  WS-OS-Types-TXT REDEFINES WS-OS-Type-FILLER-TXT.
   1734             05 WS-OS-Type-TXT               PIC X(14)
   1735                                   OCCURS 5 TIMES .
   1736
```

```
ACS Cobol Xref v2.02.04        Dictionary File for GCIC (LISTING) 06/03/2022  23:09:11:00     Page   58

 1737  GC0712 01  WS-Page-NUM                          USAGE BINARY-LONG.
 1738
 1739  GC0712 01  WS-Page-No-TXT.
 1740  GC0712     05 WS-PN-Literal-TXT                 PIC X(6).
 1741  GC0712     05 WS-PN-Page-NUM                    PIC Z(3)9.
 1742
 1743  GC1213 01  WS-Program-Path-TXT                  PIC X(135).
 1744
 1745         01  WS-Reserved-Words-TXT.
 1746             05 VALUE '                          ' PIC X(33).
 1747  GC1213     05 VALUE 'FABS                      ' PIC X(33).
 1748             05 VALUE 'VACCEPT                   ' PIC X(33).
 1749             05 VALUE ' ACCESS                   ' PIC X(33).
 1750  GC1213     05 VALUE 'FACOS                     ' PIC X(33).
 1751             05 VALUE ' ACTIVE-CLASS             ' PIC X(33).    UNIMPLEMENTED
 1752             05 VALUE 'VADD                      ' PIC X(33).
 1753             05 VALUE ' ADDRESS                  ' PIC X(33).
 1754             05 VALUE ' ADVANCING                ' PIC X(33).
 1755             05 VALUE 'KAFTER                    ' PIC X(33).
 1756             05 VALUE ' ALIGNED                  ' PIC X(33).    UNIMPLEMENTED
 1757             05 VALUE ' ALL                      ' PIC X(33).
 1758             05 VALUE 'VALLOCATE                 ' PIC X(33).
 1759             05 VALUE ' ALPHABET                 ' PIC X(33).
 1760             05 VALUE ' ALPHABETIC               ' PIC X(33).
 1761             05 VALUE ' ALPHABETIC-LOWER         ' PIC X(33).
 1762             05 VALUE ' ALPHABETIC-UPPER         ' PIC X(33).
 1763             05 VALUE ' ALPHANUMERIC             ' PIC X(33).
 1764             05 VALUE ' ALPHANUMERIC-EDITED      ' PIC X(33).
 1765             05 VALUE ' ALSO                     ' PIC X(33).
 1766             05 VALUE 'VALTER                    ' PIC X(33).
 1767             05 VALUE ' ALTERNATE                ' PIC X(33).
 1768             05 VALUE ' AND                      ' PIC X(33).
 1769  GC1213     05 VALUE 'FANNUITY                  ' PIC X(33).
 1770             05 VALUE ' ANY                      ' PIC X(33).
 1771             05 VALUE ' ANYCASE                  ' PIC X(33).    UNIMPLEMENTED
 1772             05 VALUE ' ARE                      ' PIC X(33).
 1773             05 VALUE ' AREA                     ' PIC X(33).
 1774             05 VALUE ' AREAS                    ' PIC X(33).
 1775             05 VALUE ' ARGUMENT-NUMBER          ' PIC X(33).
 1776             05 VALUE ' ARGUMENT-VALUE           ' PIC X(33).
 1777             05 VALUE ' ARITHMETIC               ' PIC X(33).    UNIMPLEMENTED
 1778             05 VALUE ' AS                       ' PIC X(33).
 1779             05 VALUE ' ASCENDING                ' PIC X(33).
 1780             05 VALUE ' ASCII                    ' PIC X(33).
 1781  GC1213     05 VALUE 'FASIN                     ' PIC X(33).
 1782             05 VALUE ' ASSIGN                   ' PIC X(33).
 1783             05 VALUE ' AT                       ' PIC X(33).
 1784  GC1213     05 VALUE 'FATAN                     ' PIC X(33).
 1785  GC0711     05 VALUE ' ATTRIBUTE                ' PIC X(33).
 1786             05 VALUE ' AUTHOR                   ' PIC X(33).    OBSOLETE
 1787             05 VALUE ' AUTO                     ' PIC X(33).
 1788             05 VALUE ' AUTO-SKIP                ' PIC X(33).
 1789             05 VALUE ' AUTOMATIC                ' PIC X(33).
 1790             05 VALUE ' AUTOTERMINATE            ' PIC X(33).
```

```
ACS Cobol Xref v2.02.04      Dictionary File for GCIC (LISTING) 06/03/2022  23:09:11:01    Page   59
    1791            05 VALUE ' AWAY-FROM-ZERO              ' PIC X(33).
    1792            05 VALUE ' B-AND                       ' PIC X(33).     UNIMPLEMENTED
    1793            05 VALUE ' B-NOT                       ' PIC X(33).     UNIMPLEMENTED
    1794            05 VALUE ' B-OR                        ' PIC X(33).     UNIMPLEMENTED
    1795            05 VALUE ' B-XOR                       ' PIC X(33).     UNIMPLEMENTED
    1796            05 VALUE ' BACKGROUND-COLOR            ' PIC X(33).
    1797            05 VALUE ' BACKGROUND-COLOUR           ' PIC X(33).
    1798            05 VALUE ' BASED                       ' PIC X(33).
    1799            05 VALUE ' BEEP                        ' PIC X(33).
    1800            05 VALUE ' BEFORE                      ' PIC X(33).
    1801            05 VALUE ' BELL                        ' PIC X(33).
    1802            05 VALUE ' BINARY                      ' PIC X(33).
    1803            05 VALUE ' BINARY-C-LONG               ' PIC X(33).
    1804            05 VALUE ' BINARY-CHAR                 ' PIC X(33).
    1805            05 VALUE ' BINARY-DOUBLE               ' PIC X(33).
    1806            05 VALUE ' BINARY-INT                  ' PIC X(33).
    1807            05 VALUE ' BINARY-LONG                 ' PIC X(33).
    1808            05 VALUE ' BINARY-LONG-LONG            ' PIC X(33).
    1809            05 VALUE ' BINARY-SHORT                ' PIC X(33).
    1810            05 VALUE ' BIT                         ' PIC X(33).     UNIMPLEMENTED
    1811            05 VALUE ' BLANK                       ' PIC X(33).
    1812            05 VALUE ' BLINK                       ' PIC X(33).
    1813            05 VALUE ' BLOCK                       ' PIC X(33).
    1814            05 VALUE ' BOOLEAN                     ' PIC X(33).     UNIMPLEMENTED
    1815  GC1213    05 VALUE 'FBOOLEAN-OF-INTEGER          ' PIC X(33).     UNIMPLEMENTED
    1816            05 VALUE ' BOTTOM                      ' PIC X(33).
    1817            05 VALUE 'YBY                          ' PIC X(33).
    1818  GC1213    05 VALUE 'FBYTE-LENGTH                 ' PIC X(33).
    1819            05 VALUE 'MC01                         ' PIC X(33).
    1820            05 VALUE 'MC02                         ' PIC X(33).
    1821            05 VALUE 'MC03                         ' PIC X(33).
    1822            05 VALUE 'MC04                         ' PIC X(33).
    1823            05 VALUE 'MC05                         ' PIC X(33).
    1824            05 VALUE 'MC06                         ' PIC X(33).
    1825            05 VALUE 'MC07                         ' PIC X(33).
    1826            05 VALUE 'MC08                         ' PIC X(33).
    1827            05 VALUE 'MC09                         ' PIC X(33).
    1828            05 VALUE 'MC10                         ' PIC X(33).
    1829            05 VALUE 'MC11                         ' PIC X(33).
    1830            05 VALUE 'MC12                         ' PIC X(33).
    1831            05 VALUE 'VCALL                        ' PIC X(33).
    1832            05 VALUE 'MCALL-CONVENTION             ' PIC X(33).
    1833            05 VALUE 'VCANCEL                      ' PIC X(33).
    1834            05 VALUE ' CAPACITY                    ' PIC X(33).     UNIMPLEMENTED
    1835            05 VALUE ' CD                          ' PIC X(33).     OBSOLETE
    1836            05 VALUE ' CENTER                      ' PIC X(33).     UNIMPLEMENTED
    1837            05 VALUE ' CF                          ' PIC X(33).
    1838            05 VALUE ' CH                          ' PIC X(33).
    1839            05 VALUE ' CHAIN                       ' PIC X(33).     UNIMPLEMENTED
    1840            05 VALUE ' CHAINING                    ' PIC X(33).
    1841  GC1213    05 VALUE 'FCHAR                        ' PIC X(33).
    1842  GC1213    05 VALUE 'FCHAR-NATIONAL               ' PIC X(33).     UNIMPLEMENTED
    1843            05 VALUE ' CHARACTER                   ' PIC X(33).
    1844            05 VALUE ' CHARACTERS                  ' PIC X(33).
```

```
ACS Cobol Xref v2.02.04       Dictionary File for GCIC (LISTING) 06/03/2022  23:09:11:01    Page   60

  1845            05 VALUE ' CLASS                      ' PIC X(33).
  1846            05 VALUE ' CLASS-ID                   ' PIC X(33).    UNIMPLEMENTED
  1847  GC0711    05 VALUE ' CLASSIFICATION             ' PIC X(33).
  1848            05 VALUE 'VCLOSE                      ' PIC X(33).
  1849  GC1213    05 VALUE 'FCOB-CRT-STATUS             ' PIC X(33).
  1850            05 VALUE ' CODE                       ' PIC X(33).
  1851            05 VALUE ' CODE-SET                   ' PIC X(33).
  1852            05 VALUE ' COL                        ' PIC X(33).
  1853            05 VALUE ' COLLATING                  ' PIC X(33).
  1854            05 VALUE ' COLS                       ' PIC X(33).
  1855            05 VALUE ' COLUMN                     ' PIC X(33).
  1856            05 VALUE ' COLUMNS                    ' PIC X(33).
  1857  GC1213    05 VALUE 'FCOMBINED-DATETIME          ' PIC X(33).
  1858            05 VALUE ' COMMA                      ' PIC X(33).
  1859            05 VALUE ' COMMAND-LINE               ' PIC X(33).
  1860            05 VALUE 'VCOMMIT                     ' PIC X(33).
  1861            05 VALUE ' COMMON                     ' PIC X(33).
  1862            05 VALUE ' COMMUNICATION              ' PIC X(33).    OBSOLETE
  1863            05 VALUE ' COMP                       ' PIC X(33).
  1864            05 VALUE ' COMP-1                     ' PIC X(33).
  1865            05 VALUE ' COMP-2                     ' PIC X(33).
  1866            05 VALUE ' COMP-3                     ' PIC X(33).
  1867            05 VALUE ' COMP-4                     ' PIC X(33).
  1868            05 VALUE ' COMP-5                     ' PIC X(33).
  1869            05 VALUE ' COMP-6                     ' PIC X(33).
  1870            05 VALUE ' COMP-X                     ' PIC X(33).
  1871            05 VALUE ' COMPUTATIONAL              ' PIC X(33).
  1872            05 VALUE ' COMPUTATIONAL-1            ' PIC X(33).
  1873            05 VALUE ' COMPUTATIONAL-2            ' PIC X(33).
  1874            05 VALUE ' COMPUTATIONAL-3            ' PIC X(33).
  1875            05 VALUE ' COMPUTATIONAL-4            ' PIC X(33).
  1876            05 VALUE ' COMPUTATIONAL-5            ' PIC X(33).
  1877            05 VALUE ' COMPUTATIONAL-X            ' PIC X(33).
  1878            05 VALUE 'VCOMPUTE                    ' PIC X(33).
  1879  GC1213    05 VALUE 'FCONCATENATE                ' PIC X(33).
  1880  GC0712    05 VALUE ' CONDITION                  ' PIC X(33).
  1881            05 VALUE 'KCONFIGURATION              ' PIC X(33).
  1882            05 VALUE 'MCONSOLE                    ' PIC X(33).
  1883            05 VALUE ' CONSTANT                   ' PIC X(33).
  1884            05 VALUE ' CONTAINS                   ' PIC X(33).
  1885  GC0712    05 VALUE 'ACONTENT                    ' PIC X(33).
  1886            05 VALUE 'VCONTINUE                   ' PIC X(33).
  1887            05 VALUE ' CONTROL                    ' PIC X(33).
  1888            05 VALUE ' CONTROLS                   ' PIC X(33).
  1889  GC0711    05 VALUE ' CONVERSION                 ' PIC X(33).
  1890            05 VALUE 'KCONVERTING                 ' PIC X(33).
  1891       *    05 VALUE ' COPY                       ' PIC X(33).
  1892            05 VALUE ' CORR                       ' PIC X(33).
  1893            05 VALUE ' CORRESPONDING              ' PIC X(33).
  1894  GC1213    05 VALUE 'FCOS                        ' PIC X(33).
  1895            05 VALUE 'KCOUNT                      ' PIC X(33).
  1896            05 VALUE ' CRT                        ' PIC X(33).
  1897            05 VALUE ' CRT-UNDER                  ' PIC X(33).
  1898            05 VALUE 'MCSP                        ' PIC X(33).
```

```
ACS Cobol Xref v2.02.04        Dictionary File for GCIC (LISTING) 06/03/2022  23:09:11:01    Page   61

 1899            05 VALUE ' CURRENCY                 ' PIC X(33).
 1900  GC1213    05 VALUE 'FCURRENCY-SYMBOL          ' PIC X(33).
 1901  GC1213    05 VALUE 'FCURRENT-DATE             ' PIC X(33).
 1902            05 VALUE ' CURSOR                   ' PIC X(33).
 1903            05 VALUE ' CYCLE                    ' PIC X(33).
 1904            05 VALUE 'KDATA                     ' PIC X(33).
 1905            05 VALUE ' DATA-POINTER             ' PIC X(33).    UNIMPLEMENTED
 1906            05 VALUE ' DATE                     ' PIC X(33).
 1907            05 VALUE ' DATE-COMPILED            ' PIC X(33).    OBSOLETE
 1908            05 VALUE ' DATE-MODIFIED            ' PIC X(33).    OBSOLETE
 1909  GC1213    05 VALUE 'FDATE-OF-INTEGER          ' PIC X(33).
 1910  GC1213    05 VALUE 'FDATE-TO-YYYYMMDD         ' PIC X(33).
 1911            05 VALUE ' DATE-WRITTEN             ' PIC X(33).    OBSOLETE
 1912            05 VALUE ' DAY                      ' PIC X(33).
 1913  GC1213    05 VALUE 'FDAY-OF-INTEGER           ' PIC X(33).
 1914            05 VALUE ' DAY-OF-WEEK              ' PIC X(33).
 1915  GC1213    05 VALUE 'IDAY-TO-YYYYDDD           ' PIC X(33).
 1916            05 VALUE ' DE                       ' PIC X(33).
 1917  GC0712    05 VALUE 'IDEBUG-CONTENTS           ' PIC X(33).
 1918  GC0712    05 VALUE 'IDEBUG-ITEM               ' PIC X(33).
 1919  GC0712    05 VALUE 'IDEBUG-LINE               ' PIC X(33).
 1920  GC0712    05 VALUE 'IDEBUG-NAME               ' PIC X(33).
 1921  GC0712    05 VALUE 'IDEBUG-SUB-1              ' PIC X(33).
 1922  GC0712    05 VALUE 'IDEBUG-SUB-2              ' PIC X(33).
 1923  GC0712    05 VALUE 'IDEBUG-SUB-3              ' PIC X(33).
 1924            05 VALUE ' DEBUGGING                ' PIC X(33).
 1925            05 VALUE ' DECIMAL-POINT            ' PIC X(33).
 1926            05 VALUE ' DECLARATIVES             ' PIC X(33).
 1927            05 VALUE ' DEFAULT                  ' PIC X(33).
 1928            05 VALUE 'VDELETE                   ' PIC X(33).
 1929            05 VALUE ' DELIMITED                ' PIC X(33).
 1930            05 VALUE 'KDELIMITER                ' PIC X(33).
 1931            05 VALUE ' DEPENDING                ' PIC X(33).
 1932            05 VALUE ' DESCENDING               ' PIC X(33).
 1933            05 VALUE ' DESTINATION              ' PIC X(33).    UNIMPLEMENTED
 1934            05 VALUE ' DETAIL                   ' PIC X(33).
 1935  GC0711    05 VALUE ' DISC                     ' PIC X(33).
 1936            05 VALUE ' DISK                     ' PIC X(33).
 1937            05 VALUE 'VDISPLAY                  ' PIC X(33).
 1938  GC1213    05 VALUE 'FDISPLAY-OF               ' PIC X(33).    UNIMPLEMENTED
 1939            05 VALUE 'VDIVIDE                   ' PIC X(33).
 1940            05 VALUE 'KDIVISION                 ' PIC X(33).
 1941            05 VALUE 'KDOWN                     ' PIC X(33).
 1942            05 VALUE ' DUPLICATES               ' PIC X(33).
 1943            05 VALUE ' DYNAMIC                  ' PIC X(33).
 1944  GC1213    05 VALUE 'FE                        ' PIC X(33).
 1945            05 VALUE ' EBCDIC                   ' PIC X(33).
 1946  GC0712    05 VALUE ' EC                       ' PIC X(33).
 1947            05 VALUE ' EGI                      ' PIC X(33).    OBSOLETE
 1948            05 VALUE 'VELSE                     ' PIC X(33).
 1949            05 VALUE ' EMI                      ' PIC X(33).    OBSOLETE
 1950            05 VALUE ' EMPTY-CHECK              ' PIC X(33).
 1951            05 VALUE 'VENABLE                   ' PIC X(33).    OBSOLETE
 1952  GC0710    05 VALUE 'KEND                      ' PIC X(33).
```

```
ACS Cobol Xref v2.02.04        Dictionary File for GCIC (LISTING) 06/03/2022  23:09:11:01     Page   62
   1953              05 VALUE ’ END-ACCEPT               ’ PIC X(33).
   1954              05 VALUE ’ END-ADD                  ’ PIC X(33).
   1955              05 VALUE ’ END-CALL                 ’ PIC X(33).
   1956              05 VALUE ’ END-CHAIN                ’ PIC X(33).      UNIMPLEMENTED
   1957              05 VALUE ’ END-COMPUTE              ’ PIC X(33).
   1958              05 VALUE ’ END-DELETE               ’ PIC X(33).
   1959              05 VALUE ’ END-DISPLAY              ’ PIC X(33).
   1960              05 VALUE ’ END-DIVIDE               ’ PIC X(33).
   1961              05 VALUE ’ END-EVALUATE             ’ PIC X(33).
   1962              05 VALUE ’ END-IF                   ’ PIC X(33).
   1963              05 VALUE ’ END-MULTIPLY             ’ PIC X(33).
   1964              05 VALUE ’ END-OF-PAGE              ’ PIC X(33).
   1965              05 VALUE ’ END-PERFORM              ’ PIC X(33).
   1966              05 VALUE ’ END-READ                 ’ PIC X(33).
   1967              05 VALUE ’ END-RECEIVE              ’ PIC X(33).      OBSOLETE
   1968              05 VALUE ’ END-RETURN               ’ PIC X(33).
   1969              05 VALUE ’ END-REWRITE              ’ PIC X(33).
   1970              05 VALUE ’ END-SEARCH               ’ PIC X(33).
   1971              05 VALUE ’ END-START                ’ PIC X(33).
   1972              05 VALUE ’ END-STRING               ’ PIC X(33).
   1973              05 VALUE ’ END-SUBTRACT             ’ PIC X(33).
   1974              05 VALUE ’ END-UNSTRING             ’ PIC X(33).
   1975              05 VALUE ’ END-WRITE                ’ PIC X(33).
   1976              05 VALUE ’VENTRY                    ’ PIC X(33).
   1977              05 VALUE ’ ENTRY-CONVENTION         ’ PIC X(33).      UNIMPLEMENTED
   1978              05 VALUE ’KENVIRONMENT              ’ PIC X(33).
   1979              05 VALUE ’ ENVIRONMENT-NAME         ’ PIC X(33).
   1980              05 VALUE ’ ENVIRONMENT-VALUE        ’ PIC X(33).
   1981              05 VALUE ’ EO                       ’ PIC X(33).      UNIMPLEMENTED
   1982              05 VALUE ’ EOL                      ’ PIC X(33).
   1983              05 VALUE ’ EOP                      ’ PIC X(33).
   1984              05 VALUE ’ EOS                      ’ PIC X(33).
   1985              05 VALUE ’ EQUAL                    ’ PIC X(33).
   1986              05 VALUE ’KEQUALS                   ’ PIC X(33).
   1987              05 VALUE ’ ERASE                    ’ PIC X(33).
   1988              05 VALUE ’ ERROR                    ’ PIC X(33).
   1989              05 VALUE ’ ESCAPE                   ’ PIC X(33).
   1990              05 VALUE ’ ESI                      ’ PIC X(33).      OBSOLETE
   1991              05 VALUE ’VEVALUATE                 ’ PIC X(33).
   1992              05 VALUE ’ EXCEPTION                ’ PIC X(33).
   1993  GC1213      05 VALUE ’FEXCEPTION-FILE           ’ PIC X(33).
   1994  GC1213      05 VALUE ’FEXCEPTION-FILE-N         ’ PIC X(33).      UNIMPLEMENTED
   1995  GC1213      05 VALUE ’FEXCEPTION-LOCATION       ’ PIC X(33).
   1996  GC1213      05 VALUE ’FEXCEPTION-LOCATION-N     ’ PIC X(33).      UNIMPLEMENTED
   1997              05 VALUE ’ EXCEPTION-OBJECT         ’ PIC X(33).      UNIMPLEMENTED
   1998  GC1213      05 VALUE ’FEXCEPTION-STATEMENT      ’ PIC X(33).
   1999  GC1213      05 VALUE ’FEXCEPTION-STATUS         ’ PIC X(33).
   2000              05 VALUE ’ EXCLUSIVE                ’ PIC X(33).
   2001              05 VALUE ’VEXIT                     ’ PIC X(33).
   2002  GC1213      05 VALUE ’FEXP                      ’ PIC X(33).
   2003  GC1213      05 VALUE ’FEXP10                    ’ PIC X(33).
   2004              05 VALUE ’ EXPANDS                  ’ PIC X(33).      UNIMPLEMENTED
   2005              05 VALUE ’ EXTEND                   ’ PIC X(33).
   2006              05 VALUE ’ EXTERNAL                 ’ PIC X(33).
```

```
2007  GC1213    05 VALUE 'FFACTORIAL                ' PIC X(33).
2008            05 VALUE ' FACTORY                  ' PIC X(33).     UNIMPLEMENTED
2009            05 VALUE ' FALSE                    ' PIC X(33).
2010            05 VALUE 'KFD                       ' PIC X(33).
2011            05 VALUE 'KFILE                     ' PIC X(33).
2012            05 VALUE ' FILE-CONTROL             ' PIC X(33).
2013            05 VALUE ' FILE-ID                  ' PIC X(33).
2014  GC1113    05 VALUE ' FILLER                   ' PIC X(33).
2015            05 VALUE ' FINAL                    ' PIC X(33).
2016            05 VALUE ' FIRST                    ' PIC X(33).
2017  GC0712    05 VALUE ' FLOAT-BINARY-128         ' PIC X(33).     UNIMPLEMENTED
2018  GC0712    05 VALUE ' FLOAT-BINARY-32          ' PIC X(33).     UNIMPLEMENTED
2019  GC0712    05 VALUE ' FLOAT-BINARY-64          ' PIC X(33).     UNIMPLEMENTED
2020            05 VALUE ' FLOAT-DECIMAL-16         ' PIC X(33).
2021            05 VALUE ' FLOAT-DECIMAL-34         ' PIC X(33).
2022            05 VALUE ' FLOAT-EXTENDED           ' PIC X(33).     UNIMPLEMENTED
2023  GC0712    05 VALUE ' FLOAT-INFINITY           ' PIC X(33).     UNIMPLEMENTED
2024            05 VALUE ' FLOAT-LONG               ' PIC X(33).
2025  GC0712    05 VALUE ' FLOAT-NOT-A-NUMBER       ' PIC X(33).     UNIMPLEMENTED
2026            05 VALUE ' FLOAT-SHORT              ' PIC X(33).
2027            05 VALUE ' FOOTING                  ' PIC X(33).
2028            05 VALUE ' FOR                      ' PIC X(33).
2029            05 VALUE ' FOREGROUND-COLOR         ' PIC X(33).
2030            05 VALUE ' FOREGROUND-COLOUR        ' PIC X(33).
2031  GC0711    05 VALUE ' FOREVER                  ' PIC X(33).
2032            05 VALUE ' FORMAT                   ' PIC X(33).     UNIMPLEMENTED
2033  GC1213    05 VALUE 'FFORMATTED-CURRENT-DATE   ' PIC X(33).     UNIMPLEMENTED
2034  GC1213    05 VALUE 'FFORMATTED-DATE           ' PIC X(33).     UNIMPLEMENTED
2035  GC1213    05 VALUE 'FFORMATTED-DATETIME       ' PIC X(33).     UNIMPLEMENTED
2036  GC1213    05 VALUE 'FFORMATTED-TIME           ' PIC X(33).     UNIMPLEMENTED
2037            05 VALUE 'MFORMFEED                 ' PIC X(33).
2038  GC1213    05 VALUE 'FFRACTION-PART            ' PIC X(33).
2039            05 VALUE 'VFREE                     ' PIC X(33).
2040            05 VALUE ' FROM                     ' PIC X(33).
2041            05 VALUE ' FULL                     ' PIC X(33).
2042            05 VALUE ' FUNCTION                 ' PIC X(33).
2043  GC0712    05 VALUE 'KFUNCTION-ID              ' PIC X(33).
2044            05 VALUE ' FUNCTION-POINTER         ' PIC X(33).     UNIMPLEMENTED
2045            05 VALUE 'VGENERATE                 ' PIC X(33).
2046            05 VALUE ' GET                      ' PIC X(33).     UNIMPLEMENTED
2047            05 VALUE 'KGIVING                   ' PIC X(33).
2048            05 VALUE ' GLOBAL                   ' PIC X(33).
2049            05 VALUE 'VGO                       ' PIC X(33).
2050            05 VALUE 'VGOBACK                   ' PIC X(33).
2051            05 VALUE ' GREATER                  ' PIC X(33).
2052            05 VALUE ' GROUP                    ' PIC X(33).
2053            05 VALUE ' GROUP-USAGE              ' PIC X(33).     UNIMPLEMENTED
2054            05 VALUE ' HEADING                  ' PIC X(33).
2055            05 VALUE ' HIGH-VALUE               ' PIC X(33).
2056            05 VALUE ' HIGH-VALUES              ' PIC X(33).
2057  GC1213    05 VALUE 'FHIGHEST-ALGEBRAIC        ' PIC X(33).
2058            05 VALUE ' HIGHLIGHT                ' PIC X(33).
2059            05 VALUE ' I-O                      ' PIC X(33).
2060            05 VALUE ' I-O-CONTROL              ' PIC X(33).
```

```
ACS Cobol Xref v2.02.04        Dictionary File for GCIC (LISTING) 06/03/2022  23:09:11:01     Page   64

   2061              05 VALUE 'KID                       ' PIC X(33).
   2062              05 VALUE 'KIDENTIFICATION           ' PIC X(33).
   2063              05 VALUE 'VIF                       ' PIC X(33).
   2064              05 VALUE ' IGNORE                   ' PIC X(33).
   2065              05 VALUE ' IGNORING                 ' PIC X(33).
   2066              05 VALUE ' IMPLEMENTS               ' PIC X(33).     UNIMPLEMENTED
   2067              05 VALUE ' IN                       ' PIC X(33).
   2068              05 VALUE ' INDEX                    ' PIC X(33).
   2069              05 VALUE 'KINDEXED                  ' PIC X(33).
   2070              05 VALUE ' INDICATE                 ' PIC X(33).
   2071              05 VALUE ' INDIRECT                 ' PIC X(33).     UNIMPLEMENTED
   2072              05 VALUE ' INHERITS                 ' PIC X(33).     UNIMPLEMENTED
   2073              05 VALUE ' INITIAL                  ' PIC X(33).
   2074              05 VALUE 'VINITIALISE               ' PIC X(33).
   2075              05 VALUE ' INITIALISED              ' PIC X(33).
   2076              05 VALUE 'VINITIALIZE               ' PIC X(33).
   2077              05 VALUE ' INITIALIZED              ' PIC X(33).
   2078              05 VALUE 'VINITIATE                 ' PIC X(33).
   2079              05 VALUE ' INPUT                    ' PIC X(33).
   2080              05 VALUE 'KINPUT-OUTPUT             ' PIC X(33).
   2081              05 VALUE 'VINSPECT                  ' PIC X(33).
   2082              05 VALUE ' INSTALLATION             ' PIC X(33).     OBSOLETE
   2083  GC1213      05 VALUE 'FINTEGER                  ' PIC X(33).
   2084  GC1213      05 VALUE 'FINTEGER-OF-BOOLEAN       ' PIC X(33).     UNIMPLEMENTED
   2085  GC1213      05 VALUE 'FINTEGER-OF-DATE          ' PIC X(33).
   2086  GC1213      05 VALUE 'FINTEGER-OF-DAY           ' PIC X(33).
   2087  GC1213      05 VALUE 'FINTEGER-OF-FORMATTED-DATE' PIC X(33).     UNIMPLEMENTED
   2088  GC1213      05 VALUE 'FINTEGER-PART             ' PIC X(33).
   2089              05 VALUE ' INTERFACE                ' PIC X(33).     UNIMPLEMENTED
   2090              05 VALUE ' INTERFACE-ID             ' PIC X(33).     UNIMPLEMENTED
   2091              05 VALUE ' INTERMEDIATE             ' PIC X(33).     UNIMPLEMENTED
   2092              05 VALUE 'KINTO                     ' PIC X(33).
   2093              05 VALUE ' INTRINSIC                ' PIC X(33).
   2094              05 VALUE ' INVALID                  ' PIC X(33).
   2095              05 VALUE ' INVOKE                   ' PIC X(33).     UNIMPLEMENTED
   2096              05 VALUE ' IS                       ' PIC X(33).
   2097              05 VALUE ' JUST                     ' PIC X(33).
   2098              05 VALUE ' JUSTIFIED                ' PIC X(33).
   2099              05 VALUE ' KEPT                     ' PIC X(33).
   2100              05 VALUE ' KEY                      ' PIC X(33).
   2101              05 VALUE ' KEYBOARD                 ' PIC X(33).
   2102              05 VALUE ' LABEL                    ' PIC X(33).
   2103              05 VALUE ' LAST                     ' PIC X(33).
   2104              05 VALUE ' LC_ALL                   ' PIC X(33).     UNIMPLEMENTED
   2105              05 VALUE ' LC_COLLATE               ' PIC X(33).     UNIMPLEMENTED
   2106              05 VALUE ' LC_CTYPE                 ' PIC X(33).     UNIMPLEMENTED
   2107              05 VALUE ' LC_MESSAGES              ' PIC X(33).     UNIMPLEMENTED
   2108              05 VALUE ' LC_MONETARY              ' PIC X(33).     UNIMPLEMENTED
   2109              05 VALUE ' LC_NUMERIC               ' PIC X(33).     UNIMPLEMENTED
   2110              05 VALUE ' LC_TIME                  ' PIC X(33).     UNIMPLEMENTED
   2111              05 VALUE ' LEADING                  ' PIC X(33).
   2112              05 VALUE ' LEFT                     ' PIC X(33).
   2113              05 VALUE ' LEFT-JUSTIFY             ' PIC X(33).     UNIMPLEMENTED
   2114              05 VALUE ' LEFTLINE                 ' PIC X(33).
```

```
2115  GC1213     05 VALUE 'FLENGTH                        ' PIC X(33).
2116  GC1213     05 VALUE 'FLENGTH-AN                     ' PIC X(33).
2117             05 VALUE ' LENGTH-CHECK                  ' PIC X(33).
2118             05 VALUE ' LESS                          ' PIC X(33).
2119             05 VALUE ' LIMIT                         ' PIC X(33).
2120             05 VALUE ' LIMITS                        ' PIC X(33).
2121             05 VALUE ' LINAGE                        ' PIC X(33).
2122             05 VALUE 'ILINAGE-COUNTER                ' PIC X(33).
2123             05 VALUE ' LINE                          ' PIC X(33).
2124  GC1213     05 VALUE 'ILINE-COUNTER                  ' PIC X(33).
2125             05 VALUE ' LINES                         ' PIC X(33).
2126             05 VALUE 'KLINKAGE                       ' PIC X(33).
2127             05 VALUE 'KLOCAL-STORAGE                 ' PIC X(33).
2128             05 VALUE ' LOCALE                        ' PIC X(33).
2129  GC1213     05 VALUE 'FLOCALE-COMPARE                ' PIC X(33).
2130  GC1213     05 VALUE 'FLOCALE-DATE                   ' PIC X(33).
2131  GC1213     05 VALUE 'FLOCALE-TIME                   ' PIC X(33).
2132  GC1213     05 VALUE 'FLOCALE-TIME-FROM-SECONDS      ' PIC X(33).
2133             05 VALUE ' LOCK                          ' PIC X(33).
2134  GC1213     05 VALUE 'FLOG                           ' PIC X(33).
2135  GC1213     05 VALUE 'FLOG10                         ' PIC X(33).
2136             05 VALUE ' LOW-VALUE                     ' PIC X(33).
2137             05 VALUE ' LOW-VALUES                    ' PIC X(33).
2138             05 VALUE ' LOWER                         ' PIC X(33).
2139  GC1213     05 VALUE 'FLOWER-CASE                    ' PIC X(33).
2140  GC1213     05 VALUE 'FLOWEST-ALGEBRAIC              ' PIC X(33).
2141             05 VALUE ' LOWLIGHT                      ' PIC X(33).
2142             05 VALUE ' MANUAL                        ' PIC X(33).
2143  GC1213     05 VALUE 'FMAX                           ' PIC X(33).
2144  GC1213     05 VALUE 'FMEAN                          ' PIC X(33).
2145  GC1213     05 VALUE 'FMEDIAN                        ' PIC X(33).
2146             05 VALUE ' MEMORY                        ' PIC X(33).
2147             05 VALUE 'VMERGE                         ' PIC X(33).
2148             05 VALUE ' MESSAGE                       ' PIC X(33).    OBSOLETE
2149             05 VALUE ' METHOD                        ' PIC X(33).    UNIMPLEMENTED
2150             05 VALUE ' METHOD-ID                     ' PIC X(33).    UNIMPLEMENTED
2151  GC1213     05 VALUE 'FMIDRANGE                      ' PIC X(33).
2152  GC1213     05 VALUE 'FMIN                           ' PIC X(33).
2153             05 VALUE ' MINUS                         ' PIC X(33).
2154  GC1213     05 VALUE 'FMOD                           ' PIC X(33).
2155             05 VALUE ' MODE                          ' PIC X(33).
2156  GC1213     05 VALUE 'FMODULE-CALLER-ID              ' PIC X(33).
2157  GC1213     05 VALUE 'FMODULE-DATE                   ' PIC X(33).
2158  GC1213     05 VALUE 'FMODULE-FORMATTED-DATE         ' PIC X(33).
2159  GC1213     05 VALUE 'FMODULE-ID                     ' PIC X(33).
2160  GC1213     05 VALUE 'FMODULE-PATH                   ' PIC X(33).
2161  GC1213     05 VALUE 'FMODULE-SOURCE                 ' PIC X(33).
2162  GC1213     05 VALUE 'FMODULE-TIME                   ' PIC X(33).
2163  GC1213     05 VALUE 'FMONETARY-DECIMAL-POINT        ' PIC X(33).
2164  GC1213     05 VALUE 'FMONETARY-THOUSANDS-SEPARATOR  ' PIC X(33).
2165             05 VALUE 'VMOVE                          ' PIC X(33).
2166             05 VALUE ' MULTIPLE                      ' PIC X(33).
2167             05 VALUE 'VMULTIPLY                      ' PIC X(33).
2168  GC0711     05 VALUE ' NAME                          ' PIC X(33).
```

```
ACS Cobol Xref v2.02.04      Dictionary File for GCIC (LISTING) 06/03/2022  23:09:11:02    Page   66

 2169              05 VALUE ' NATIONAL                 ' PIC X(33).
 2170              05 VALUE ' NATIONAL-EDITED          ' PIC X(33).
 2171  GC1213      05 VALUE 'FNATIONAL-OF              ' PIC X(33).       UNIMPLEMENTED
 2172              05 VALUE ' NATIVE                   ' PIC X(33).
 2173              05 VALUE ' NEAREST-AWAY-FROM-ZERO   ' PIC X(33).
 2174              05 VALUE ' NEAREST-EVEN             ' PIC X(33).
 2175              05 VALUE ' NEAREST-TOWARD-ZERO      ' PIC X(33).
 2176              05 VALUE ' NEGATIVE                 ' PIC X(33).
 2177              05 VALUE ' NESTED                   ' PIC X(33).       UNIMPLEMENTED
 2178              05 VALUE 'VNEXT                     ' PIC X(33).
 2179              05 VALUE ' NO                       ' PIC X(33).
 2180              05 VALUE ' NO-ECHO                  ' PIC X(33).
 2181              05 VALUE ' NONE                     ' PIC X(33).       UNIMPLEMENTED
 2182              05 VALUE ' NORMAL                   ' PIC X(33).
 2183              05 VALUE ' NOT                      ' PIC X(33).
 2184              05 VALUE ' NULL                     ' PIC X(33).
 2185              05 VALUE ' NULLS                    ' PIC X(33).
 2186              05 VALUE ' NUMBER                   ' PIC X(33).
 2187              05 VALUE 'INUMBER-OF-CALL-PARAMETERS ' PIC X(33).
 2188              05 VALUE ' NUMBERS                  ' PIC X(33).
 2189              05 VALUE ' NUMERIC                  ' PIC X(33).
 2190  GC1213      05 VALUE 'FNUMERIC-DECIMAL-POINT    ' PIC X(33).
 2191              05 VALUE ' NUMERIC-EDITED           ' PIC X(33).
 2192  GC1213      05 VALUE 'FNUMERIC-THOUSANDS-SEPARATOR ' PIC X(33).
 2193  GC1213      05 VALUE 'FNUMVAL                   ' PIC X(33).
 2194  GC1213      05 VALUE 'FNUMVAL-C                 ' PIC X(33).
 2195  GC1213      05 VALUE 'FNUMVAL-F                 ' PIC X(33).
 2196              05 VALUE ' OBJECT                   ' PIC X(33).       UNIMPLEMENTED
 2197              05 VALUE ' OBJECT-COMPUTER          ' PIC X(33).
 2198              05 VALUE ' OBJECT-REFERENCE         ' PIC X(33).       UNIMPLEMENTED
 2199              05 VALUE ' OCCURS                   ' PIC X(33).
 2200              05 VALUE ' OF                       ' PIC X(33).
 2201              05 VALUE ' OFF                      ' PIC X(33).
 2202              05 VALUE ' OMITTED                  ' PIC X(33).
 2203              05 VALUE ' ON                       ' PIC X(33).
 2204              05 VALUE ' ONLY                     ' PIC X(33).
 2205              05 VALUE 'VOPEN                     ' PIC X(33).
 2206              05 VALUE ' OPTIONAL                 ' PIC X(33).
 2207              05 VALUE ' OPTIONS                  ' PIC X(33).       UNIMPLEMENTED
 2208              05 VALUE ' OR                       ' PIC X(33).
 2209  GC1213      05 VALUE 'FORD                      ' PIC X(33).
 2210  GC1213      05 VALUE 'FORD-MAX                  ' PIC X(33).
 2211  GC1213      05 VALUE 'FORD-MIN                  ' PIC X(33).
 2212              05 VALUE ' ORDER                    ' PIC X(33).
 2213              05 VALUE ' ORGANISATION             ' PIC X(33).
 2214              05 VALUE ' ORGANIZATION             ' PIC X(33).
 2215              05 VALUE ' OTHER                    ' PIC X(33).
 2216              05 VALUE ' OUTPUT                   ' PIC X(33).
 2217              05 VALUE ' OVERFLOW                 ' PIC X(33).
 2218              05 VALUE ' OVERLINE                 ' PIC X(33).
 2219              05 VALUE ' OVERRIDE                 ' PIC X(33).
 2220              05 VALUE ' PACKED-DECIMAL           ' PIC X(33).
 2221              05 VALUE ' PADDING                  ' PIC X(33).
 2222              05 VALUE ' PAGE                     ' PIC X(33).
```

```
2223  GC1213    05 VALUE 'IPAGE-COUNTER            ' PIC X(33).
2224            05 VALUE ' PARAGRAPH               ' PIC X(33).
2225            05 VALUE 'VPERFORM                 ' PIC X(33).
2226            05 VALUE ' PF                      ' PIC X(33).
2227            05 VALUE ' PH                      ' PIC X(33).
2228  GC1213    05 VALUE 'FPI                      ' PIC X(33).
2229            05 VALUE 'KPIC                     ' PIC X(33).
2230            05 VALUE 'KPICTURE                 ' PIC X(33).
2231            05 VALUE ' PLUS                    ' PIC X(33).
2232            05 VALUE 'KPOINTER                 ' PIC X(33).
2233            05 VALUE ' POSITION                ' PIC X(33).
2234            05 VALUE ' POSITIVE                ' PIC X(33).
2235            05 VALUE ' PREFIXED                ' PIC X(33).    UNIMPLEMENTED
2236            05 VALUE ' PRESENT                 ' PIC X(33).
2237  GC1213    05 VALUE 'FPRESENT-VALUE           ' PIC X(33).
2238            05 VALUE ' PREVIOUS                ' PIC X(33).
2239            05 VALUE 'MPRINTER                 ' PIC X(33).
2240            05 VALUE ' PRINTING                ' PIC X(33).
2241            05 VALUE 'KPROCEDURE               ' PIC X(33).
2242            05 VALUE ' PROCEDURE-POINTER       ' PIC X(33).
2243            05 VALUE ' PROCEDURES              ' PIC X(33).
2244            05 VALUE ' PROCEED                 ' PIC X(33).
2245            05 VALUE ' PROGRAM                 ' PIC X(33).
2246            05 VALUE 'KPROGRAM-ID              ' PIC X(33).
2247            05 VALUE ' PROGRAM-POINTER         ' PIC X(33).
2248            05 VALUE ' PROHIBITED              ' PIC X(33).
2249            05 VALUE ' PROMPT                  ' PIC X(33).
2250            05 VALUE ' PROPERTY                ' PIC X(33).    UNIMPLEMENTED
2251            05 VALUE ' PROTOTYPE               ' PIC X(33).    UNIMPLEMENTED
2252            05 VALUE ' PURGE                   ' PIC X(33).    OBSOLETE
2253            05 VALUE ' QUEUE                   ' PIC X(33).    OBSOLETE
2254            05 VALUE ' QUOTE                   ' PIC X(33).
2255            05 VALUE ' QUOTES                  ' PIC X(33).
2256            05 VALUE ' RAISE                   ' PIC X(33).    UNIMPLEMENTED
2257            05 VALUE ' RAISING                 ' PIC X(33).    UNIMPLEMENTED
2258  GC1213    05 VALUE 'FRANDOM                  ' PIC X(33).
2259  GC1213    05 VALUE 'FRANGE                   ' PIC X(33).
2260  GC1213    05 VALUE 'KRD                      ' PIC X(33).
2261            05 VALUE 'VREAD                    ' PIC X(33).
2262            05 VALUE 'VREADY                   ' PIC X(33).
2263            05 VALUE 'VRECEIVE                 ' PIC X(33).    OBSOLETE
2264            05 VALUE ' RECORD                  ' PIC X(33).
2265            05 VALUE ' RECORDING               ' PIC X(33).
2266            05 VALUE ' RECORDS                 ' PIC X(33).
2267            05 VALUE ' RECURSIVE               ' PIC X(33).
2268            05 VALUE 'KREDEFINES               ' PIC X(33).
2269            05 VALUE ' REEL                    ' PIC X(33).
2270  GC0712    05 VALUE 'AREFERENCE               ' PIC X(33).
2271            05 VALUE ' REFERENCES              ' PIC X(33).
2272            05 VALUE ' RELATION                ' PIC X(33).    UNIMPLEMENTED
2273            05 VALUE ' RELATIVE                ' PIC X(33).
2274            05 VALUE 'VRELEASE                 ' PIC X(33).
2275  GC1213    05 VALUE 'FREM                     ' PIC X(33).
2276            05 VALUE ' REMAINDER               ' PIC X(33).
```

```
2277              05 VALUE ' REMARKS               ' PIC X(33).     OBSOLETE
2278              05 VALUE ' REMOVAL               ' PIC X(33).
2279              05 VALUE 'KRENAMES               ' PIC X(33).
2280              05 VALUE ' REPLACE               ' PIC X(33).
2281              05 VALUE 'KREPLACING             ' PIC X(33).
2282              05 VALUE 'KREPORT                ' PIC X(33).
2283              05 VALUE ' REPORTING             ' PIC X(33).
2284              05 VALUE ' REPORTS               ' PIC X(33).
2285              05 VALUE ' REPOSITORY            ' PIC X(33).
2286              05 VALUE ' REQUIRED              ' PIC X(33).
2287              05 VALUE ' RESERVE               ' PIC X(33).
2288              05 VALUE 'VRESET                 ' PIC X(33).
2289              05 VALUE ' RESUME                ' PIC X(33).     UNIMPLEMENTED
2290              05 VALUE ' RETRY                 ' PIC X(33).     UNIMPLEMENTED
2291              05 VALUE 'VRETURN                ' PIC X(33).
2292              05 VALUE 'IRETURN-CODE           ' PIC X(33).
2293              05 VALUE 'KRETURNING             ' PIC X(33).
2294  GC1213      05 VALUE 'FREVERSE               ' PIC X(33).
2295              05 VALUE ' REVERSE-VIDEO         ' PIC X(33).
2296              05 VALUE ' REVERSED              ' PIC X(33).
2297              05 VALUE ' REWIND                ' PIC X(33).
2298              05 VALUE 'VREWRITE               ' PIC X(33).
2299              05 VALUE ' RF                    ' PIC X(33).
2300              05 VALUE ' RH                    ' PIC X(33).
2301              05 VALUE ' RIGHT                 ' PIC X(33).
2302              05 VALUE ' RIGHT-JUSTIFY         ' PIC X(33).     UNIMPLEMENTED
2303              05 VALUE 'VROLLBACK              ' PIC X(33).
2304              05 VALUE ' ROUNDED               ' PIC X(33).
2305              05 VALUE ' ROUNDING              ' PIC X(33).     UNIMPLEMENTED
2306              05 VALUE ' RUN                   ' PIC X(33).
2307              05 VALUE ' SAME                  ' PIC X(33).
2308              05 VALUE 'KSCREEN                ' PIC X(33).
2309              05 VALUE ' SCROLL                ' PIC X(33).
2310              05 VALUE 'KSD                    ' PIC X(33).
2311              05 VALUE 'VSEARCH                ' PIC X(33).
2312              05 VALUE ' SECONDS               ' PIC X(33).     UNIMPLEMENTED
2313  GC1213      05 VALUE 'FSECONDS-FROM-FORMATTED-TIME ' PIC X(33).
2314  GC1213      05 VALUE 'FSECONDS-PAST-MIDNIGHT ' PIC X(33).
2315              05 VALUE 'KSECTION               ' PIC X(33).
2316              05 VALUE ' SECURE                ' PIC X(33).
2317              05 VALUE ' SECURITY              ' PIC X(33).     OBSOLETE
2318              05 VALUE ' SEGMENT               ' PIC X(33).     OBSOLETE
2319              05 VALUE ' SEGMENT-LIMIT         ' PIC X(33).
2320              05 VALUE ' SELECT                ' PIC X(33).
2321              05 VALUE ' SELF                  ' PIC X(33).     UNIMPLEMENTED
2322              05 VALUE 'VSEND                  ' PIC X(33).     OBSOLETE
2323              05 VALUE ' SENTENCE              ' PIC X(33).
2324              05 VALUE ' SEPARATE              ' PIC X(33).
2325              05 VALUE ' SEQUENCE              ' PIC X(33).
2326              05 VALUE ' SEQUENTIAL            ' PIC X(33).
2327              05 VALUE 'VSET                   ' PIC X(33).
2328              05 VALUE ' SHARING               ' PIC X(33).
2329  GC1213      05 VALUE 'FSIGN                  ' PIC X(33).
2330              05 VALUE ' SIGNED                ' PIC X(33).
```

```
2331              05 VALUE ' SIGNED-INT             ' PIC X(33).
2332              05 VALUE ' SIGNED-LONG            ' PIC X(33).
2333              05 VALUE ' SIGNED-SHORT           ' PIC X(33).
2334  GC1213      05 VALUE 'FSIN                    ' PIC X(33).
2335              05 VALUE ' SIZE                   ' PIC X(33).
2336              05 VALUE 'VSORT                   ' PIC X(33).
2337              05 VALUE ' SORT-MERGE             ' PIC X(33).
2338              05 VALUE 'ISORT-RETURN            ' PIC X(33).
2339              05 VALUE ' SOURCE                 ' PIC X(33).
2340              05 VALUE ' SOURCE-COMPUTER        ' PIC X(33).
2341              05 VALUE ' SOURCES                ' PIC X(33).    UNIMPLEMENTED
2342              05 VALUE ' SPACE                  ' PIC X(33).
2343              05 VALUE ' SPACE-FILL             ' PIC X(33).    UNIMPLEMENTED
2344              05 VALUE ' SPACES                 ' PIC X(33).
2345              05 VALUE ' SPECIAL-NAMES          ' PIC X(33).
2346  GC1213      05 VALUE 'FSQRT                   ' PIC X(33).
2347              05 VALUE ' STANDARD               ' PIC X(33).
2348              05 VALUE ' STANDARD-1             ' PIC X(33).
2349              05 VALUE ' STANDARD-2             ' PIC X(33).
2350              05 VALUE ' STANDARD-BINARY        ' PIC X(33).    UNIMPLEMENTED
2351  GC1213      05 VALUE 'FSTANDARD-COMPARE       ' PIC X(33).    UNIMPLEMENTED
2352              05 VALUE ' STANDARD-DECIMAL       ' PIC X(33).    UNIMPLEMENTED
2353  GC1213      05 VALUE 'FSTANDARD-DEVIATION     ' PIC X(33).
2354              05 VALUE 'VSTART                  ' PIC X(33).
2355              05 VALUE ' STATEMENT              ' PIC X(33).    UNIMPLEMENTED
2356              05 VALUE ' STATIC                 ' PIC X(33).
2357              05 VALUE ' STATUS                 ' PIC X(33).
2358              05 VALUE ' STDCALL                ' PIC X(33).
2359              05 VALUE 'MSTDERR                 ' PIC X(33).
2360              05 VALUE 'MSTDIN                  ' PIC X(33).
2361              05 VALUE 'MSTDOUT                 ' PIC X(33).
2362              05 VALUE ' STEP                   ' PIC X(33).
2363              05 VALUE 'VSTOP                   ' PIC X(33).
2364  GC1213      05 VALUE 'FSTORED-CHAR-LENGTH     ' PIC X(33).
2365              05 VALUE 'VSTRING                 ' PIC X(33).
2366              05 VALUE ' STRONG                 ' PIC X(33).    UNIMPLEMENTED
2367              05 VALUE ' SUB-QUEUE-1            ' PIC X(33).    OBSOLETE
2368              05 VALUE ' SUB-QUEUE-2            ' PIC X(33).    OBSOLETE
2369              05 VALUE ' SUB-QUEUE-3            ' PIC X(33).    OBSOLETE
2370  GC1213      05 VALUE 'FSUBSTITUTE             ' PIC X(33).
2371  GC1213      05 VALUE 'FSUBSTITUTE-CASE        ' PIC X(33).
2372              05 VALUE 'VSUBTRACT               ' PIC X(33).
2373  GC1213      05 VALUE 'FSUM                    ' PIC X(33).
2374              05 VALUE ' SUPER                  ' PIC X(33).    UNIMPLEMENTED
2375              05 VALUE 'VSUPPRESS               ' PIC X(33).
2376              05 VALUE 'MSW0                    ' PIC X(33).
2377              05 VALUE 'MSW1                    ' PIC X(33).
2378              05 VALUE 'MSW10                   ' PIC X(33).
2379              05 VALUE 'MSW11                   ' PIC X(33).
2380              05 VALUE 'MSW12                   ' PIC X(33).
2381              05 VALUE 'MSW13                   ' PIC X(33).
2382              05 VALUE 'MSW14                   ' PIC X(33).
2383              05 VALUE 'MSW15                   ' PIC X(33).
2384              05 VALUE 'MSW2                    ' PIC X(33).
```

```
2385              05 VALUE 'MSW3                   ' PIC X(33).
2386              05 VALUE 'MSW4                   ' PIC X(33).
2387              05 VALUE 'MSW5                   ' PIC X(33).
2388              05 VALUE 'MSW6                   ' PIC X(33).
2389              05 VALUE 'MSW7                   ' PIC X(33).
2390              05 VALUE 'MSW8                   ' PIC X(33).
2391              05 VALUE 'MSW9                   ' PIC X(33).
2392              05 VALUE 'MSWITCH-0               ' PIC X(33).
2393              05 VALUE 'MSWITCH-1               ' PIC X(33).
2394              05 VALUE 'MSWITCH-10              ' PIC X(33).
2395              05 VALUE 'MSWITCH-11              ' PIC X(33).
2396              05 VALUE 'MSWITCH-12              ' PIC X(33).
2397              05 VALUE 'MSWITCH-13              ' PIC X(33).
2398              05 VALUE 'MSWITCH-14              ' PIC X(33).
2399              05 VALUE 'MSWITCH-15              ' PIC X(33).
2400              05 VALUE 'MSWITCH-2               ' PIC X(33).
2401              05 VALUE 'MSWITCH-3               ' PIC X(33).
2402              05 VALUE 'MSWITCH-4               ' PIC X(33).
2403              05 VALUE 'MSWITCH-5               ' PIC X(33).
2404              05 VALUE 'MSWITCH-6               ' PIC X(33).
2405              05 VALUE 'MSWITCH-7               ' PIC X(33).
2406              05 VALUE 'MSWITCH-8               ' PIC X(33).
2407              05 VALUE 'MSWITCH-9               ' PIC X(33).
2408              05 VALUE ' SYMBOL                 ' PIC X(33).    UNIMPLEMENTED
2409              05 VALUE ' SYMBOLIC               ' PIC X(33).
2410              05 VALUE ' SYNC                   ' PIC X(33).
2411              05 VALUE ' SYNCHRONISED           ' PIC X(33).
2412              05 VALUE ' SYNCHRONIZED           ' PIC X(33).
2413              05 VALUE 'MSYSERR                 ' PIC X(33).
2414              05 VALUE 'MSYSIN                  ' PIC X(33).
2415              05 VALUE 'MSYSIPT                 ' PIC X(33).
2416              05 VALUE 'MSYSLIST                ' PIC X(33).
2417              05 VALUE 'MSYSLST                 ' PIC X(33).
2418              05 VALUE 'MSYSOUT                 ' PIC X(33).
2419              05 VALUE ' SYSTEM-DEFAULT         ' PIC X(33).
2420              05 VALUE ' TABLE                  ' PIC X(33).    UNIMPLEMENTED
2421              05 VALUE 'KTALLYING               ' PIC X(33).
2422  GC1213      05 VALUE 'FTAN                    ' PIC X(33).
2423              05 VALUE ' TAPE                   ' PIC X(33).
2424              05 VALUE ' TERMINAL               ' PIC X(33).    OBSOLETE
2425              05 VALUE 'VTERMINATE              ' PIC X(33).
2426              05 VALUE ' TEST                   ' PIC X(33).
2427  GC1213      05 VALUE 'FTEST-DATE-YYYYMMDD     ' PIC X(33).
2428  GC1213      05 VALUE 'FTEST-DAY-YYYYDDD       ' PIC X(33).
2429  GC1213      05 VALUE 'FTEST-FORMATTED-DATETIME' PIC X(33).    UNIMPLEMENTED
2430  GC1213      05 VALUE 'FTEST-NUMVAL            ' PIC X(33).
2431  GC1213      05 VALUE 'FTEST-NUMVAL-C          ' PIC X(33).
2432  GC1213      05 VALUE 'FTEST-NUMVAL-F          ' PIC X(33).
2433              05 VALUE ' TEXT                   ' PIC X(33).    OBSOLETE
2434              05 VALUE ' THAN                   ' PIC X(33).
2435              05 VALUE ' THEN                   ' PIC X(33).
2436              05 VALUE ' THROUGH                ' PIC X(33).
2437              05 VALUE ' THRU                   ' PIC X(33).
2438              05 VALUE ' TIME                   ' PIC X(33).
```

```
ACS Cobol Xref v2.02.04        Dictionary File for GCIC (LISTING) 06/03/2022  23:09:11:03    Page   71

2439  GC0711    05 VALUE ' TIME-OUT                 ' PIC X(33).
2440  GC0711    05 VALUE ' TIMEOUT                  ' PIC X(33).
2441            05 VALUE ' TIMES                    ' PIC X(33).
2442            05 VALUE 'KTO                       ' PIC X(33).
2443            05 VALUE ' TOP                      ' PIC X(33).
2444            05 VALUE ' TOWARD-GREATER           ' PIC X(33).
2445            05 VALUE ' TOWARD-LESSER            ' PIC X(33).
2446            05 VALUE ' TRAILING                 ' PIC X(33).
2447            05 VALUE ' TRAILING-SIGN            ' PIC X(33).    UNIMPLEMENTED
2448            05 VALUE 'VTRANSFORM                ' PIC X(33).
2449  GC1213    05 VALUE 'FTRIM                     ' PIC X(33).
2450            05 VALUE ' TRUE                     ' PIC X(33).
2451            05 VALUE ' TRUNCATION               ' PIC X(33).
2452            05 VALUE ' TYPE                     ' PIC X(33).
2453            05 VALUE ' TYPEDEF                  ' PIC X(33).    UNIMPLEMENTED
2454            05 VALUE ' UCS-4                    ' PIC X(33).    UNIMPLEMENTED
2455            05 VALUE ' UNDERLINE                ' PIC X(33).
2456            05 VALUE ' UNIT                     ' PIC X(33).
2457            05 VALUE ' UNIVERSAL                ' PIC X(33).    UNIMPLEMENTED
2458            05 VALUE 'VUNLOCK                   ' PIC X(33).
2459            05 VALUE ' UNSIGNED                 ' PIC X(33).
2460            05 VALUE ' UNSIGNED-INT             ' PIC X(33).
2461            05 VALUE ' UNSIGNED-LONG            ' PIC X(33).
2462            05 VALUE ' UNSIGNED-SHORT           ' PIC X(33).
2463            05 VALUE 'VUNSTRING                 ' PIC X(33).
2464            05 VALUE ' UNTIL                    ' PIC X(33).
2465            05 VALUE 'KUP                       ' PIC X(33).
2466            05 VALUE ' UPDATE                   ' PIC X(33).
2467            05 VALUE ' UPON                     ' PIC X(33).
2468            05 VALUE ' UPPER                    ' PIC X(33).
2469  GC1213    05 VALUE 'FUPPER-CASE               ' PIC X(33).
2470            05 VALUE ' USAGE                    ' PIC X(33).
2471            05 VALUE 'VUSE                      ' PIC X(33).
2472  GC0711    05 VALUE ' USER                     ' PIC X(33).
2473            05 VALUE ' USER-DEFAULT             ' PIC X(33).
2474            05 VALUE 'KUSING                    ' PIC X(33).
2475            05 VALUE ' UTF-16                   ' PIC X(33).    UNIMPLEMENTED
2476            05 VALUE ' UTF-8                    ' PIC X(33).    UNIMPLEMENTED
2477            05 VALUE ' VAL-STATUS               ' PIC X(33).    UNIMPLEMENTED
2478            05 VALUE ' VALID                    ' PIC X(33).    UNIMPLEMENTED
2479            05 VALUE ' VALIDATE                 ' PIC X(33).    UNIMPLEMENTED
2480            05 VALUE ' VALIDATE-STATUS          ' PIC X(33).    UNIMPLEMENTED
2481  GC0712    05 VALUE 'AVALUE                    ' PIC X(33).
2482            05 VALUE ' VALUES                   ' PIC X(33).
2483  GC1213    05 VALUE 'FVARIANCE                 ' PIC X(33).
2484            05 VALUE 'KVARYING                  ' PIC X(33).
2485            05 VALUE ' VDISABLE                 ' PIC X(33).    UNIMPLEMENTED
2486            05 VALUE ' WAIT                     ' PIC X(33).
2487            05 VALUE 'VWHEN                     ' PIC X(33).
2488  GC1213    05 VALUE 'FWHEN-COMPILED            ' PIC X(33).
2489            05 VALUE ' WITH                     ' PIC X(33).
2490            05 VALUE ' WORDS                    ' PIC X(33).
2491            05 VALUE 'KWORKING-STORAGE          ' PIC X(33).
2492            05 VALUE 'VWRITE                    ' PIC X(33).
```

```
ACS Cobol Xref v2.02.04       Dictionary File for GCIC (LISTING) 06/03/2022  23:09:11:03     Page   72

 2493  GC1213       05 VALUE 'FYEAR-TO-YYYY                   ' PIC X(33).
 2494                05 VALUE ' YYYYDDD                        ' PIC X(33).
 2495                05 VALUE ' YYYYMMDD                       ' PIC X(33).
 2496                05 VALUE ' ZERO                           ' PIC X(33).
 2497                05 VALUE ' ZERO-FILL                      ' PIC X(33).      UNIMPLEMENTED
 2498                05 VALUE ' ZEROES                         ' PIC X(33).
 2499                05 VALUE ' ZEROS                          ' PIC X(33).
 2500         01  WS-Reserved-Word-Table-TXT REDEFINES WS-Reserved-Words-TXT.
 2501  GC1113       05 WS-Reserved-Word-TXT        OCCURS 754 TIMES
 2502                                              ASCENDING KEY
 2503                                                  WS-RW-Word-TXT
 2504                                              INDEXED WS-RW-IDX.
 2505                    10 WS-RW-Type-CD            PIC X(1).
 2506                    10 WS-RW-Word-TXT           PIC X(32).
 2507
 2508         01  WS-Runtime-Switches.
 2509  GC0710       05 WS-RS-Duplicate-CHR          PIC X(1).
 2510                05 WS-RS-In-Which-Pgm-CHR       PIC X(1).
 2511                    88 WS-RS-In-Main-Module-BOOL    VALUE 'M'.
 2512                    88 WS-RS-In-Copybook-BOOL       VALUE 'C'.
 2513                05 WS-RS-Last-Token-Ended-Sent-CHR  PIC X(1).
 2514                05 WS-RS-Processing-PICTURE-CHR     PIC X(1).
 2515                05 WS-RS-Token-Ended-Sentence-CHR   PIC X(1).
 2516  GC0710       05 WS-RS-Verb-Has-Been-Found-CHR    PIC X(1).
 2517
 2518         01  WS-Saved-Section-TXT            PIC X(15).
 2519
 2520  GC1213 01  WS-Src-Dashes-TXT.
 2521  GC0712       05 VALUE '======'              PIC X(7).
 2522  GC0712       05 VALUE ALL '='               PIC X(128).
 2523
 2524         01  WS-Src-Detail-Line-TXT.
 2525                05 WS-SDL-Line-NUM            PIC ZZZZZ9.
 2526                05 FILLER                     PIC X(1).
 2527                05 WS-SDL-Statement-TXT       PIC X(256).
 2528
 2529  GC1213 01  WS-Src-Hold-TXT                 PIC X(256).
 2530
 2531         01  WS-Src-Line-NUM                 PIC 9(6).
 2532
 2533  GC1213 01  WS-Src-Lines-NUM                USAGE BINARY-LONG.
 2534
 2535         01  WS-Src-SUB                      USAGE BINARY-LONG.
 2536
 2537         01  WS-Tally-QTY                    USAGE BINARY-LONG.
 2538
 2539         01  WS-Temp-10-Chars-TXT            PIC X(10).
 2540
 2541         01  WS-Temp-32-Chars-1-TXT          PIC X(32).
 2542
 2543  GC0711 01  WS-Temp-32-Chars-2-TXT          PIC X(32).
 2544
 2545  GC0711 01  WS-Temp-32-Chars-3-TXT          PIC X(32).
 2546
```

```
ACS Cobol Xref v2.02.04        Dictionary File for GCIC (LISTING) 06/03/2022  23:09:11:03    Page   73

 2547  GC0712 01  WS-Temp-65-Chars-TXT              PIC X(65).
 2548
 2549         01  WS-Temp-256-Chars-TXT             PIC X(256).
 2550
 2551         01  WS-Today-DT                       PIC 9(8).
 2552
 2553         01  WS-Token-Curr-TXT                 PIC X(32).
 2554
 2555         01  WS-Token-Curr-Uc-TXT              PIC X(32).
 2556
 2557         01  WS-Token-Prev-TXT                 PIC X(32).
 2558
 2559         01  WS-Token-Search-TXT               PIC X(32).
 2560
 2561         01  WS-Token-Type-CD                  PIC X(1).
 2562  GC0712     88 WS-TT-Token-Is-Argtype-BOOL     VALUE 'A'.
 2563             88 WS-TT-Token-Is-EOF-BOOL         VALUE HIGH-VALUES.
 2564  GC1213     88 WS-TT-Token-Is-Function-BOOL    VALUE 'F'.
 2565             88 WS-TT-Token-Is-Identifier-BOOL  VALUE 'I'.
 2566  GC0712     88 WS-TT-Token-Is-Keyword-BOOL     VALUE 'K', 'V', 'A'.
 2567             88 WS-TT-Token-Is-Lit-Alpha-BOOL   VALUE 'L'.
 2568             88 WS-TT-Token-Is-Lit-Number-BOOL  VALUE 'N'.
 2569             88 WS-TT-Token-Is-Verb-BOOL        VALUE 'V'.
 2570  GC1213     88 WS-TT-Token-Is-Reserved-Wd-BOOL VALUE ' ', 'F'.
 2571
 2572         01  WS-Usernames-QTY                  USAGE BINARY-LONG.
 2573
 2574         01  WS-Version-TXT                    PIC X(23).
 2575
 2576         01  WS-Xref-Detail-Line-TXT.
 2577             05 WS-XDL-Prog-ID-TXT             PIC X(15).
 2578             05 FILLER                         PIC X(1).
 2579             05 WS-XDL-Token-TXT               PIC X(32).
 2580             05 FILLER                         PIC X(1).
 2581             05 WS-XDL-Def-Line-NUM            PIC ZZZZZ9.
 2582             05 FILLER                         PIC X(1).
 2583             05 WS-XDL-Section-TXT             PIC X(15).
 2584             05 FILLER                         PIC X(1).
 2585             05 WS-XDL-Reference-TXT           OCCURS 8 TIMES.
 2586                10 WS-XDL-Ref-Line-NUM         PIC ZZZZZ9.
 2587                10 WS-XDL-Ref-Flag-CHR         PIC X(1).
 2588                10 FILLER                      PIC X(1).
 2589
 2590  GC1213 01  WS-Xref-Lines-Per-Rec-NUM         PIC 9(1).
 2591
 2592         LINKAGE SECTION.
 2593  GC0712 01  L-Listing-Fn-TXT                  PIC X(256).
 2594
 2595         01  L-Src-Fn-TXT                      PIC X(256).
 2596
 2597  GC0712 01  L-OS-Type-CD                      PIC 9(1).
 2598
 2599  GC1213 01  L-LPP-NUM                         USAGE BINARY-LONG.
 2600
```

```
ACS Cobol Xref v2.02.04       Dictionary File for GCIC (LISTING) 06/03/2022  23:09:11:03    Page   74

 2601  GC1213 01  L-LPP-Port-NUM                        USAGE BINARY-LONG.
 2602
 2603  GC1213 01  L-Listing-CD                          PIC 9(1).
 2604       /
 2605  GC0712 PROCEDURE DIVISION USING L-Listing-Fn-TXT
 2606  GC0712                          L-Src-Fn-TXT
 2607  GC0712                          L-OS-Type-CD
 2608  GC1213                          L-LPP-NUM
 2609  GC1213                          L-LPP-Port-NUM
 2610  GC1213                          L-Listing-CD.
 2611        000-Main SECTION.
 2612            PERFORM 100-Initialization
 2613  GC0712    OPEN OUTPUT F-Listing-FILE
 2614  GC0712    PERFORM 500-Produce-Source-Listing
 2615  GC0712    SORT F-Sort-Work-FILE
 2616  GC0712        ASCENDING KEY    F-SW-Prog-ID-TXT
 2617  GC0712                         F-SW-Token-Uc-TXT
 2618  GC0712                         F-SW-Ref-Line-NUM
 2619  GC0712        INPUT PROCEDURE  300-Tokenize-Source
 2620  GC0712        OUTPUT PROCEDURE 400-Produce-Xref-Listing
 2621  GC0712    CLOSE F-Listing-FILE
 2622            GOBACK
 2623            .
 2624       /
 2625       *>****************************************************************
 2626       *> Perform all program-wide initialization operations       **
 2627       *>****************************************************************
 2628        100-Initialization SECTION.
 2629  GC1213    MOVE 0 TO WS-Page-NUM
 2630  GC1213    MOVE 'N' TO WS-Suppress-FF-CHR
 2631  GC1213    MOVE SPACES TO WS-Copyright-TXT
 2632  GC1213    STRING 'GCic for '                   DELIMITED SIZE
 2633  GC1213           WS-OS-Type-TXT(L-OS-Type-CD) DELIMITED SPACE
 2634  VC0820           ' Copyright (C) 2009-'       DELIMITED SIZE
 2635  VC0322           COMP-YEAR                    DELIMITED SIZE
 2636  VC0322           ', Gary L. Cutler, GPL'      DELIMITED SIZE
 2637  GC1213           INTO WS-Copyright-TXT
 2638  VC0811*>  See const-set-1.cpy for constants used
 2639  VC0811*>    MOVE 'GNUCOBOL 3.1.2 06MAR2022' TO WS-Version-TXT
 2640       *>
 2641  VC0811    move    Comp-Vers to    WS-Version-TXT.
 2642            MOVE TRIM(L-Src-Fn-TXT,Leading) TO L-Src-Fn-TXT
 2643  GC1010    PERFORM VARYING WS-I-SUB FROM LENGTH(L-Src-Fn-TXT) BY -1
 2644       *> Locate last directory delimiter character so that the filename can be extracted
 2645  GC1010            UNTIL L-Src-Fn-TXT(WS-I-SUB:1) = '/' OR '\'
 2646  GC1010               OR WS-I-SUB = 0
 2647  VC0322            continue
 2648  GC1010    END-PERFORM
 2649  GC1010    IF WS-I-SUB = 0
 2650  GC1010        MOVE UPPER-CASE(L-Src-Fn-TXT) TO WS-Main-Module-Name-TXT
 2651       *> No directory delimiter, whole thing is filename
 2652  GC1010    ELSE
 2653  GC1010        ADD 1 TO WS-I-SUB
 2654  GC1010        MOVE UPPER-CASE(L-Src-Fn-TXT(WS-I-SUB:))
```

```
2655  GC1010            TO WS-Main-Module-Name-TXT *> Extract filename
2656  GC1010        END-IF
2657  GC1213        IF L-Listing-CD = 1 *> LANDSCAPE
2658  GC1213            MOVE 8 TO WS-Xref-Lines-Per-Rec-NUM
2659  GC1213            ACCEPT WS-Lines-Per-Page-Env-TXT
2660  GC1213                FROM ENVIRONMENT 'GCXREF_LINES'
2661  GC1213        ELSE *> PORTRAIT
2662  GC1213            MOVE 3 TO WS-Xref-Lines-Per-Rec-NUM
2663  GC1213            ACCEPT WS-Lines-Per-Page-Env-TXT
2664  GC1213                FROM ENVIRONMENT 'GCXREF_LINES_PORT'
2665  GC1213        END-IF
2666              INSPECT L-Src-Fn-TXT REPLACING ALL '\' BY '/'
2667              MOVE L-Src-Fn-TXT TO WS-Program-Path-TXT
2668              CALL 'C$JUSTIFY' USING WS-Program-Path-TXT, 'Right'
2669              MOVE LENGTH(TRIM(L-Src-Fn-TXT,Trailing)) TO WS-I-SUB
2670              MOVE 0 TO WS-J-SUB
2671              PERFORM UNTIL L-Src-Fn-TXT(WS-I-SUB:1) = '/'
2672                      OR WS-I-SUB = 0
2673                  SUBTRACT 1 FROM WS-I-SUB
2674                  ADD    1 TO   WS-J-SUB
2675              END-PERFORM
2676              UNSTRING L-Src-Fn-TXT((WS-I-SUB + 1):WS-J-SUB)
2677                  DELIMITED BY '.'
2678                  INTO WS-Filename-TXT
2679                      WS-Dummy-TXT
2680  GC1010     STRING
2681  GC1010         TRIM(WS-Filename-TXT,Trailing)
2682  GC1010         '.i'
2683  GC1010         DELIMITED SIZE
2684  GC1010         INTO WS-Expanded-Src-Fn-TXT
2685  GC1010     CALL 'CBL_CHECK_FILE_EXIST' USING WS-Expanded-Src-Fn-TXT
2686  GC1010                                       WS-Temp-256-Chars-TXT
2687  GC1010     IF RETURN-CODE NOT = 0
2688  GC1010         GOBACK
2689  GC1010     END-IF
2690              IF WS-Lines-Per-Page-Env-TXT NOT = SPACES
2691                  MOVE NUMVAL(WS-Lines-Per-Page-Env-TXT)
2692                    TO WS-Lines-Per-Page-NUM
2693              ELSE
2694  GC1213         IF L-LISTING-CD = 1 *> LANDSCAPE
2695  GC1213             MOVE L-LPP-NUM TO WS-Lines-Per-Page-NUM
2696  GC1213         ELSE              *> PORTRAIT
2697  GC1213             MOVE L-LPP-Port-NUM TO WS-Lines-Per-Page-NUM
2698  GC1213         END-IF
2699              END-IF
2700  GC1213     SUBTRACT 3 FROM WS-Lines-Per-Page-NUM *> FOR PAGE FOOTER
2701              ACCEPT WS-Today-DT FROM DATE YYYYMMDD
2702  GC1213     MOVE WS-Today-DT TO WS-Formatted-DT
2703              MOVE '????????????...' TO WS-Curr-Prog-ID-TXT
2704              MOVE SPACES          TO WS-Curr-Verb-TXT
2705                                      WS-Held-Reference-TXT
2706              .
2707          /
2708        300-Tokenize-Source SECTION.
```

```
2709              OPEN INPUT F-Expanded-Src-FILE
2710              MOVE SPACES TO F-Expanded-Src-REC
2711              MOVE 256 TO WS-Src-SUB
2712              MOVE 0 TO WS-Usernames-QTY
2713                      WS-Curr-Line-NUM
2714              MOVE '?' TO WS-Curr-Division-TXT
2715   GC0710     MOVE 'N' TO WS-RS-Verb-Has-Been-Found-CHR
2716              PERFORM FOREVER
2717                  PERFORM 310-Get-Token
2718                  IF WS-TT-Token-Is-EOF-BOOL
2719                      EXIT PERFORM
2720                  END-IF
2721                  MOVE UPPER-CASE(WS-Token-Curr-TXT)
2722                    TO WS-Token-Curr-Uc-TXT
2723   GC1010         IF WS-TT-Token-Is-Keyword-BOOL
2724   GC1010         OR WS-TT-Token-Is-Reserved-Wd-BOOL
2725   GC1010             MOVE WS-Token-Curr-Uc-TXT TO WS-Token-Curr-TXT
2726   GC1010         END-IF
2727                  IF WS-TT-Token-Is-Verb-BOOL
2728                      MOVE WS-Token-Curr-Uc-TXT TO WS-Curr-Verb-TXT
2729                                                  WS-Token-Prev-TXT
2730                      IF WS-Held-Reference-TXT NOT = SPACES
2731                          MOVE WS-Held-Reference-TXT TO F-Sort-Work-REC
2732                          MOVE SPACES        TO WS-Held-Reference-TXT
2733                          RELEASE F-Sort-Work-REC
2734                      END-IF
2735                  END-IF
2736                  EVALUATE TRUE
2737                  WHEN WS-CD-In-IDENT-DIV-BOOL
2738                      PERFORM 320-IDENTIFICATION-DIVISION
2739                  WHEN WS-CD-In-ENV-DIV-BOOL
2740                      PERFORM 330-ENVIRONMENT-DIVISION
2741                  WHEN WS-CD-In-DATA-DIV-BOOL
2742                      PERFORM 340-DATA-DIVISION
2743                  WHEN WS-CD-In-PROC-DIV-BOOL
2744                      PERFORM 350-PROCEDURE-DIVISION
2745                  END-EVALUATE
2746                  IF WS-TT-Token-Is-Keyword-BOOL
2747                      MOVE WS-Token-Curr-Uc-TXT TO WS-Token-Prev-TXT
2748                  END-IF
2749                  IF WS-RS-Token-Ended-Sentence-CHR = 'Y'
2750                  AND WS-Curr-Division-TXT NOT = 'I'
2751                      MOVE SPACES TO WS-Token-Prev-TXT
2752                                     WS-Curr-Verb-TXT
2753                  END-IF
2754
2755              END-PERFORM
2756              CLOSE F-Expanded-Src-FILE
2757              .
2758        /
2759         310-Get-Token SECTION.
2760        *>-- Position to 1st non-blank character
2761              MOVE WS-RS-Token-Ended-Sentence-CHR
2762                TO WS-RS-Last-Token-Ended-Sent-CHR
```

```
2763              MOVE 'N' TO WS-RS-Token-Ended-Sentence-CHR
2764              PERFORM UNTIL F-Expanded-Src-REC(WS-Src-SUB : 1) NOT = SPACE
2765                  IF WS-Src-SUB > 255
2766                      READ F-Expanded-Src-FILE AT END
2767                          IF WS-Held-Reference-TXT NOT = SPACES
2768                              MOVE WS-Held-Reference-TXT TO F-Sort-Work-REC
2769                              MOVE SPACES        TO WS-Held-Reference-TXT
2770                              RELEASE F-Sort-Work-REC
2771                          END-IF
2772                          SET WS-TT-Token-Is-EOF-BOOL TO TRUE
2773                          MOVE 0 TO WS-Curr-Line-NUM
2774                          EXIT SECTION
2775                      END-READ
2776  GC0712              IF F-ES-1-7-TXT NOT = '#DEFLIT'
2777  GC0712                  IF F-ES-1-CHR = '#'
2778  GC0712                      PERFORM 311-Control-Record
2779  GC0712                  ELSE
2780  GC0712                      PERFORM 312-Expanded-Src-Record
2781  GC0712                  END-IF
2782  GC0712              END-IF
2783                  ELSE
2784                      ADD 1 TO WS-Src-SUB
2785                  END-IF
2786              END-PERFORM
2787      *>-- Extract token string
2788              MOVE F-Expanded-Src-REC(WS-Src-SUB : 1)
2789                TO WS-Curr-CHR
2790              MOVE F-Expanded-Src-REC(WS-Src-SUB + 1: 1)
2791                TO WS-Next-CHR
2792              IF WS-Curr-CHR = '.'
2793                  ADD 1 TO WS-Src-SUB
2794                  MOVE WS-Curr-CHR TO WS-Token-Curr-TXT
2795                  MOVE SPACE TO WS-Token-Type-CD
2796                  MOVE 'Y' TO WS-RS-Token-Ended-Sentence-CHR
2797                  EXIT SECTION
2798              END-IF
2799              IF WS-Curr-Char-Is-Punct-BOOL
2800              AND WS-Curr-CHR = '='
2801              AND WS-Curr-Division-TXT = 'P'
2802                  ADD 1 TO WS-Src-SUB
2803                  MOVE 'EQUALS' TO WS-Token-Curr-TXT
2804                  MOVE 'K'      TO WS-Token-Type-CD
2805                  EXIT SECTION
2806              END-IF
2807              IF WS-Curr-Char-Is-Punct-BOOL *> So subscripts don't get flagged w/ '*'
2808              AND WS-Curr-CHR = '('
2809              AND WS-Curr-Division-TXT = 'P'
2810                  MOVE SPACES TO WS-Token-Prev-TXT
2811              END-IF
2812              IF WS-Curr-Char-Is-Punct-BOOL
2813                  ADD 1 TO WS-Src-SUB
2814                  MOVE WS-Curr-CHR TO WS-Token-Curr-TXT
2815                  MOVE SPACE TO WS-Token-Type-CD
2816                  EXIT SECTION
```

```
2817            END-IF
2818            IF WS-Curr-Char-Is-Quote-BOOL
2819                ADD 1 TO WS-Src-SUB
2820                UNSTRING F-Expanded-Src-REC
2821                    DELIMITED BY WS-Curr-CHR
2822                    INTO WS-Token-Curr-TXT
2823                    WITH POINTER WS-Src-SUB
2824                IF F-Expanded-Src-REC(WS-Src-SUB : 1) = '.'
2825                    MOVE 'Y' TO WS-RS-Token-Ended-Sentence-CHR
2826                    ADD 1 TO WS-Src-SUB
2827                END-IF
2828                SET WS-TT-Token-Is-Lit-Alpha-BOOL TO TRUE
2829                EXIT SECTION
2830            END-IF
2831            IF WS-Curr-Char-Is-X-BOOL AND WS-Next-Char-Is-Quote-BOOL
2832                ADD 2 TO WS-Src-SUB
2833                UNSTRING F-Expanded-Src-REC
2834                    DELIMITED BY WS-Next-CHR
2835                    INTO WS-Token-Curr-TXT
2836                    WITH POINTER WS-Src-SUB
2837                IF F-Expanded-Src-REC(WS-Src-SUB : 1) = '.'
2838                    MOVE 'Y' TO WS-RS-Token-Ended-Sentence-CHR
2839                    ADD 1 TO WS-Src-SUB
2840                END-IF
2841                SET WS-TT-Token-Is-Lit-Number-BOOL TO TRUE
2842                EXIT SECTION
2843            END-IF
2844            IF WS-Curr-Char-Is-Z-BOOL AND WS-Next-Char-Is-Quote-BOOL
2845                ADD 2 TO WS-Src-SUB
2846                UNSTRING F-Expanded-Src-REC
2847                    DELIMITED BY WS-Next-CHR
2848                    INTO WS-Token-Curr-TXT
2849                    WITH POINTER WS-Src-SUB
2850                IF F-Expanded-Src-REC(WS-Src-SUB : 1) = '.'
2851                    MOVE 'Y' TO WS-RS-Token-Ended-Sentence-CHR
2852                    ADD 1 TO WS-Src-SUB
2853                END-IF
2854                SET WS-TT-Token-Is-Lit-Alpha-BOOL TO TRUE
2855                EXIT SECTION
2856            END-IF
2857            IF WS-RS-Processing-PICTURE-CHR = 'Y'
2858                UNSTRING F-Expanded-Src-REC
2859                    DELIMITED BY '. ' OR ' '
2860                    INTO WS-Token-Curr-TXT
2861                    DELIMITER IN WS-Delim-TXT
2862                    WITH POINTER WS-Src-SUB
2863                IF WS-Delim-TXT = '. '
2864                    MOVE 'Y' TO WS-RS-Token-Ended-Sentence-CHR
2865                    ADD 1 TO WS-Src-SUB
2866                END-IF
2867                IF UPPER-CASE(WS-Token-Curr-TXT) = 'IS'
2868                    MOVE SPACE TO WS-Token-Type-CD
2869                    EXIT SECTION
2870                ELSE
```

```
2871                     MOVE 'N' TO WS-RS-Processing-PICTURE-CHR
2872                     MOVE SPACE TO WS-Token-Type-CD
2873                     EXIT SECTION
2874                 END-IF
2875             END-IF
2876             UNSTRING F-Expanded-Src-REC
2877                 DELIMITED BY '. ' OR ' ' OR '=' OR '(' OR ')' OR '*'
2878                                 OR '/' OR '&' OR ';' OR ',' OR '<'
2879                                 OR '>' OR ':'
2880                 INTO WS-Token-Curr-TXT
2881                 DELIMITER IN WS-Delim-TXT
2882                 WITH POINTER WS-Src-SUB
2883             IF WS-Delim-TXT = '. '
2884                 MOVE 'Y' TO WS-RS-Token-Ended-Sentence-CHR
2885             END-IF
2886             IF WS-Delim-TXT NOT = '. ' AND ' '
2887                 SUBTRACT 1 FROM WS-Src-SUB
2888             END-IF
2889         *>-- Classify Token
2890             MOVE UPPER-CASE(WS-Token-Curr-TXT) TO WS-Token-Search-TXT
2891             IF WS-Token-Search-TXT = 'EQUAL' OR 'EQUALS'
2892                 MOVE 'EQUALS' TO WS-Token-Curr-TXT
2893                 MOVE 'K'     TO WS-Token-Type-CD
2894                 EXIT SECTION
2895             END-IF
2896             SEARCH ALL WS-Reserved-Word-TXT
2897                 WHEN WS-RW-Word-TXT (WS-RW-IDX) = WS-Token-Search-TXT
2898                     MOVE WS-RW-Type-CD (WS-RW-IDX) TO WS-Token-Type-CD
2899  GC0710             IF WS-TT-Token-Is-Verb-BOOL
2900  GC0710                 MOVE 'Y' TO WS-RS-Verb-Has-Been-Found-CHR
2901  GC0710             END-IF
2902                     EXIT SECTION
2903             END-SEARCH
2904         *>-- Not a reserved word, must be a user name
2905             SET WS-TT-Token-Is-Identifier-BOOL TO TRUE
2906             PERFORM 313-Check-For-Numeric-Token
2907             IF WS-TT-Token-Is-Lit-Number-BOOL
2908                 IF  (WS-RS-Last-Token-Ended-Sent-CHR = 'Y')
2909                 AND (WS-Curr-Division-TXT = 'D')
2910                     MOVE 'LEVEL #' TO WS-Token-Curr-TXT
2911                     MOVE 'K'       TO WS-Token-Type-CD
2912                     EXIT SECTION
2913                 ELSE
2914                     EXIT SECTION
2915                 END-IF
2916             END-IF
2917             .
2918         /
2919          311-Control-Record SECTION.
2920             UNSTRING F-ES-2-256-TXT-256
2921                 DELIMITED BY '"'
2922                 INTO WS-Temp-10-Chars-TXT
2923                     WS-Temp-256-Chars-TXT
2924                     WS-Dummy-TXT
```

```
ACS Cobol Xref v2.02.04        Dictionary File for GCIC (LISTING) 06/03/2022  23:09:11:04     Page   80

 2925                INSPECT WS-Temp-10-Chars-TXT REPLACING ALL '"' BY SPACE
 2926  GC0712        IF WS-Temp-10-Chars-TXT(1:4) = 'line'
 2927  GC0712           MOVE SPACES TO WS-Temp-10-Chars-TXT(1:4)
 2928  GC0712        END-IF
 2929                COMPUTE WS-I-SUB = NUMVAL(WS-Temp-10-Chars-TXT) - 1
 2930  GC1010        IF UPPER-CASE(TRIM(WS-Temp-256-Chars-TXT,Trailing)) =
 2931  GC1010           TRIM(WS-Main-Module-Name-TXT)
 2932                   MOVE WS-I-SUB TO WS-Curr-Line-NUM
 2933                   SET WS-RS-In-Main-Module-BOOL TO TRUE
 2934                   IF WS-Saved-Section-TXT NOT = SPACES
 2935                       MOVE WS-Saved-Section-TXT TO WS-Curr-Section-TXT
 2936                   END-IF
 2937               ELSE
 2938                   SET WS-RS-In-Copybook-BOOL TO TRUE
 2939                   IF WS-Saved-Section-TXT = SPACES
 2940                       MOVE WS-Curr-Section-TXT TO WS-Saved-Section-TXT
 2941                   END-IF
 2942                   MOVE LENGTH(TRIM(WS-Temp-256-Chars-TXT,Trailing))
 2943                     TO WS-I-SUB
 2944                   MOVE 0 TO WS-J-SUB
 2945                   PERFORM UNTIL WS-Temp-256-Chars-TXT(WS-I-SUB:1) = '/'
 2946                         OR WS-I-SUB = 0
 2947                       SUBTRACT 1 FROM WS-I-SUB
 2948                       ADD     1 TO   WS-J-SUB
 2949                   END-PERFORM
 2950                   UNSTRING WS-Temp-256-Chars-TXT((WS-I-SUB + 1):WS-J-SUB)
 2951                       DELIMITED BY '.'
 2952                       INTO WS-Filename-TXT
 2953                            WS-Dummy-TXT
 2954                   MOVE '['     TO WS-CS-1-CHR
 2955                   MOVE WS-Filename-TXT TO WS-CS-2-14-TXT
 2956                   IF WS-CS-11-14-TXT NOT = SPACES
 2957                       MOVE '...' TO WS-CS-11-14-TXT
 2958                   END-IF
 2959                   MOVE ']'     TO WS-CS-15-CHR
 2960               END-IF
 2961            MOVE SPACES TO F-Expanded-Src-REC *> Force another READ
 2962            MOVE 256    TO WS-Src-SUB
 2963               .
 2964        /
 2965          312-Expanded-Src-Record SECTION.
 2966  GC0314     IF F-Expanded-Src-REC(1:1) = SPACE
 2967  GC0314        MOVE 2 TO WS-Src-SUB
 2968  GC0314     ELSE
 2969  GC0314        MOVE 1 TO WS-Src-SUB
 2970  GC0314     END-IF
 2971            IF WS-RS-In-Main-Module-BOOL
 2972                ADD 1 To WS-Curr-Line-NUM
 2973            END-IF
 2974               .
 2975        /
 2976          313-Check-For-Numeric-Token SECTION.
 2977            MOVE WS-Token-Curr-TXT TO WS-Temp-32-Chars-1-TXT
 2978            INSPECT WS-Temp-32-Chars-1-TXT
```

```
2979  GC0711          CONVERTING '0123456789' TO SPACES
2980  GC0711      IF WS-Temp-32-Chars-1-TXT = SPACES                         *> Simple Unsigned Integer
2981                  SET WS-TT-Token-Is-Lit-Number-BOOL TO TRUE
2982                  EXIT SECTION
2983              END-IF
2984  GC0711      MOVE SPACES TO WS-Temp-32-Chars-2-TXT
2985  GC0711                    WS-Temp-32-Chars-3-TXT
2986  GC0711                    WS-Dummy-TXT
2987  GC0711      UNSTRING WS-Temp-32-Chars-1-TXT
2988  GC0711          DELIMITED BY 'e' OR 'E'
2989  GC0711          INTO WS-Temp-32-Chars-2-TXT
2990  GC0711               WS-Temp-32-Chars-3-TXT
2991  GC0711               WS-Dummy-TXT
2992  GC0711      IF WS-Dummy-TXT NOT = SPACES                    *> More than one 'E' - Not Numeric
2993  GC0711          EXIT SECTION
2994  GC0711      END-IF
2995  GC0711      IF WS-Temp-32-Chars-2-TXT(1:1) = '+' OR '-'
2996  GC0711          MOVE SPACE TO WS-Temp-32-Chars-2-TXT(1:1)
2997  GC0711      END-IF
2998  GC0711      IF WS-Temp-32-Chars-3-TXT(1:1) = '+' OR '-'
2999  GC0711          MOVE SPACE TO WS-Temp-32-Chars-3-TXT(1:1)
3000  GC0711      END-IF
3001              MOVE 0 TO WS-Tally-QTY
3002  GC0711      INSPECT WS-Temp-32-Chars-2-TXT
3003                  TALLYING WS-Tally-QTY FOR ALL '.'
3004              IF WS-Tally-QTY = 1
3005  GC0711          INSPECT WS-Temp-32-Chars-2-TXT REPLACING ALL '.' BY SPACE
3006              END-IF
3007  GC0711      INSPECT WS-Temp-32-Chars-3-TXT
3008  GC0711          TALLYING WS-Tally-QTY FOR ALL '.'
3009  GC0711      IF WS-Tally-QTY = 1
3010  GC0711          INSPECT WS-Temp-32-Chars-3-TXT REPLACING ALL '.' BY SPACE
3011  GC0711      END-IF
3012  GC0711      IF WS-Temp-32-Chars-2-TXT = SPACES AND WS-Temp-32-Chars-3-TXT = SPACES
3013                  SET WS-TT-Token-Is-Lit-Number-BOOL TO TRUE
3014                  EXIT SECTION
3015              END-IF
3016              .
3017         /
3018         320-IDENTIFICATION-DIVISION SECTION.
3019  GC0712    IF WS-TT-Token-Is-Argtype-BOOL
3020  GC0712        SET WS-TT-Token-Is-Reserved-Wd-BOOL TO TRUE
3021  GC0712    END-IF
3022  GC0710    MOVE 'N' TO WS-RS-Verb-Has-Been-Found-CHR
3023            IF WS-TT-Token-Is-Keyword-BOOL
3024            AND WS-Token-Curr-TXT = 'DIVISION'
3025                MOVE WS-Token-Prev-TXT TO WS-Curr-Division-TXT
3026                EXIT SECTION
3027            END-IF
3028  GC0712    IF WS-Token-Prev-TXT = 'PROGRAM-ID' OR 'FUNCTION-ID'
3029                MOVE SPACES TO WS-Token-Prev-TXT
3030                MOVE WS-Token-Curr-TXT TO WS-Curr-Prog-ID-TXT
3031  GC0712        IF WS-CPI-16-CHR NOT = SPACES
3032                    MOVE '...' TO WS-CPI-13-15-TXT
```

```
ACS Cobol Xref v2.02.04      Dictionary File for GCIC (LISTING) 06/03/2022  23:09:11:04     Page   82

    3033                END-IF
    3034                EXIT SECTION
    3035            END-IF
    3036            .
    3037      /
    3038      330-ENVIRONMENT-DIVISION SECTION.
    3039 GC0712    IF WS-TT-Token-Is-Argtype-BOOL
    3040 GC0712        SET WS-TT-Token-Is-Reserved-Wd-BOOL TO TRUE
    3041 GC0712    END-IF
    3042            IF WS-TT-Token-Is-Keyword-BOOL
    3043            AND WS-Token-Curr-TXT = 'DIVISION'
    3044                MOVE WS-Token-Prev-TXT TO WS-Curr-Division-TXT
    3045                EXIT SECTION
    3046            END-IF
    3047            IF WS-TT-Token-Is-Keyword-BOOL
    3048            AND WS-Token-Curr-TXT = 'SECTION'
    3049                MOVE WS-Token-Prev-TXT TO WS-Curr-Section-TXT
    3050                EXIT SECTION
    3051            END-IF
    3052            IF WS-TT-Token-Is-Identifier-BOOL
    3053 GC0712        IF WS-Token-Prev-TXT = 'FUNCTION'
    3054 GC0712            PERFORM 360-Release-Def
    3055 GC0712        ELSE
    3056 GC0712            PERFORM 361-Release-Ref
    3057 GC0712        END-IF
    3058            END-IF
    3059 GC1213    IF WS-TT-Token-Is-Function-BOOL
    3060 GC1213        PERFORM 361-Release-Ref
    3061 GC1213    END-IF
    3062            .
    3063      /
    3064      340-DATA-DIVISION SECTION.
    3065 GC0712    IF WS-TT-Token-Is-Argtype-BOOL
    3066 GC0712        SET WS-TT-Token-Is-Reserved-Wd-BOOL TO TRUE
    3067 GC0712    END-IF
    3068            IF WS-TT-Token-Is-Keyword-BOOL
    3069            AND WS-Token-Curr-TXT = 'DIVISION'
    3070                MOVE WS-Token-Prev-TXT TO WS-Curr-Division-TXT
    3071                EXIT SECTION
    3072            END-IF
    3073            IF WS-TT-Token-Is-Keyword-BOOL
    3074            AND WS-Token-Curr-TXT = 'SECTION'
    3075                MOVE WS-Token-Prev-TXT TO WS-Curr-Section-TXT
    3076                EXIT SECTION
    3077            END-IF
    3078            IF  (WS-Token-Curr-TXT = 'PIC' OR 'PICTURE')
    3079            AND (WS-TT-Token-Is-Keyword-BOOL)
    3080                MOVE 'Y' TO WS-RS-Processing-PICTURE-CHR
    3081                EXIT SECTION
    3082            END-IF
    3083 GC0710    IF WS-TT-Token-Is-Reserved-Wd-BOOL
    3084 GC0710    AND WS-Token-Prev-TXT = 'LEVEL #'
    3085 GC0710        MOVE SPACES TO WS-Token-Prev-TXT
    3086 GC0710        EXIT SECTION
```

```
3087  GC0710     END-IF
3088             IF WS-TT-Token-Is-Identifier-BOOL
3089                 EVALUATE WS-Token-Prev-TXT
3090                 WHEN 'FD'
3091                     PERFORM 360-Release-Def
3092                     MOVE SPACES TO WS-Token-Prev-TXT
3093  GC1213         WHEN 'RD'
3094  GC1213             PERFORM 360-Release-Def
3095  GC1213             MOVE SPACES TO WS-Token-Prev-TXT
3096                 WHEN 'SD'
3097                     PERFORM 360-Release-Def
3098                     MOVE SPACES TO WS-Token-Prev-TXT
3099                 WHEN 'LEVEL #'
3100                     PERFORM 360-Release-Def
3101                     MOVE SPACES TO WS-Token-Prev-TXT
3102                 WHEN 'INDEXED'
3103                     PERFORM 360-Release-Def
3104                     MOVE SPACES TO WS-Token-Prev-TXT
3105                 WHEN 'USING'
3106                     PERFORM 362-Release-Upd
3107                     MOVE SPACES TO WS-Token-Prev-TXT
3108                 WHEN 'INTO'
3109                     PERFORM 362-Release-Upd
3110                     MOVE SPACES TO WS-Token-Prev-TXT
3111                 WHEN OTHER
3112  GC1213             IF WS-Token-Curr-TXT NOT = 'SUM'
3113  GC1213                 PERFORM 361-Release-Ref
3114  GC1213             END-IF
3115                 END-EVALUATE
3116                 EXIT SECTION
3117             END-IF
3118             .
3119         /
3120         350-PROCEDURE-DIVISION SECTION.
3121             IF WS-Curr-Section-TXT NOT = 'PROCEDURE'
3122                 MOVE 'PROCEDURE' TO WS-Curr-Section-TXT
3123             END-IF
3124  GC0710     IF WS-Token-Curr-Uc-TXT = 'PROGRAM'
3125  GC0710     AND WS-Token-Prev-TXT = 'END'
3126  GC0710         MOVE '?' TO WS-Curr-Division-TXT
3127  GC0710         EXIT SECTION
3128  GC0710     END-IF
3129             IF WS-TT-Token-Is-Keyword-BOOL
3130             AND WS-Token-Curr-TXT = 'DIVISION'
3131                 MOVE WS-Token-Prev-TXT TO WS-Curr-Division-TXT
3132                 EXIT SECTION
3133             END-IF
3134  GC0313     IF WS-TT-Token-Is-Identifier-BOOL
3135  GC0313     AND WS-Token-Prev-TXT = SPACES
3136  GC0313     AND WS-Curr-Verb-TXT = SPACES
3137  GC0313*> ----- Definition of a Paragraph or Section
3138  GC0313         PERFORM 360-Release-Def
3139  GC0313         MOVE SPACES TO WS-Token-Prev-TXT
3140  GC0313         EXIT SECTION
```

```
3141  GC0313     END-IF
3142             IF NOT WS-TT-Token-Is-Identifier-BOOL
3143                 EXIT SECTION
3144             END-IF
3145             EVALUATE WS-Curr-Verb-TXT
3146             WHEN 'ACCEPT'
3147                 PERFORM 351-ACCEPT
3148             WHEN 'ADD'
3149                 PERFORM 351-ADD
3150             WHEN 'ALLOCATE'
3151                 PERFORM 351-ALLOCATE
3152             WHEN 'CALL'
3153                 PERFORM 351-CALL
3154             WHEN 'COMPUTE'
3155                 PERFORM 351-COMPUTE
3156             WHEN 'DIVIDE'
3157                 PERFORM 351-DIVIDE
3158             WHEN 'FREE'
3159                 PERFORM 351-FREE
3160  GC1213     WHEN 'GENERATE'
3161  GC1213         PERFORM 351-GENERATE
3162             WHEN 'INITIALIZE'
3163                 PERFORM 351-INITIALIZE
3164  GC1213     WHEN 'INITIATE'
3165  GC1213         PERFORM 351-GENERATE
3166             WHEN 'INSPECT'
3167                 PERFORM 351-INSPECT
3168             WHEN 'MOVE'
3169                 PERFORM 351-MOVE
3170             WHEN 'MULTIPLY'
3171                 PERFORM 351-MULTIPLY
3172             WHEN 'PERFORM'
3173                 PERFORM 351-PERFORM
3174             WHEN 'SET'
3175                 PERFORM 351-SET
3176             WHEN 'STRING'
3177                 PERFORM 351-STRING
3178             WHEN 'SUBTRACT'
3179                 PERFORM 351-SUBTRACT
3180  GC1213     WHEN 'TERMINATE'
3181  GC1213         PERFORM 351-GENERATE
3182             WHEN 'TRANSFORM'
3183                 PERFORM 351-TRANSFORM
3184             WHEN 'UNSTRING'
3185                 PERFORM 351-UNSTRING
3186             WHEN OTHER
3187                 PERFORM 361-Release-Ref
3188             END-EVALUATE
3189             .
3190        /
3191         351-ACCEPT SECTION.
3192             EVALUATE WS-Token-Prev-TXT
3193             WHEN 'ACCEPT'
3194                 PERFORM 362-Release-Upd
```

```
3195                  MOVE SPACES TO WS-Token-Prev-TXT
3196              WHEN OTHER
3197                  PERFORM 361-Release-Ref
3198              END-EVALUATE
3199              .
3200
3201        351-ADD SECTION.
3202            EVALUATE WS-Token-Prev-TXT
3203            WHEN 'GIVING'
3204                PERFORM 362-Release-Upd
3205            WHEN 'TO'
3206                PERFORM 362-Release-Upd
3207            WHEN OTHER
3208                PERFORM 361-Release-Ref
3209            END-EVALUATE
3210            .
3211
3212        351-ALLOCATE SECTION.
3213            EVALUATE WS-Token-Prev-TXT
3214            WHEN 'ALLOCATE'
3215                PERFORM 362-Release-Upd
3216                MOVE SPACES TO WS-Token-Prev-TXT
3217            WHEN 'RETURNING'
3218                PERFORM 362-Release-Upd
3219            WHEN OTHER
3220                PERFORM 361-Release-Ref
3221            END-EVALUATE
3222            .
3223
3224        351-CALL SECTION.
3225            EVALUATE WS-Token-Prev-TXT
3226            WHEN 'RETURNING'
3227                PERFORM 362-Release-Upd
3228            WHEN 'GIVING'
3229                PERFORM 362-Release-Upd
3230            WHEN OTHER
3231  GC1213        PERFORM 365-Release-Arg
3232            END-EVALUATE
3233            .
3234
3235        351-COMPUTE SECTION.
3236            EVALUATE WS-Token-Prev-TXT
3237            WHEN 'COMPUTE'
3238                PERFORM 362-Release-Upd
3239            WHEN OTHER
3240                PERFORM 361-Release-Ref
3241            END-EVALUATE
3242            .
3243
3244        351-DIVIDE SECTION.
3245            EVALUATE WS-Token-Prev-TXT
3246            WHEN 'INTO'
3247                PERFORM 363-Set-Upd
3248                MOVE F-Sort-Work-REC TO WS-Held-Reference-TXT
```

```
3249              WHEN 'GIVING'
3250                  IF WS-Held-Reference-TXT NOT = SPACES
3251                      MOVE WS-Held-Reference-TXT To F-Sort-Work-REC
3252                      MOVE SPACES         To WS-Held-Reference-TXT
3253                                             F-SW-Ref-Flag-CHR
3254                      RELEASE F-Sort-Work-REC
3255                  END-IF
3256                  PERFORM 362-Release-Upd
3257              WHEN 'REMAINDER'
3258                  PERFORM 362-Release-Upd
3259              WHEN OTHER
3260                  PERFORM 361-Release-Ref
3261              END-EVALUATE
3262              .
3263
3264        351-FREE SECTION.
3265              PERFORM 362-Release-Upd
3266              .
3267
3268  GC1213 351-GENERATE SECTION.
3269  GC1213     PERFORM 362-Release-Upd
3270  GC1213     .
3271
3272        351-INITIALIZE SECTION.
3273              EVALUATE WS-Token-Prev-TXT
3274              WHEN 'INITIALIZE'
3275                  PERFORM 362-Release-Upd
3276              WHEN 'REPLACING'
3277                  PERFORM 361-Release-Ref
3278              END-EVALUATE
3279              .
3280
3281  GC1213 351-INITIATE SECTION.
3282  GC1213     PERFORM 362-Release-Upd
3283  GC1213     .
3284
3285        351-INSPECT SECTION.
3286              EVALUATE WS-Token-Prev-TXT
3287              WHEN 'INSPECT'
3288                  PERFORM 364-Set-Ref
3289                  MOVE SPACES TO WS-Held-Reference-TXT
3290                  MOVE SPACES TO WS-Token-Prev-TXT
3291              WHEN 'TALLYING'
3292                  PERFORM 362-Release-Upd
3293                  MOVE SPACES TO WS-Token-Prev-TXT
3294              WHEN 'REPLACING'
3295                  IF WS-Held-Reference-TXT NOT = SPACES
3296                      MOVE WS-Held-Reference-TXT TO F-Sort-Work-REC
3297                      MOVE SPACES         TO WS-Held-Reference-TXT
3298                      MOVE '*'            TO F-SW-Ref-Flag-CHR
3299                      RELEASE F-Sort-Work-REC
3300                  END-IF
3301                  MOVE SPACES TO WS-Token-Prev-TXT
3302              WHEN 'CONVERTING'
```

```
3303                    IF WS-Held-Reference-TXT NOT = SPACES
3304                        MOVE WS-Held-Reference-TXT TO F-Sort-Work-REC
3305                        MOVE SPACES          TO WS-Held-Reference-TXT
3306                        MOVE '*'             TO F-SW-Ref-Flag-CHR
3307                        RELEASE F-Sort-Work-REC
3308                    END-IF
3309                    MOVE SPACES TO WS-Token-Prev-TXT
3310                WHEN OTHER
3311                    PERFORM 361-Release-Ref
3312                END-EVALUATE
3313                .
3314
3315        351-MOVE SECTION.
3316            EVALUATE WS-Token-Prev-TXT
3317            WHEN 'TO'
3318                PERFORM 362-Release-Upd
3319            WHEN OTHER
3320                PERFORM 361-Release-Ref
3321            END-EVALUATE
3322            .
3323
3324        351-MULTIPLY SECTION.
3325            EVALUATE WS-Token-Prev-TXT
3326            WHEN 'BY'
3327                PERFORM 363-Set-Upd
3328                MOVE F-Sort-Work-REC TO WS-Held-Reference-TXT
3329            WHEN 'GIVING'
3330                MOVE WS-Held-Reference-TXT TO F-Sort-Work-REC
3331                MOVE SPACES          TO WS-Held-Reference-TXT
3332                                        F-SW-Ref-Flag-CHR
3333                RELEASE F-Sort-Work-REC
3334                PERFORM 362-Release-Upd
3335            WHEN OTHER
3336                PERFORM 361-Release-Ref
3337            END-EVALUATE
3338            .
3339
3340        351-PERFORM SECTION.
3341            EVALUATE WS-Token-Prev-TXT
3342            WHEN 'VARYING'
3343                PERFORM 362-Release-Upd
3344                MOVE SPACES TO WS-Token-Prev-TXT
3345            WHEN 'AFTER'
3346                PERFORM 362-Release-Upd
3347                MOVE SPACES TO WS-Token-Prev-TXT
3348            WHEN OTHER
3349                PERFORM 361-Release-Ref
3350            END-EVALUATE
3351            .
3352
3353        351-SET SECTION.
3354            EVALUATE WS-Token-Prev-TXT
3355            WHEN 'SET'
3356                PERFORM 362-Release-Upd
```

```
ACS Cobol Xref v2.02.04        Dictionary File for GCIC (LISTING) 06/03/2022  23:09:11:05     Page   88

3357                WHEN OTHER
3358                    PERFORM 361-Release-Ref
3359                END-EVALUATE
3360                .
3361
3362        351-STRING SECTION.
3363            EVALUATE WS-Token-Prev-TXT
3364            WHEN 'INTO'
3365                PERFORM 362-Release-Upd
3366            WHEN 'POINTER'
3367                PERFORM 362-Release-Upd
3368            WHEN OTHER
3369                PERFORM 361-Release-Ref
3370            END-EVALUATE
3371            .
3372
3373        351-SUBTRACT SECTION.
3374            EVALUATE WS-Token-Prev-TXT
3375            WHEN 'GIVING'
3376                PERFORM 362-Release-Upd
3377            WHEN 'FROM'
3378                PERFORM 362-Release-Upd
3379            WHEN OTHER
3380                PERFORM 361-Release-Ref
3381            END-EVALUATE
3382            .
3383
3384  GC1213 351-TERMINATE SECTION.
3385  GC1213    PERFORM 362-Release-Upd
3386  GC1213    .
3387
3388        351-TRANSFORM SECTION.
3389            EVALUATE WS-Token-Prev-TXT
3390            WHEN 'TRANSFORM'
3391                PERFORM 362-Release-Upd
3392                MOVE SPACES TO WS-Token-Prev-TXT
3393            WHEN OTHER
3394                PERFORM 361-Release-Ref
3395            END-EVALUATE
3396            .
3397
3398        351-UNSTRING SECTION.
3399            EVALUATE WS-Token-Prev-TXT
3400            WHEN 'INTO'
3401                PERFORM 362-Release-Upd
3402            WHEN 'DELIMITER'
3403                PERFORM 362-Release-Upd
3404            WHEN 'COUNT'
3405                PERFORM 362-Release-Upd
3406            WHEN 'POINTER'
3407                PERFORM 362-Release-Upd
3408            WHEN 'TALLYING'
3409                PERFORM 362-Release-Upd
3410            WHEN OTHER
```

```
3411                 PERFORM 361-Release-Ref
3412             END-EVALUATE
3413             .
3414
3415     360-Release-Def SECTION.
3416         MOVE SPACES              TO F-Sort-Work-REC
3417         MOVE WS-Curr-Prog-ID-TXT   TO F-SW-Prog-ID-TXT
3418         MOVE WS-Token-Curr-Uc-TXT  TO F-SW-Token-Uc-TXT
3419         MOVE WS-Token-Curr-TXT     TO F-SW-Token-TXT
3420         MOVE WS-Curr-Section-TXT   TO F-SW-Section-TXT
3421         MOVE WS-Curr-Line-NUM      TO F-SW-Def-Line-NUM
3422         MOVE 0                     TO F-SW-Ref-Line-NUM
3423         RELEASE F-Sort-Work-REC
3424         .
3425
3426     361-Release-Ref SECTION.
3427         PERFORM 364-Set-Ref
3428         RELEASE F-Sort-Work-REC
3429         .
3430
3431     362-Release-Upd SECTION.
3432         PERFORM 363-Set-Upd
3433         RELEASE F-Sort-Work-REC
3434         .
3435
3436     363-Set-Upd SECTION.
3437         MOVE SPACES              TO F-Sort-Work-REC
3438         MOVE WS-Curr-Prog-ID-TXT   TO F-SW-Prog-ID-TXT
3439         MOVE WS-Token-Curr-Uc-TXT  TO F-SW-Token-Uc-TXT
3440         MOVE WS-Token-Curr-TXT     TO F-SW-Token-TXT
3441         MOVE WS-Curr-Section-TXT   TO F-SW-Section-TXT
3442         MOVE WS-Curr-Line-NUM      TO F-SW-Ref-Line-NUM
3443         MOVE '*'                   TO F-SW-Ref-Flag-CHR
3444         .
3445
3446     364-Set-Ref SECTION.
3447         MOVE SPACES              TO F-Sort-Work-REC
3448         MOVE WS-Curr-Prog-ID-TXT   TO F-SW-Prog-ID-TXT
3449         MOVE WS-Token-Curr-Uc-TXT  TO F-SW-Token-Uc-TXT
3450         MOVE WS-Token-Curr-TXT     TO F-SW-Token-TXT
3451         MOVE WS-Curr-Section-TXT   TO F-SW-Section-TXT
3452         MOVE WS-Curr-Line-NUM      TO F-SW-Ref-Line-NUM
3453         .
3454
3455  GC1213 365-Release-Arg SECTION.
3456  GC1213     PERFORM 366-Set-Arg
3457  GC1213     RELEASE F-Sort-Work-REC
3458  GC1213     .
3459
3460  GC1213 366-Set-Arg SECTION.
3461  GC1213     MOVE SPACES              TO F-Sort-Work-REC
3462  GC1213     MOVE WS-Curr-Prog-ID-TXT   TO F-SW-Prog-ID-TXT
3463  GC1213     MOVE WS-Token-Curr-Uc-TXT  TO F-SW-Token-Uc-TXT
3464  GC1213     MOVE WS-Token-Curr-TXT     TO F-SW-Token-TXT
```

```
ACS Cobol Xref v2.02.04        Dictionary File for GCIC (LISTING) 06/03/2022  23:09:11:05     Page   90

  3465  GC1213    MOVE WS-Curr-Section-TXT    TO F-SW-Section-TXT
  3466  GC1213    MOVE WS-Curr-Line-NUM       TO F-SW-Ref-Line-NUM
  3467  GC1213    MOVE 'C'                    TO F-SW-Ref-Flag-CHR
  3468  GC1213       .
  3469
  3470        /
  3471        400-Produce-Xref-Listing SECTION.
  3472           MOVE SPACES       TO WS-Xref-Detail-Line-TXT
  3473                                WS-Group-Indicators-TXT
  3474           MOVE 0            TO WS-I-SUB
  3475                                WS-Lines-Left-NUM
  3476  GC0710    MOVE 'N'          TO WS-RS-Duplicate-CHR
  3477           PERFORM FOREVER
  3478               RETURN F-Sort-Work-FILE AT END
  3479  GC1213         IF WS-Xref-Detail-Line-TXT NOT = SPACES
  3480  GC1213            PERFORM 410-Generate-Report-Line
  3481  GC1213         END-IF
  3482  GC1213         MOVE SPACES TO WS-Xref-Detail-Line-TXT
  3483  GC1213         PERFORM 410-Generate-Report-Line
  3484  GC1213            UNTIL WS-Lines-Left-NUM = 0
  3485  GC1213         MOVE 'Y' TO WS-Suppress-FF-CHR
  3486  GC1213         PERFORM 420-Generate-Xref-Footer
  3487              EXIT PERFORM
  3488            END-RETURN
  3489            IF F-SW-Prog-ID-TXT  NOT = WS-GI-Prog-ID-TXT
  3490            OR F-SW-Token-Uc-TXT NOT = WS-GI-Token-TXT
  3491  GC0710       MOVE 'N' TO WS-RS-Duplicate-CHR
  3492              IF WS-Xref-Detail-Line-TXT NOT = SPACES
  3493                 PERFORM 410-Generate-Report-Line
  3494              END-IF
  3495              IF F-SW-Prog-ID-TXT NOT = WS-GI-Prog-ID-TXT
  3496  GC1213          MOVE SPACES TO WS-Xref-Detail-Line-TXT
  3497  GC1213          PERFORM 410-Generate-Report-Line
  3498  GC1213             UNTIL WS-Lines-Left-NUM = 0
  3499              END-IF
  3500              MOVE F-SW-Prog-ID-TXT  TO WS-GI-Prog-ID-TXT
  3501              MOVE F-SW-Token-Uc-TXT TO WS-GI-Token-TXT
  3502            END-IF
  3503  GC0710     IF F-SW-Token-Uc-TXT = WS-GI-Token-TXT
  3504  GC0710     AND F-SW-Def-Line-NUM NOT = SPACES
  3505  GC0710     AND WS-Xref-Detail-Line-TXT NOT = SPACES
  3506  GC0710        MOVE 'Y' TO WS-RS-Duplicate-CHR
  3507  GC0710        PERFORM 410-Generate-Report-Line
  3508  GC0710        MOVE 0 TO WS-I-SUB
  3509  GC0710        MOVE F-SW-Prog-ID-TXT TO WS-XDL-Prog-ID-TXT
  3510  GC0710        MOVE '  (Duplicate Definition)' TO WS-XDL-Token-TXT
  3511  GC0710        MOVE F-SW-Section-TXT TO WS-XDL-Section-TXT
  3512  GC0710        MOVE F-SW-Def-Line-NUM TO WS-XDL-Def-Line-NUM
  3513  GC0710        EXIT PERFORM CYCLE
  3514  GC0710     END-IF
  3515  GC0710     IF F-SW-Token-Uc-TXT = WS-GI-Token-TXT
  3516  GC0710     AND F-SW-Def-Line-NUM = SPACES
  3517  GC0710     AND WS-RS-Duplicate-CHR = 'Y'
  3518  GC0710        MOVE 'N' TO WS-RS-Duplicate-CHR
```

```
3519  GC0710            PERFORM 410-Generate-Report-Line
3520  GC0710            MOVE 0 TO WS-I-SUB
3521  GC0710            MOVE F-SW-Prog-ID-TXT TO WS-XDL-Prog-ID-TXT
3522  GC0710            MOVE '  (Duplicate References)' TO WS-XDL-Token-TXT
3523  GC0710          END-IF
3524                 IF WS-Xref-Detail-Line-TXT = SPACES
3525                     MOVE F-SW-Prog-ID-TXT TO WS-XDL-Prog-ID-TXT
3526                     MOVE F-SW-Token-TXT TO WS-XDL-Token-TXT
3527                     MOVE F-SW-Section-TXT TO WS-XDL-Section-TXT
3528                     IF F-SW-Def-Line-NUM NOT = SPACES
3529                         MOVE F-SW-Def-Line-NUM TO WS-XDL-Def-Line-NUM
3530                     END-IF
3531                 END-IF
3532                 IF F-SW-Reference-TXT > '000000'
3533                     ADD 1 TO WS-I-SUB
3534                     IF WS-I-SUB > WS-Xref-Lines-Per-Rec-NUM
3535                         PERFORM 410-Generate-Report-Line
3536                         MOVE 1 TO WS-I-SUB
3537                     END-IF
3538                     MOVE F-SW-Ref-Line-NUM
3539                       TO WS-XDL-Ref-Line-NUM (WS-I-SUB)
3540                     MOVE F-SW-Ref-Flag-CHR
3541                       TO WS-XDL-Ref-Flag-CHR (WS-I-SUB)
3542                 END-IF
3543             END-PERFORM
3544             IF WS-Xref-Detail-Line-TXT NOT = SPACES
3545                 PERFORM 410-Generate-Report-Line
3546             END-IF
3547             .
3548         /
3549         410-Generate-Report-Line SECTION.
3550             IF WS-Lines-Left-NUM < 1
3551  GC1213        PERFORM 420-Generate-Xref-Footer
3552  GC1213        ADD  1        TO WS-Page-NUM
3553  GC1213        MOVE 'Page:'   TO WS-PN-Literal-TXT
3554  GC1213        MOVE WS-Page-NUM TO WS-PN-Page-NUM
3555  GC1213        CALL 'C$JUSTIFY' USING WS-PN-Page-NUM, 'Left'
3556  GC1213        CALL 'C$JUSTIFY' USING WS-Page-No-TXT, 'Right'
3557  GC1213        IF L-Listing-CD = 1 *> LANDSCAPE
3558  GC1213            MOVE WS-Version-TXT
3559  GC1213              TO F-Listing-135-REC
3560  GC1213            MOVE 'Cross-Reference Listing'
3561  GC1213              TO F-Listing-135-REC(25:23)
3562  GC1213            MOVE WS-Formatted-DT
3563  GC1213              TO F-Listing-135-REC(126:10)
3564  GC1213            WRITE F-Listing-135-REC BEFORE 1 *> Page Header Line #1
3565  GC1213            MOVE WS-Program-Path-TXT
3566  GC1213              TO F-Listing-135-REC
3567  GC1213            WRITE F-Listing-135-REC BEFORE 1 *> Page Header Line #2
3568  GC1213            MOVE 'PROGRAM-ID     Identifier/Register/Function' &
3569  GC1213                 '    Defn   Where Defined   References'
3570  GC1213              TO F-Listing-135-REC
3571  GC1213            MOVE WS-Page-No-TXT
3572  GC1213              TO F-Listing-135-REC(126:10)
```

```
ACS Cobol Xref v2.02.04       Dictionary File for GCIC (LISTING) 06/03/2022  23:09:11:05    Page    92

  3573  GC1213              WRITE F-Listing-135-REC BEFORE 1 *> Page Header Line #3
  3574  GC1213              MOVE ALL '=' TO F-Listing-135-REC
  3575  GC1213              MOVE SPACE TO F-Listing-135-REC(16:1)
  3576  GC1213                           F-Listing-135-REC(49:1)
  3577  GC1213                           F-Listing-135-REC(56:1)
  3578  GC1213                           F-Listing-135-REC(72:1)
  3579  GC1213              WRITE F-Listing-135-REC BEFORE 1 *> Page Header Line #4
  3580  GC1213          ELSE                *> PORTRAIT
  3581  GC1213             MOVE WS-Version-TXT
  3582  GC1213               TO F-Listing-96-REC
  3583  GC1213             MOVE 'Cross-Reference Listing'
  3584  GC1213               TO F-Listing-96-REC(25:23)
  3585  GC1213             MOVE WS-Formatted-DT
  3586  GC1213               TO F-Listing-96-REC(87:10)
  3587  GC1213             WRITE F-Listing-96-REC BEFORE 1 *> Page Header Line #1
  3588  GC1213             MOVE WS-Program-Path-TXT(40:96)
  3589  GC1213               TO F-Listing-96-REC
  3590  GC1213             WRITE F-Listing-96-REC BEFORE 1 *> Page Header Line #2
  3591  GC1213             MOVE 'PROGRAM-ID     Identifier/Register/Function' &
  3592  GC1213                  '    Defn   Where Defined   References'
  3593  GC1213               TO F-Listing-96-REC
  3594  GC1213             MOVE WS-Page-No-TXT
  3595  GC1213               TO F-Listing-96-REC(87:10)
  3596  GC1213             WRITE F-Listing-96-REC BEFORE 1 *> Page Header Line #3
  3597  GC1213             MOVE ALL '=' TO F-Listing-96-REC
  3598  GC1213             MOVE SPACE TO F-Listing-96-REC(16:1)
  3599  GC1213                          F-Listing-96-REC(49:1)
  3600  GC1213                          F-Listing-96-REC(56:1)
  3601  GC1213                          F-Listing-96-REC(72:1)
  3602  GC1213             WRITE F-Listing-96-REC BEFORE 1 *> Page Header Line #4
  3603  GC1213          END-IF
  3604  GC1213          COMPUTE WS-Lines-Left-NUM = WS-Lines-Per-Page-NUM - 4
  3605         END-IF
  3606  GC1213    IF L-Listing-CD = 1 *> LANDSCAPE
  3607  GC1213        WRITE F-Listing-135-REC FROM WS-Xref-Detail-Line-TXT
  3608  GC1213            BEFORE 1
  3609  GC1213    ELSE               *> PORTRAIT
  3610  GC1213        WRITE F-Listing-96-REC FROM WS-Xref-Detail-Line-TXT
  3611  GC1213            BEFORE 1
  3612  GC1213    END-IF
  3613         MOVE SPACES TO WS-Xref-Detail-Line-TXT
  3614         MOVE 0 TO WS-I-SUB
  3615         SUBTRACT 1 FROM WS-Lines-Left-NUM
  3616         .
  3617  GC1213 420-Generate-Xref-Footer SECTION.
  3618  GC1213    IF L-Listing-CD = 1 *> LANDSCAPE
  3619  GC1213        WRITE F-Listing-135-REC FROM SPACES BEFORE 1 *> Footer Line #1
  3620  GC1213        MOVE ALL '='
  3621  GC1213          TO F-Listing-135-REC
  3622  GC1213        WRITE F-Listing-135-REC BEFORE 1 *> Footer Line #2
  3623  GC1213        MOVE WS-Copyright-TXT
  3624  GC1213          TO F-Listing-135-REC
  3625  GC1213        MOVE WS-Page-No-TXT
  3626  GC1213          TO F-Listing-135-REC(126:10)
```

```
 3627  GC1213          IF WS-Suppress-FF-CHR = 'Y'
 3628  GC1213              WRITE F-Listing-135-REC BEFORE 1 *> Footer Line #3
 3629  GC1213          ELSE
 3630  GC1213              WRITE F-Listing-135-REC BEFORE PAGE *> Footer Line #3
 3631  GC1213              WRITE F-Listing-135-REC FROM SPACES BEFORE 1 *> Spaces After FF Character
 3632  GC1213          END-IF
 3633  GC1213        ELSE                  *> PORTRAIT
 3634  GC1213          WRITE F-Listing-96-REC FROM SPACES BEFORE 1 *> Footer Line #1
 3635  GC1213          MOVE ALL '='
 3636  GC1213            TO F-Listing-96-REC
 3637  GC1213          WRITE F-Listing-96-REC BEFORE 1 *> Footer Line #2
 3638  GC1213          MOVE WS-Copyright-TXT
 3639  GC1213            TO F-Listing-96-REC
 3640  GC1213          MOVE WS-Page-No-TXT
 3641  GC1213            TO F-Listing-96-REC(87:10)
 3642  GC1213          IF WS-Suppress-FF-CHR = 'Y'
 3643  GC1213              WRITE F-Listing-96-REC BEFORE 1 *> Footer Line #3
 3644  GC1213          ELSE
 3645  GC1213              WRITE F-Listing-96-REC BEFORE PAGE *> Footer Line #3
 3646  GC1213              WRITE F-Listing-96-REC FROM SPACES BEFORE 1 *> Spaces After FF Character
 3647  GC1213          END-IF
 3648  GC1213        END-IF
 3649  GC1213        .
 3650        /
 3651         500-Produce-Source-Listing SECTION.
 3652            OPEN INPUT F-Original-Src-FILE
 3653                     F-Expanded-Src-FILE
 3654            MOVE 0 TO WS-Src-Line-NUM
 3655            PERFORM FOREVER
 3656              READ F-Expanded-Src-FILE AT END
 3657  GC1213          MOVE SPACES TO WS-Src-Detail-Line-TXT
 3658  GC1213          PERFORM 530-Generate-Source-Line
 3659  GC1213            UNTIL WS-Lines-Left-NUM = 0
 3660              EXIT PERFORM
 3661            END-READ
 3662  GC0712        IF F-ES-1-7-TXT NOT = '#DEFLIT'
 3663  GC0712          IF F-ES-1-CHR = '#'
 3664  GC0712            PERFORM 510-Control-Record
 3665  GC0712          ELSE
 3666  GC0712            PERFORM 520-Expanded-Src-Record
 3667  GC0712          END-IF
 3668  GC0712        END-IF
 3669            END-PERFORM
 3670            CLOSE F-Original-Src-FILE
 3671                  F-Expanded-Src-FILE
 3672            .
 3673        /
 3674         510-Control-Record SECTION.
 3675            UNSTRING F-ES-2-256-TXT-256
 3676              DELIMITED BY '"'
 3677              INTO WS-Temp-10-Chars-TXT
 3678                  WS-Temp-256-Chars-TXT
 3679                  WS-Dummy-TXT
 3680  GC1010    IF UPPER-CASE(TRIM(WS-Temp-256-Chars-TXT,Trailing)) =
```

```
3681  GC1010          TRIM(WS-Main-Module-Name-TXT) *> Main Pgm
3682                     SET WS-RS-In-Main-Module-BOOL TO TRUE
3683                     IF WS-Src-Line-NUM > 0
3684                         READ F-Expanded-Src-FILE END-READ
3685                     END-IF
3686        *    ELSE *> COPY
3687                     SET WS-RS-In-Copybook-BOOL TO TRUE
3688                 END-IF
3689                 .
3690        /
3691         520-Expanded-Src-Record SECTION.
3692               IF WS-RS-In-Main-Module-BOOL
3693                     ADD 1 To WS-Curr-Line-NUM
3694  GC0712         READ F-Original-Src-FILE AT END CONTINUE END-READ
3695                     ADD 1 TO WS-Src-Line-NUM
3696                     MOVE SPACES TO WS-Src-Detail-Line-TXT
3697                     MOVE WS-Src-Line-NUM TO WS-SDL-Line-NUM
3698  GC1213         MOVE F-Original-Src-REC TO WS-SDL-Statement-TXT
3699  GC0712         MOVE LOWER-CASE(TRIM(F-OS-8-72-TXT,LEADING))
3700  GC0712           TO WS-Temp-65-Chars-TXT
3701  GC0712         INSPECT WS-Temp-65-Chars-TXT REPLACING ALL '.' BY SPACE
3702  GC0712         EVALUATE TRUE
3703  GC0712             WHEN F-OS-7-CHR = '/'
3704  GC1213                 MOVE SPACES TO WS-Src-Detail-Line-TXT
3705  GC1213                 PERFORM 530-Generate-Source-Line
3706  GC1213                     UNTIL WS-Lines-Left-NUM = 0
3707  GC0712             WHEN WS-Temp-65-Chars-TXT = "eject"
3708  GC1213                 MOVE SPACES TO WS-Src-Detail-Line-TXT
3709  GC1213                 PERFORM 530-Generate-Source-Line
3710  GC1213                     UNTIL WS-Lines-Left-NUM = 0
3711  GC0712                 EXIT SECTION
3712  GC0712             WHEN WS-Temp-65-Chars-TXT = "skip1"
3713  GC0712                 MOVE SPACES TO WS-Src-Detail-Line-TXT
3714  GC0712                 PERFORM 530-Generate-Source-Line
3715  GC0712                 EXIT SECTION
3716  GC0712             WHEN WS-Temp-65-Chars-TXT = "skip2"
3717  GC0712                 MOVE SPACES TO WS-Src-Detail-Line-TXT
3718  GC0712                 PERFORM 530-Generate-Source-Line 2 TIMES
3719  GC0712                 EXIT SECTION
3720  GC0712             WHEN WS-Temp-65-Chars-TXT = "skip3"
3721  GC0712                 MOVE SPACES TO WS-Src-Detail-Line-TXT
3722  GC0712                 PERFORM 530-Generate-Source-Line 3 TIMES
3723  GC0712                 EXIT SECTION
3724  GC0712         END-EVALUATE
3725                     PERFORM 530-Generate-Source-Line
3726               ELSE
3727                     IF F-Expanded-Src-REC NOT = SPACES
3728                         MOVE SPACES TO WS-Src-Detail-Line-TXT
3729  GC1213             MOVE F-Expanded-Src-REC
3730                       TO WS-SDL-Statement-TXT
3731  GC0712             MOVE LOWER-CASE(TRIM(F-OS-8-72-TXT,LEADING))
3732  GC0712               TO WS-Temp-65-Chars-TXT
3733  GC0712             INSPECT WS-Temp-65-Chars-TXT
3734  GC0712                 REPLACING ALL '.' BY SPACE
```

```
ACS Cobol Xref v2.02.04        Dictionary File for GCIC (LISTING) 06/03/2022  23:09:11:06    Page   95

 3735  GC0712              EVALUATE TRUE
 3736  GC0712                  WHEN WS-Temp-65-Chars-TXT = "eject"
 3737  GC0712                      MOVE 0 TO WS-Lines-Left-NUM
 3738  GC0712                      EXIT SECTION
 3739  GC0712                  WHEN WS-Temp-65-Chars-TXT = "skip1"
 3740  GC0712                      MOVE SPACES TO WS-Src-Detail-Line-TXT
 3741  GC0712                      PERFORM 530-Generate-Source-Line
 3742  GC0712                      EXIT SECTION
 3743  GC0712                  WHEN WS-Temp-65-Chars-TXT = "skip2"
 3744  GC0712                      MOVE SPACES TO WS-Src-Detail-Line-TXT
 3745  GC0712                      PERFORM 530-Generate-Source-Line 2 TIMES
 3746  GC0712                      EXIT SECTION
 3747  GC0712                  WHEN WS-Temp-65-Chars-TXT = "skip3"
 3748  GC0712                      MOVE SPACES TO WS-Src-Detail-Line-TXT
 3749  GC0712                      PERFORM 530-Generate-Source-Line 3 TIMES
 3750  GC0712                      EXIT SECTION
 3751  GC0712              END-EVALUATE
 3752                      PERFORM 530-Generate-Source-Line
 3753                  END-IF
 3754              END-IF
 3755              .
 3756        /
 3757        530-Generate-Source-Line SECTION.
 3758  GC1213     MOVE 1 TO WS-Src-Lines-NUM
 3759  GC1213     IF L-Listing-CD = 1 *> LANDSCAPE
 3760  GC1213         IF WS-SDL-Statement-TXT(129:128) > SPACES
 3761  GC1213             ADD 1 TO WS-Src-Lines-NUM
 3762  GC1213         END-IF
 3763  GC1213     ELSE                *> PORTRAIT
 3764  GC1213         IF WS-SDL-Statement-TXT(90:167) > SPACES
 3765  GC1213             ADD 1 TO WS-Src-Lines-NUM
 3766  GC1213             IF WS-SDL-Statement-TXT(179:78) > SPACES
 3767  GC1213                 ADD 1 TO WS-Src-Lines-NUM
 3768  GC1213             END-IF
 3769  GC1213         END-IF
 3770  GC1213     END-IF
 3771  GC1213     IF WS-Lines-Left-NUM < WS-Src-Lines-NUM
 3772  GC1213         IF WS-Page-Num > 0 *> Don't print footer before page 1
 3773  GC1213             IF L-Listing-CD = 1 *> LANDSCAPE
 3774  GC1213                 IF WS-Src-Lines-NUM = 2
 3775  GC1213                     WRITE F-Listing-135-REC FROM SPACES BEFORE 1 *> Blank Line
 3776  GC1213                 END-IF
 3777  GC1213                 WRITE F-Listing-135-REC FROM SPACES BEFORE 1 *> Footer Line #1
 3778  GC1213                 MOVE ALL '='
 3779  GC1213                   TO F-Listing-135-REC
 3780  GC1213                 WRITE F-Listing-135-REC BEFORE 1 *> Footer Line #2
 3781  GC1213                 MOVE WS-Copyright-TXT
 3782  GC1213                   TO F-Listing-135-REC
 3783  GC1213                 MOVE WS-Page-No-TXT
 3784  GC1213                   TO F-Listing-135-REC(126:10)
 3785  GC1213                 WRITE F-Listing-135-REC BEFORE PAGE *> Footer Line #3
 3786  GC1213                 WRITE F-Listing-135-REC FROM SPACES BEFORE 1 *> Spaces After FF Character
 3787  GC1213             ELSE                *> PORTRAIT
 3788  GC1213                 EVALUATE WS-Src-Lines-NUM
```

```
ACS Cobol Xref v2.02.04        Dictionary File for GCIC (LISTING) 06/03/2022  23:09:11:06     Page   96

  3789  GC1213                     WHEN 1 *> Need no extra blank lines
  3790  GC1213                         CONTINUE
  3791  GC1213                     WHEN 2 *> Need 1 extra blank line
  3792  GC1213                         WRITE F-Listing-96-REC FROM SPACES BEFORE 1
  3793  GC1213                     WHEN 3 *> Need 2 extra blank lines
  3794  GC1213                         WRITE F-Listing-96-REC FROM SPACES BEFORE 1
  3795  GC1213                         WRITE F-Listing-96-REC FROM SPACES BEFORE 1
  3796  GC1213                     END-EVALUATE
  3797  GC1213                     WRITE F-Listing-96-REC FROM SPACES BEFORE 1 *> Footer Line #1
  3798  GC1213                     MOVE ALL '='
  3799  GC1213                        TO F-Listing-96-REC
  3800  GC1213                     WRITE F-Listing-96-REC BEFORE 1 *> Footer Line #2
  3801  GC1213                     MOVE WS-Copyright-TXT
  3802  GC1213                        TO F-Listing-96-REC
  3803  GC1213                     MOVE WS-Page-No-TXT
  3804  GC1213                        TO F-Listing-96-REC(87:10)
  3805  GC1213                     WRITE F-Listing-96-REC BEFORE PAGE *> Footer Line #3
  3806  GC1213                     WRITE F-Listing-96-REC FROM SPACES BEFORE 1 *> Spaces After FF Character
  3807  GC1213                 END-IF
  3808  GC1213             END-IF
  3809  GC1213             ADD  1          TO WS-Page-NUM
  3810  GC1213             MOVE 'Page:'     TO WS-PN-Literal-TXT
  3811  GC1213             MOVE WS-Page-NUM TO WS-PN-Page-NUM
  3812  GC1213             CALL 'C$JUSTIFY' USING WS-PN-Page-NUM, 'Left'
  3813  GC1213             CALL 'C$JUSTIFY' USING WS-Page-No-TXT, 'Right'
  3814  GC1213             IF L-Listing-CD = 1 *> LANDSCAPE
  3815  GC1213                 MOVE WS-Version-TXT
  3816  GC1213                    TO F-Listing-135-REC
  3817  GC1213                 MOVE 'Source Listing'
  3818  GC1213                    TO F-Listing-135-REC(25:14)
  3819  GC1213                 MOVE WS-Formatted-DT
  3820  GC1213                    TO F-Listing-135-REC(126:10)
  3821  GC1213                 WRITE F-Listing-135-REC BEFORE 1 *> Page Header Line #1
  3822  GC1213                 MOVE WS-Program-Path-TXT
  3823  GC1213                    TO F-Listing-135-REC
  3824  GC1213                 WRITE F-Listing-135-REC BEFORE 1 *> Page Header Line #2
  3825  GC1213                 MOVE 'Line   Statement'
  3826  GC1213                    TO F-Listing-135-REC
  3827  GC1213                 MOVE WS-Page-No-TXT
  3828  GC1213                    TO F-Listing-135-REC(126:10)
  3829  GC1213                 WRITE F-Listing-135-REC BEFORE 1 *> Page Header Line #3
  3830  GC1213                 MOVE WS-Src-Dashes-TXT
  3831  GC1213                    TO F-Listing-135-REC
  3832  GC1213                 WRITE F-Listing-135-REC BEFORE 1 *> Page Header Line #4
  3833  GC1213             ELSE                *> PORTRAIT
  3834  GC1213                 MOVE WS-Version-TXT
  3835  GC1213                    TO F-Listing-96-REC
  3836  GC1213                 MOVE 'Source Listing'
  3837  GC1213                    TO F-Listing-96-REC(25:14)
  3838  GC1213                 MOVE WS-Formatted-DT
  3839  GC1213                    TO F-Listing-96-REC(87:10)
  3840  GC1213                 WRITE F-Listing-96-REC BEFORE 1 *> Page Header Line #1
  3841  GC1213                 MOVE WS-Program-Path-TXT(40:96)
  3842  GC1213                    TO F-Listing-96-REC
```

```
3843  GC1213              WRITE F-Listing-96-REC BEFORE 1 *> Page Header Line #2
3844  GC1213              MOVE 'Line   Statement'
3845  GC1213                 TO F-Listing-96-REC
3846  GC1213              MOVE WS-Page-No-TXT
3847  GC1213                 TO F-Listing-96-REC(87:10)
3848  GC1213              WRITE F-Listing-96-REC BEFORE 1 *> Page Header Line #3
3849  GC1213              MOVE WS-Src-Dashes-TXT
3850  GC1213                 TO F-Listing-96-REC
3851  GC1213              WRITE F-Listing-96-REC BEFORE 1 *> Page Header Line #4
3852  GC1213           END-IF
3853  GC1213           COMPUTE WS-Lines-Left-NUM = WS-Lines-Per-Page-NUM - 4
3854  GC1213        END-IF
3855  GC1213        IF L-Listing-CD = 1 *> LANDSCAPE
3856  GC1213           EVALUATE WS-Src-Lines-NUM
3857  GC1213           WHEN 1
3858  GC1213              MOVE WS-Src-Detail-Line-TXT TO F-Listing-135-REC
3859  GC1213              WRITE F-Listing-96-REC BEFORE 1
3860  GC1213              SUBTRACT 1 FROM WS-Lines-Left-NUM
3861  GC1213           WHEN 2
3862  GC1213              MOVE WS-SDL-Statement-TXT TO WS-Src-Hold-TXT
3863  GC1213              MOVE WS-Src-Detail-Line-TXT TO F-Listing-135-REC
3864  GC1213              WRITE F-Listing-135-REC BEFORE 1 *> Prints chars 1-128 of stmnt
3865  GC1213              MOVE SPACES TO WS-Src-Detail-Line-TXT
3866  GC1213              MOVE WS-Src-Hold-TXT(129:128) TO WS-SDL-Statement-TXT
3867  GC1213              MOVE WS-Src-Detail-Line-TXT TO F-Listing-135-REC
3868  GC1213              WRITE F-Listing-135-REC BEFORE 1 *> Prints chars 129-256 of stmnt
3869  GC1213              SUBTRACT 2 FROM WS-Lines-Left-NUM
3870  GC1213           END-EVALUATE
3871  GC1213        ELSE                  *> PORTRAIT
3872  GC1213           EVALUATE WS-Src-Lines-NUM
3873  GC1213           WHEN 1 *> Print only chars 1-89 of stmnt
3874  GC1213              WRITE F-Listing-96-REC FROM WS-Src-Detail-Line-TXT
3875  GC1213                 BEFORE 1
3876  GC1213              SUBTRACT 1 FROM WS-Lines-Left-NUM
3877  GC1213           WHEN 2 *> Print only chars 1-89 and 90-178 of text
3878  GC1213              MOVE WS-SDL-Statement-TXT TO WS-Src-Hold-TXT
3879  GC1213              WRITE F-Listing-96-REC FROM WS-Src-Detail-Line-TXT
3880  GC1213                 BEFORE 1
3881  GC1213              MOVE SPACES TO WS-Src-Detail-Line-TXT
3882  GC1213              MOVE WS-Src-Hold-TXT(90:89) TO WS-SDL-Statement-TXT
3883  GC1213              WRITE F-Listing-96-REC FROM WS-Src-Detail-Line-TXT
3884  GC1213                 BEFORE 1
3885  GC1213              SUBTRACT 2 FROM WS-Lines-Left-NUM
3886  GC1213           WHEN 3 *> Print chars 1-89, 90-178 and 179-256 of stmnt
3887  GC1213              MOVE WS-SDL-Statement-TXT TO WS-Src-Hold-TXT
3888  GC1213              WRITE F-Listing-96-REC FROM WS-Src-Detail-Line-TXT
3889  GC1213                 BEFORE 1
3890  GC1213              MOVE SPACES TO WS-Src-Detail-Line-TXT
3891  GC1213              MOVE WS-Src-Hold-TXT(90:89) TO WS-SDL-Statement-TXT
3892  GC1213              WRITE F-Listing-96-REC FROM WS-Src-Detail-Line-TXT
3893  GC1213                 BEFORE 1
3894  GC1213              MOVE SPACES TO WS-Src-Detail-Line-TXT
3895  GC1213              MOVE WS-Src-Hold-TXT(179:78) TO WS-SDL-Statement-TXT
3896  GC1213              WRITE F-Listing-96-REC FROM WS-Src-Detail-Line-TXT
```

```
ACS Cobol Xref v2.02.04        Dictionary File for GCIC (LISTING) 06/03/2022  23:09:11:06     Page   98

  3897  GC1213                    BEFORE 1
  3898  GC1213               SUBTRACT 3 FROM WS-Lines-Left-NUM
  3899  GC1213           END-EVALUATE
  3900  GC1213        END-IF
  3901            MOVE SPACES TO WS-Src-Detail-Line-TXT
  3902            .
  3903
  3904         END PROGRAM LISTING.
  3905       *>>>Info: Total Copy Depth Used = 02;  Caution messages issued =   1
```

```
ACS Cobol Xref v2.02.04       Dictionary File for GCIC (LISTING) 06/03/2022  23:09:11:07    Page   99
Symbols of Module: GCIC (LISTING)
-------------------------------


Data Section (FILE)           Defn    Locations
----------------------------+-----------------------------------------------------------------

F-ES-1-7-TXT                  001631F  002776 003662
F-ES-1-CHR                    001628F  002777 003663
F-ES-2-256-TXT-256            001629F  002920 003675
F-ES-8-256-TXT                001632F
F-EXPANDED-SRC-FILE           001617F  001626 002709 002756 002766 003653 003656 003671 003684
F-EXPANDED-SRC-REC            001627F  002710 002764 002788 002790 002820 002824 002833 002837
                                       002846 002850 002858 002876 002961 002966 003727 003729
F-EXPANDED-SRC2-REC           001630F
F-LISTING-135-REC             001636F  003559 003561 003563 003564 003566 003567 003570 003572
                                       003573 003574 003575 003576 003577 003578 003579 003607
                                       003619 003621 003622 003624 003626 003628 003630 003631
                                       003775 003777 003779 003780 003782 003784 003785 003786
                                       003816 003818 003820 003821 003823 003824 003826 003828
                                       003829 003831 003832 003858 003863 003864 003867 003868
F-LISTING-96-REC              001635F  003582 003584 003586 003587 003589 003590 003593 003595
                                       003596 003597 003598 003599 003600 003601 003602 003610
                                       003634 003636 003637 003639 003641 003643 003645 003646
                                       003792 003794 003795 003797 003799 003800 003802 003804
                                       003805 003806 003835 003837 003839 003840 003842 003843
                                       003845 003847 003848 003850 003851 003859 003874 003879
                                       003883 003888 003892 003896
F-LISTING-FILE                001619F  001634 002613 002621
F-LISTING-REC                 001637F
F-ORIGINAL-SRC-FILE           001621F  001639 003652 003670 003694
F-ORIGINAL-SRC-REC            001640F  003698
F-OS-1-128-TXT                001641F
F-OS-129-256-TXT              001646F
F-OS-7-CHR                    001643F  003703
F-OS-8-72-TXT                 001644F  003699 003731
F-SORT-WORK-FILE              001623F  001648 002615 003478
F-SORT-WORK-REC               001649F  002731 002733 002768 002770 003248 003251 003254 003296
                                       003299 003304 003307 003328 003330 003333 003416 003423
                                       003428 003433 003437 003447 003457 003461
F-SW-DEF-LINE-NUM             001654F  003421 003504 003512 003516 003528 003529
F-SW-PROG-ID-TXT              001650F  002616 003417 003438 003448 003462 003489 003495 003500
                                       003509 003521 003525
F-SW-REF-FLAG-CHR             001657F  003253 003298 003306 003332 003443 003467 003540
F-SW-REF-LINE-NUM             001656F  002618 003422 003442 003452 003466 003538
F-SW-REFERENCE-TXT            001655F  003532
F-SW-SECTION-TXT              001653F  003420 003441 003451 003465 003511 003527
F-SW-TOKEN-TXT                001652F  003419 003440 003450 003464 003526
F-SW-TOKEN-UC-TXT             001651F  002617 003418 003439 003449 003463 003490 003501 003503
                                       003515
L-LISTING-FN-TXT              001619F  002593 002605
L-SRC-FN-TXT                  001621F  002595 002606 002642 002643 002645 002650 002654 002666
                                       002667 002669 002671 002676
WS-EXPANDED-SRC-FN-TXT        001617F  001697 002684 002685
```

```
ACS Cobol Xref v2.02.04        Dictionary File for GCIC (LISTING) 06/03/2022  23:09:11:07    Page  100
Symbols of Module: GCIC (LISTING)
-------------------------------


Data Section (WORKING-STORAGE)  Defn    Locations
-----------------------------+-------------------------------------------------------------------

WS-CD-IN-DATA-DIV-BOOL          001674W  002741
WS-CD-IN-ENV-DIV-BOOL           001673W  002739
WS-CD-IN-IDENT-DIV-BOOL         001672W  002737
WS-CD-IN-PROC-DIV-BOOL          001675W  002743
WS-COPYRIGHT-TXT                001660W  002631 002637 003623 003638 003781 003801
WS-CPI-13-15-TXT                001681W  003032
WS-CPI-16-CHR                   001682W  003031
WS-CS-1-CHR                     001685W  002954
WS-CS-11-14-TXT                 001688W  002956 002957
WS-CS-15-CHR                    001689W  002959
WS-CS-2-14-TXT                  001686W  002955
WS-CURR-CHAR-IS-PUNCT-BOOL      001663W  002799 002807 002812
WS-CURR-CHAR-IS-QUOTE-BOOL      001667W  002818
WS-CURR-CHAR-IS-X-BOOL          001668W  002831
WS-CURR-CHAR-IS-Z-BOOL          001669W  002844
WS-CURR-CHR                     001662W  002789 002792 002794 002800 002808 002814 002821
WS-CURR-DIVISION-TXT            001671W  002714 002750 002801 002809 002909 003025 003044 003070
                                         003126 003131
WS-CURR-LINE-NUM                001677W  002713 002773 002932 002972 003421 003442 003452 003466
                                         003693
WS-CURR-PROG-ID-TXT             001679W  002703 003030 003417 003438 003448 003462
WS-CURR-SECTION-TXT             001684W  002935 002940 003049 003075 003121 003122 003420 003441
                                         003451 003465
WS-CURR-VERB-TXT                001691W  002704 002728 002752 003136 003145
WS-DELIM-TXT                    001693W  002861 002863 002881 002883 002886
WS-DUMMY-TXT                    001695W  002679 002924 002953 002986 002991 002992 003679
WS-EXPANDED-SRC-FN-TXT          001697W  002684 002685
WS-FILENAME-TXT                 001699W  002678 002681 002952 002955
WS-FLAGS-TXT                    001701W
WS-FORMATTED-DT                 001704W  002702 003562 003585 003819 003838
WS-GI-PROG-ID-TXT               001707W  003489 003495 003500
WS-GI-TOKEN-TXT                 001708W  003490 003501 003503 003515
WS-GROUP-INDICATORS-TXT         001706W  003473
WS-HELD-REFERENCE-TXT           001710W  002705 002730 002731 002732 002767 002768 002769 003248
                                         003250 003251 003252 003289 003295 003296 003297 003303
                                         003304 003305 003328 003330 003331
WS-I-SUB                        001712W  002643 002646 002649 002653 002669 002672 002673 002676
                                         002929 002932 002943 002946 002947 002950 003474 003508
                                         003520 003533 003534 003536 003539 003541 003614
WS-J-SUB                        001714W  002670 002674 002944 002948
WS-LINES-LEFT-NUM               001716W  003475 003484 003498 003550 003604 003615 003659 003706
                                         003710 003737 003771 003853 003860 003869 003876 003885
                                         003898
WS-LINES-PER-PAGE-ENV-TXT       001720W  002659 002663 002690 002691
WS-LINES-PER-PAGE-NUM           001718W  002692 002695 002697 002700 003604 003853
WS-MAIN-MODULE-NAME-TXT         001722W  002650 002655 002931 003681
WS-NEXT-CHAR-IS-QUOTE-BOOL      001725W  002831 002844
WS-NEXT-CHR                     001724W  002791 002834 002847
WS-OS-TYPE-FILLER-TXT           001727W  001733
```

```
ACS Cobol Xref v2.02.04        Dictionary File for GCIC (LISTING) 06/03/2022  23:09:11:07    Page  101
Symbols of Module: GCIC (LISTING)
--------------------------------


Data Section (WORKING-STORAGE)  Defn     Locations
----------------------------+----------------------------------------------------------------

WS-OS-TYPE-TXT                 001734W  002633
WS-OS-TYPES-TXT                001733W
WS-PAGE-NO-TXT                 001739W  003556 003571 003594 003625 003640 003783 003803 003813
                                        003827 003846
WS-PAGE-NUM                    001737W  002629 003552 003554 003772 003809 003811
WS-PN-LITERAL-TXT              001740W  003553 003810
WS-PN-PAGE-NUM                 001741W  003554 003555 003811 003812
WS-PROGRAM-PATH-TXT            001743W  002667 002668 003565 003588 003822 003841
WS-RESERVED-WORD-TABLE-TXT     002500W
WS-RESERVED-WORD-TXT           002501W  002896
WS-RESERVED-WORDS-TXT          001745W  002500
WS-RS-DUPLICATE-CHR            002509W  003476 003491 003506 003517 003518
WS-RS-IN-COPYBOOK-BOOL         002512W  002938 003687
WS-RS-IN-MAIN-MODULE-BOOL      002511W  002933 002971 003682 003692
WS-RS-IN-WHICH-PGM-CHR         002510W
WS-RS-LAST-TOKEN-ENDED-SENT-CHR 002513W  002762 002908
WS-RS-PROCESSING-PICTURE-CHR   002514W  002857 002871 003080
WS-RS-TOKEN-ENDED-SENTENCE-CHR 002515W  002749 002761 002763 002796 002825 002838 002851 002864
                                        002884
WS-RS-VERB-HAS-BEEN-FOUND-CHR  002516W  002715 002900 003022
WS-RUNTIME-SWITCHES            002508W
WS-RW-IDX                      002504W  002897 002898
WS-RW-TYPE-CD                  002505W  002898
WS-RW-WORD-TXT                 002503W  002506 002897
WS-SAVED-SECTION-TXT           002518W  002934 002935 002939 002940
WS-SDL-LINE-NUM                002525W  003697
WS-SDL-STATEMENT-TXT           002527W  003698 003730 003760 003764 003766 003862 003866 003878
                                        003882 003887 003891 003895
WS-SRC-DASHES-TXT              002520W  003830 003849
WS-SRC-DETAIL-LINE-TXT         002524W  003657 003696 003704 003708 003713 003717 003721 003728
                                        003740 003744 003748 003858 003863 003865 003867 003874
                                        003879 003881 003883 003888 003890 003892 003894 003896
                                        003901
WS-SRC-HOLD-TXT                002529W  003862 003866 003878 003882 003887 003891 003895
WS-SRC-LINE-NUM                002531W  003654 003683 003695 003697
WS-SRC-LINES-NUM               002533W  003758 003761 003765 003767 003771 003774 003788 003856
                                        003872
WS-SRC-SUB                     002535W  002711 002764 002765 002784 002788 002790 002793 002802
                                        002813 002819 002823 002824 002826 002832 002836 002837
                                        002839 002845 002849 002850 002852 002862 002865 002882
                                        002887 002962 002967 002969
WS-SUPPRESS-FF-CHR             001702W  002630 003485 003627 003642
WS-TALLY-QTY                   002537W  003001 003003 003004 003008 003009
WS-TEMP-10-CHARS-TXT           002539W  002922 002925 002926 002927 002929 003677
WS-TEMP-256-CHARS-TXT          002549W  002686 002923 002930 002942 002945 002950 003678 003680
WS-TEMP-32-CHARS-1-TXT         002541W  002977 002978 002980 002987
WS-TEMP-32-CHARS-2-TXT         002543W  002984 002989 002995 002996 003002 003005 003012
WS-TEMP-32-CHARS-3-TXT         002545W  002985 002990 002998 002999 003007 003010 003012
WS-TEMP-65-CHARS-TXT           002547W  003700 003701 003707 003712 003716 003720 003732 003733
```

```
ACS Cobol Xref v2.02.04      Dictionary File for GCIC (LISTING) 06/03/2022  23:09:11:07    Page  102
Symbols of Module: GCIC (LISTING)
---------------------------------


Data Section (WORKING-STORAGE)  Defn    Locations
-----------------------------+--------------------------------------------------------------
                                        003736 003739 003743 003747
WS-TODAY-DT                     002551W 002701 002702
WS-TOKEN-CURR-TXT               002553W 002721 002725 002794 002803 002814 002822 002835 002848
                                        002860 002867 002880 002890 002892 002910 002977 003024
                                        003030 003043 003048 003069 003074 003078 003112 003130
                                        003419 003440 003450 003464
WS-TOKEN-CURR-UC-TXT            002555W 002722 002725 002728 002747 003124 003418 003439 003449
                                        003463
WS-TOKEN-PREV-TXT               002557W 002729 002747 002751 002810 003025 003028 003029 003044
                                        003049 003053 003070 003075 003084 003085 003089 003092
                                        003095 003098 003101 003104 003107 003110 003125 003131
                                        003135 003139 003192 003195 003202 003213 003216 003225
                                        003236 003245 003273 003286 003290 003293 003301 003309
                                        003316 003325 003341 003344 003347 003354 003363 003374
                                        003389 003392 003399
WS-TOKEN-SEARCH-TXT             002559W 002890 002891 002897
WS-TOKEN-TYPE-CD                002561W 002795 002804 002815 002868 002872 002893 002898 002911
WS-TT-TOKEN-IS-ARGTYPE-BOOL     002562W 003019 003039 003065
WS-TT-TOKEN-IS-EOF-BOOL         002563W 002718 002772
WS-TT-TOKEN-IS-FUNCTION-BOOL    002564W 003059
WS-TT-TOKEN-IS-IDENTIFIER-BOOL  002565W 002905 003052 003088 003134 003142
WS-TT-TOKEN-IS-KEYWORD-BOOL     002566W 002723 002746 003023 003042 003047 003068 003073 003079
                                        003129
WS-TT-TOKEN-IS-LIT-ALPHA-BOOL   002567W 002828 002854
WS-TT-TOKEN-IS-LIT-NUMBER-BOOL  002568W 002841 002907 002981 003013
WS-TT-TOKEN-IS-RESERVED-WD-BOOL 002570W 002724 003020 003040 003066 003083
WS-TT-TOKEN-IS-VERB-BOOL        002569W 002727 002899
WS-USERNAMES-QTY                002572W 002712
WS-VERSION-TXT                  002574W 002641 003558 003581 003815 003834
WS-XDL-DEF-LINE-NUM             002581W 003512 003529
WS-XDL-PROG-ID-TXT              002577W 003509 003521 003525
WS-XDL-REF-FLAG-CHR             002587W 003541
WS-XDL-REF-LINE-NUM             002586W 003539
WS-XDL-REFERENCE-TXT            002585W
WS-XDL-SECTION-TXT              002583W 003511 003527
WS-XDL-TOKEN-TXT                002579W 003510 003522 003526
WS-XREF-DETAIL-LINE-TXT         002576W 003472 003479 003482 003492 003496 003505 003524 003544
                                        003607 003610 003613
WS-XREF-LINES-PER-REC-NUM       002590W 002658 002662 003534
```

```
ACS Cobol Xref v2.02.04         Dictionary File for GCIC (LISTING) 06/03/2022  23:09:11:07    Page  103
Symbols of Module: GCIC (LISTING)
-------------------------------

Data Section (LINKAGE)          Defn    Locations
-----------------------------+------------------------------------------------------------------

L-LISTING-CD                    002603K  002610 002657 002694 003557 003606 003618 003759 003773
                                         003814 003855
L-LISTING-FN-TXT                002593K  002605
L-LPP-NUM                       002599K  002608 002695
L-LPP-PORT-NUM                  002601K  002609 002697
L-OS-TYPE-CD                    002597K  002607 002633
L-SRC-FN-TXT                    002595K  002606 002642 002643 002645 002650 002654 002666 002667
                                         002669 002671 002676


ACS Cobol Xref v2.02.04         Dictionary File for GCIC (LISTING) 06/03/2022  23:09:11:07    Page  104
Symbols of Module: GCIC (LISTING)
-------------------------------
Variable Tested [S]             Symbol (88-Conditions)
--------------------------------------------------------------

WS-CURR-CHR                     WS-CURR-CHAR-IS-PUNCT-BOOL
WS-CURR-CHR                     WS-CURR-CHAR-IS-QUOTE-BOOL
WS-CURR-CHR                     WS-CURR-CHAR-IS-X-BOOL
WS-CURR-CHR                     WS-CURR-CHAR-IS-Z-BOOL
WS-CURR-DIVISION-TXT            WS-CD-IN-IDENT-DIV-BOOL
WS-CURR-DIVISION-TXT            WS-CD-IN-ENV-DIV-BOOL
WS-CURR-DIVISION-TXT            WS-CD-IN-DATA-DIV-BOOL
WS-CURR-DIVISION-TXT            WS-CD-IN-PROC-DIV-BOOL
WS-NEXT-CHR                     WS-NEXT-CHAR-IS-QUOTE-BOOL
WS-RS-IN-WHICH-PGM-CHR          WS-RS-IN-MAIN-MODULE-BOOL
WS-RS-IN-WHICH-PGM-CHR          WS-RS-IN-COPYBOOK-BOOL
WS-TOKEN-TYPE-CD                WS-TT-TOKEN-IS-ARGTYPE-BOOL
WS-TOKEN-TYPE-CD                WS-TT-TOKEN-IS-EOF-BOOL
WS-TOKEN-TYPE-CD                WS-TT-TOKEN-IS-FUNCTION-BOOL
WS-TOKEN-TYPE-CD                WS-TT-TOKEN-IS-IDENTIFIER-BOOL
WS-TOKEN-TYPE-CD                WS-TT-TOKEN-IS-KEYWORD-BOOL
WS-TOKEN-TYPE-CD                WS-TT-TOKEN-IS-LIT-ALPHA-BOOL
WS-TOKEN-TYPE-CD                WS-TT-TOKEN-IS-LIT-NUMBER-BOOL
WS-TOKEN-TYPE-CD                WS-TT-TOKEN-IS-VERB-BOOL
WS-TOKEN-TYPE-CD                WS-TT-TOKEN-IS-RESERVED-WD-BOOL
```

```
ACS Cobol Xref v2.02.04        Dictionary File for GCIC (LISTING) 06/03/2022  23:09:11:07     Page  105
Symbols of Module: GCIC (LISTING)
-------------------------------
Variable Tested              Symbol (88-Conditions) [S]
------------------------------------------------------------

WS-CURR-DIVISION-TXT         WS-CD-IN-DATA-DIV-BOOL
WS-CURR-DIVISION-TXT         WS-CD-IN-ENV-DIV-BOOL
WS-CURR-DIVISION-TXT         WS-CD-IN-IDENT-DIV-BOOL
WS-CURR-DIVISION-TXT         WS-CD-IN-PROC-DIV-BOOL
WS-CURR-CHR                  WS-CURR-CHAR-IS-PUNCT-BOOL
WS-CURR-CHR                  WS-CURR-CHAR-IS-QUOTE-BOOL
WS-CURR-CHR                  WS-CURR-CHAR-IS-X-BOOL
WS-CURR-CHR                  WS-CURR-CHAR-IS-Z-BOOL
WS-NEXT-CHR                  WS-NEXT-CHAR-IS-QUOTE-BOOL
WS-RS-IN-WHICH-PGM-CHR       WS-RS-IN-COPYBOOK-BOOL
WS-RS-IN-WHICH-PGM-CHR       WS-RS-IN-MAIN-MODULE-BOOL
WS-TOKEN-TYPE-CD             WS-TT-TOKEN-IS-ARGTYPE-BOOL
WS-TOKEN-TYPE-CD             WS-TT-TOKEN-IS-EOF-BOOL
WS-TOKEN-TYPE-CD             WS-TT-TOKEN-IS-FUNCTION-BOOL
WS-TOKEN-TYPE-CD             WS-TT-TOKEN-IS-IDENTIFIER-BOOL
WS-TOKEN-TYPE-CD             WS-TT-TOKEN-IS-KEYWORD-BOOL
WS-TOKEN-TYPE-CD             WS-TT-TOKEN-IS-LIT-ALPHA-BOOL
WS-TOKEN-TYPE-CD             WS-TT-TOKEN-IS-LIT-NUMBER-BOOL
WS-TOKEN-TYPE-CD             WS-TT-TOKEN-IS-RESERVED-WD-BOOL
WS-TOKEN-TYPE-CD             WS-TT-TOKEN-IS-VERB-BOOL
```

```
ACS Cobol Xref v2.02.04         Dictionary File for GCIC (LISTING) 06/03/2022  23:09:11:07    Page  106
Symbols of Module: GCIC (LISTING)
-------------------------------
Functions                       Defn    Locations
-----------------------------+-------------------------------------------------------------

LOWER-CASE                      003699I  003731
NUMVAL                          002691I  002929
TRIM                            002642I  002669 002681 002930 002931 002942 003680 003681 003699
                                         003731
UPPER-CASE                      002650I  002654 002721 002867 002890 002930 003680

ACS Cobol Xref v2.02.04         Dictionary File for GCIC (LISTING) 06/03/2022  23:09:11:07    Page  107
Symbols of Module: GCIC (LISTING)
-------------------------------
Called Procedures               Type    Locations
-----------------------------+------------------------------------------------------------

C$JUSTIFY                       SYSTEM 002668 003555 003556 003812 003813
CBL_CHECK_FILE_EXIST            SYSTEM 002685

ACS Cobol Xref v2.02.04         Dictionary File for GCIC (LISTING) 06/03/2022  23:09:11:07    Page  108
Symbols of Module: GCIC (LISTING)
-------------------------------
Procedure                       Defn    Locations
-----------------------------+-------------------------------------------------------------

COMP-VERS                       002641P
COMP-YEAR                       002635P
```

```
ACS Cobol Xref v2.02.04        Dictionary File for GCIC (LISTING) 06/03/2022  23:09:11:07    Page  109
Symbols of Module: GCIC (LISTING)
-------------------------------
Unreferenced Working Storage Symbols

CBL_CHECK_FILE_EXIST            002685C
F-ES-8-256-TXT                  001632F
F-EXPANDED-SRC2-REC             001630F
F-LISTING-REC                   001637F
F-OS-1-128-TXT                  001641F
F-OS-129-256-TXT                001646F
WS-FLAGS-TXT                    001701W
WS-OS-TYPES-TXT                 001733W
WS-RESERVED-WORD-TABLE-TXT      002500W
WS-RS-IN-WHICH-PGM-CHR          002510W
WS-RUNTIME-SWITCHES             002508W
WS-XDL-REFERENCE-TXT            002585W


ACS Cobol Xref v2.02.04        Dictionary File for GCIC (LISTING) 06/03/2022  23:09:11:07    Page  110
Symbols of Module: GCIC (LISTING)
-------------------------------
Unreferenced Procedures

COMP-VERS                       002641P
COMP-YEAR                       002635P
```

6 STREAMIO

STREAMIO is a utility I created to assist with handling stream I/O functions. I've used it to construct a number of useful little command-line utilities.

Usage of this subroutine is completely documented in the program comments. The program COPY's a copybook named STREAMIOcb, the format of which is described in the program comments.

Both STREAMIO.cbl and STREAMIOcb.cpy are included in the "samples" directory of any pre-built distributions of GnuCOBOL that I have created.

In addition to general GnuCOBOL concepts, this program provides a useful demonstration of the following:

- Coding a GnuCOBOL subroutine
- Using the `REPLACING` clause on a CDF `COPY` statement
- Using hexadecimal alphanumeric literals
- Using the following statements:
    - o `ACCEPT FROM ENVIRONMENT` statement
    - o `INSPECT` statement
    - o `STRING` statement
- Using the following built-in subroutines:
    - o `C$PARAMSIZE` built-in system subroutine
    - o `CBL_CLOSE_FILE` built-in system subroutine
    - o `CBL_DELETE_FILE` built-in system subroutine
    - o `CBL_EXIT_PROC` built-in system subroutine
    - o `CBL_OPEN_FILE` built-in system subroutine
    - o `CBL_READ_FILE` built-in system subroutine
    - o `CBL_WRITE_FILE` built-in system subroutine
- Using the following intrinsic functions:
    - o `RANDOM` intrinsic function
    - o `TRIM` intrinsic function

First, here is the STREAMIOcb.cpy copybook:

```
      05 SCB-Handle-NUM                     PIC X(4) COMP-X.
      05 SCB-Mode-CD                        PIC X(1).
         88 SCB-MODE-Input-BOOL             VALUE 'I', 'i'.
         88 SCB-MODE-Output-BOOL            VALUE 'O', 'o'.
         88 SCB-MODE-Both-BOOL              VALUE 'B', 'b'.
      05 SCB-Function-CD                    PIC X(2).
         88 SCB-Func-CLOSE-BOOL             VALUE 'C ', 'c '.
         88 SCB-Func-DELETE-BOOL            VALUE 'D ', 'd '.
         88 SCB-Func-OPEN-BOOL              VALUE 'O ', 'o '.
         88 SCB-Func-READ-BOOL              VALUE 'R ', 'r '.
         88 SCB-Func-READ-Delim-BOOL        VALUE 'RD', 'rd',
                                                  'rD', 'Rd'.
         88 SCB-Func-WRITE-BOOL             VALUE 'W ', 'w '.
         88 SCB-Func-WRITE-Delim-BOOL       VALUE 'WD', 'wd',
                                                  'wD', 'Wd'.
      05 SCB-Delimiter-Mode-CD              PIC X(1).
         88 SCB-DELIM-Unix-BOOL             VALUE 'U', 'u'.
         88 SCB-DELIM-Windows-BOOL          VALUE 'W', 'w'.
      05 SCB-Offset-NUM                     PIC X(8) COMP-X.
      05 SCB-Error-Routine-PTR              USAGE PROGRAM-POINTER.
      05 SCB-Error-Routine-NUM REDEFINES SCB-Error-Routine-PTR
                                           USAGE BINARY-LONG.
      05 SCB-Return-CD                      USAGE BINARY-LONG.
      05 SCB-Filename-TXT                   PIC X(256).
```

The program source and cross-reference listing, produced using the GnuCOBOL Interactive Compiler front-end (GCic.cbl, one of the sample programs included here), begins on the next page.

Line   Statement   Page: 1
====== ===
     1   >>SOURCE FORMAT IS FIXED
     2   IDENTIFICATION DIVISION.
     3   PROGRAM-ID. STREAMIO.
     4   *>**
     5   *> Author: Gary L. Cutler   **
     6   *>   **
     7   *> This routine centralizes all bytestream file I/O functions **
     8   *> into one routine. The manner in which this routine is   **
     9   *> CALLed is as follows: **
    10   *>   **
    11   *>   CALL "STREAMIO" USING control-block [, arg2]   **
    12   *>   **
    13   *> where 'control-block' is defined by the "STREAMIOcb.cpy" **
    14   *> copybook and 'arg2' will vary, depending upon the function **
    15   *> specified in the control block.   **
    16   *>   **
    17   *> The STREAMIO routine has an advantage over the various **
    18   *> "CBL_xxxxxx_FILE" routines in that: **
    19   *>   **
    20   *> 1. It automates the establishment and on-going adjustment of **
    21   *>   the file-offset value in such a way as to simplify the **
    22   *>   sequential processing of a bytestream file (you may still **
    23   *>   specify a file-offset manually on each read or write, if **
    24   *>   you wish)   **
    25   *>   **
    26   *> 2. It auto-detects the size of the I/O buffer you supply to **
    27   *>   STREAMIO, using that as the byte-count of all read and   **
    28   *>   write operations.   **
    29   *>   **
    30   *> 3. Not only does it support the raw input and output of data **
    31   *>   that the CBL_READ_FILE and CBL_WRITE_FILE routines do,   **
    32   *>   but on input it is also capable of delivering just a   **
    33   *>   single newline-delimited or carriage-return/newline de- **
    34   *>   limited record to the caller.   **
    35   *>   **
    36   *> 4. On output, STREAMIO can optionally append either a new- **
    37   *>   line or carriage-return/newline sequence (your choice) to **
    38   *>   the end of every record it writes.   **
    39   *>   **
    40   *> 5. STREAMIO can automatically generate filenames for output **
    41   *>   files if you wish, simplifying the process of creating   **
    42   *>   scratch or work files.   **
    43   *>   **
    44   *> 6. The STREAMIO routine also allows you to (optionally) re- **
    45   *>   gister a general error-handling routine to be given con- **
    46   *>   trol should a fatal error be detected with STREAMIO.   **
    47   *>   **
    48   *>   This routine can be "turned on" and "turned off" at will. **
    49   *>   **

==

```
GNU COBOL 2.1 23NOV2013 Source Listing                                    2014/03/27
                                    C:/Users/tda010/Documents/Programs/Samples/STREAMIO.cbl
Line    Statement                                                              Page: 2
======  ============================================================================
    50       *> The control block format is as follows.  This structure must **
    51       *> be defined under an 01-level data item of your creation and   **
    52       *> should be INITIALIZEd before any items within it are used.     **
    53       *>                                                                **
    54       *> 05 SCB-Handle-NUM                PIC X(4) COMP-X.              **
    55       *> 05 SCB-Mode-CD                   PIC X(1).                     **
    56       *>    88 SCB-Mode-Input-BOOL        VALUE 'I', 'i'.               **
    57       *>    88 SCB-Mode-Output-BOOL       VALUE 'O', 'o'.               **
    58       *>    88 SCB-Mode-Both-BOOL         VALUE 'B', 'b'.               **
    59       *> 05 SCB-Function-CD               PIC X(2).                     **
    60       *>    88 SCB-Func-CLOSE-BOOL        VALUE 'C ', 'c '.             **
    61       *>    88 SCB-Func-DELETE-BOOL       VALUE 'D ', 'd '.             **
    62       *>    88 SCB-Func-OPEN-BOOL         VALUE 'O ', 'o '.             **
    63       *>    88 SCB-Func-READ-BOOL         VALUE 'R ', 'r '.             **
    64       *>    88 SCB-Func-READ-Delim-BOOL   VALUE 'RD', 'rd',             **
    65       *>                                        'rD', 'Rd'.             **
    66       *>    88 SCB-Func-WRITE-BOOL        VALUE 'W ', 'w '.             **
    67       *>    88 SCB-Func-WRITE-Delim-BOOL  VALUE 'WD', 'wd',             **
    68       *>                                        'wD', 'Wd'.             **
    69       *> 05 SCB-Delimiter-Mode-CD         PIC X(1).                     **
    70       *>    88 SCB-Delim-Unix-BOOL        VALUE 'U', 'u'.               **
    71       *>    88 SCB-Delim-Windows-BOOL     VALUE 'W', 'w'.               **
    72       *> 05 SCB-Offset-NUM                PIC X(8) COMP-X.              **
    73       *> 05 SCB-Error-Routine-PTR         USAGE PROGRAM-POINTER.        **
    74       *> 05 SCB-Error-Routine-NUM REDEFINES SCB-Error-Routine-PTR       **
    75       *>                                  USAGE BINARY-LONG.            **
    76       *> 05 SCB-Return-CD                 USAGE BINARY-LONG.            **
    77       *> 05 SCB-Filename-TXT              PIC X(256).                   **
    78       *>                                                                **
    79       *> Such a structure is defined for your use using the copybook   **
    80       *> "STREAMIOcb.cpy" (you may also define your own, provided it    **
    81       *> conforms to the above layout).                                **
    82       *>------------------------------------------------------------**
    83       *> SCB-Handle-NUM                                               **
    84       *>------------------------------------------------------------**
    85       *>                                                                **
    86       *> Serves as a file handle to the file once it has been opened  **
    87       *> (via the "SCB-Func-OPEN-BOOL" function).                     **
    88       *>                                                                **
    89       *>------------------------------------------------------------**
    90       *> SCB-Mode-CD                                                  **
    91       *>------------------------------------------------------------**
    92       *>                                                                **
    93       *> Prior to calling "STREAMIO" for the first time for a file,   **
    94       *> the appropriate subordinate level-88 must be set to TRUE to  **
    95       *> select an I/O mode.  You may also simply move one of the     **
    96       *> string values listed on the level-88 items to "SCB-Mode-CD". **
    97       *>                                                                **
    98       *>------------------------------------------------------------**
======  ============================================================================
GCic for OSX Copyright (C) 2009-2014, Gary L. Cutler, GPL                     Page: 2
```

Line   Statement   Page: 3
====== ==
    99   *> SCB-Function-CD   **
   100   *>---**
   101   *>   **
   102   *> The appropriate subordinate level-88 must be set to TRUE to **
   103   *> select a function you'd like to execute against a file. You **
   104   *> may also simply move one of the string values listed on the **
   105   *> level-88 items to "SCB-Function-CD".   **
   106   *>   **
   107   *> Available functions are as follows: **
   108   *>   **
   109   *> SCB-Func-OPEN-BOOL   **
   110   *>   **
   111   *>   This must be the function specified the first time you **
   112   *>   call STREAMIO for any given file. It opens the file & **
   113   *>   makes it available for use according to the   **
   114   *>   "SCB-Mode-CD" specification.   **
   115   *>   **
   116   *>   The filename being opened must be specified in the **
   117   *>   "SCB-Filename-TXT" field.   **
   118   *>   **
   119   *>   The SCB-Offset-NUM field will be initialized to ZERO. **
   120   *>   **
   121   *>   If "arg2" is specified in conjunction with this funct- **
   122   *>   ion, it will be ignored.   **
   123   *>   **
   124   *> SCB-Func-CLOSE-BOOL   **
   125   *>   **
   126   *>   This function should be the one specified the LAST time **
   127   *>   you call STREAMIO against a specific file. After this **
   128   *>   function has been executed, you'll have to re-open the **
   129   *>   file if you wish to use it with STREAMIO again.   **
   130   *>   **
   131   *>   The SCB-Handle-NUM item will be reset to ZERO.   **
   132   *>   **
   133   *>   If "arg2" is specified in conjunction with this funct- **
   134   *>   ion, it will be ignored.   **
   135   *>   **
   136   *> SCB-Func-DELETE-BOOL   **
   137   *>   **
   138   *>   This function will delete the file specified in the **
   139   *>   control block (see SCB-Filename-TXT).   **
   140   *>   **
   141   *>   This function should not be performed against a file **
   142   *>   that is open.   **
   143   *>   **
   144   *>   If "arg2" is specified in conjunction with this funct- **
   145   *>   ion, it will be ignored.   **
   146   *>   **
   147   *> SCB-Func-READ-BOOL   **

===

====== ===
```
    148      *>                                                      **
    149      *>      This function invokes a standard CBL_READ_FILE against  **
    150      *>      the file specified in the control block (see     **
    151      *>      SCB-Filename-TXT).                                **
    152      *>                                                       **
    153      *>      The buffer into which you wish to read data must be  **
    154      *>      supplied as "arg2".  The size of that buffer, in bytes, **
    155      *>      will define the "byte-count" value supplied to the  **
    156      *>      CBL_READ_FILE subroutine.  The buffer data item will be **
    157      *>      set to SPACES before the read takes place.       **
    158      *>                                                       **
    159      *>      If the file-offset value (SCB-Offset-NUM) is greater  **
    160      *>      than the size of the file, a "no more data" return code **
    161      *>      (01) will be passed back in SCB-Return-CD and the  **
    162      *>      buffer will have been set to SPACES.             **
    163      *>                                                       **
    164      *>      At the conclusion of a successful SCB-Func-READ-BOOL,  **
    165      *>      the value of SCB-Offset-NUM will have been automati-  **
    166      *>      cally incremented by the byte-count size of "arg2".  **
    167      *>                                                       **
    168      *> SCB-Func-WRITE-BOOL                                   **
    169      *>                                                       **
    170      *>      This function invokes a standard CBL_WRITE_FILE against **
    171      *>      the file specified in the control block (see     **
    172      *>      SCB-Filename-TXT).                                **
    173      *>                                                       **
    174      *>      The buffer from which data will be written to the file  **
    175      *>      must be supplied as "arg2".  The size of that buffer,  **
    176      *>      in bytes, will define the "byte-count" value supplied  **
    177      *>      CBL_WRITE_FILE subroutine.  The buffer data will be  **
    178      *>      written to the file-offset position defined by the  **
    179      *>      SCB-Offset-NUM value.  You may specify "arg2" either  **
    180      *>      as an actual alphanumeric data item or as an alpha-  **
    181      *>      numeric literal.                                  **
    182      *>                                                       **
    183      *>      If the file-offset value (SCB-Offset-NUM) is greater  **
    184      *>      than the size of the file, a "no more data" return code **
    185      *>      will be passed back in SCB-Return-CD and the buffer  **
    186      *>      will have been set to SPACES.                    **
    187      *>                                                       **
    188      *>      At the conclusion of a successful SCB-Func-WRITE-BOOL  **
    189      *>      operation, the value of SCB-Offset-NUM will have been  **
    190      *>      automatically incremented by the byte-count size of  **
    191      *>      "arg2".                                          **
    192      *>                                                       **
    193      *> SCB-Func-READ-Delim-BOOL                              **
    194      *>                                                       **
    195      *>      SCB-Func-READ-Delim-BOOL bahaves like the SCB-FUNC-  **
    196      *>      READ function, with the following behavioral dif-  **
```
===

```
GNU COBOL 2.1 23NOV2013 Source Listing                                      2014/03/27
                                  C:/Users/tda010/Documents/Programs/Samples/STREAMIO.cbl
Line    Statement                                                              Page: 5
======  ===================================================================================
   197      *>      ferences:                                              **
   198      *>                                                             **
   199      *>      1. When data is read from the file, only that data read **
   200      *>         up to BUT NOT INCLUDING an end-of-line delimiter     **
   201      *>         sequence (either a LF or CRLF) will be retained in   **
   202      *>         the buffer - the remainder of the buffer from the    **
   203      *>         end-of-line sequence onward will be reset to SPACES. **
   204      *>         The file-offset value (SCB-Offset-NUM) will be in-   **
   205      *>         cremented ONLY by the amount of data transferred up  **
   206      *>         to AND INCLUDING the end-of-line sequence.           **
   207      *>                                                             **
   208      *>      2. When data is read from the file and an end-of-line   **
   209      *>         delimiter sequence (either a LF or a CRLF) cannot be **
   210      *>         found within the buffer, the assumption is made that **
   211      *>         the record is too long to fit within the buffer.  In **
   212      *>         these instances, an SCB-Return-CD value of 02 will   **
   213      *>         be returned and the SCB-Offset-NUM value will be     **
   214      *>         incremented past the next end-of-line sequence in    **
   215      *>         the file (this will involve at least one additional  **
   216      *>         call to CBL_READ_FILE to locate that eol sequence,   **
   217      *>         but any additional such reads will be done internal- **
   218      *>         ly to STREAMIO and will be entirely transparent to   **
   219      *>         the caller of STREAMIO.                              **
   220      *>                                                             **
   221      *>      DO NOT USE the Streamio-READ-Delim function if the      **
   222      *>      possibility exists that linefeed (X"0A") or carriage-   **
   223      *>      return (X"0D") characters could exist as actual data    **
   224      *>      characters in the file.                                 **
   225      *>                                                             **
   226      *> SCB-Func-WRITE-Delim-BOOL                                    **
   227      *>                                                             **
   228      *>      SCB-Func-WRITE-Delim-BOOL acts like the Streamio-       **
   229      *>      FUNC-WRITE function, with the following difference:     **
   230      *>                                                             **
   231      *>      After the specified data is written to the file, an     **
   232      *>      end-of-line sequence will also be written to the file.  **
   233      *>      The file-offset value (SCB-Value) will be incremented   **
   234      *>      by the byte-count size of the data PLUS the size of the **
   235      *>      end-of-line sequence.  One of two possible end-of-line  **
   236      *>      sequences must be specified using the value of SCB-     **
   237      *>      Delimter-Mode.                                          **
   238      *>                                                             **
   239      *>-----------------------------------------------------------**
   240      *> SCB-Delimiter-Mode-CD                                        **
   241      *>-----------------------------------------------------------**
   242      *>                                                             **
   243      *> This data item is needed only when issuing the Streamio-     **
   244      *> FUNC-WRITE-Delim function.  In those circumstances, this     **
   245      *> item defines what end-of-line delimiter sequence is to be    **
======  ===================================================================================
GCic for OSX Copyright (C) 2009-2014, Gary L. Cutler, GPL                        Page: 5
```

```
GNU COBOL 2.1 23NOV2013 Source Listing                                      2014/03/27
                              C:/Users/tda010/Documents/Programs/Samples/STREAMIO.cbl
Line    Statement                                                             Page: 6
======  ===============================================================================
   246       *> written:                                          **
   247       *>                                                    **
   248       *> If SCB-Delim-Unix-BOOL is true, a linefeed character will    **
   249       *> be written.                                        **
   250       *>                                                    **
   251       *> If SCB-Delim-Windows-BOOL is true, a carriage-return and     **
   252       *> linefeed sequence will be written.                 **
   253       *>                                                    **
   254       *>----------------------------------------------------------**
   255       *> SCB-Offset-NUM                                      **
   256       *>----------------------------------------------------------**
   257       *>                                                    **
   258       *> This data item specifies the next relative byte number with- **
   259       *> in the file where the next read or write will start.     **
   260       *>                                                    **
   261       *> SCB-Offset-NUM is automatically set to 0 (the first byte)    **
   262       *> when the file is opened, and is automatically incremented as **
   263       *> the file is read or written via STREAMIO.           **
   264       *>                                                    **
   265       *> You may also manually set this value as desired before any   **
   266       *> call to STREAMIO.                                   **
   267       *>                                                    **
   268       *>----------------------------------------------------------**
   269       *> SCB-Error-Routine-PTR                               **
   270       *>----------------------------------------------------------**
   271       *>                                                    **
   272       *> To specify a general error-handling routine for handling    **
   273       *> STREAMIO failures, Create the routine and define an entry-   **
   274       *> name for it via the ENTRY statement.  Then use the following **
   275       *> to set that routine up as the error handler:        **
   276       *>                                                    **
   277       *>    SET SCB-Error-Routine-PTR TO ENTRY "entry-name"  **
   278       *>                                                    **
   279       *> To "turn off" the error-routine:                    **
   280       *>                                                    **
   281       *>    SET SCB-Error-Routine-PTR TO NULL                **
   282       *>                                                    **
   283       *> If a fatal error occurs (any error not marked with a ">" in  **
   284       *> the SCB-Return-CD discussion), the error routine you spe-    **
   285       *> cified (if any) will be set up as an exit routine via the    **
   286       *> CBL_EXIT_PROC subroutine; the STREAMIO routine will then is- **
   287       *> sue a STOP RUN to intentionally trigger your error routine.  **
   288       *> You will not be able to recover your program once your error **
   289       *> routine triggers.  If you wish to be able to recover from    **
   290       *> fatal STREAMIO errors, you should NOT use the SCB-Error-     **
   291       *> Routine feature but instead you should explicitly test the   **
   292       *> SCB-Return-CD value after every call to STREAMIO.   **
   293       *>                                                    **
   294       *> A default error routine is defined by the "STREAMIOError.cpy"**

========================================================================================
GCic for OSX Copyright (C) 2009-2014, Gary L. Cutler, GPL                     Page: 6
```

Chapter STREAMIO   22 June 2025

Line   Statement   Page: 7
====== ==
    295   *> copybook.   **
    296   *>   **
    297   *>--**
    298   *> SCB-Return-CD   **
    299   *>--**
    300   *>   **
    301   *> The following are the possible SCB-Return-CD values. The **
    302   *> ones marked with a ">" will NOT trigger an error-routine, if **
    303   *> one is currently registered via SCB-Error-Routine-PTR.   **
    304   *>   **
    305   *>   12 I/O error writing to file   **
    306   *>   11 File does not exist   **
    307   *>   10 File already OPEN or already CLOSEd   **
    308   *> > 02 READ-Delim was truncated   **
    309   *> > 01 No more data is available from the current   **
    310   *>   SCB-Offset-NUM   **
    311   *> > 00 OK - the operation was successful   **
    312   *>   -1 Invalid SCB-Function-CD   **
    313   *>   -2 Invalid SCB-Mode-CD   **
    314   *>   -3 CBL_xxxxx_FILE routine rejected operation   **
    315   *>   -4 Invalid delimiter mode specified (Not U/W)   **
    316   *>   **
    317   *>--**
    318   *> SCB-Filename-TXT   **
    319   *>--**
    320   *>   **
    321   *> This is the name of the file you wish to access.   **
    322   *>   **
    323   *> If you are planning on reading the file, the file MUST exist **
    324   *> at the time the SCB-Func-OPEN-BOOL is executed.   **
    325   *>   **
    326   *> If you are planning on writing to the file, the file need **
    327   *> exist when the SCB-Func-OPEN-BOOL is issued.   **
    328   *>   **
    329   *> In general, the contents of SCB-Filename-TXT should re-   **
    330   *> flect the complete path to the file as well as the name of **
    331   *> the file itself, unless the file is contained in whatever   **
    332   *> directory is current at the time the SCB-Func-OPEN-BOOL is   **
    333   *> executed.   **
    334   *>   **
    335   *> The following special values may be used for   **
    336   *> SCB-Filename-TXT: **
    337   *>   **
    338   *> SPACES If the filename is SPACES, a filename will be created **
    339   *>   automatically for you in whatever directory is de-   **
    340   *>   fined by the TEMP environment variable. If there IS **
    341   *>   no TEMP variable defined, the "/tmp" folder will be   **
    342   *>   assumed. The filename will be STREAMIO-nnnnnnnn.dat **
    343   *>   where "nnnnnnnn" is a random number.   **

==

Line   Statement   Page: 8
====== ==
   344   *>   **
   345   *> .   If you specify only a dot (period) as the filename,   **
   346   *>   the behavior will be the same as with a value of   **
   347   *>   SPACES except there will be no ".dat" at the end of **
   348   *>   the generated filename.   **
   349   *>   **
   350   *> .ext If you specify a filename extension prefixed with a **
   351   *>   dot (period), the behavior will be the same as if a **
   352   *>   value of SPACES were specified, except that the given **
   353   *>   extension will be used instead of ".dat". Note that **
   354   *>   if you are using a Unix/Cygwin implementation of   **
   355   *>   OpenCOBOL and you'd like to specify a hidden file in **
   356   *>   the current directory as the SCB-Filename-TXT, you   **
   357   *>   MUST code the filename as "./.xxxxx" to avoid having **
   358   *>   it treated as this special name.   **
   359   *>   **
   360   *>**
   361   ENVIRONMENT DIVISION.
   362   CONFIGURATION SECTION.
   363   REPOSITORY.
   364   FUNCTION ALL INTRINSIC.
   365   DATA DIVISION.
   366   WORKING-STORAGE SECTION.
   367   01 WS-Access-Mode-CD   PIC X(1) COMP-X.
   368   01 WS-Arg-Length-NUM   PIC X(4) COMP-X.
   369   01 WS-Buffer-TXT   PIC X(256).
   370   01 WS-Delim-Buffer-TXT   PIC X(2).
   371   01 WS-Env-Temp-TXT   PIC X(256).
   372   01 WS-Slash-CHR   PIC X(1).
   373   01 WS-Tally-NUM   USAGE BINARY-LONG.
   374   01 WS-8-Digit-NUM   PIC 9(8).
   375   01 WS-256-Byte-TXT   PIC X(256).
   376   LINKAGE SECTION.
   377   01 L-StreamIO-Control-Block-TXT.
   378   COPY STREAMIOcb
   379   REPLACING LEADING ==SCB-== BY ==L-SCB-==.
       05 L-SCB-Handle-NUM PIC X(4) COMP-X.
       05 L-SCB-Mode-CD PIC X(1).
       88 L-SCB-MODE-Input-BOOL VALUE 'I' 'i'.
       88 L-SCB-MODE-Output-BOOL VALUE 'O' 'o'.
       88 L-SCB-MODE-Both-BOOL VALUE 'B' 'b'.
       05 L-SCB-Function-CD PIC X(2).
       88 L-SCB-Func-CLOSE-BOOL VALUE 'C ' 'c '.
       88 L-SCB-Func-DELETE-BOOL VALUE 'D ' 'd '.
       88 L-SCB-Func-OPEN-BOOL VALUE 'O ' 'o '.
       88 L-SCB-Func-READ-BOOL VALUE 'R ' 'r '.
       88 L-SCB-Func-READ-Delim-BOOL VALUE 'RD' 'rd'
       'rD' 'Rd'.
       88 L-SCB-Func-WRITE-BOOL VALUE 'W ' 'w '.

==

```
GNU COBOL 2.1 23NOV2013 Source Listing                                        2014/03/27
                                      C:/Users/tda010/Documents/Programs/Samples/STREAMIO.cbl
Line    Statement                                                                 Page: 9
====== ================================================================================
        88 L-SCB-Func-WRITE-Delim-BOOL VALUE 'WD' 'wd'
        'wD' 'Wd'.
        05 L-SCB-Delimiter-Mode-CD PIC X(1).
        88 L-SCB-DELIM-Unix-BOOL VALUE 'U' 'u'.
        88 L-SCB-DELIM-Windows-BOOL VALUE 'W' 'w'.
        05 L-SCB-Offset-NUM PIC X(8) COMP-X.
        05 L-SCB-Error-Routine-PTR USAGE PROGRAM-POINTER.
        05 L-SCB-Error-Routine-NUM REDEFINES L-SCB-Error-Routine-PTR
        USAGE BINARY-LONG.
        05 L-SCB-Return-CD USAGE BINARY-LONG.
        05 L-SCB-Filename-TXT PIC X(256).
   380      01  L-Arg2-TXT                            PIC X ANY LENGTH.
   381      PROCEDURE DIVISION USING L-StreamIO-Control-Block-TXT,
   382                               L-Arg2-TXT.
   383      000-Main SECTION.
   384          MOVE 00 TO L-SCB-Return-CD
   385          EVALUATE TRUE
   386              WHEN L-SCB-Func-CLOSE-BOOL
   387                  PERFORM 030-Validate-Handle-NonZero
   388                  PERFORM 200-CLOSE
   389              WHEN L-SCB-Func-DELETE-BOOL
   390                  CALL "CBL_DELETE_FILE" USING L-SCB-Filename-TXT
   391              WHEN L-SCB-Func-OPEN-BOOL
   392                  PERFORM 020-Validate-Handle-Zero
   393                  PERFORM 100-OPEN
   394              WHEN L-SCB-Func-READ-BOOL
   395                  PERFORM 030-Validate-Handle-NonZero
   396                  PERFORM 400-READ
   397              WHEN L-SCB-Func-READ-Delim-BOOL
   398                  PERFORM 030-Validate-Handle-NonZero
   399                  PERFORM 500-READ-Delim
   400              WHEN L-SCB-Func-WRITE-BOOL
   401                  PERFORM 030-Validate-Handle-NonZero
   402                  PERFORM 300-WRITE
   403              WHEN L-SCB-Func-WRITE-Delim-BOOL
   404                  EVALUATE TRUE
   405                      WHEN L-SCB-Delim-Unix-BOOL
   406                          PERFORM 030-Validate-Handle-NonZero
   407                          PERFORM 300-WRITE
   408                          MOVE 1 TO WS-Arg-Length-NUM
   409                          MOVE X"0A" TO WS-Delim-Buffer-TXT
   410                      WHEN L-SCB-Delim-Windows-BOOL
   411                          PERFORM 030-Validate-Handle-NonZero
   412                          PERFORM 300-WRITE
   413                          MOVE 2 TO WS-Arg-Length-NUM
   414                          MOVE X"0D0A" TO WS-Delim-Buffer-TXT
   415                      WHEN OTHER
   416                          MOVE -4 TO L-SCB-Return-CD
   417                          PERFORM 099-ERROR-Return


==================================================================================
GCic for OSX Copyright (C) 2009-2014, Gary L. Cutler, GPL                          Page: 9
```

```
======  ==========================================================================================
   418                  END-EVALUATE
   419                  CALL "CBL_WRITE_FILE" USING L-SCB-Handle-NUM
   420                                              L-SCB-Offset-NUM
   421                                              WS-Arg-Length-NUM
   422                                              0
   423                                              WS-Delim-Buffer-TXT
   424              PERFORM 040-Check-WRITE-SCB-Return-CD
   425              ADD WS-Arg-Length-NUM TO L-SCB-Offset-NUM
   426          WHEN OTHER
   427              MOVE -1 TO L-SCB-Return-CD
   428              PERFORM 099-ERROR-Return
   429          END-EVALUATE
   430          GOBACK
   431          .
   432      020-Validate-Handle-Zero SECTION.
   433          IF L-SCB-Handle-NUM NOT = ZERO
   434              MOVE 10 TO L-SCB-Return-CD
   435              PERFORM 099-ERROR-Return
   436          END-IF
   437          .
   438      030-Validate-Handle-NonZero SECTION.
   439          IF L-SCB-Handle-NUM = ZERO
   440              MOVE 10 TO L-SCB-Return-CD
   441              PERFORM 099-ERROR-Return
   442          END-IF
   443          .
   444      040-Check-WRITE-SCB-Return-CD SECTION.
   445          IF RETURN-CODE < 0
   446              MOVE -3 TO L-SCB-Return-CD
   447              PERFORM 099-ERROR-Return
   448          END-IF
   449          IF RETURN-CODE = 30
   450              MOVE 12 TO L-SCB-Return-CD
   451              PERFORM 099-ERROR-Return
   452          END-IF
   453          MOVE 00 TO L-SCB-Return-CD
   454          .
   455      050-Check-READ-SCB-Return-CD SECTION.
   456          IF RETURN-CODE < 0
   457              MOVE -3 TO L-SCB-Return-CD
   458              PERFORM 099-ERROR-Return
   459          END-IF
   460          IF RETURN-CODE = 10
   461              MOVE 01 TO L-SCB-Return-CD
   462              GOBACK
   463          END-IF
   464          MOVE 00 TO L-SCB-Return-CD
   465          .
   466      060-Identify-TEMP SECTION.
```

====== ==
```
   467          ACCEPT WS-Env-Temp-TXT FROM ENVIRONMENT "TEMP"
   468          EVALUATE TRUE
   469              WHEN WS-Env-Temp-TXT (1:1) = "/"
   470                  MOVE "/"    TO WS-Slash-CHR
   471              WHEN WS-Env-Temp-TXT (2:1) = ":"
   472                  MOVE "\"    TO WS-Slash-CHR
   473              WHEN OTHER
   474                  MOVE "/tmp" TO WS-Env-Temp-TXT
   475                  MOVE "/"    TO WS-Slash-CHR
   476          END-EVALUATE
   477          .
   478      099-ERROR-Return SECTION.
   479          IF L-SCB-Error-Routine-NUM NOT = 0
   480              CALL "CBL_EXIT_PROC" USING 0, L-SCB-Error-Routine-PTR
   481              STOP RUN
   482          END-IF
   483          GOBACK
   484          .
   485      100-OPEN SECTION.
   486          IF  (L-SCB-Mode-Input-BOOL OR L-SCB-Mode-Both-BOOL)
   487          AND (L-SCB-Filename-TXT = SPACES OR LOW-VALUES)
   488              MOVE 11 TO L-SCB-Return-CD
   489              PERFORM 099-ERROR-Return
   490          END-IF
   491          EVALUATE TRUE
   492              WHEN L-SCB-Filename-TXT = SPACES OR LOW-VALUES
   493                  PERFORM 060-Identify-TEMP
   494                  MOVE SPACES TO L-SCB-Filename-TXT
   495                  COMPUTE
   496                      WS-8-Digit-NUM =
   497                      RANDOM(SECONDS-PAST-MIDNIGHT) * 100000000
   498                  END-COMPUTE
   499                  STRING
   500                      TRIM(WS-Env-Temp-TXT,TRAILING)
   501                      WS-Slash-CHR
   502                      "STREAMIO-"
   503                      WS-8-Digit-NUM
   504                      ".dat"
   505                      DELIMITED BY SIZE
   506                      INTO L-SCB-Filename-TXT
   507              WHEN L-SCB-Filename-TXT(1:1) = "."
   508                  PERFORM 060-Identify-TEMP
   509                  IF L-SCB-Filename-TXT(2:1) = SPACE
   510                      MOVE SPACES TO WS-256-Byte-TXT
   511                  ELSE
   512                      MOVE L-SCB-Filename-TXT TO WS-256-Byte-TXT
   513                  END-IF
   514                  MOVE SPACES TO L-SCB-Filename-TXT
   515                  COMPUTE WS-8-Digit-NUM =
```
==

```
GNU COBOL 2.1 23NOV2013 Source Listing                                   2014/03/27
                              C:/Users/tda010/Documents/Programs/Samples/STREAMIO.cbl
Line    Statement                                                           Page: 12
====== =========================================================================================
   516                     RANDOM(SECONDS-PAST-MIDNIGHT) * 100000000
   517                 STRING
   518                     TRIM(WS-Env-Temp-TXT,TRAILING)
   519                     WS-Slash-CHR
   520                     "STREAMIO-"
   521                     WS-8-Digit-NUM
   522                     TRIM(WS-256-Byte-TXT,TRAILING)
   523                     DELIMITED BY SIZE
   524                     INTO L-SCB-Filename-TXT
   525             END-EVALUATE
   526             EVALUATE TRUE
   527                 WHEN L-SCB-Mode-Input-BOOL
   528                     MOVE 1 TO WS-Access-Mode-CD
   529                 WHEN L-SCB-Mode-Output-BOOL
   530                     MOVE 2 TO WS-Access-Mode-CD
   531                 WHEN L-SCB-Mode-Both-BOOL
   532                     MOVE 3 TO WS-Access-Mode-CD
   533                 WHEN OTHER
   534                     MOVE -2 TO L-SCB-Return-CD
   535                     PERFORM 099-ERROR-Return
   536             END-EVALUATE
   537             CALL "CBL_OPEN_FILE" USING TRIM(L-SCB-Filename-TXT,TRAILING)
   538                                       WS-Access-Mode-CD
   539                                       0
   540                                       0
   541                                       L-SCB-Handle-NUM
   542             IF RETURN-CODE = 35
   543                 MOVE 11 TO L-SCB-Return-CD
   544                 PERFORM 099-ERROR-Return
   545             END-IF
   546             IF RETURN-CODE < 0
   547                 MOVE -2 TO L-SCB-Return-CD
   548                 PERFORM 099-ERROR-Return
   549             END-IF
   550             MOVE 00 TO L-SCB-Return-CD
   551             MOVE 0 TO L-SCB-Offset-NUM
   552             .
   553         200-CLOSE SECTION.
   554             CALL "CBL_CLOSE_FILE" USING L-SCB-Handle-NUM
   555             IF RETURN-CODE < 0
   556                 MOVE -2 TO L-SCB-Return-CD
   557                 PERFORM 099-ERROR-Return
   558             END-IF
   559             MOVE 00 TO L-SCB-Return-CD
   560             MOVE 0 TO L-SCB-Handle-NUM
   561             .
   562         300-WRITE SECTION.
   563             CALL "C$PARAMSIZE" USING 2
   564             MOVE RETURN-CODE TO WS-Arg-Length-NUM


====================================================================================================
GCic for Windows/MinGW Copyright (C) 2009-2014, Gary L. Cutler, GPL              Page: 12
```

Line   Statement   Page: 13
====== ===
    565   CALL "CBL_WRITE_FILE" USING L-SCB-Handle-NUM
    566   L-SCB-Offset-NUM
    567   WS-Arg-Length-NUM
    568   0
    569   L-Arg2-TXT
    570   PERFORM 040-Check-WRITE-SCB-Return-CD
    571   ADD WS-Arg-Length-NUM TO L-SCB-Offset-NUM
    572   .
    573   400-READ SECTION.
    574   CALL "C$PARAMSIZE" USING 2
    575   MOVE RETURN-CODE TO WS-Arg-Length-NUM
    576   MOVE SPACES TO L-Arg2-TXT(1:WS-Arg-Length-NUM)
    577   CALL "CBL_READ_FILE" USING L-SCB-Handle-NUM
    578   L-SCB-Offset-NUM
    579   WS-Arg-Length-NUM
    580   0
    581   L-Arg2-TXT
    582   PERFORM 050-Check-READ-SCB-Return-CD
    583   ADD WS-Arg-Length-NUM TO L-SCB-Offset-NUM
    584   .
    585   500-READ-Delim SECTION.
    586   CALL "C$PARAMSIZE" USING 2
    587   MOVE RETURN-CODE TO WS-Arg-Length-NUM
    588   MOVE SPACES TO L-Arg2-TXT(1:WS-Arg-Length-NUM)
    589   CALL "CBL_READ_FILE" USING L-SCB-Handle-NUM
    590   L-SCB-Offset-NUM
    591   WS-Arg-Length-NUM
    592   0
    593   L-Arg2-TXT
    594   PERFORM 050-Check-READ-SCB-Return-CD
    595   MOVE 0 TO WS-Tally-NUM
    596   INSPECT L-Arg2-TXT(1:WS-Arg-Length-NUM)
    597   TALLYING WS-Tally-NUM FOR ALL X"0A"
    598   IF WS-Tally-NUM = 0 *> No LF found - return truncated data and position past n
        ext LF (if any)
    599   IF L-Arg2-TXT(WS-Arg-Length-NUM:1) = X"0D"
    600   MOVE SPACE TO L-Arg2-TXT(WS-Arg-Length-NUM:1)
    601   END-IF
    602   ADD WS-Arg-Length-NUM TO L-SCB-Offset-NUM
    603   MOVE 02 TO L-SCB-Return-CD
    604   MOVE 256 TO WS-Arg-Length-NUM
    605   PERFORM UNTIL 0 = 1
    606   MOVE SPACES TO WS-Buffer-TXT
    607   CALL "CBL_READ_FILE" USING L-SCB-Handle-NUM
    608   L-SCB-Offset-NUM
    609   WS-Arg-Length-NUM
    610   0
    611   WS-Buffer-TXT
    612   IF RETURN-CODE < 0

==
GCic for Windows/MinGW Copyright (C) 2009-2014, Gary L. Cutler, GPL   Page: 13

====== ===
```
   613                       MOVE -3 TO L-SCB-Return-CD
   614                       PERFORM 099-ERROR-Return
   615                  END-IF
   616                  IF RETURN-CODE = 10
   617                      GOBACK
   618                  END-IF
   619                  MOVE 0 TO WS-Tally-NUM
   620                  INSPECT WS-Buffer-TXT
   621                      TALLYING WS-Tally-NUM FOR ALL X"0A"
   622                  IF WS-Tally-NUM = 0
   623                      ADD 256 TO L-SCB-Offset-NUM
   624                  ELSE
   625                      MOVE 0 TO WS-Tally-NUM
   626                      INSPECT WS-Buffer-TXT
   627                          TALLYING WS-Tally-NUM
   628                          FOR CHARACTERS BEFORE INITIAL X"0A"
   629                      ADD WS-Tally-NUM, 1 TO L-SCB-Offset-NUM
   630                      GOBACK
   631                  END-IF
   632              END-PERFORM
   633          ELSE          *> There is (at least) one LF in the buffer
   634              MOVE 0 TO WS-Tally-NUM
   635              INSPECT L-Arg2-TXT(1:WS-Arg-Length-NUM)
   636                  TALLYING WS-Tally-NUM
   637                  FOR CHARACTERS BEFORE INITIAL X"0A"
   638              ADD WS-Tally-NUM, 1 TO L-SCB-Offset-NUM
   639              IF WS-Tally-NUM > 1
   640                  IF L-Arg2-TXT(WS-Tally-NUM:1) = X"0D"
   641                      COMPUTE WS-Arg-Length-NUM =
   642                                  WS-Arg-Length-NUM
   643                              - WS-Tally-NUM
   644                              + 1
   645                  ELSE
   646                      COMPUTE WS-Arg-Length-NUM =
   647                                  WS-Arg-Length-NUM
   648                              - WS-Tally-NUM
   649                      ADD 1 TO WS-Tally-NUM
   650                  END-IF
   651                  MOVE SPACES
   652                    TO L-Arg2-TXT(WS-Tally-NUM:WS-Arg-Length-NUM)
   653              ELSE
   654                  MOVE SPACES
   655                    TO L-Arg2-TXT(1:WS-Arg-Length-NUM)
   656              END-IF
   657          END-IF
   658          .
```

```
GNU COBOL 2.1 23NOV2013 Cross-Reference Listing                        2014/03/27
                             C:/Users/tda010/Documents/Programs/Samples/STREAMIO.cbl
PROGRAM-ID      Identifier/Register/Function   Defn  Where Defined    References      Page: 15
==============  ==============================  ====  ===============  ========================
STREAMIO        000-Main                        383  PROCEDURE
STREAMIO        020-Validate-Handle-Zero        432  PROCEDURE         392
STREAMIO        030-Validate-Handle-NonZero     438  PROCEDURE         387    395    398
                                                                       401    406    411
STREAMIO        040-Check-WRITE-SCB-Return-CD    444  PROCEDURE         424    570
STREAMIO        050-Check-READ-SCB-Return-CD     455  PROCEDURE         582    594
STREAMIO        060-Identify-TEMP                466  PROCEDURE         493    508
STREAMIO        099-ERROR-Return                 478  PROCEDURE         417    428    435
                                                                       441    447    451
                                                                       458    489    535
                                                                       544    548    557
                                                                       614
STREAMIO        100-OPEN                         485  PROCEDURE         393
STREAMIO        200-CLOSE                        553  PROCEDURE         388
STREAMIO        300-WRITE                        562  PROCEDURE         402    407    412
STREAMIO        400-READ                         573  PROCEDURE         396
STREAMIO        500-READ-Delim                   585  PROCEDURE         399
STREAMIO        L-Arg2-TXT                       380  LINKAGE           382    569C   576*
                                                                       581C   588*   593C
                                                                       599    600*   640
                                                                       652*   655*
STREAMIO        L-SCB-DELIM-Unix-BOOL            379  [STREAMIOcb    ]  405
STREAMIO        L-SCB-DELIM-Windows-BOOL         379  [STREAMIOcb    ]  410
STREAMIO        L-SCB-Delimiter-Mode-CD          379  [STREAMIOcb    ]
STREAMIO        L-SCB-Error-Routine-NUM          379  [STREAMIOcb    ]  479
STREAMIO        L-SCB-Error-Routine-PTR          379  [STREAMIOcb    ]  379    480C
STREAMIO        L-SCB-Filename-TXT               379  [STREAMIOcb    ]  390C   487    492
                                                                       494*   506*   507
                                                                       509    512    514*
                                                                       524*   537C
STREAMIO        L-SCB-Func-CLOSE-BOOL            379  [STREAMIOcb    ]  386
STREAMIO        L-SCB-Func-DELETE-BOOL           379  [STREAMIOcb    ]  389
STREAMIO        L-SCB-Func-OPEN-BOOL             379  [STREAMIOcb    ]  391
STREAMIO        L-SCB-Func-READ-BOOL             379  [STREAMIOcb    ]  394
STREAMIO        L-SCB-Func-READ-Delim-BOOL       379  [STREAMIOcb    ]  397
STREAMIO        L-SCB-Func-WRITE-BOOL            379  [STREAMIOcb    ]  400
STREAMIO        L-SCB-Func-WRITE-Delim-BOOL      379  [STREAMIOcb    ]  403
STREAMIO        L-SCB-Function-CD                379  [STREAMIOcb    ]
STREAMIO        L-SCB-Handle-NUM                 379  [STREAMIOcb    ]  419C   433    439
                                                                       541C   554C   560*
                                                                       565C   577C   589C
                                                                       607C
STREAMIO        L-SCB-MODE-Both-BOOL             379  [STREAMIOcb    ]  486    531
STREAMIO        L-SCB-Mode-CD                    379  [STREAMIOcb    ]
STREAMIO        L-SCB-MODE-Input-BOOL            379  [STREAMIOcb    ]  486    527
STREAMIO        L-SCB-MODE-Output-BOOL           379  [STREAMIOcb    ]  529
STREAMIO        L-SCB-Offset-NUM                 379  [STREAMIOcb    ]  420C   425*   551*
                                                                       566C   571*   578C
                                                                       583*   590C   602*


================================================================================================
GCic for Windows/MinGW Copyright (C) 2009-2014, Gary L. Cutler, GPL                Page: 15
```

```
GNU COBOL 2.1 23NOV2013 Cross-Reference Listing                          2014/03/27
                          C:/Users/tda010/Documents/Programs/Samples/STREAMIO.cbl
PROGRAM-ID        Identifier/Register/Function   Defn   Where Defined   References      Page: 16
===============   ==============================  ======  ===============  =========================
                                                                         608C   623*   629*
                                                                         638*
STREAMIO          L-SCB-Return-CD                 379 [STREAMIOcb   ]     384*   416*   427*
                                                                         434*   440*   446*
                                                                         450*   453*   457*
                                                                         461*   464*   488*
                                                                         534*   543*   547*
                                                                         550*   556*   559*
                                                                         603*   613*
STREAMIO          L-StreamIO-Control-Block-TXT    377 LINKAGE            381
STREAMIO          RETURN-CODE                         PROCEDURE          445    449    456
                                                                         460    542    546
                                                                         555    564    575
                                                                         587    612    616
STREAMIO          WS-256-Byte-TXT                 375 WORKING-STORAGE    510*   512*   522
STREAMIO          WS-8-Digit-NUM                  374 WORKING-STORAGE    496*   503    515*
                                                                         521
STREAMIO          WS-Access-Mode-CD               367 WORKING-STORAGE    528*   530*   532*
                                                                         538C
STREAMIO          WS-Arg-Length-NUM               368 WORKING-STORAGE    408*   413*   421C
                                                                         425    564*   567C
                                                                         571    575*   576
                                                                         579C   583    587*
                                                                         588    591C   596
                                                                         599    600    602
                                                                         604*   609C   635
                                                                         641*   642    646*
                                                                         647    652    655
STREAMIO          WS-Buffer-TXT                   369 WORKING-STORAGE    606*   611C
STREAMIO          WS-Delim-Buffer-TXT             370 WORKING-STORAGE    409*   414*   423C
STREAMIO          WS-Env-Temp-TXT                 371 WORKING-STORAGE    467*   469    471
                                                                         474*   500    518
STREAMIO          WS-Slash-CHR                    372 WORKING-STORAGE    470*   472*   475*
                                                                         501    519
STREAMIO          WS-Tally-NUM                    373 WORKING-STORAGE    595*   597*   598
                                                                         619*   621*   622
                                                                         625*   627*   629
                                                                         634*   636*   638
                                                                         639    640    643
                                                                         648    649*   652



=================================================================================================
GCic for Windows/MinGW Copyright (C) 2009-2014, Gary L. Cutler, GPL              Page: 16
```

7 GNU Free Documentation License

Version 1.3, 3 November 2008

Copyright © 2000, 2001, 2002, 2007, 2008 Free Software Foundation, Inc.
`https://fsf.org/`

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

0. PREAMBLE

The purpose of this License is to make a manual, textbook, or other functional and useful document *free* in the sense of freedom: to assure everyone the effective freedom to copy and redistribute it, with or without modifying it, either commercially or noncommercially. Secondarily, this License preserves for the author and publisher a way to get credit for their work, while not being considered responsible for modifications made by others.

This License is a kind of "copyleft", which means that derivative works of the document must themselves be free in the same sense. It complements the GNU General Public License, which is a copyleft license designed for free software.

We have designed this License in order to use it for manuals for free software, because free software needs free documentation: a free program should come with manuals providing the same freedoms that the software does. But this License is not limited to software manuals; it can be used for any textual work, regardless of subject matter or whether it is published as a printed book. We recommend this License principally for works whose purpose is instruction or reference.

1. APPLICABILITY AND DEFINITIONS

This License applies to any manual or other work, in any medium, that contains a notice placed by the copyright holder saying it can be distributed under the terms of this License. Such a notice grants a world-wide, royalty-free license, unlimited in duration, to use that work under the conditions stated herein. The "Document", below, refers to any such manual or work. Any member of the public is a licensee, and is addressed as "you". You accept the license if you copy, modify or distribute the work in a way requiring permission under copyright law.

A "Modified Version" of the Document means any work containing the Document or a portion of it, either copied verbatim, or with modifications and/or translated into another language.

A "Secondary Section" is a named appendix or a front-matter section of the Document that deals exclusively with the relationship of the publishers or authors of the Document to the Document's overall subject (or to related matters) and contains nothing that could fall directly within that overall subject. (Thus, if the Document is in part a textbook of mathematics, a Secondary Section may not explain any mathematics.) The relationship could be a matter of historical connection with the subject or with related matters, or of legal, commercial, philosophical, ethical or political position regarding them.

The "Invariant Sections" are certain Secondary Sections whose titles are designated, as being those of Invariant Sections, in the notice that says that the Document is released under this License. If a section does not fit the above definition of Secondary then it is not allowed to be designated as Invariant. The Document may contain zero Invariant Sections. If the Document does not identify any Invariant Sections then there are none.

The "Cover Texts" are certain short passages of text that are listed, as Front-Cover Texts or Back-Cover Texts, in the notice that says that the Document is released under this License.

A Front-Cover Text may be at most 5 words, and a Back-Cover Text may be at most 25 words.

A "Transparent" copy of the Document means a machine-readable copy, represented in a format whose specification is available to the general public, that is suitable for revising the document straightforwardly with generic text editors or (for images composed of pixels) generic paint programs or (for drawings) some widely available drawing editor, and that is suitable for input to text formatters or for automatic translation to a variety of formats suitable for input to text formatters. A copy made in an otherwise Transparent file format whose markup, or absence of markup, has been arranged to thwart or discourage subsequent modification by readers is not Transparent. An image format is not Transparent if used for any substantial amount of text. A copy that is not "Transparent" is called "Opaque".

Examples of suitable formats for Transparent copies include plain ASCII without markup, Texinfo input format, LaTeX input format, SGML or XML using a publicly available DTD, and standard-conforming simple HTML, PostScript or PDF designed for human modification. Examples of transparent image formats include PNG, XCF and JPG. Opaque formats include proprietary formats that can be read and edited only by proprietary word processors, SGML or XML for which the DTD and/or processing tools are not generally available, and the machine-generated HTML, PostScript or PDF produced by some word processors for output purposes only.

The "Title Page" means, for a printed book, the title page itself, plus such following pages as are needed to hold, legibly, the material this License requires to appear in the title page. For works in formats which do not have any title page as such, "Title Page" means the text near the most prominent appearance of the work's title, preceding the beginning of the body of the text.

The "publisher" means any person or entity that distributes copies of the Document to the public.

A section "Entitled XYZ" means a named subunit of the Document whose title either is precisely XYZ or contains XYZ in parentheses following text that translates XYZ in another language. (Here XYZ stands for a specific section name mentioned below, such as "Acknowledgements", "Dedications", "Endorsements", or "History".) To "Preserve the Title" of such a section when you modify the Document means that it remains a section "Entitled XYZ" according to this definition.

The Document may include Warranty Disclaimers next to the notice which states that this License applies to the Document. These Warranty Disclaimers are considered to be included by reference in this License, but only as regards disclaiming warranties: any other implication that these Warranty Disclaimers may have is void and has no effect on the meaning of this License.

2. VERBATIM COPYING

You may copy and distribute the Document in any medium, either commercially or noncommercially, provided that this License, the copyright notices, and the license notice saying this License applies to the Document are reproduced in all copies, and that you add no other conditions whatsoever to those of this License. You may not use technical measures to obstruct or control the reading or further copying of the copies you make or distribute. However, you may accept compensation in exchange for copies. If you distribute a large enough number of copies you must also follow the conditions in section 3.

You may also lend copies, under the same conditions stated above, and you may publicly display copies.

3. COPYING IN QUANTITY

If you publish printed copies (or copies in media that commonly have printed covers) of the Document, numbering more than 100, and the Document's license notice requires Cover Texts, you must enclose the copies in covers that carry, clearly and legibly, all these Cover Texts: Front-Cover Texts on the front cover, and Back-Cover Texts on the back cover. Both covers must also clearly and legibly identify you as the publisher of these copies. The front cover must present the full title with all words of the title equally prominent and visible. You may add other material on the covers in addition. Copying with changes limited to the covers, as long as they preserve the title of the Document and satisfy these conditions, can be treated as verbatim copying in other respects.

If the required texts for either cover are too voluminous to fit legibly, you should put the first ones listed (as many as fit reasonably) on the actual cover, and continue the rest onto adjacent pages.

If you publish or distribute Opaque copies of the Document numbering more than 100, you must either include a machine-readable Transparent copy along with each Opaque copy, or state in or with each Opaque copy a computer-network location from which the general network-using public has access to download using public-standard network protocols a complete Transparent copy of the Document, free of added material. If you use the latter option, you must take reasonably prudent steps, when you begin distribution of Opaque copies in quantity, to ensure that this Transparent copy will remain thus accessible at the stated location until at least one year after the last time you distribute an Opaque copy (directly or through your agents or retailers) of that edition to the public.

It is requested, but not required, that you contact the authors of the Document well before redistributing any large number of copies, to give them a chance to provide you with an updated version of the Document.

4. MODIFICATIONS

You may copy and distribute a Modified Version of the Document under the conditions of sections 2 and 3 above, provided that you release the Modified Version under precisely this License, with the Modified Version filling the role of the Document, thus licensing distribution and modification of the Modified Version to whoever possesses a copy of it. In addition, you must do these things in the Modified Version:

A. Use in the Title Page (and on the covers, if any) a title distinct from that of the Document, and from those of previous versions (which should, if there were any, be listed in the History section of the Document). You may use the same title as a previous version if the original publisher of that version gives permission.

B. List on the Title Page, as authors, one or more persons or entities responsible for authorship of the modifications in the Modified Version, together with at least five of the principal authors of the Document (all of its principal authors, if it has fewer than five), unless they release you from this requirement.

C. State on the Title page the name of the publisher of the Modified Version, as the publisher.

D. Preserve all the copyright notices of the Document.

E. Add an appropriate copyright notice for your modifications adjacent to the other copyright notices.

F. Include, immediately after the copyright notices, a license notice giving the public permission to use the Modified Version under the terms of this License, in the form shown in the Addendum below.

G. Preserve in that license notice the full lists of Invariant Sections and required Cover Texts given in the Document's license notice.

H. Include an unaltered copy of this License.

I. Preserve the section Entitled "History", Preserve its Title, and add to it an item stating at least the title, year, new authors, and publisher of the Modified Version as given on the Title Page. If there is no section Entitled "History" in the Document, create one stating the title, year, authors, and publisher of the Document as given on its Title Page, then add an item describing the Modified Version as stated in the previous sentence.

J. Preserve the network location, if any, given in the Document for public access to a Transparent copy of the Document, and likewise the network locations given in the Document for previous versions it was based on. These may be placed in the "History" section. You may omit a network location for a work that was published at least four years before the Document itself, or if the original publisher of the version it refers to gives permission.

K. For any section Entitled "Acknowledgements" or "Dedications", Preserve the Title of the section, and preserve in the section all the substance and tone of each of the contributor acknowledgements and/or dedications given therein.

L. Preserve all the Invariant Sections of the Document, unaltered in their text and in their titles. Section numbers or the equivalent are not considered part of the section titles.

M. Delete any section Entitled "Endorsements". Such a section may not be included in the Modified Version.

N. Do not retitle any existing section to be Entitled "Endorsements" or to conflict in title with any Invariant Section.

O. Preserve any Warranty Disclaimers.

If the Modified Version includes new front-matter sections or appendices that qualify as Secondary Sections and contain no material copied from the Document, you may at your option designate some or all of these sections as invariant. To do this, add their titles to the list of Invariant Sections in the Modified Version's license notice. These titles must be distinct from any other section titles.

You may add a section Entitled "Endorsements", provided it contains nothing but endorsements of your Modified Version by various parties—for example, statements of peer review or that the text has been approved by an organization as the authoritative definition of a standard.

You may add a passage of up to five words as a Front-Cover Text, and a passage of up to 25 words as a Back-Cover Text, to the end of the list of Cover Texts in the Modified Version. Only one passage of Front-Cover Text and one of Back-Cover Text may be added by (or through arrangements made by) any one entity. If the Document already includes a cover text for the same cover, previously added by you or by arrangement made by the same entity you are acting on behalf of, you may not add another; but you may replace the old one, on explicit permission from the previous publisher that added the old one.

The author(s) and publisher(s) of the Document do not by this License give permission to use their names for publicity for or to assert or imply endorsement of any Modified Version.

5. COMBINING DOCUMENTS

You may combine the Document with other documents released under this License, under the terms defined in section 4 above for modified versions, provided that you include in the combination all of the Invariant Sections of all of the original documents, unmodified, and list them all as Invariant Sections of your combined work in its license notice, and that you preserve all their Warranty Disclaimers.

The combined work need only contain one copy of this License, and multiple identical Invariant Sections may be replaced with a single copy. If there are multiple Invariant Sections with the same name but different contents, make the title of each such section unique by adding at the end of it, in parentheses, the name of the original author or publisher of that section if known, or else a unique number. Make the same adjustment to the section titles in the list of Invariant Sections in the license notice of the combined work.

In the combination, you must combine any sections Entitled "History" in the various original documents, forming one section Entitled "History"; likewise combine any sections Entitled "Acknowledgements", and any sections Entitled "Dedications". You must delete all sections Entitled "Endorsements."

6. COLLECTIONS OF DOCUMENTS

You may make a collection consisting of the Document and other documents released under this License, and replace the individual copies of this License in the various documents with a single copy that is included in the collection, provided that you follow the rules of this License for verbatim copying of each of the documents in all other respects.

You may extract a single document from such a collection, and distribute it individually under this License, provided you insert a copy of this License into the extracted document, and follow this License in all other respects regarding verbatim copying of that document.

7. AGGREGATION WITH INDEPENDENT WORKS

A compilation of the Document or its derivatives with other separate and independent documents or works, in or on a volume of a storage or distribution medium, is called an "aggregate" if the copyright resulting from the compilation is not used to limit the legal rights of the compilation's users beyond what the individual works permit. When the Document is included in an aggregate, this License does not apply to the other works in the aggregate which are not themselves derivative works of the Document.

If the Cover Text requirement of section 3 is applicable to these copies of the Document, then if the Document is less than one half of the entire aggregate, the Document's Cover Texts may be placed on covers that bracket the Document within the aggregate, or the electronic equivalent of covers if the Document is in electronic form. Otherwise they must appear on printed covers that bracket the whole aggregate.

8. TRANSLATION

Translation is considered a kind of modification, so you may distribute translations of the Document under the terms of section 4. Replacing Invariant Sections with translations requires special permission from their copyright holders, but you may include translations of some or all Invariant Sections in addition to the original versions of these Invariant Sections. You may include a translation of this License, and all the license notices in the Document, and any Warranty Disclaimers, provided that you also include the original English version of this License and the original versions of those notices and disclaimers. In case of a disagreement between the translation and the original version of this License or a notice or disclaimer, the original version will prevail.

If a section in the Document is Entitled "Acknowledgements", "Dedications", or "History", the requirement (section 4) to Preserve its Title (section 1) will typically require changing the actual title.

9. TERMINATION

You may not copy, modify, sublicense, or distribute the Document except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, or distribute it is void, and will automatically terminate your rights under this License.

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly

and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, receipt of a copy of some or all of the same material does not give you any rights to use it.

10. FUTURE REVISIONS OF THIS LICENSE

The Free Software Foundation may publish new, revised versions of the GNU Free Documentation License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. See `https://www.gnu.org/licenses/`.

Each version of the License is given a distinguishing version number. If the Document specifies that a particular numbered version of this License "or any later version" applies to it, you have the option of following the terms and conditions either of that specified version or of any later version that has been published (not as a draft) by the Free Software Foundation. If the Document does not specify a version number of this License, you may choose any version ever published (not as a draft) by the Free Software Foundation. If the Document specifies that a proxy can decide which future versions of this License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Document.

11. RELICENSING

"Massive Multiauthor Collaboration Site" (or "MMC Site") means any World Wide Web server that publishes copyrightable works and also provides prominent facilities for anybody to edit those works. A public wiki that anybody can edit is an example of such a server. A "Massive Multiauthor Collaboration" (or "MMC") contained in the site means any set of copyrightable works thus published on the MMC site.

"CC-BY-SA" means the Creative Commons Attribution-Share Alike 3.0 license published by Creative Commons Corporation, a not-for-profit corporation with a principal place of business in San Francisco, California, as well as future copyleft versions of that license published by that same organization.

"Incorporate" means to publish or republish a Document, in whole or in part, as part of another Document.

An MMC is "eligible for relicensing" if it is licensed under this License, and if all works that were first published under this License somewhere other than this MMC, and subsequently incorporated in whole or in part into the MMC, (1) had no cover texts or invariant sections, and (2) were thus incorporated prior to November 1, 2008.

The operator of an MMC Site may republish an MMC contained in the site under CC-BY-SA on the same site at any time before August 1, 2009, provided the MMC is eligible for relicensing.