

(In–)Official RWTH presentation template with examples

Subtitle

Max Mustermann

Institut für Mustertechnologie

2. August 2018

Motivation



This LATEX Beamer template imitates the layout of the old official RWTH presentation template.

Agenda



- 1. Example slides
- 2. more Examples
- 3. Examples with uncovering
- 4. Quellcode
- 5. TikZ example



Example slides

Titel der Folie, der auch in die zweite Zeile laufen darf.



- Liste mit Aufzählungszeichen
- Liste mit Aufzählungszeichen
 - → Zweite Ebene
 - → Optionale dritte Ebene
- Liste mit Aufzählungszeichen
- Liste mit Aufzählungszeichen
 - Zweite Ebene

Noch eine Folie mit Aufzählungen



1. Erster Punkt

- 1.1 Erster Unterpunkt
- 1.2 Zweiter Unterpunkt

2. Zweiter Punkt

- → Erster regulärer Unterpunkt
- → Zweiter regulärer Unterpunkt

Titel der Folie mit Absätzen



- Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.
- Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.
- Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

Folie mit Boxen



Block 1

Inhalt der ersten Box

weitere Box

Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.



more Examples

a Subsection How to set columns



- Item 1
- Item 2
- Item 3
- Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.



a Subsection How to set columns (2)



Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

- cat
- dog
- mouse
- elephant

- Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.
- Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

another subsection



This frame does not contain a (dedicated) frame title.



Examples with uncovering





Paragraphs and items can be uncovered easily with \pause.

Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.



- Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.
- Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.



- Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.
- Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.
- Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.



- Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.
- Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.
- Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.
- Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.



First line



- First line
- Second line (appears after first line, disappears again)



- First line
- Third line (appears before firth one)



- First line
- Third line (appears before firth one)
- Fouth line



First line

- Fouth line
- Fifth line



First line

- Fouth line
- Fifth line

Standard behavior with \onslide is to keep its place, even if not displayed.



First line

- Fouth line
- Fifth line

Standard behavior with \onslide is to keep its place, even if not displayed.

With \only , the element does not occupy place. This may lead to shifting other elements.



Quellcode

Example-Code: Hallo Welt!



```
#include <stdio.h>
void main (void) {
  printf("Hallo_Welt!\n");
```




TikZ example




.tex file


























Max Mustermann - max.mustermann@rwth-aachen.de

RWTH Aachen University Templergraben 55 52056 Aachen

www.rwth-aachen.de