


ODATANO-M2 Testing Screenshots & Transaction links

Link to used Postman Collection:

https://github.com/ODATANO/ODATANO/blob/main/scripts/ODATANO%20M2%20-%20Full%20Service%20Catalog.postman_collection.json

1. Build Simple ADA Transaction:

Postman Example: <http://localhost:4004/odata/v4/cardano-transaction/BuildSimpleAdaTransaction>



Script execution with build -> sign -> submit flow:

(<https://github.com/ODATANO/ODATANO/blob/main/scripts/send-ada-preview.ts>)

```
PS C:\Users\max> cd odatano
PS C:\Users\max\odatan> npx tsx scripts/send-ada-preview.ts
Starting ADA transfer (10 ADA) on Preview...

Building Transaction...
Build successful - ID: 3cc4877f-013a-431a-918e-8ed994f61aec
Fee: 0.172321 ADA
Transaction Hash: 3f74d98f8d76bf4f9d896a6ae8f1ec9d2ba8566eae61179303851f0b76ad67d
unsignedTxCbor as tx.body.json saved

Sign with cardano-cli...
Signed: tx.signed.json created
signedTxCbor extracted (starts with 84a480 )

Submitting Transaction...
Response Status: 200


Transaction submitted successfully!
Full Response: {
  "odata.context": "$metadatas#TransactionSubmissions/Sentinty",
  "signedTxCbor": "84a4888325829f8ad9b587cb29e6ff23a9ed71dac859e0781af1572eabb28ab2e9eaa856428d618258204e22bdcf368318226928558ee9c8d452fe83633c13992b5ae68a76923ff2b24088258201bee973c7baf66270ad6a56992bf97152fc14694d5809df26f2602282eb0e38c080102a20853990d098525914fb9bcd35141eaff7b654b9ce105f154ebb73347ff9c7415318a7bcc399479a382e80ef73386801c4d8064df6cc28d2a5ca7189011a08989688a208581d68374619273897b313fade06a30e98c5fb2640874ca8744ce858b8f0a101821b0808080242c6e9dca1581cdef68337867c44f1f95b6b811fdebfdcd7780d18a95cc072877088eaa146546fb656e4d190bb8021a0802a1210f08a0f5f6",
  "txHash": "3f74d98f8d76bf4f9d896a6ae8f1ec9d2ba8566eae61179303851f0b76ad67d",
  "validFrom": "2026-01-25T09:52:35.379Z",
  "validTo": "2026-01-25T10:02:35.379Z",
  "submittedAt": 1769334755,
  "build_id": "3cc4877f-013a-431a-918e-8ed994f61aec",
  "backendResponse": "Submitted successfully",
  "id": "f02cdc4b-8b44-4a84-bec9-f2038e836042"
}
```

Link to Explorer:

<https://preview.cardanoscan.io/transaction/3f74d98f0d76bf4f9d896a6ae8f1ec9d2ba8566eae61179303851f0b76ad67d>

2. Build Transaction With Metadata:

Postman Example: <http://localhost:4004/odata/v4/cardano-transaction/BuildTransactionWithMetadata>



Script execution with build -> sign -> submit flow:

<https://github.com/ODATANO/ODATANO/blob/main/scripts/send-ada-with-metadata-preview.ts>

```
PS C:\Users\max\odatan> npm run tx scripts/send-ada-with-metadata-preview.ts
Starting ADA transfer (10 ADA) with Metadata on Preview...
Metadata: {
  "msg": {
    "msg": [
      "Hello",
      "from",
      "ODATANO"
    ]
  }
}

Building Transaction with Metadata...
Build successful - ID: aa0b655c-17b1-40b8-91bd-b11ae46a850
Fee: 0.172105 ADA
Transaction Hash: e1edad0418936a2d87205626cbf71c2570355f7e3ecf33b6b49182b1418f0434
unsignedTxCbor as tx-metadata.body.json saved

Sign with cardano-cli...
Signed: tx-metadata.signed.json created
signedTxCbor extracted (starts with 84a500 )

Submitting Transaction...
Response Status: 200

Transaction submitted successfully!
Full Response: {
  "odata.context": "$metadata#TransactionSubmissions/$entity",
  "signedTxCbor": "84a500818258203f74d98f0d76bf4f9d896a6a8f1ec9d2ba8566eae61179303851f0b76ad67d010182a200583900d098525914fb9bcd35141eaff7b054b9ce105f154ebb73347ff9c7415318a7bcc399479a382e90ef73386801c4d806d4fccc28d2a5ca7189011a00989688a200581d60374610273097b313fade06a38e90c5fb2640074ca8744ce850b8f0a101821b0000000242b2b2eba1581cdef68337867cb4ff1f95b6b811fedbfcd07780d10a95cc072077808eaa146546f6b656e4d190bb8021a0002a071075820dee1fd09bcb4b73861843ccc6567cee2b2bfa3b386a91f9c7f937540cda3551a0f00a100d9010281825820e865ca60ce4c6e92cd45b5e7f4ab37da379f1098eae4dc5e46709a42dec2f2f804968eca65a1c6d0348c1738e7f3d15c8f2d09e5615928609b88d85a26ff885aa4032636242dcb646593a276eaf92027cc0c3f3fa3089f1753482c3d8869e90bf5d90183a100a11902a2a1636d7367836548656",
  "txHash": "e1edad0418936a2d87205626cbf71c2570355f7e3ecf33b6b49182b1418f0434",
  "validFrom": "2026-01-25T09:56:15.705Z",
  "validTo": "2026-01-25T10:06:15.705Z",
  "submittedAt": 1769334975,
  "build_id": "aa0b655c-17b1-40b8-91bd-b11ae46a850",
  "backendResponse": "Submitted successfully",
  "id": "a9c2bb1-961d-4c1c-b493-17ad0b7b5473"
}
```

Link to Explorer:

<https://preview.cardanoscan.io/transaction/e1edad0418936a2d87205626cbf71c2570355f7e3ecf33b6b49182b1418f0434>

3. Build Multi Asset Transaction

Postman Example: <http://localhost:4004/odata/v4/cardano-transaction/BuildTransactionWithMetadata>

The screenshot shows a Postman interface for a POST request to `http://localhost:4004/odata/v4/cardano-transaction/BuildMultiAssetTransaction`. The request body is a JSON object with the following structure:

```
1 {
2   "senderAddress": "addr_test1vqm5vyp8xztmxy16mcr2xr5schajvsq8fjs8gn8g2zu0pgg8gckcp",
3   "recipientAddress": "addr_test1qrqf5q5jeznaehnf4zs02laas2juuuyzlz48tkue50luws2nrxnmuesg7drstsqaaenq6qpcnvqvn0Kessd9fw2wxys6tv622",
4   "lovelaceAmount": 2000000,
5   "assetsJson": "[[{"unit": "\def68337867cb4f1f95b6b811fedbfcd7780d10a95cc072077080ea546f6b656e4d\", \"quantity\": \"500\"}]]"
6 }
```

The response status is **200 OK** with a response time of 164 ms and a size of 1.45 KB. The response body is a JSON object:

```
1 {
2   "@odata.context": "$metadata#TransactionBuilds/$entity",
3   "id": "2ef204f0-d81f-404f-9c9d-10543997a5ac",
4   "validFrom": "2026-01-25T08:43:19.839Z",
5   "validTo": "2026-01-25T08:53:19.839Z",
6   "builderEngine": "BuildoorTxBuilder",
7   "senderAddress": "addr_test1vqm5vyp8xztmxy16mcr2xr5schajvsq8fjs8gn8g2zu0pgg8gckcp",
8   "changeAddress": "addr_test1vqm5vyp8xztmxy16mcr2xr5schajvsq8fjs8gn8g2zu0pgg8gckcp",
9   "unsignedTxCbor": "84a40081825820e1ead90418936a2d87205626cbf71c2570355f7e3ecf33b6b49182b1418f0434010182a200583900d090525914fb9bcd35141eaff7b054b9ce105f154ebb73347ff9c7415318a7bcc399479a38281bee973c7baf66270ad6a56992bf97152fc14684d5089df26f2602202e0830c000182a200583900d090525914fb9bcd35141eaff7b054b9ce105f154ebb73347ff9c7415318a7bcc399479a382e00ef73306081c4d0864df6cc20d2a5ca718901821a001e8408a1581cdef68337867cb4f1f95b6b811fedbfcd7780d10a95cc072077080ea146546f6b656e4d1901f4a200581d08374610273097b313fade06a30e90c5fb2640874ca0744ce850b8f0a101821b000000024340f478a1581cdef68337867cb4f1f95b6b811fedbfcd7780d10a95cc072077080ea146546f6b656e4d1909c4021a0002a8860f0a00f5f6",
10  "txBodyHash": "609a31feac0bd7fbcf600d3961e90efd4508645dd4b335e7dc22c57a68f2e4ea",
11  "fee": 174213,
12  "createdAt": 1769330599,
13  "hasInputs": true,
14  "hasOutputs": true,
15  "wasSubmitted": false
16 }
```

Script execution with build -> sign -> submit flow

<https://github.com/ODATANO/ODATANO/blob/main/scripts/send-multi-asset-preview.ts>

```
PS C:\Users\max\odatan> npx tsx scripts/send-multi-asset-preview.ts
Starting Multi-Asset transfer on Preview...
Assets to send: [
  {
    "unit": "def68337867cb4f1f95b6b811fedbfcd7780d10a95cc072077080ea546f6b656e4d",
    "quantity": "500"
  }
]

Building Multi-Asset Transaction...
Build successful - ID: 18f5194b-97fd-4bc3-b240-5a45b2214466
Fee: 0.171045 ADA
Transaction Hash: cc5803307bb295dec6b16bab8006416787d0759d789ae13f9c145559842059c0
unsignedTxCbor as tx-multiasset.body.json saved

Sign with cardano-cli...
Signed: tx-multiasset.signed.json created
signedTxCbor extracted (starts with 84a400 )

Submitting Transaction...
Response Status: 200


Transaction submitted successfully!
Full Response: {
  "@odata.context": "$metadata#TransactionSubmissions/$entity",
  "signedTxCbor": "84a40081825820e1ead90418936a2d87205626cbf71c2570355f7e3ecf33b6b49182b1418f0434010182a200583900d090525914fb9bcd35141eaff7b054b9ce105f154ebb73347ff9c7415318a7bcc399479a38200ef73306081c4d0864df6cc20d2a5ca718901821a001e8408a1581cdef68337867cb4f1f95b6b811fedbfcd7780d10a95cc072077080ea146546f6b656e4d1901f4a200581d08374610273097b313fade06a30e90c5fb2640874ca0744ce850b8f0a101821b000000024340f478a1581cdef68337867cb4f1f95b6b811fedbfcd7780d10a95cc072077080ea146546f6b656e4d1909c4021a0002a8860f0a00f5f6",
  "txHash": "cc5803307bb295dec6b16bab8006416787d0759d789ae13f9c145559842059c0",
  "validFrom": "2026-01-25T09:58:38.658Z",
  "validTo": "2026-01-25T10:08:38.658Z",
  "submittedAt": 1769335118,
  "build_id": "18f5194b-97fd-4bc3-b240-5a45b2214466",
  "backEndResponse": "Submitted successfully",
  "id": "5a277646-29f0-40f0-ba87-8cb1300ac895"
}
```

Link to Explorer:

<https://preview.cardanoscan.io/transaction/cc5803307bb295dec6b16bab8006416787d0759d789ae13f9c145559842059c0>

4. Build Mint Transaction

Postman Example: <http://localhost:4004/odata/v4/cardano-transaction/BuildTransactionWithMetadata>



Script execution with build -> sign -> submit flow

<https://github.com/ODATANO/ODATANO/blob/main/scripts/mint-token-preview.ts>

[illegible]

Link to Explorer:

<https://preview.cardanoscan.io/transaction/6fe20421d24356c8dd1b420257b8a71005f9e33fcc25c69eb4c9acc483fb901>