

The compile of CqrlogImproved with Ubuntu 22.04

Ubuntu 24.04.5.1


Assume you have a clean Ubuntu that has not previously installed Cqrlog or FreePascal/Lazarus development programs.

1)

First we start by installing FreePascal/Lazarus packages. Open command terminal with your **normal user account**:


type command:

sudo apt-get install lazarus



```
ubuntu-22.04.5 Clone Clone [Running] - Oracle VM VirtualBox
File Machine View Input Devices Help
Activities Terminal maalis 31 09:28
saku@ubuntu-22: ~
saku@ubuntu-22:~$ sudo apt-get install lazarus
Luetaan pakettiluetteloita... Valmis
Muodostetaan riippuvuussuhteiden puu... Valmis
Luetaan tilatiedot... Valmis
The following additional packages will be installed:
  autoconf automake autopoint autotools-dev debhelper debugedit dh-autoreconf
  dh-strip-nondeterminism dwz fp-compiler fp-compiler-3.2.2 fp-docs-3.2.2
  fp-ide-3.2.2 fp-units-base-3.2.2 fp-units-dh-3.2.2 fp-units-fcl-3.2.2
```

There will be long list of installed packages (cutted here...)



```
libxcursor-dev libxdamage-dev libxdmcp-dev libxdot4 libxext-dev
libxfixes-dev libxft-dev libxi-dev libxinerama-dev libxml2-utils libxpm-dev
libxrandr-dev libxrender-dev libxt-dev libxxf86dga-dev libxxf86vm-dev m4
pango1.0-tools pkg-config po-debconf python3-distutils timgm6mb-soundfont
uuid-dev x11proto-dev xorg-sgml-doctools xtrans-dev zlib1g-dev
Nämä paketit päivitetään:
  libexpat1
1 päivitetty, 191 uutta asennusta, 0 poistettavaa ja 97 päivittämätöntä.
Noudettavaa arkistoa 222 Mt/222 Mt.
Toiminnon jälkeen käytetään 1 602 M t lisää levytilaa.
Show Applications [K/e]
```

There will be question Y/N (in finnish version it shows as [K/e]. Say Yes [Y] here.


Download and install will get a while. Depending your internet speed and your PC speed.

By default CqrlogImproved will compile with GTK2 version graphics widgets.

If you are planning to compile Qt5 version of CqrlogImproved you need to install the QT5 packages for Lazarus.

Type:

sudo apt-get install libqt5pas-dev



```
saku@ubuntu-22: ~
saku@ubuntu-22:~$ sudo apt-get install libqt5pas-dev

Need to get 12.4 MB of archives.
After this operation, 52.3 MB of additional disk space will be used.
Do you want to continue? [Y/n]
```

Say again Y

2)

Second it is time to get the CqrlogImproved source from GitHub

Type:

sudo apt-get install git

```
saku@ubuntu-22:~$ sudo apt-get install git
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following additional packages will be installed:
  git-man liberror-perl
Suggested packages:
  git-daemon-run | git-daemon-sysvinit git-doc git-email git-gui gitk gitweb
  git-cvs git-mediawiki git-svn
The following NEW packages will be installed:
  git git-man liberror-perl
0 upgraded, 3 newly installed, 0 to remove and 140 not upgraded.
Need to get 4147 kB of archives.
After this operation, 21.0 MB of additional disk space will be used.
Do you want to continue? [Y/n]
```

Say again Y

Once done type:

git clone https://github.com/OH1KH/CqrlogImproved.git

```
saku@Ubuntu24045:~$ git clone https://github.com/OH1KH/CqrlogImproved.git
Cloning into 'CqrlogImproved'...
remote: Enumerating objects: 1774, done.
remote: Counting objects: 100% (136/136), done.
remote: Compressing objects: 100% (55/55), done.
Receiving objects: 68% (1217/1774), 202.11 MiB | 2.39 MiB/s
```

Then change directory to CqrlogImproved, type:

cd CqrlogImproved

And type:

make

```
saku@Ubuntu24045:~$ cd CqrlogImproved
saku@Ubuntu24045:~/CqrlogImproved$ make
```

This will make GTK2 graphics version CqrlogImproved

Once compile has finished (without errors) type:


sudo make install

```
Debug: Output file /home/saku/CqrlogAlpha/src/cqrlog.or written
Debug: Time e(9015) Linking /home/saku/CqrlogAlpha/src/cqrlog
(1008) 112509 lines compiled, 11.6 sec
(1021) 21 warning(s) issued
strip src/cqrlog
gzip tools/cqrlog.1 -c > tools/cqrlog.1.gz
saku@ubuntu-22:~/CqrlogAlpha$ sudo make install
```

Your CqrlogImproved GTK2 is now installed.

3)


If you are looking for the QT5 version graphics widgets you must replace the previously typed **make** with:
make cqrlog_qt5



```
saku@ubuntu-22: ~/CqrlogAlpha
saku@ubuntu-22:~/CqrlogAlpha$ make cqrlog_qt5
```

Once compile has finished (without errors) type:

sudo make install



```
Debug: Output file /home/saku/CqrlogAlpha/src/cqrlog.or written
Debug: Time e(9015) Linking /home/saku/CqrlogAlpha/src/cqrlog
(1008) 112509 lines compiled, 11.6 sec
(1021) 21 warning(s) issued
strip src/cqrlog
gzip tools/cqrlog.1 -c > tools/cqrlog.1.gz
saku@ubuntu-22:~/CqrlogAlpha$ sudo make install
```

Your CqrlogImproved Qt5 is now installed.


When ever you find a new version of CqrlogImproved source you can do upgrade as follows:

cd CqrlogImproved

git pull

make (or make **cqrlog_qt5** instead if you want QT5 version)

sudo make install



```
saku@ubuntu-22:~$ cd CqrlogAlpha
saku@ubuntu-22:~/CqrlogAlpha$ git pull
Already up to date.
saku@ubuntu-22:~/CqrlogAlpha$
```

Note: you get "Already up to date" if there is no change in source version, otherwise changes are loaded and you can do **make** and **sudo make install** after that.

Note: QT5 version refuses to run with Ubuntu 24.04.5.2 this might be because Ubuntu's Lazarus version 3.0 (old)

4)


If you have a clean Ubuntu (never had Cqrlog there before) and done the compile already you can not run CqrlogImproved yet.

You need to install some dependency packages first.

When you cloned CqrlogImproved source from GitHub you got also an Cqrlog install script with that.

We can now use that script **partially** like follows:

```
cd ~/CqrlogImproved/compiled
unzip install_Cqrlog_to_Ubuntu.zip -d /tmp
/tmp/install_cqrlog.sh
```


A terminal window titled 'saku@ubuntu-22: ~/CqrlogAlpha/compiled'. The user runs 'cd CqrlogAlpha/compiled', then 'unzip install_Ubuntu2204_cqrlog.zip -d /tmp', and finally '/tmp/install_cqrlog.sh'. The output shows the archive being inflated and the script being executed.

```
saku@ubuntu-22:~/CqrlogAlpha/compiled
saku@ubuntu-22:~/CqrlogAlpha/compiled$ unzip install_Ubuntu2204_cqrlog.zip -d /tmp
Archive:  install Ubuntu2204 cqrlog.zip
  inflating: /tmp/install_cqrlog.sh
saku@ubuntu-22:~/CqrlogAlpha/compiled$ /tmp/install_cqrlog.sh
```

There we change to CqrlogImproved/compiled directory, unzip the install_Cqrlog_to_Ubuntu.zip to folder /tmp and finally start that script.

When script starts it will first do cleanup, ask your user password, and install dependencies.


All these steps are activated by pressing enter key when asked.

A terminal window showing the output of the installation script. It reports that 1 package was upgraded, 36 were newly installed, and 139 were not upgraded. It also shows the disk space requirements and asks for confirmation to continue.

```
libssl3
1 upgraded, 36 newly installed, 0 to remove and 139 not upgraded.
Need to get 30.4 MB/32.3 MB of archives.
After this operation, 238 MB of additional disk space will be used.
Do you want to continue? [Y/n]
```

Dependency install needs to say **Y**


When dependency install is finished it will say

A terminal window showing the next steps in the installation process. It indicates that Cqrlog 2.5.2 will be downloaded from GitHub and asks the user to press enter to continue or Ctrl+C to stop.


```
...
...
Coming next:
Downloading Cqrlog 2.5.2 from github.com/ok2cqr Press enter to continue, Ctrl+C
to stop
^C
saku@Ubuntu24045:~/CqrlogImproved/compiled$
```

At that phase **press Ctrl C** keys to stop script as we have latest CqrlogImproved compiled and installed.


Then it is time to try to start CqrlogImproved. From **applications** you will find **Cqrlog** icon. Click that.



Your CqrlogImproved will start



And after a while you can open your log 001



That's it.....