

Abalone South Africa

bbmsy_q50

2.5

2.0

1.5

1.0

0.5


0.0

1960


1980

2000


year




Acadian redfish Gulf of Maine / Georges Bank




Alaska plaice Bering Sea and Aleutian Islands




Alaskan Pollock Pacific Coast of Japan




Albacore tuna Indian Ocean




Albacore tuna Mediterranean




Albacore tuna North Atlantic








Albacore tuna South Atlantic




Albacore tuna South Pacific Ocean









American lobster Southern New England




American Plaice NAFO-23K



American Plaice NAFO-3LNO



American Plaice NAFO-3M



American Plaice NAFO-3Ps

bbmsy_q50

2.5
2.0
1.5
1.0
0.5
0.0

1960


1970

1980


1990

2000


year




American Plaice NAFO-5YZ





Anchovy ICES VIII




Anchovy kilka Caspian Sea








Argentine anchoita Northern Argentina




Argentine anchoita Southern Argentina




Argentine hake Northern Argentina







Arrowtooth flounder Bering Sea and Aleutian Islands




Arrowtooth flounder Gulf of Alaska




Arrowtooth flounder Pacific Coast




Atka mackerel Bering Sea and Aleutian Islands




Atlantic butterfish Gulf of Maine / Cape Hatteras




Atlantic cod Baltic Areas 22 and 24




Atlantic cod Baltic Areas 25–32




Atlantic Cod Celtic Sea




Atlantic cod coastal Norway




Atlantic cod Faroe Plateau




Atlantic cod Georges Bank




Atlantic cod Gulf of Maine




Atlantic cod Iceland



Atlantic cod Irish Sea



Atlantic cod Kattegat



Atlantic cod NAFO 2J3KL

bbmsy_q50

2.5
2.0
1.5
1.0
0.5
0.0


1850

1900


1950

2000


year




Atlantic cod NAFO 3M




Atlantic cod NAFO 3NO




Atlantic cod NAFO 3Pn4RS







Atlantic cod NAFO 4TVn




Atlantic cod NAFO 4VsW







Atlantic cod North Sea




Atlantic cod Northeast Arctic




Atlantic cod West of Scotland




Atlantic croaker Mid-Atlantic Coast




Atlantic Halibut NAFO-5YZ




Atlantic herring Northwestern Atlantic Coast




Atlantic mackerel Gulf of Maine / Cape Hatteras




Atlantic menhaden Atlantic



Atlantic surfclam Mid-Atlantic Coast



Australian salmon New Zealand



Bank Rockfish California

bbmsy_q50


2.5
2.0
1.5
1.0
0.5
0.0


1985


1990

1995


year









Bigeye tuna Eastern Pacific




Bigeye tuna Indian Ocean




Bigeye tuna Western Pacific Ocean




Bight redfish Southeast Australia




Black cardinalfish East coast of North Island




Black Foot Paua NZ North PAUA5A




Black Foot Paua NZ South PAUA5A



Black Grouper Gulf of Mexico



Black Oreo Pukaki Rise



Black oreo West end of Chatham Rise

bbmsy_q50


2.5
2.0
1.5
1.0
0.5
0.0


1980


1990

2000


year








Black sea bass Mid-Atlantic Coast



Blackgill rockfish Pacific Coast



Blue Crab Chesapeake Bay

bbmsy_q50

2.5
2.0
1.5
1.0
0.5
0.0


1990

1995


2000

2005


year




Blue grenadier New South Wales to Western Australia



Blue Grenadier Southeast Australia



Blue king crab Pribilof Islands



Blue king crab Saint Matthews Island

bbmsy_q50


2.5
2.0
1.5
1.0
0.5
0.0

1980


1990

2000


year




Blue mackerel East China Sea




Blue mackerel Pacific Coast of Japan




Blue marlin Atlantic




Blue marlin Pacific Ocean







Blue Warehouse Eastern half of Southeast Australia




Blue Warehouse Western half of Southeast Australia




Blue Whiting Chile




Bluefin tuna Eastern Atlantic



Bluefin tuna Western Atlantic





Bluefish Atlantic Coast






Bocaccio Southern Pacific Coast







Cabazon Northern California




Cabazon Oregon Coast







Canary rockfish Pacific Coast





y rockfish West Coast of Vancouver Island and Strait of Georgia and Queen Cha




Cape horse mackerel South Africa South coast









Chilean jack mackerel Chilean EEZ and offshore








Chub mackerel Pacific Coast of Japan




Chub mackerel Tsushima Strait








common European sole ICES Kattegat and Skagerrak




common European sole ICES VIId




common European sole Irish Sea





common European sole North Sea




common European sole Western English Channel








Cowcod Southern California




Darkblotched rockfish Pacific Coast



Deep-water cape hake South Africa



Deepwater flathead Southeast Australia



Deepwater Redfish Northeast Arctic

bbmsy_q50

2.5
2.0
1.5
1.0
0.5
0.0

1985


1990

1995


2000


2005

year




Dover sole Gulf of Alaska






Dusky rockfish Gulf of Alaska



English sole Hecate Strait



English sole Pacific Coast

bbmsy_q50

2.5
2.0
1.5
1.0
0.5
0.0


1880

1920


1960

2000


year




European pilchard ICES VIIIc-IXa




European Plaice ICES IIIa



European Plaice ICES VIId



European Plaice ICES VIIe



European Plaice ICES VIIIf-g

bbmsy_q50

2.5
2.0
1.5
1.0
0.5
0.0


1995

2000

2005

2010

year



European Plaice Irish Sea

bbmsy_q50

2.5
2.0
1.5
1.0
0.5
0.0


1995

2000


2005

2010


year




European Plaice North Sea




Flathead sole Bering Sea and Aleutian Islands







flounder Inland Sea of Japan




Fourspotted megrim ICES VIIIc-IXa







Giant stargazer NZ Area STA7




Golden Redfish Northeast Arctic




Gopher rockfish Southern Pacific Coast





Greenland halibut NAFO 23KLMNO



Greenland halibut NAFO 4RST

bbmsy_q50

2.5
2.0
1.5
1.0
0.5
0.0


1970

1980


1990

2000


year




Greenland halibut Northeast Arctic




Greenland turbot Bering Sea and Aleutian Islands




Greenspotted rockfish Pacific Coast North




Greenspotted rockfish Pacific Coast South




Greenstriped rockfish Pacific Coast




Gulf menhaden Gulf of Mexico




Haddock Faroe Plateau




Haddock Georges Bank




Haddock Iceland



Haddock ICES IIIa and North Sea





Haddock Irish Sea

bbmsy_q50

2.5
2.0
1.5
1.0
0.5
0.0


1980


1990

2000

2010

year







Haddock NAFO-5Y

bbmsy_q50


year



Haddock Northeast Arctic



Haddock Rockall Bank



Haddock West of Scotland

bbmsy_q50

2.5
2.0
1.5
1.0
0.5
0.0


1980

1990


2000

2010


year




Hake Northeast Atlantic North





Hake Northeast Atlantic South








Herring ICES 22-24-IIIa















Herring ICES VIa







Herring ICES VIIa-g-h-j






Herring Northern Irish Sea







Hoki Eastern New Zealand




Hoki Western New Zealand



Jack mackerel Pacific Coast of Japan




Jackass morwong Southeast Australia




Japanese anchovy Inland Sea of Japan




Japanese anchovy Pacific Coast of Japan



Japanese anchovy Tsushima Strait



Japanese jack mackerel Tsushima Strait



Japanese pilchard Tsushima Strait

bbmsy_q50

2.5
2.0
1.5
1.0
0.5
0.0

1960

1970


1980

1990


2000


2010

year



Japanese Spanish mackerel Inland Sea of Japan





King mackerel Gulf of Mexico

bbmsy_q50

2.5
2.0
1.5
1.0
0.5
0.0

1992


1994

1996


1998

2000

year



King mackerel Southern Atlantic Coast



Kingklip South Africa

bbmsy_q50

2.5
2.0
1.5
1.0
0.5
0.0

1985

1990


1995

2000


2005

2010


year




Lingcod Northern Pacific Coast




Lingcod Southern Pacific Coast




Longnose skate Pacific Coast




Longspine thornyhead Pacific Coast




Mackerel ICES Northeast Atlantic




Megrim ICES VIIIc-IXa




Monkfish Gulf of Maine / Cape Hatteras




Monkfish Gulf of Maine / Northern Georges Bank



Monkfish Labrador Shelf – Grand Banks – St. Pierre Bank




Monkfish Southern Georges Bank / Mid-Atlantic




New Zealand abalone species New Zealand Area PAU 5B




New Zealand abalone species New Zealand Area PAU 5D




New Zealand abalone species New Zealand Area PAU 7




New Zealand ling Eastern half of Southeast Australia




New Zealand ling New Zealand Area LIN 6b




New Zealand ling New Zealand Area LIN 72




New Zealand ling New Zealand Area LIN 7WC – WCSI




New Zealand ling New Zealand Areas LIN 3 and 4




New Zealand ling New Zealand Areas LIN 5 and 6




New Zealand ling Western half of Southeast Australia



New Zealand snapper New Zealand Area 8





Northern Australia grooved Tiger Prawn

bbmsy_q50

2.5
2.0
1.5
1.0
0.5
0.0


1970

1980


1990

2000


year




Northern rock sole Eastern Bering Sea and Aleutian Islands




Northern rockfish Bering Sea and Aleutian Islands




Northern rockfish Gulf of Alaska




Northern shortfin squid Northwestern Atlantic Coast







Norway pout North Sea




Ocean pout Northwestern Atlantic Coast




Ocean quahog Atlantic Coast



Olive flounder East China Sea



Olive flounder Pacific Ocean



Olive flounder Sea of Japan North

bbmsy_q50

2.5

2.0

1.5

1.0

0.5

0.0


2001

2004


2007

2010

year



Orange roughy Cascade Plateau



Orange Roughy Chatham Rise

bbmsy_q50


2.5
2.0
1.5
1.0
0.5
0.0

1980


1990

2000


year




Orange roughy New Zealand Mid East Coast




Orange roughy Southeast Australia




Pacific bluefin tuna Pacific Ocean




Pacific chub mackerel Pacific Coast




Pacific cod Bering Sea and Aleutian Islands




Pacific cod Gulf of Alaska




Pacific cod Hecate Strait




Pacific cod West Coast of Vancouver Island





Pacific hake Pacific Coast



Pacific halibut North Pacific

bbmsy_q50


2.5
2.0
1.5
1.0
0.5
0.0


2000


2005

2010


year









Pacific herring Queen Charlotte Islands




Pacific herring Strait of Georgia




Pacific herring West Coast of Vancouver Island




Pacific Ocean perch Eastern Bering Sea and Aleutian Islands




Pacific ocean perch Gulf of Alaska




Pacific ocean perch Pacific Coast




Pacific sardine Pacific Coast







Patagonian grenadier Chile




Patagonian grenadier Southern Argentina




Patagonian toothfish Macquarie Island




Patagonian toothfish South Africa Subantarctic Prince Edward Islands




Peruvian anchoveta North-Central Peru




Petrale sole Pacific Coast




Pink shrimp Gulf of Mexico






Pollock ICES IIIa, VI and North Sea



Pollock NAFO-4VWX5



Pollock NAFO-4X5YZ


bbmsy_q50


2.5
2.0
1.5
1.0
0.5
0.0


1990

2000


year







Pollock or saithe Iceland Grounds



Red deepsea crab Northwestern Atlantic


bbmsy_q50

2.5
2.0
1.5
1.0
0.5
0.0

1990

2000

year



Red grouper Gulf of Mexico

bbmsy_q50

2.5
2.0
1.5
1.0
0.5
0.0


1990

1995


2000

2005


year




Red king crab Bristol Bay




Red porgy Southern Atlantic coast




Red rock lobster New Zealand area CRA1




Red rock lobster New Zealand area CRA2




Red rock lobster New Zealand area CRA3




Red rock lobster New Zealand area CRA4




Red rock lobster New Zealand area CRA5




Red rock lobster New Zealand area CRA7




Red rock lobster New Zealand area CRA8




Red seabream East China Sea




Red seabream Inland Sea of Japan (East)




Red seabream Inland Sea of Japan (West)






Red snapper Western Gulf of Mexico



Redfish species NAFO 1



Redfish species NAFO 23K

bbmsy_q50

2.5
2.0
1.5
1.0
0.5
0.0

1960


1970

1980


1990

2000

year



Redfish species NAFO 3LN



Redfish species NAFO 3M

bbmsy_q50

2.5
2.0
1.5
1.0
0.5
0.0


1990

1995

2000

2005

year



Redfish species NAFO 3Pn4RSTVn

bbmsy_q50

2.5
2.0
1.5
1.0
0.5
0.0

1960


1970


1980

1990


2000

year







Rock Lobster South Australia Northern Zone




Rock Lobster South Australia Southern Zone



Rock sole Hecate Strait



Rougheye rockfish Bering Sea and Aleutian Islands



Rougheye rockfish Gulf of Alaska

bbmsy_q50

2.5
2.0
1.5
1.0
0.5
0.0


1980

1990


2000

2010


year




Round herring Tsushima Strait




Sablefish Eastern Bering Sea / Aleutian Islands / Gulf of Alaska




Sablefish Pacific Coast




Sablefish Pacific Coast of Canada




Sailfish Eastern Atlantic




Sailfish Western Atlantic




Sandeel North Sea Area 1




Sandeel North Sea Area 2




Sandeel North Sea Area 3




Sardine South Africa







Scampi Wairapa/Hawke Bay



School whiting Southeast Australia





Sea Mullet Queensland and New South Wales

bbmsy_q50


2.5
2.0
1.5
1.0
0.5
0.0

1960


1980

2000


year




Sea scallop Georges Bank




Sea scallop Mid-Atlantic Coast




Shallow-water cape hake South Africa




Shortbelly rockfish Pacific Coast




Shortfin mako Northwest Pacific Ocean




Shortraker rockfish Bering Sea and Aleutian Islands




Shortspine thornyhead Pacific Coast




Silver hake Gulf of Maine / Northern Georges Bank




Silver hake Southern Georges Bank / Mid-Atlantic





Silverfish Southeast Australia






Skipjack tuna Eastern Atlantic







Skipjack tuna Western Atlantic




Smooth Oreo Bounty Plateau




Smooth oreo Chatham Rise




Smooth Oreo East Pukaki Rise







Smooth oreo West end of Chatham Rise




Snapper Northern Spencer Gulf




Snapper Southern Gulf St. Vincent




Snapper Southern Spencer Gulf







Snow Crab Division 2J




Snow Crab Division 3K




Snow Crab Division 3NO




Snow Crab Division 3Ps




Snow crab Southern Gulf of St. Lawrence




Snowy grouper Southern Atlantic coast




South american pilchard Pacific Coast of Japan




South Hake Chile




South Pacific Hake Chile




Southern blue whiting Campbell Island Rise




Southern blue whiting Southern Argentina




Southern bluefin tuna Southern Oceans




Southern hake Chatham Rise




Southern hake Sub-Antarctic




Southern spiny lobster South Africa South coast




Spanish mackerel Southern Atlantic Coast




Spiny dogfish Atlantic Coast







Spotted spiny dogfish Pacific Coast




Sprat ICES Baltic Areas 22–32




Starry flounder Northern Pacific Coast




Starry flounder Southern Pacific Coast




Striped bass Gulf of Maine / Cape Hatteras




Striped marlin North Pacific




Striped marlin Northeast Pacific




Striped marlin Southwestern Pacific Ocean




Striped marlin Western and Central North Pacific







Swordfish Eastern Pacific



Swordfish Indian Ocean




Swordfish Mediterranean Sea




Swordfish North Atlantic





Swordfish North Pacific






Tanner crab Bering Sea and Aleutian Islands







Tasmanian giant crab Tasmania




Tiger flathead Southeast Australia




Tilefish Mid-Atlantic Coast




Tilefish Southern Atlantic coast




Trevally New Zealand Areas TRE 7




Vermilion snapper Gulf of Mexico




Vermilion snapper Southern Atlantic coast




Walleye pollock Aleutian Islands



Walleye pollock Eastern Bering Sea



Walleye pollock Gulf of Alaska




Walleye Pollock Navarinsky

bbmsy_q50


2.5
2.0
1.5
1.0
0.5
0.0

1994 1996 1998 2000 2002 2004


year




Walleye pollock Northern Sea of Okhotsk




Walleye pollock Western Bering Sea




Weakfish Atlantic Coast



West coast rock lobster South Africa Area 7



West coast rock lobster South Africa Area 8



West coast rock lobster South Africa Areas 1–2

bbmsy_q50

2.5
2.0
1.5
1.0
0.5
0.0


1925

1950

1975

2000

year



West coast rock lobster South Africa Areas 3–4

bbmsy_q50

2.5
2.0
1.5
1.0
0.5
0.0


1925

1950


1975

2000


year




West coast rock lobster South Africa Areas 5–6




White hake Georges Bank / Gulf of Maine





White hake Scotian Shelf, Bay of Fundy and Georges Bank








Whiting Black Sea














Widow rockfish Pacific Coast



Windowpane flounder – Gulf of Maine / Georges Bank



Windowpane Southern New England–Mid Atlantic



Winter Flounder NAFO-5Y


bbmsy_q50

2.5
2.0
1.5
1.0
0.5
0.0


1990

2000


year




Winter Flounder NAFO-5Z




Winter flounder Rhode Island




Winter Flounder Southern New England–Mid Atlantic




Witch Flounder NAFO-5Y





Yellow sea bream Sea of Japan







Yellowfin sole Bering Sea and Aleutian Islands









Yellowfin tuna Eastern Pacific







Yellowtail flounder Cape Cod / Gulf of Maine




Yellowtail flounder Georges Bank




Yellowtail Flounder NAFO 3LNO



Yellowtail Flounder Southern New England–Mid Atlantic



Yellowtail rockfish Northern Pacific Coast



Yellowtail snapper Southern Atlantic Coast

