

```
import React, { useState, useEffect, useRef } from 'react';
import { Sparkles, Zap, Edit3, Bookmark, Users, Settings, Eye, Send,
UserPlus, MapPin, Star, Share2, UsersRound, ArrowRight } from
' lucide-react';

// --- MOCK DATA & STYLING (from provided code) ---
const mockUser = {
  id: 101,
  name: 'Alexina B.',
  ggCredits: { leader: 6, collaborator: 17, mobilised: 53 },
  followers: 124,
  following: 56,
  activeProject: { id: 7, title: "Leiderdorp Community Cleanup",
location: "Leiderdorp Center" },
  vision: "A world with flourishing ecosystems, teeming with beautiful
nature and wildlife, where humans nurture our planet as one human
family.",
  mission: { name: "Urban Greening Initiative", description: "To design
and implement sustainable green spaces within urban environments..." },
  portfolioSummary: "Alexina's portfolio demonstrates a clear focus on
her mission...",
  globalGoodSummary: "Alexina is translating her vision for a flourishing
planet into tangible action...",
  pinnedProjects: [6, 3, 4],
  storyHighlight: 1,
  cvSnapshot: "A seasoned Project Manager with 5 years of experience...",
  storyPosts: [
    { id: 1, title: "A Garden Takes Root!", project: "City Hall Rooftop
Garden", role: "Leader", content: "Seeing the first sprouts...",
imageUrls:
["https://placeholder.co/800x600/101010/FFFFFF?text=Garden+Sprouts"] }
  ],
  allProjects: [
    { id: 6, title: "Pollinator Havens Project", roleType: 'leader',
missionName: "Urban Greening Initiative", imageUrl:
```

```

"https://placeholder.co/600x400/101010/FFFFFF?text=Pollinator+Haven", tags:
["Wildlife Habitats", "Community Gardens"] },
    { id: 3, title: "Tree Planting for Tomorrow", roleType: 'leader',
missionName: "Urban Greening Initiative", imageUrl:
"https://placeholder.co/600x400/101010/FFFFFF?text=Tree+Planting", tags:
["Reforestation"] },
    { id: 4, title: "Coastal Cleanup", roleType: 'collaborator',
missionName: "Eco Warriors", imageUrl:
"https://placeholder.co/600x400/101010/FFFFFF?text=Coastal+Cleanup", tags:
["Ocean Cleanup"] },
  ]
};

```

```

const mockCollaborationIdeas = [
  { id: 4, title: 'Lend Your Design Skills for a Local Animal Shelter',
location: "Remote Opportunity" },
  { id: 5, title: 'Weekend Canal Cleanup', location: "Leiden,
Netherlands" },
];

```

```

const mockLeadershipIdeas = [
  { id: 1, title: 'Community Garden Workshop', description: "Share
gardening skills with your neighbors." },
  { id: 2, title: 'Organize a Local Cleanup', description: "Based on an
identified need from a past project." },
];

```

```

const colors = { background: 'bg-black', card: 'bg-[#1a1a1a]', text:
'text-white', textMuted: 'text-gray-400', primary: 'text-lime-400',
primaryBg: 'bg-lime-400', primaryBgHover: 'hover:bg-lime-500', border:
'border-gray-700' };

```

```
// --- HELPER COMPONENTS ---
```

```

const Card = ({ children, className = "" }) => ( <div
className={` ${colors.card} rounded-lg ${className}`} > {children} </div> );

```

```

const Button = ({ children, onClick, variant = 'primary', className = ""
}) => {
  const baseStyle = 'px-4 py-2 rounded-md font-semibold transition-all
duration-300 flex items-center justify-center gap-2';
  const styles = { primary: `${colors.primaryBg} text-black
${colors.primaryBgHover}`, secondary: `bg-transparent border-2
${colors.border} ${colors.text} hover:bg-gray-800` };
  return <button onClick={onClick} className={` ${baseStyle}
${styles[variant]} ${className}`>{children}</button>;
};

const GGCreditDisplay = ({ credits, followers, following, setPage }) => (
  <div className="mt-2 space-y-1">
    <div onClick={() => setPage('GlobalGood')} className="flex
flex-wrap gap-x-4 gap-y-1 text-sm text-center cursor-pointer group">
      <span className={` ${colors.textMuted} group-hover:text-white
transition-colors`>Leader <span className={` ${colors.primary}
font-bold`>{credits.leader}</span></span>
      <span className={` ${colors.textMuted} group-hover:text-white
transition-colors`>Collaborator <span className={` ${colors.primary}
font-bold`>{credits.collaborator}</span></span>
      <span className={` ${colors.textMuted} group-hover:text-white
transition-colors`>Mobilised <span className={` ${colors.primary}
font-bold`>{credits.mobilised}</span></span>
    </div>
    <div className="flex flex-wrap gap-x-4 text-sm text-gray-500">
      <span><span className="font-bold
text-gray-400">{followers}</span> Followers</span>
      <span><span className="font-bold
text-gray-400">{following}</span> Following</span>
    </div>
  </div>
);

// --- CORE COMPONENT: My Global Good Profile ---
const MyGlobalGood = ({ setPage }) => {
  const isOwner = true;

```

```

const [viewingAsPublic, setViewingAsPublic] = useState(false);
const [activeTab, setActiveTab] = useState('Inspire Me');
const user = mockUser;

const currentViewIsOwner = isOwner && !viewingAsPublic;

const Sidebar = () => (
  <aside className="w-64 flex-shrink-0 pr-8">
    <h3 className="text-lg font-bold mb-4">Profile</h3>
    <nav className="space-y-2 text-sm text-gray-400">
      <a href="#" onClick={() => setActiveTab('Inspire Me')}
className={`flex items-center gap-3 p-2 rounded-md hover:bg-gray-800
hover:text-white ${activeTab === 'Inspire Me' ? 'bg-lime-900/50
text-lime-300 font-semibold' : ''}`><Sparkles size={16}/> Inspire Me</a>
      <a href="#" className="flex items-center gap-3 p-2
rounded-md hover:bg-gray-800 hover:text-white"><Zap size={16}/> Current
Projects</a>
      <a href="#" className="flex items-center gap-3 p-2
rounded-md hover:bg-gray-800 hover:text-white"><Edit3 size={16}/> Edit
Impact Resume</a>
      <a href="#" className="flex items-center gap-3 p-2
rounded-md hover:bg-gray-800 hover:text-white"><Bookmark size={16}/> My
Bookmarks</a>
      <a href="#" className="flex items-center gap-3 p-2
rounded-md hover:bg-gray-800 hover:text-white"><Users size={16}/> My
Community</a>
      <a href="#" className="flex items-center gap-3 p-2
rounded-md hover:bg-gray-800 hover:text-white"><Settings size={16}/>
Account Settings</a>
    </nav>
  </aside>
);

const PrivateHeader = () => (
  <div className="flex flex-col md:flex-row items-start
md:items-center justify-between mb-8">

```

```

        <div>
            <h2 className="text-4xl font-bold">{user.name}</h2>
            <GGCreditDisplay credits={user.ggCredits}
followers={user.followers} following={user.following} setPage={setPage} />
        </div>

        <Button variant="secondary" onClick={() =>
setViewingAsPublic(true)}><Eye size={16}/> View Public Profile</Button>
        </div>
    );

    const PublicHeader = () => (
        <div className="flex flex-col md:flex-row items-start
md:items-center justify-between mb-8">
            <div>
                <h2 className="text-4xl font-bold">{user.name}</h2>
                <GGCreditDisplay credits={user.ggCredits} setPage={setPage}
/>
            </div>
            <div className="flex items-center gap-4 mt-4 md:mt-0">
                <Button><UserPlus size={16}/> Follow</Button>
                <Button variant="secondary"><Send size={16} />
Message</Button>
            </div>
        </div>
    );

    const InspireMeContent = () => (
        <div>
            <h2 className="text-3xl font-bold mb-2">Inspire Your Next Act
of Goodwill</h2>
            <p className="text-gray-400 mb-8">The AI Guide has prepared
some ideas based on your unique vision and the collective's needs.</p>
            <div className="grid grid-cols-1 lg:grid-cols-2 gap-8
items-start">
                <Card className="p-6">

```

```

        <h3 className="text-xl font-bold mb-4">Collaboration
Ideas</h3>

        <div className="space-y-4">
            {mockCollaborationIdeas.map(post => (
                <div key={post.id} className="bg-gray-900 p-3
rounded-lg cursor-pointer hover:bg-gray-800 transition-colors flex
justify-between items-center" onClick={() => alert(`Navigating to join
${post.title}`)}>

                    <div>
                        <p
className="font-semibold">{post.title}</p>
                        <p className="text-xs
text-gray-500">{post.location}</p>
                    </div>
                    <ArrowRight size={16}
className="text-gray-600"/>
                </div>
            ))}
        </div>
    </Card>
    <Card className="p-6">
        <h3 className="text-xl font-bold mb-4">Project
Leadership Ideas</h3>
        <div className="space-y-4">
            <div className="bg-gray-900 p-3 rounded-lg
cursor-pointer hover:bg-gray-800" onClick={() => alert("Starting AI
Brainstorming session...")}>
                <p className="font-bold">Community Garden
Workshop</p>
                <p className="text-xs text-gray-500">Share
gardening skills with your neighbors.</p>
            </div>
            <div className="bg-gray-900 p-3 rounded-lg
cursor-pointer hover:bg-gray-800" onClick={() => alert("Starting AI
Brainstorming session...")}>

```

```

        <p className="font-bold">Organize a Local
Cleanup</p>

        <p className="text-xs text-gray-500">Based on
an identified need from a past project.</p>
    </div>
</div>
</Card>
</div>
</div>
);

const ImpactResumeContent = () => {
    const pinnedProjects = user.allProjects.filter(p =>
user.pinnedProjects.includes(p.id));
    const storyHighlight = user.storyPosts.find(s => s.id ===
user.storyHighlight);
    const getRoleIcon = (roleType) => roleType.includes('leader') ?
Star : Users;

    return (
        <div className="space-y-8">
            <Card className="p-6"> <h3 className="text-lg font-semibold
text-gray-400 mb-2">My Global Good Vision</h3> <p className="text-xl
italic">"{user.vision}"</p> </Card>
            <Card className="p-6"> <h3 className="text-lg font-semibold
text-gray-400 mb-2">Global Good Summary</h3>
<p>{user.globalGoodSummary}</p> <a href="#" onClick={() =>
setPage('GlobalGood')} className="text-sm text-lime-400 font-semibold mt-4
inline-block">See Global Good Overview →</a> </Card>
            <Card className="p-6">
                <h3 className="text-lg font-semibold text-gray-400
mb-2">My Mission</h3> <h2 className="text-2xl font-bold
mb-4">{user.mission?.name}</h2> <p className="text-gray-400 italic
mb-6">"{user.portfolioSummary}"</p>
                <div className="grid grid-cols-1 md:grid-cols-3 gap-6">
                    {pinnedProjects.map(item => {

```

```

        const Icon = getRoleIcon(item.roleType);
        return (
            <div key={item.id} className="rounded-lg
overflow-hidden border border-gray-700 group cursor-pointer">
                <div className="relative"> <img
src={item.imageUrl} alt={item.title} className="w-full h-40 object-cover"
/> <div className="absolute top-2 right-2 flex items-center gap-2 text-xs
bg-black/70 text-white p-1 rounded-md"> <Icon size={12} />
<span>{item.roleType}</span></div> </div>
                <div className="p-4 bg-gray-900"> <h4
className="font-bold truncate">{item.title}</h4> <p className="text-sm
text-lime-400 truncate">{item.missionName}</p> </div>
                </div>
            )
        )
    }
    </div>
    <a href="#" onClick={() => setActiveTab('Portfolio')}
className="text-sm text-lime-400 font-semibold mt-6 inline-block">See Full
Portfolio →</a>
    </Card>
    {storyHighlight && ( <Card className="p-6"> <h3
className="text-lg font-semibold text-gray-400 mb-2">Story Highlight</h3>
<img src={storyHighlight.imageUrls[0]} alt={storyHighlight.title}
className="w-full h-48 object-cover rounded-lg mb-4" /> <h4
className="text-xl font-bold">{storyHighlight.title}</h4> <p
className="text-gray-400 my-2">"{storyHighlight.content}"</p> <a href="#"
onClick={() => setActiveTab('Story')} className="text-sm text-lime-400
font-semibold mt-2 inline-block">See All Project Stories →</a> </Card> )}
    <Card className="p-6"> <h3 className="text-lg font-semibold
text-gray-400 mb-2">CV Snapshot</h3> <p>{user.cvSnapshot}</p> <a href="#"
onClick={() => setPage('FullCV')} className="text-sm text-lime-400
font-semibold mt-4 inline-block">See Full CV →</a> </Card>
    <div className="mt-12 flex justify-center"> <Button
variant="secondary"><Share2 size={16} /> Share Impact Resume</Button>
</div>
</div>

```



```

    );
  };

  const PortfolioPageContent = () => {
    const getRoleIcon = (roleType) => roleType.includes('leader') ?
Star : Users;
    return (
      <div>
        <h2 className="text-3xl font-bold
mb-2">{user.mission?.name}</h2> <p className="text-gray-400
mb-8">{user.mission?.description}</p>
        <div className="grid grid-cols-1 md:grid-cols-3 gap-6">
          {user.allProjects.map(item => {
            const Icon = getRoleIcon(item.roleType);
            return (
              <div key={item.id} className="rounded-lg
overflow-hidden border border-gray-700 group cursor-pointer" onClick={()
=> setPage('ProjectHub')}>
                <div className="relative"> <img
src={item.imageUrl} alt={item.title} className="w-full h-40 object-cover"
/> <div className="absolute top-2 right-2 flex items-center gap-2 text-xs
bg-black/70 text-white p-1 rounded-md"> <Icon size={12} />
<span>{item.roleType}</span></div> </div>
                <div className="p-4 bg-gray-900"> <h4
className="font-bold truncate">{item.title}</h4> <p className="text-sm
text-lime-400 truncate">{item.missionName}</p> </div>
              </div>
            );
          })}
        </div>
      </div>
    );
  };

  const StoryPageContent = () => (
    <div>

```

```

        <Card className="mb-8 p-6"> <h2 className="text-2xl font-bold
mb-4">The Story Behind the Stories</h2> <p className="text-gray-400
italic">"[AI-generated narrative summarizing the themes and highlights
from all the user's stories goes here, creating a compelling personal
journey.]"</p> </Card>

        <div className="space-y-8">
            {user.storyPosts.map(story => (
                <Card key={story.id} className="p-6"> <img
src={story.imageUrls[0]} alt={story.title} className="w-full h-48
object-cover rounded-lg mb-4" /> <h3 className="text-xl
font-bold">{story.title}</h3> <p className="text-sm text-gray-500
my-1">From "{story.project}" ({story.role})</p> <p
className="text-gray-400 mt-2">"{story.content}"</p> </Card>
            ))}
        </div>
    </div>
);

const renderActiveTabContent = () => {
    switch (activeTab) {
        case 'Inspire Me': return <InspireMeContent />;
        case 'Impact Resume': return <ImpactResumeContent />;
        case 'Portfolio': return <PortfolioPageContent />;
        case 'Story': return <StoryPageContent />;
        default: return <InspireMeContent />;
    }
};

const PublicView = () => (
    <div className="max-w-5xl mx-auto">
        {isOwner && (
            <div className="bg-yellow-900/50 border border-yellow-700
text-yellow-300 text-sm rounded-lg p-3 text-center mb-8">
                You are viewing your public profile. <button
onClick={() => setViewingAsPublic(false)} className="font-bold underline
hover:text-white">Return to Profile Management</button>

```

```

        </div>
    })
    <PublicHeader />
    {user.activeProject && (
        <a href="#" onClick={() => setPage('ProjectHubJoin')}
className="block text-center text-lime-300 mb-8 hover:text-lime-200">
        Join {user.name.split(' ')[0]}'s Project: <span
className="font-bold underline">{user.activeProject.title}</span>
        </a>
    })
    <div className="flex border-b border-gray-700">
        {[ 'Impact Resume', 'Portfolio', 'Story' ].map(tab => (
<button key={tab} onClick={() => setActiveTab(tab)} className={`py-2 px-4
font-semibold ${activeTab === tab ? 'text-lime-400 border-b-2
border-lime-400' : 'text-gray-400'} `}> {tab} </button> ))}
        </div>
        <div className="mt-8">{renderActiveTabContent()}</div>
    </div>
);

const PrivateView = () => (
    <div className="flex">
        <Sidebar />
        <main className="flex-1">
            <PrivateHeader />
            <div className="flex border-b border-gray-700">
                {[ 'Inspire Me', 'Impact Resume', 'Portfolio',
'Story' ].map(tab => ( <button key={tab} onClick={() => setActiveTab(tab)}
className={`py-2 px-4 font-semibold ${activeTab === tab ? 'text-lime-400
border-b-2 border-lime-400' : 'text-gray-400'} `}> {tab} </button> ))}
            </div>
            <div className="mt-8">{renderActiveTabContent()}</div>
        </main>
    </div>
);

```

```

    return (
      <div className="max-w-7xl mx-auto py-8 px-4">
        {currentViewIsOwner ? <PrivateView/> : <PublicView/>}
      </div>
    );
  };

// --- Main App Shell (for demonstration) ---
export default function App() {
  const [page, setPage] = useState('MyGlobalGood');

  const renderPage = () => {
    switch (page) {
      case 'MyGlobalGood':
        return <MyGlobalGood setPage={setPage} />;
      case 'InspireMe':
        return <div className="text-center p-8">Navigated to the
Inspire Me page!</div>;
      // Add other page cases here for full app navigation
      default:
        return <MyGlobalGood setPage={setPage} />;
    }
  };

  return (
    <div className={` ${colors.background} ${colors.text} min-h-screen
font-sans`} >
      <main>{renderPage()}</main>
    </div>
  );
}

```