

BDK08 – Secondary Use (Red Use) of Clinical Data

References

- Afzal, Z, Engelkes, M, et al. (2013). Automatic generation of case-detection algorithms to identify children with asthma from large electronic health record databases. *Pharmacoepidemiology and Drug Safety*. 22: 826-833.
- Alvarez, CA, Clark, CA, et al. (2013). Predicting out of intensive care unit cardiopulmonary arrest or death using electronic medical record data. *BMC Medical Informatics & Decision Making*. 13: 28. <http://www.biomedcentral.com/1472-6947/13/28>
- Amarasingham, R, Moore, BJ, et al. (2010). An automated model to identify heart failure patients at risk for 30-day readmission or death using electronic medical record data. *Medical Care*. 48: 981-988.
- Amarasingham, R, Patel, PC, et al. (2013). Allocating scarce resources in real-time to reduce heart failure readmissions: a prospective, controlled study. *BMJ Quality & Safety*. 22: 998-1005.
- Amarasingham, R, Patzer, RE, et al. (2014). Implementing electronic health care predictive analytics: considerations and challenges. *Health Affairs*. 33: 1148-1154.
- Angrisano, C, Farrell, D, et al. (2007). Accounting for the Cost of Health Care in the United States. Washington, DC, McKinsey & Company. http://www.mckinsey.com/mgi/rp/healthcare/accounting_cost_healthcare.asp
- Anonymous (2009). Health Data Stewardship: What, Why, Who, How - An NCVHS Primer. Washington, DC, National Committee on Vital and Health Statistics. <http://www.ncvhs.hhs.gov/090930lt.pdf>
- Anonymous (2010). The State of Health Care Quality: 2010. Washington, DC, National Committee for Quality Assurance. <http://www.ncqa.org/tabid/836/Default.aspx>
- Anonymous (2011). Toward Precision Medicine: Building a Knowledge Network for Biomedical Research and a New Taxonomy of Disease. Washington, DC, National Academies Press.
- Anonymous (2013). Readmissions Reduction Program. Washington, DC, Center for Medicare and Medicaid Services. <http://www.cms.gov/Medicare/Medicare-Fee-for-Service-Payment/AcuteInpatientPPS/Readmissions-Reduction-Program.html>
- Anonymous (2014). DoD Healthcare Management System Modernization (DHMSM). Washington, DC, Department of Defense. https://www.fbo.gov/index?s=opportunity&mode=form&id=7e16cfa27a43e5e6e2cbdfb305d7513c&tab=core&_cview=1
- Anonymous (2015). Physician Office Usage of Electronic Health Records Software. Irvine, CA, SK&A. http://www.skainfo.com/health_care_market_reports/EMR_Electronic_Medical_Records.pdf
- Baillie, CA, VanZandbergen, C, et al. (2013). The readmission risk flag: Using the electronic health record to automatically identify patients at risk for 30-day readmission. *Journal of Hospital Medicine*. 8: 689-695.
- Barkhuysen, P, deGrauw, W, et al. (2014). Is the quality of data in an electronic medical record sufficient for assessing the quality of primary care? *Journal of the American Medical Informatics Association*. 21: 692-698.
- Bates, DW, Ebell, M, et al. (2002). A proposal for electronic medical records in U.S. primary care. *Journal of the American Medical Informatics Association*. 10: 1-10.
- Bates, DW, Saria, S, et al. (2014). Big data in health care: using analytics to identify and manage high-risk and high-cost patients. *Health Affairs*. 33: 1123-1131.
- Baugh, R, Jones, JE, et al. (2012). Medical scribes. *Journal of Medical Practice Management*. 28: 195-197.

Bell, DS and Greenes, RA (1994). Evaluation of UltraSTAR: performance of a collaborative structured data entry system. *Proceedings of the 18th Annual Symposium on Computer Applications in Medical Care*, Washington, DC. Hanley & Belfus. 216-222.

Berwick, DM, Nolan, TW, et al. (2008). The triple aim: care, health, and cost. *Health Affairs*. 27: 759-769.

Blumenthal, D (1996). Part 1: Quality of care? What is it? *New England Journal of Medicine*. 335: 891-893.

Blumenthal, D (2011). Implementation of the federal health information technology initiative. *New England Journal of Medicine*. 365: 2426-2431.

Blumenthal, D (2011). Wiring the health system--origins and provisions of a new federal program. *New England Journal of Medicine*. 365: 2323-2329.

Bourgeois, FC, Olson, KL, et al. (2010). Patients treated at multiple acute health care facilities: quantifying information fragmentation. *Archives of Internal Medicine*. 170: 1989-1995.

Brill, S (2013). Bitter Pill: Why Medical Bills Are Killing Us. Time, April 4, 2013.
<http://healthland.time.com/2013/02/20/bitter-pill-why-medical-bills-are-killing-us/>

Brown, B (2008). Speech Recognition - Executive Summary. Orem, UT, KLAS.
<http://www.klasresearch.com/Klas/Site/News/NewsLetters/2008-07/SR2008.aspx>

Buntin, MB, Burke, MF, et al. (2011). The benefits of health information technology: a review of the recent literature shows predominantly positive results. *Health Affairs*. 30: 464-471.

Burke, J (2013). *Health Analytics: Gaining the Insights to Transform Health Care*. Hoboken, NJ, Wiley.

Byrne, CM, Mercincavage, LM, et al. (2010). The value from investments in health information technology at the U.S. Department of Veterans Affairs. *Health Affairs*. 29: 629-638.

Charles, D, Gabriel, M, et al. (2014). Adoption of Electronic Health Record Systems among U.S. Non-federal Acute Care Hospitals: 2008-2013. Washington, DC, Department of Health and Human Services. <http://www.healthit.gov/sites/default/files/oncdataabrief16.pdf>

Charlson, M, Wells, MT, et al. (2014). The Charlson comorbidity index can be used prospectively to identify patients who will incur high future costs. *PLoS ONE*. 9(12): e112479.
<http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0112479>

Chassin, MR and Loeb, JM (2011). The ongoing quality improvement journey: next stop, high reliability. *Health Affairs*. 30: 559-568.

Chassin, MR, Loeb, JM, et al. (2010). Accountability measures--using measurement to promote quality improvement. *New England Journal of Medicine*. 363: 683-688.

Chaudhry, B, Wang, J, et al. (2006). Systematic review: impact of health information technology on quality, efficiency, and costs of medical care. *Annals of Internal Medicine*. 144: 742-752.

Cho, I, Park, I, et al. (2013). Using EHR data to predict hospital-acquired pressure ulcers: A prospective study of a Bayesian Network model. *International Journal of Medical Informatics*. 82: 1059-1067.

Cimino, JJ and Barnett, GO (1987). The physician's workstation: recording a physical examination using a controlled vocabulary. *Proceedings of the 11th Annual Symposium on Computer Applications in Medical Care*, Washington, DC. IEEE. 287-291.

Classen, DC, Resar, R, et al. (2011). 'Global trigger tool' shows that adverse events in hospitals may be ten times greater than previously measured. *Health Affairs*. 30: 4581-4589.

Coiera, E, Wang, Y, et al. (2014). Predicting the cumulative risk of death during hospitalization by modeling weekend, weekday and diurnal mortality risks. *BMC Health Services Research*. 14: 226.
<http://www.biomedcentral.com/1472-6963/14/226>

Collins, FS and Varmus, H (2015). A new initiative on precision medicine. *New England Journal of Medicine*. 372: 793-795.

Conn, J (2008). Perot Systems lands VistA contract in Middle East. *Modern Healthcare*, July 29, 2008.
<http://www.modernhealthcare.com/article/20080729/REG/340953204/>

Conn, J (2013). VA, Defense ditch plans for common EHR. *Modern Healthcare*, February 6, 2013. <http://www.modernhealthcare.com/article/20130206/NEWS/302069955/va-defense-ditch-plans-for-common-ehr>

Cusack, CM, Hripcsak, G, et al. (2013). The future state of clinical data capture and documentation: a report from AMIA's 2011 Policy Meeting. *Journal of the American Medical Informatics Association*. 20: 134-140.

Dahabreh, IJ and Kent, DM (2014). Can the learning health care system be educated with observational data? *Journal of the American Medical Association*. 312: 129-130.

Danaei, G, Rodríguez, LA, et al. (2011). Observational data for comparative effectiveness research: An emulation of randomised trials of statins and primary prevention of coronary heart disease. *Statistical Methods in Medical Research*. 22: 70-96.

Davenport, TH (2012). Analytical integration in healthcare. *Analytics*, January/February 2012. <http://www.analytics-magazine.org/januaryfebruary-2012/504-analytical-integration-in-healthcare>

DelFiol, G, Workman, TE, et al. (2014). Clinical questions raised by clinicians at the point of care: a systematic review. *JAMA Internal Medicine*. 174: 710-718.

deLusignan, S and vanWeel, C (2005). The use of routinely collected computer data for research in primary care: opportunities and challenges. *Family Practice*. 23: 253-263.

Denny, JC (2012). Mining Electronic Health Records in the Genomics Era. *PLOS Computational Biology: Translational Bioinformatics*. M. Kann and F. Lewitter.

Denny, JC, Bastarache, L, et al. (2013). Systematic comparison of phenome-wide association study of electronic medical record data and genome-wide association study data. *Nature Biotechnology*. 31: 1102-1111.

deSilva, R, Misbahuddin, A, et al. (2010). Do patients wish to 'listen in' when doctors dictate letters to colleagues? *Journal of the Royal Society of Medicine Short Reports*. 1(6): 47. <http://shortreports.rsmjournals.com/content/1/6/47>

Diamond, CC, Mostashari, F, et al. (2009). Collecting and sharing data for population health: a new paradigm. *Health Affairs*. 28: 454-466.

Dick, RS, Steen, EB, et al., Eds. (1997). *The Computer-Based Patient Record: An Essential Technology for Health Care, Revised Edition*. Washington, DC, National Academies Press.

Donabedian, A (1988). The quality of care: how can it be assessed? *Journal of the American Medical Association*. 260: 1743-1748.

Donabedian, A, Ed. (2002). *An Introduction to Quality Assurance in Health Care*. Cambridge, MA, Oxford University Press.

Donnelly, WJ (2005). Viewpoint: patient-centered medical care requires a patient-centered medical record. *Academic Medicine*. 80: 33-38.

Donzé, J, Aujesky, D, et al. (2013). Potentially avoidable 30-day hospital readmissions in medical patients: derivation and validation of a prediction model. *JAMA Internal Medicine*. 173: 632-638.

Duke, JD, Morea, J, et al. (2014). Regenstrief Institute's Medical Gopher: a next-generation homegrown electronic medical record system. *International Journal of Medical Informatics*. 83: 170-179.

Ely, JW, Osheroff, JA, et al. (1999). Analysis of questions asked by family doctors regarding patient care. *British Medical Journal*. 319: 358-361.

Finnell, JT, Overhage, JM, et al. (2011). All health care is not local: an evaluation of the distribution of emergency department care delivered in Indiana. *AMIA Annual Symposium Proceedings*, Washington, DC. 409-416.

FitzHenry, F, Murff, HJ, et al. (2013). Exploring the frontier of electronic health record surveillance: the case of postoperative complications. *Medical Care*. 51: 509-516.

Friedman, CP, Wong, AK, et al. (2010). Achieving a nationwide learning health system. *Science Translational Medicine*. 2(57): 57cm29. <http://stm.sciencemag.org/content/2/57/57cm29.full>

Gensinger, RA, Ed. (2014). *Analytics in Healthcare: An Introduction*. Chicago, IL, Healthcare Information Management Systems Society.

Gilbert, P, Rutland, MD, et al. (2013). Redesigning the work of case management: testing a predictive model for readmission. *American Journal of Managed Care*. 19(11 Spec No. 10): eS19-eSP25. <http://www.ajmc.com/publications/issue/2013/2013-11-vol19-sp/redesigning-the-work-of-case-management-testing-a-predictive-model-for-readmission>

Gildersleeve, R and Cooper, P (2013). Development of an automated, real time surveillance tool for predicting readmissions at a community hospital. *Applied Clinical Informatics*. 4: 153-169.

Goldzweig, CL, Towfigh, A, et al. (2009). Costs and benefits of health information technology: new trends from the literature. *Health Affairs*. 28: w282-w293.

Gorman, PN (1995). Information needs of physicians. *Journal of the American Society for Information Science*. 46: 729-736.

Gottesman, O, Kuivaniemi, H, et al. (2013). The Electronic Medical Records and Genomics (eMERGE) Network: past, present, and future. *Genetics in Medicine*. 15: 761-771.

Gottlieb, A, Stein, GY, et al. (2013). A method for inferring medical diagnoses from patient similarities. *BMC Medicine*. 11: 194. <http://www.biomedcentral.com/1741-7015/11/194>

Greenes, RA, Barnett, GO, et al. (1970). Recording, retrieval, and review of medical data by physician-computer interaction. *New England Journal of Medicine*. 282: 307-315.

Halamka, J (2013). The "Post EHR" Era. *Life as a Healthcare CIO*, February 12, 2013. <http://geekdoctor.blogspot.com/2013/02/the-post-ehr-era.html>

Halamka, JD (2013). The Era of Epic. *Life as a Healthcare CIO*, July 24, 2013. <http://geekdoctor.blogspot.com/2013/07/the-era-of-epic.html>

Hebert, C, Shivade, C, et al. (2014). Diagnosis-specific readmission risk prediction using electronic health data: a retrospective cohort study. *BMC Medical Informatics & Decision Making*. 14: 65. <http://www.biomedcentral.com/1472-6947/14/65>

Hersh, W (2004). Health care information technology: progress and barriers. *Journal of the American Medical Association*. 292: 2273-2274.

Hersh, W (2012). From Implementation to Analytics: The Future Work of Informatics. *Informatics Professor*, April 1, 2012. <http://informaticsprofessor.blogspot.com/2012/04/from-implementation-to-analytics-future.html>

Hersh, WR, Cimino, JJ, et al. (2013). Recommendations for the use of operational electronic health record data in comparative effectiveness research. *eGEMs (Generating Evidence & Methods to improve patient outcomes)*. 1: 14. <http://repository.academyhealth.org/egems/vol1/iss1/14/>

Hersh, WR, Weiner, MG, et al. (2013). Caveats for the use of operational electronic health record data in comparative effectiveness research. *Medical Care*. 51(Suppl 3): S30-S37.

Horner, P and Basu, A (2012). Analytics & the future of healthcare. *Analytics*, January/February 2012. <http://www.analytics-magazine.org/januaryfebruary-2012/503-analytics-a-the-future-of-healthcare>

Hripcsak, G and Albers, DJ (2012). Next-generation phenotyping of electronic health records. *Journal of the American Medical Informatics Association*. 20: 117-121.

Hsiao, CJ and Hing, E (2014). Use and Characteristics of Electronic Health Record Systems Among Office-based Physician Practices: United States, 2001–2013. Hyattsville, MD, National Center for Health Statistics, Centers for Disease Control and Prevention. <http://www.cdc.gov/nchs/data/databriefs/db143.htm>

Huang, X, Baker, J, et al. (2014). A historical perspective of speech recognition. *Communications of the ACM*. 57(1): 94-103.

Hussey, PS, Wertheimer, S, et al. (2013). The association between health care quality and cost: a systematic review. *Annals of Internal Medicine*. 158: 27-34.

Jamoom, E and Hing, E (2015). Progress With Electronic Health Record Adoption Among Emergency and Outpatient Departments: United States, 2006–2011. Hyattsville, MD National

Center for Health Statistics, Centers for Disease Control and Prevention.

<http://www.cdc.gov/nchs/data/databriefs/db187.htm>

Johnson, M, Lapkin, S, et al. (2014). A systematic review of speech recognition technology in health care. *BMC Medical Informatics & Decision Making*. 14: 94. <http://www.biomedcentral.com/1472-6947/14/94>

Johnson, SB, Bakken, S, et al. (2008). An electronic health record based on structured narrative. *Journal of the American Medical Informatics Association*. 15: 54-64.

Jones, SS, Rudin, RS, et al. (2014). Health information technology: an updated systematic review with a focus on meaningful use. *Annals of Internal Medicine*. 160: 48-54.

Kellermann, AL and Jones, SS (2013). What will it take to achieve the as-yet-unfulfilled promises of health information technology? *Health Affairs*. 32: 63-68.

Klann, JG and Szolovits, P (2009). An intelligent listening framework for capturing encounter notes from a doctor-patient dialog. *BMC Medical Informatics & Decision Making*. 9(1): S3.

<http://www.biomedcentral.com/1472-6947/9/S1/S3>

Kohn, LT, Corrigan, JM, et al., Eds. (2000). *To Err Is Human: Building a Safer Health System*. Washington, DC, National Academies Press.

Köpcke, F, Lubgan, D, et al. (2013). Evaluating predictive modeling algorithms to assess patient eligibility for clinical trials from routine data. *BMC Medical Informatics & Decision Making*. 13: 134.

<http://www.biomedcentral.com/1472-6947/13/134>

Krumholz, HM (2014). Big data and new knowledge in medicine: the thinking, training, and tools needed for a learning health system. *Health Affairs*. 33: 1163-1170.

Kuhn, T, Basch, P, et al. (2015). Clinical documentation in the 21st century: executive summary of a policy position paper from the American College of Physicians. *Annals of Internal Medicine*. 162: 301-303.

Landon, BE, Normand, SL, et al. (2003). Physician clinical performance assessment: prospects and barriers. *Journal of the American Medical Association*. 290: 1183-1189.

Lin, CT, McKenzie, M, et al. (2013). Health care provider satisfaction with a new electronic progress note format: SOAP vs APSO format. *JAMA Internal Medicine*. 173: 160-162.

Litvin, CB (2007). In the dark - the case for electronic health records. *New England Journal of Medicine*. 356: 2454-2455.

Lohr, KN, Ed. (1990). *Medicare: A Strategy for Quality Assurance*. Washington, DC, National Academies Press.

Longhurst, CA, Harrington, RA, et al. (2014). A 'green button' for using aggregate patient data at the point of care. *Health Affairs*. 33: 1229-1235.

Los, RK, vanGinneken, AM, et al. (2005). OpenSDE: a strategy for expressive and flexible structured data entry. *International Journal of Medical Informatics*. 74: 481-490.

MacKenzie, SL, Wyatt, MC, et al. (2012). Practices and perspectives on building integrated data repositories: results from a 2010 CTSA survey. *Journal of the American Medical Informatics Association*. 19(e1): e119-e124.

Makam, AN, Nguyen, OK, et al. (2013). Identifying patients with diabetes and the earliest date of diagnosis in real time: an electronic health record case-finding algorithm. *BMC Medical Informatics & Decision Making*. 13: 81. <http://www.biomedcentral.com/1472-6947/13/81>

Manor-Shulman, O, Beyene, J, et al. (2008). Quantifying the volume of documented clinical information in critical illness. *Journal of Critical Care*. 23: 245-250.

Marconi, K and Lehmann, H, Eds. (2014). *Big Data and Health Analytics*. Boca Raton, FL, CRC Press.

Mathias, JS, Agrawal, A, et al. (2013). Development of a 5 year life expectancy index in older adults using predictive mining of electronic health record data. *Journal of the American Medical Informatics Association*. 20(e1): e118-e124.

McCormack, M (2014). EHR Meaningful Use Market Share IndustryView | 2014. Austin, TX, Software Advice. <http://www.softwareadvice.com/medical/industryview/ehr-meaningful-use-market-share-2014/>

McGlynn, EA, Asch, SM, et al. (2003). The quality of health care delivered to adults in the United States. *New England Journal of Medicine*. 348: 2635-2645.

Morrissey, J (2006). A Day in the Life of a Medical Record. Chicago, IL, National Alliance for Health Information Technology. http://www.providersedge.com/ehdocs/ehr_articles/A_Day_in_the_Life_of_a_Medical_Record.pdf

Moukheiber, Z (2012). Open Source Electronic Health Records: A Cost Solution For Hospitals. Forbes, August 24, 2012. <http://www.forbes.com/sites/zinamoukheiber/2012/08/24/open-source-electronic-health-records-a-cost-solution-for-hospitals/>

Murphy, DR, Laxmisan, A, et al. (2014). Electronic health record-based triggers to detect potential delays in cancer diagnosis. *BMJ Quality & Safety*. 23: 8-16.

Newton, KM, Peissig, PL, et al. (2013). Validation of electronic medical record-based phenotyping algorithms: results and lessons learned from the eMERGE network. *Journal of the American Medical Informatics Association*. 20(e1): e147-154.

Nijhawan, AE, Clark, C, et al. (2012). An electronic medical record-based model to predict 30-day risk of readmission and death among HIV-infected inpatients. *Journal of Acquired Immunodeficiency Syndrome*. 61: 349-358.

Owens, DK, Qaseem, A, et al. (2011). High-value, cost-conscious health care: concepts for clinicians to evaluate the benefits, harms, and costs of medical interventions. *Annals of Internal Medicine*. 154: 174-180.

Perlin, JB (2006). Transformation of the US Veterans Health Administration. *Health Economics, Policy, and Law*. 1: 99-105.

Pogach, L and Aron, DC (2011). Sudden acceleration of diabetes quality measures. *Journal of the American Medical Association*. 305: 709-710.

Rea, S, Pathak, J, et al. (2012). Building a robust, scalable and standards-driven infrastructure for secondary use of EHR data: The SHARPN project. *Journal of Biomedical Informatics*. 45: 763-771.

Richesson, RL and Andrews, JE, Eds. (2012). *Clinical Research Informatics*. New York, NY, Springer.

Safran, C, Bloomrosen, M, et al. (2007). Toward a national framework for the secondary use of health data: an American Medical Informatics Association white paper. *Journal of the American Medical Informatics Association*. 14: 1-9.

Schoen, C, Osborn, R, et al. (2009). A survey of primary care physicians in eleven countries, 2009: perspectives on care, costs, and experiences. *Health Affairs*. 28: w1171-1183.

Scott, KS (2008). *Medical Coding for Non-Coders*. Chicago, IL, American Health Information Management Association.

Shadmi, E, Flaks-Manov, N, et al. (2015). Predicting 30-day readmissions with preadmission electronic health record data. *Medical Care*. 53: 283-289.

Siegler, EL (2010). The evolving medical record. *Annals of Internal Medicine*. 153: 671-677.

Singal, AG, Rahimi, RS, et al. (2013). An automated model using electronic medical record data identifies patients with cirrhosis at high risk for readmission. *Clinical Gastroenterology and Hepatology*. 11: 1335-1341.

Sinsky, CA, Beasley, JW, et al. (2014). Electronic health records: design, implementation, and policy for higher-value primary care. *Annals of Internal Medicine*. 160: 727-728.

Smith, M, Saunders, R, et al. (2012). *Best Care at Lower Cost: The Path to Continuously Learning Health Care in America*. Washington, DC, National Academies Press.

Smith, PC, Araya-Guerra, R, et al. (2005). Missing clinical information during primary care visits. *Journal of the American Medical Association*. 293: 565-571.

Stead, WW, Searle, JR, et al. (2011). Biomedical informatics: changing what physicians need to know and how they learn. *Academic Medicine*. 86: 429-434.

Szabo, L (2009). High-tech 'scribes' help transfer medical records into electronic form. USA Today. October 6, 2009. http://www.usatoday.com/news/health/2009-10-06-electronic-medical-records_N.htm

Tai-Seale, M, Wilson, CJ, et al. (2013). Leveraging electronic health records to develop measurements for processes of care. *Health Services Research*. 49: 628-644.

Tannen, RL, Weiner, MG, et al. (2008). Replicated studies of two randomized trials of angiotensin-converting enzyme inhibitors: further empiric validation of the 'prior event rate ratio' to adjust for unmeasured confounding by indication. *Pharmacoepidemiology and Drug Safety*. 17: 671-685.

Tannen, RL, Weiner, MG, et al. (2009). Use of primary care electronic medical record database in drug efficacy research on cardiovascular outcomes: comparison of database and randomised controlled trial findings. *British Medical Journal*. 338: b81.
http://www.bmj.com/cgi/content/full/338/jan27_1/b81

Tannen, RL, Weiner, MG, et al. (2007). A simulation using data from a primary care practice database closely replicated the Women's Health Initiative trial. *Journal of Clinical Epidemiology*. 60: 686-695.

Teichman, PG (2001). Seven reasons to dictate in the presence of your patients. *Family Practice Management*. 8(8): 37-40.

VanDenBos, J, Rustagi, K, et al. (2011). The \$17.1 billion problem: the annual cost of measurable medical errors. *Health Affairs*. 30: 596-603.

Voorhees, E and Hersh, W (2012). Overview of the TREC 2012 Medical Records Track. *The Twenty-First Text REtrieval Conference Proceedings (TREC 2012)*, Gaithersburg, MD. National Institute of Standards and Technology <http://trec.nist.gov/pubs/trec21/papers/MED12OVERVIEW.pdf>

Weed, LL (1969). *Medical Records, Medical Education, and Patient Care*. Chicago, Year Book.

Wei, WQ, Leibson, CL, et al. (2013). The absence of longitudinal data limits the accuracy of high-throughput clinical phenotyping for identifying type 2 diabetes mellitus subjects. *International Journal of Medical Informatics*. 82: 239-247.

Weiner, MG, Barnhart, K, et al. (2008). Hormone therapy and coronary heart disease in young women. *Menopause*. 15: 86-93.

Wright, A, Sittig, DF, et al. (2014). Bringing science to medicine: an interview with Larry Weed, inventor of the problem-oriented medical record. *Journal of the American Medical Informatics Association*. 21: 964-968.

Xu, H, Aldrich, MC, et al. (2014). Validating drug repurposing signals using electronic health records: a case study of metformin associated with reduced cancer mortality. *Journal of the American Medical Informatics Association*: Epub ahead of print.

Zafar, A, Mamlin, B, et al. (2004). A simple error classification system for understanding sources of error in automatic speech recognition and human transcription. *International Journal of Medical Informatics*. 73: 719-730.