# OIM3690 - Web Technologies



# Cascading Style Sheets (CSS)


**An Introduction** 


# Why styles?

Styles define how to display HTML elements. We can use CSS to

- easily change look of a page
- provide consistency in look among pages on a site
- do more than you can with HTML tags







### Three ways to use styles

#### 1. External styles

- place stylizing commands in a separate document
- you can use the same document to stylize multiple pages

#### 2. Internal styles

- place stylizing commands in the same HTML document
- We will use this in today's class to learn CSS

#### 3. Inline styles

- place stylizing commands within the specific HTML tag in the document.
- will apply only to that specific line/tag.

### Why call it cascading styles?

- You can use all three to stylize a document
  - Inline style is NOT recommended
- When there is a conflict...
  - i. Inline style (inside an HTML element)
  - ii. External and internal style (in the head section)
    - If some properties have been defined for the same selector (element) in different style sheets, the value from the *last* read style sheet will be used.
  - iii. Browser default
- Example: https://www.w3schools.com/css/tryit.asp?filename=trycss\_howto\_multiple

### Creating an internal CSS

- Put styling rules in the <head> section
- Surround rules by <style> and </style> tags

#### Example:

```
<style>
    /* rules go here*/
h1 {
    color: red;
    /* ... */
}
/* ... */
</style>
```

### **CSS Example**

```
<html>
 <head:
    . . .
    <style:
     body {
        background-color: yellow;
     h1 {
        text-align: center;
       font-family: impact;
       font-size: 36pt;
        color: red;
     h2 {
       font-family: arial;
       font-size: 24pt;
        color: blue;
        font-family: verdana;
        text-indent: 50px;
   </style>
 </head:
  <body>
 </body
/html>
```




#### This is a header of type h1

#### This is a header of type h2

This is a paragraph. I've tried to make it long enough to scroll onto a second line. If it's still too short, please resize your window so that you can observe whether or not it's indented properly.

This should be a bordered paragraph, but I did not add border yet.

### **CSS Syntax**



#### Example:

```
p {
  color: red; /* This is a single-line comment */
  text-align: center;
}
/* This is
a multi-line
comment */
```

## Let's explore CSS

Take 10 minutes to play with ...


- CSS Text
- CSS Fonts
- CSS Colors
- CSS Backgrounds

#### Questions: How to ...?

- 1. ... center text?
- 2. ... set font type to Arial?
- 3. ... use non-standard fonts?
  - more about fonts
- 4. ... change color of text?
  - What is RGB? How does it work?
  - HTML color names? in Japanese?
- 5. ... change background color?
- 6. ... create Apple Watch activity dials animation? (via CSS Animation Tutorials)

#### **Checker Shadow Illusion**

Are Square A and square B the *same* color?



OIM3690 - Web Tech

#### **CSS** reference

- CSS examples
  - https://www.w3schools.com/cssref
  - https://www.30secondsofcode.org/css/p/1
- CSS Cheat Sheets
  - https://makeawebsitehub.com/css-cheat-sheet
  - https://websitesetup.org/css3-cheat-sheet
- CSS Generator:
  - https://webcode.tools/css-generator
  - http://css3generator.com

### **Exercise: adding CSS**

- Download ex04.html from GitHub (OIM3690/resources/templates)
- Make the following style changes:
  - For all h1 tags, set font-family to 'Gill Sans', color to navy and center the text on the page.
  - For all h2 tags, set font to Arial, color to any color using RGB values, set
     size to 22pt and left align the text.
  - For all h3 tags, set font to any font, color to any color using *hex values*, size to any font size and right align the text.
  - For all p tags, set font to any handwriting font.

### Styling images

- Positioning an image
  - Typically, images are not centered
  - An image may be "floated" left or right:

```
img {float:left;}
```

o To center an image:

```
img {display:block; margin-left:auto; margin-right:auto;}
```

Add a border to an image


```
img {border-width:4px; border-color:green; border-style:solid;}
/* or */
img {border:4px solid green;}
```

### Exercise: styling an image

- Download tiger1.jpg from GitHub (OIM3690/resources/templates/images) and save it to WebTech/images folder
- Add the image to *ex04.html*, just before the line "In zoos, tigers live for 20 to 26 years..."
- Save the file and see how it looks
- In <style> section, add a rule to float the image to the left
- Add a border to the image, with 5px border width, solid style and red color
- Save again and check.

OIM3690 - Web Tech

#### CSS basic box model



OIM3690 - Web Tech

### Exercise: adding paddings and margins

- Understand paddings and margins using the tiger image.
  - Please search how to set paddings and margins.
- Set the padding for the image to 10px on top, right, bottom and left.
- Let us set the margin at the top and right to 30px and the margin at the bottom and left to 10px.
- Check what changes and what does not
- Update sitemap.html and commit/push to GitHub.

# **Questions?**

