

On The Development of Knowledge Trees

Onri Jay Benally

September 2026

Abstract

Limited observation leaves gaps in knowledge, motivating systematic exploration of situations beyond direct experience. Within a recursive knowledge tree, combinations of root terms and adjacent concepts form candidate states whose properties change under defined transformations. Applied to assumption support and thinking calibration, this approach enumerates six candidate configurations, expanding to eighteen with the addition of three categories regarding the severity of consequences. Comparing these candidates with recorded experience supports assessment of their applicability, providing a basis for further exploration. Across repeated cycles, pattern consolidation links recurring relationships to their contexts, providing a proposed pathway for intuition development. Feedback from observed outcomes permits reassessment of accumulated intuition, guiding subsequent inquiry without treating familiarity as confirmation. The resulting model organizes possibilities beyond personal experience, with predictive accuracy requiring empirical assessment.

Combining root terms with related concepts results in *candidate configurations*, which permit organization in trees as well as tables and spreadsheets. A defined model also generates structured candidate data, applying transformations to its concepts and to its relationships. Analysis of consistency as well as relevance and correspondence with observations justifies the utility of these outputs.


Within familiar conceptual boundaries and less familiar possibilities, *knowledge trees* facilitate exploration. Six candidate configurations result from combining two categories of assumption support with three categories of thinking calibration. Further branching introduces additional dimensions for assessment, potentially revealing possibilities omitted from the initial categories. Such a process enables the anticipation of plausible developments as well as preparation under uncertainty (including situations beyond personal experience). Comparison with observed outcomes permits assessment of predictive accuracy and guides correction of the generated configurations.

To facilitate analysis and subsequent expansion, a general-purpose system for the generation of knowledge organizes these possibilities. The term *interpolation* describes exploration within an established conceptual region; simultaneously, the extension beyond that region defines *extrapolation*. These terms function as conceptual analogies, ensuring the model introduces neither a numerical distance measure nor a probability of occurrence.

Related research provides several points of connection. Gärdenfors develops a geometric account of conceptual representation organized around quality dimensions [1]. Chen and colleagues examine morphological analysis as a structured approach to conceptual design [11]. These approaches provide context for representing a problem across selected dimensions and exploring candidate combinations. The application of qualitative categories avoids the geometric structure of the theory of conceptual space.

Research on intuition effectiveness examines the variance in the suitability of intuitive processing relative to the decision problem [16]. Formal research on belief revision separately investigates rules for changing represented beliefs [21]. These literatures inform the discussion of learned judgment and revision, although the proposed process of the knowledge tree specifies neither a complete cognitive theory nor a formal operator for belief revision.

The proposed contribution organizes the initial phases of candidate generation and assessment alongside the refined processes of pattern consolidation, intuition development, and corrective feedback within a recurring visual workflow. Its practical value would be assessed by examining whether this organization improves exploration, anticipation, or subsequent decisions relative to a stated comparison method.




1. Overall knowledge-generation tree

In the context of exploration, *combination* and *permutation* represent different methodologies. *Combination* selects concepts as well as categories without assigning significance to their order. An example of support for assumptions leverages this generative form. Conversely, *permutation* alters the order of a fixed set of operations, ensuring sequence-dependent outcomes are examined.

Regarding a candidate set, two operations involve generating alternatives as well as screening candidates against a constraint. Executing alternative generation prior to screening ensures resulting candidates are assessed against that constraint. Performing screening prior to alternative generation leaves later additions awaiting assessment (unless the generation rule enforces the constraint). Both sequences use the same operations, although the resulting outputs depend on the candidate set and generation rule. Order resides in the model if an operation modifies the inputs available to a subsequent operation.

Knowledge Generation



- Directly related concepts
- Opposing concepts
- Stronger variants
- Weaker variants
- Conditional variants
- Context-dependent variants

4. Permutation and Combination

- A + B
- A + C
- A + D
- B + C
- B + D
- C + D
- A + B + C
- A + B + D
- A + C + D
- B + C + D


5. Transformation

- Combine concepts
- Modify assumptions
- Change context
- Add constraints
- Remove constraints
- Reverse relationships
- Increase intensity
- Decrease intensity


6. Generated Knowledge States

- Previously observed state
- Closely related state
- Plausible unobserved state
- Edge-case state
- Contradictory state
- Novel composite state

7. Analysis



Generated combinations form new nodes, permitting their use as roots for subsequent expansion.




Repeated application of this process produces a recursively expanding knowledge tree.

2. Assumption strength and thinking calibration

Within the initial generation, *assumption strength* as well as *thinking calibration* serve as the two conceptual axes. The term *assumption strength* denotes the degree of empirical support available for an assumption within a stated context. Weak assumptions possess limited as well as inconsistent support (often contextually mismatched); concurrently, the presence of consistent support from relevant observations as well as tests identifies strong assumptions, with applicability bounded by the examined conditions.


Such a usage separates empirical support from personal confidence as well as logical strength and restrictiveness. A restrictive assumption possesses either weak or strong empirical support, depending on the observations available within its stated context. These weak and strong categories provide a simplified classification, ensuring practical applications specify the criteria used for assignment.

Regarding the second axis, *thinking calibration* concerns the amount as well as depth of deliberation relative to situational demands. Crossing these two axes enables the separate examination of an assumption's empirical support as well as the processing applied to it.



The branching structure manifests as a hierarchical ASCII tree, ensuring a direct visual correlation between the conceptual axes and their resulting configurations.

Assumptions




Within the table, a crossing of two categories of assumption support as well as three categories of cognitive processing and three categories regarding the severity of the consequence yields eighteen *candidate configurations*. Each row specifies a combination for examination, ensuring the systematic review of all combinations within the selected categories . The model assigns the severity of the consequence as a scenario category; simultaneously, a contextual assessment determines the plausibility of that assignment.

Assumption support	Cognitive processing	Assumed consequence severity	Candidate configuration
Weak	Underthinking	Low	W-U-L
Weak	Underthinking	Medium	W-U-M
Weak	Underthinking	High	W-U-H
Weak	Calibrated thinking	Low	W-C-L
Weak	Calibrated thinking	Medium	W-C-M
Weak	Calibrated thinking	High	W-C-H
Weak	Overthinking	Low	W-O-L
Weak	Overthinking	Medium	W-O-M
Weak	Overthinking	High	W-O-H

Assumption support	Cognitive processing	Assumed consequence severity	Candidate configuration
Strong	Underthinking	Low	S-U-L
Strong	Underthinking	Medium	S-U-M
Strong	Underthinking	High	S-U-H
Strong	Calibrated thinking	Low	S-C-L
Strong	Calibrated thinking	Medium	S-C-M
Strong	Calibrated thinking	High	S-C-H
Strong	Overthinking	Low	S-O-L
Strong	Overthinking	Medium	S-O-M
Strong	Overthinking	High	S-O-H


Combining the two levels of assumption strength with the three categories of cognitive processing yields six candidate configurations.

Assumption Strength




In this model, **calibrated thinking** denotes an amount and depth of thought proportionate to the demands of a situation. It occupies the conceptual region between insufficient and excessive cognitive processing.


Each of the six nodes branches further according to consequence severity



Including three consequence categories expands the six candidate configurations to eighteen by introducing three consequence-severity categories, as shown in the equivalent hierarchical arrangement below.

Assumptions






Across the three selected axes, the crossing yields $2 \times 3 \times 3 = 18$ candidate configurations. Such a count ensures complete enumeration within the supplied categories; concurrently, it leaves the feasibility as well as likelihood and causal interpretation of individual configurations open for assessment.

Within the assessment of a configuration, a specified situation as well as an account of how its proposed consequence arises are essential. Supporting that account are relevant observations as well as comparable cases. An internally inconsistent configuration warrants exclusion; conversely, a configuration with insufficient information permits retention for further investigation. To determine numerical probabilities, a specified estimation method as well as supporting data are required.


The tree view displays hierarchical relationships; simultaneously, the table enumerates combinations within the same selected conceptual space. Expanding coverage requires additional categories as well as alternative assumptions and newly identified dimensions.




3. Cognitive modeling as a data-generation mechanism


Data generation arises from the intersection of external observation and internal modeling. Within this informational stream, the systematic conversion of raw phenomena into structured candidates occurs; concurrently, this process enables the confirmation of model-based predictions against physical reality. Functional processes producing observations, computational outputs, and conceptual candidates organize this system of data generation.

Data Generation






Within the model-based pathway, transformations generate candidate states for subsequent analysis.




A defined transformation system generates structured candidate data in addition to data obtained from measurement. Analysis evaluates the informational value of each candidate; empirical support requires comparison with observations.

4. Interpolation and extrapolation in a general knowledge tree

Interpolation and extrapolation serve here as conceptual analogies for exploration within and beyond known regions.




An integrated mapping connects observed, interpolated, and extrapolated states to anticipation and possible responses, including preparation, avoidance, and exploitation.




5. Anticipating events without personally encountering them

Indirect knowledge and generated scenarios support the anticipation of situations beyond personal experience.




A recursive representation incorporates new experience into the model after each cycle of analysis and anticipation.



6. Unknowns possess the capacity to branch.

The classification extends to incomplete information, recognized gaps, and phenomena outside the available conceptual categories.

Possible Reality




The final branch represents limits imposed by the vocabulary and classifications used to construct a knowledge system. Phenomena occur beyond the descriptive capacity of the current tree, motivating the addition of terms, categories, or observation methods.


7. The recursive "knowledge tree engine"

This architecture structures conceptual expansion, combination, transformation, and analysis as a recursive process. Knowledge trees act as local hierarchies, with roots branching into related concepts or candidate configurations. Shared descendants create convergence across the process; concurrently, return paths provide feedback. The resulting representation is a directed graph featuring branching trees, convergent relationships, and feedback cycles.

Branching records how alternatives are generated. Convergence records how several inputs contribute to a shared assessment or learned pattern. Feedback connects later outcomes with earlier assumptions and decisions, allowing subsequent exploration to incorporate corrections.


KNOWLEDGE TREE ENGINE





- |— New observations and outcome feedback
 - |— Return to ANALYZE and PATTERN CONSOLIDATION
 - |— Reassess accumulated intuition across cycles
- |— Carry accumulated intuition into EXISTING KNOWLEDGE

The recursive process follows a specific sequence of operations.




Starting from a concept such as **assumptions**, the process constructs a structured space of adjacent, intermediate, extreme, and previously unconsidered states. Trees, adjacency graphs, matrices, and spreadsheets provide alternative representations of this space for further expansion. Generated states retain the status of candidates until their applicability has been assessed.

8. Intuition development as a convergence and feedback process

Within the proposed knowledge-tree model, intuition development describes the gradual development of learned pattern recognition across repeated cycles of exploration, comparison, and outcome feedback. It occupies the transition between analysis and extension, where recurring relationships directly guide the selection of possibilities for further examination. Developed intuition concerns how familiar configurations are recognized; the categories of thinking calibration concern the amount and depth of deliberate processing. Emphasis on learned pattern recognition defines the aspect of intuition examined in this model. Broader accounts also consider affective and holistic processing, and research on intuition effectiveness examines how intuitive judgment relates to the structure of a decision problem [16]. Accordingly, the proposed pathway describes one possible contribution to intuition development. Establishing improved judgment requires assessment of subsequent performance, including cases that challenge familiar associations.

Within each cycle, **intuition development** describes a process of accumulation, refinement, contextualization, and correction. **Accumulated intuition** denotes the learned pattern knowledge carried into a later cycle as part of existing knowledge. Reassessment strengthens a useful association, narrows its scope, or weakens an earlier expectation after contradictory outcomes.

Pattern consolidation exists at the meeting point of analysis, accumulated experience, and outcome feedback, forming a nexus for intuition development. Intuition development follows this convergence and guides the selection of candidate states for further assessment.




Within the feedback architecture, return paths link observed outcomes directly to both defined analysis and learned associations, facilitating the continuous reconciliation of system performance with target parameters. The repetition of a generated scenario increases familiarity without establishing that its anticipated consequences occur in practice. Intuition guides recognition and prioritization; assessment determines whether a proposed extension is supported or not.

Term	Function
Pattern consolidation	Recurring relationships acquire recognizable structure as cases and contexts are compared.
Intuition development	Learned structures facilitate rapid recognition and prioritization, with refinement across cycles.
Accumulated intuition	Developed pattern knowledge is carried into subsequent cycles as part of existing knowledge.
Intuition reassessment	New outcomes prompt revision, contextual restriction, or weakening of earlier pattern associations.

Term	Function
Knowledge extension	Assessed candidates and developed understanding support interpolation, extrapolation, and anticipation.

The separation of process from carried state assigns intuition two complementary roles. Analysis and feedback develop intuition during the current cycle; in the next, this accumulated intuition guides branch selection and aids assessment, alongside formal or defined knowledge.



Component	Contribution to intuition development	Role in subsequent exploration
Pattern exposure	Encounters provide configurations, enabling comparison across cases	Familiar features help identify relevant branches.
Pattern comparison	Similarities and differences reveal which relationships recur.	The structure of candidate states permits their grouping or separation
Outcome feedback	Comparison of observed consequences with earlier	Successful and failed predictions inform later prioritization.


Component	Contribution to intuition development	Role in subsequent exploration
	expectations informs later prioritization.	
Error correction	Mismatches prompt changes to assumptions or contextual boundaries.	Later cycles revise or discard misleading patterns.
Relationship compression	A familiar configuration represents several technical relationships.	Recognition suggests a likely consequence, reducing the need for conscious enumeration.
Context association	Learned patterns are linked to the circumstances in which they were encountered.	Changes in conditions prompt a reassessment of applicability.
Recursive cycling	Further exploration revisits patterns alongside new information.	Refined accumulated intuition integrates into existing knowledge.

This modeled way of thinking pairs a defined reasoning pathway with a learned-recognition pathway. Defined reasoning generates concepts, combinations, transformations, and candidate assessments. Once repeated comparison and corrective feedback make familiar relationships more accessible, learned recognition then guides further defined exploration. The knowledge tree provides a proposed pathway for intuition development.. Defined exploration supplies relationships for comparison; concurrently, feedback corrects accumulated pattern knowledge prior to the next cycle of anticipation.

Illustrative feedback example: Data Center Cooling

Cooling a data center without routine evaporative water consumption presents a design problem in which lower water demand may conflict with minimizing lifetime cost. In this hypothetical example, comparing expected savings with modeled performance exposes a limitation in selecting equipment solely by its water consumption. Further exploration introduces the allowable coolant temperature as a design dimension, illustrating how feedback revises initial assumptions and redirects the search toward candidates suited to the facility's climate.

Stage	Illustrative development	Contribution to the knowledge tree
Root question	Which cooling arrangement meets the specified computing load and temperature limits at the lowest lifetime cost, without routine evaporative water consumption?	Defines a problem with assessable constraints.
Initial branches	Compare direct air cooling with liquid heat collection connected to dry heat rejection.	Separates heat collection inside the facility from heat rejection outdoors.
First expectation	Eliminating evaporative equipment will reduce total cooling costs.	Makes an assumption available for assessment.
Hypothetical first outcome	For the selected site, a model predicts that additional electricity and equipment costs exceed the avoided water expenses.	Revises the assumption that water savings necessarily produce financial savings.
New branch	Investigate a higher allowable coolant temperature within the selected hardware's specifications.	Expands the search from equipment substitution to compatibility between computing hardware and cooling conditions.
Hypothetical second outcome	Annual performance improves, but peak outdoor temperatures still require additional cooling capacity.	Reveals a limitation hidden by annual averages.
Further expansion	Compare larger dry heat exchangers with air-cooled refrigeration assistance during peak conditions.	Introduces alternative responses to the newly identified constraint.
Intuition reassessment	Future evaluations examine peak conditions and temperature limits earlier in the search.	Shows how corrected expectations guide subsequent reasoning.



Conclusion

Recursive knowledge trees organize conceptual possibilities into an expandable structure, making relationships available for comparison across successive cycles. Within this structure, intuition development connects recurring patterns with the selection of candidates for further assessment. Accumulated intuition carries learned associations into subsequent exploration, subject to correction as observed outcomes challenge earlier expectations. The eighteen-configuration example demonstrates complete enumeration within the selected categories, with feasibility and predictive accuracy requiring separate assessment and broader coverage requiring additional concepts or adapted assumptions. Predictive accuracy and improvements in intuitive judgment require empirical testing beyond the enumeration of possibilities. As a conceptual model, the approach supports structured anticipation grounded in assessed relationships, preserving the capacity to revise expectations as experience expands.

References

1. Gärdenfors, P. (2000). *Conceptual Spaces*. *The MIT Press*.
<https://doi.org/10.7551/mitpress/2076.001.0001>
2. Zbikowski, L. M. (2018). Conceptual blending, creativity, and music. *Musicae Scientiae*, *22*(1), 6–23.
<https://doi.org/10.1177/1029864917712783>
3. Banaee, H., Schaffernicht, E., & Loutfi, A. (2018). Data-driven Conceptual Spaces: Creating Semantic Representations For Linguistic Descriptions Of Numerical Data. *Journal of Artificial Intelligence Research*, *63*, 691–742.
<https://doi.org/10.1613/jair.1.11258>
4. Roszkowski, M. (2023). Modelling doctoral dissertations in Wikidata knowledge graph: Selected issues. *The Journal of Academic Librarianship*, *49*(1), 102658.
<https://doi.org/10.1016/j.acalib.2022.102658>
5. Bajerowska, A. (2023). Transdisciplinary Concepts in Light of Conceptual Blending. *Annales Universitatis Mariae Curie-Skłodowska, sectio FF – Philologiae*, *41*(2), 217–233.
<https://doi.org/10.17951/ff.2023.41.2.217-233>
6. Shen, Z., Tan, S., & Siau, K. (2018). Use of mental models and cognitive maps to understand students' learning challenges. *Journal of Education for Business*, *94*(4), 281–289.
<https://doi.org/10.1080/08832323.2018.1527748>
7. Chater, N., Tenenbaum, J. B., & Yuille, A. (2006). Probabilistic models of cognition: Conceptual foundations. *Trends in Cognitive Sciences*, *10*(7), 287–291.
<https://doi.org/10.1016/j.tics.2006.05.007>
8. Frank, M. C., & Tenenbaum, J. B. (2011). Three ideal observer models for rule learning in simple languages. *Cognition*, *120*(3), 360–371.
<https://doi.org/10.1016/j.cognition.2010.10.005>
9. Orlandi, N., & Lee, G. (2019). How Radical Is Predictive Processing? *Andy Clark and His Critics*, 206–C15.P83.
<https://doi.org/10.1093/oso/9780190662813.003.0016>

10. Rakov, D. (2019). Okkam - advanced morphological approach as method for computer aided innovation (CAI). **MATEC Web of Conferences**, **298**, 00120.
<https://doi.org/10.1051/matecconf/201929800120>
11. Chen, L., Tsang, Y., Jing, Q., & Sun, L. (2024). A LLM-augmented Morphological Analysis Approach for Conceptual Design. **Proceedings of DRS**.
<https://doi.org/10.21606/drs.2024.605>
12. Kemp, C. (2012). Exploring the conceptual universe. **Psychological Review**, **119**(4), 685–722. <https://doi.org/10.1037/a0029347>
13. Morgado, L. (2025). Immersion for AI: Immersive Learning with Artificial Intelligence. **arXiv**.
[https://doi.org/10.1007/978-3-031-98080-0_22](https://doi.org/10.1007/978-3-031-98080-0_22)
14. Berthet, V., & de Gardelle, V. (2023). The heuristics-and-biases inventory: An open-source tool to explore individual differences in rationality. **Frontiers in Psychology**, **14**.
<https://doi.org/10.3389/fpsyg.2023.1145246>
15. Gigerenzer, G., & Gaissmaier, W. (2011). Heuristic Decision Making. **Annual Review of Psychology**, **62**(1), 451–482.
<https://doi.org/10.1146/annurev-psych-120709-145346>
16. Julmi, C. (2019). When rational decision-making becomes irrational: a critical assessment and re-conceptualization of intuition effectiveness. **Business Research**, **12**(1), 291–314.
<https://doi.org/10.1007/s40685-019-0096-4>
17. Packard, M. D., & Clark, B. B. (2020). Mitigating versus Managing Epistemic and Aleatory Uncertainty. **Academy of Management Review**, **45**(4), 872–876.
<https://doi.org/10.5465/amr.2020.0266>
18. Mirabito, Y., & Goucher-Lambert, K. (2021). Factors Impacting Highly Innovative Designs: Idea Fluency, Timing, and Order. **Journal of Mechanical Design**, **144**(2).
<https://doi.org/10.1115/1.4051683>
19. Lieto, A., Chella, A., & Frixione, M. (2017). Conceptual Spaces for Cognitive Architectures: A lingua franca for different levels of representation. **Biologically Inspired Cognitive Architectures**, **19**, 1–9.
<https://doi.org/10.1016/j.bica.2016.10.005>
20. Bechberger, L., & Kühnberger, K.-U. (2022). Grounding Psychological Shape Space in Convolutional Neural Networks. **Lecture Notes in Computer Science**, 86–106.

[https://doi.org/10.1007/978-3-031-12429-7_7](https://doi.org/10.1007/978-3-031-12429-7_7)

21. Falakh, F. M., Rudolph, S., & Sauerwald, K. (2021). AGM Belief Revision, Semantically. *arXiv*.

<https://doi.org/10.48550/arxiv.2112.13557>

22. Millidge, B., Seth, A., & Buckley, C. L. (2021). Predictive Coding: a Theoretical and Experimental Review. *arXiv*.

<https://doi.org/10.48550/arxiv.2107.12979>

23. Taylor, S. E. (2011). Envisioning the Future and Self-Regulation. *Predictions in the Brain*, 134–143.

<https://doi.org/10.1093/acprof:oso/9780195395518.003.0051>

24. Hallford, D. J., Yeow, J., Fountas, G., Herrick, C., Raes, F., & D'Argembeau, A. (2020). Changing the Future: An Initial Test of Future Specificity Training (FeST). *Center for Open Science*. <https://doi.org/10.31234/osf.io/pw86b>

25. Müller, M. (2023). Corpus Approaches to Analysing Uncertainty and Ignorance in Academic Discourse. *Fachsprache*, 45*(1-2), 28–47.

<https://doi.org/10.24989/fs.v45i1-2.2232>