

# VertKleen Torque Technical Data Sheet

|                       |                              |
|-----------------------|------------------------------|
| DOCUMENT ID           | MAS-VK-TORQUE-TDS            |
| DISTRIBUTION REVISION | 1.0                          |
| EFFECTIVE DATE        | 2026-07-24                   |
| SUPERSEDED STATUS     | Current                      |
| OWNER                 | MASEST Consulting LLC        |
| APPROVAL              | Released for customer review |
| APPLICABLE SKU(S)     | VK-TRQ                       |

TECHNICAL / LEGAL CLAIM REVIEW REQUIRED

**Review boundary.** This cover controls MASEST website distribution only. It does not certify technical, regulatory, legal, safety, performance, or customer-specific claims. Source pages follow unchanged and remain subject to original instructions, limitations, and dates.

**Approval scope:** Distribution approval only; technical and legal claim approval is not asserted.



## VertKleen Torque-Super Duty Vehicle Wash & Wax

WORLD'S ONLY OEM-APPROVED, OVER-THE-ROAD TRUCK WASH

- 100% Synthetic Acid
- Non-Corrosive
- Removes Grease & Soot
- Eliminates Rust
- Safe on Glass & Chrome
- Removes Mag Chloride
- Polymerized Wax
- Anti-Stick Coating
- UV Deterrents
- One-Step Process
- Non-D.O.T. Regulated
- OSHA and EPA Compliant
- Non Skin Irritant

For years the over-the-road truck industry has turned to acid washes to remove heavy build up and grime on its trucks. Of course, these products can streak the truck's surface, etch the glass and dull the aluminum wheels and chrome.

Torque Super Duty Truck Wash and Wax combines the finest cleaners degreasers, brighteners and protectants, along with the right amount of our patented SynTech®, the world's only synthetic acid, to offer the finest over-road-truck wash available. In fact, it's the only truck wash guaranteed by several OEM industry leaders to not void your rust and corrosion warranty. Torque carries a triple-zero HMIS score, is classified by OSHA as a non-skin irritant, and is non-D.O.T. regulated.

Our patented degreasers easily float away grease. Superior soil penetrators float away dirt and diesel soot. Natural additives cut bug residue while reversing the effects of insect and acid rain spots and stains. Special patented additives melt away road salt, calcium and caustics to keep your equipment from premature rusting. All-natural rust converters keep your bare metal and chipped paint areas coated and rust free. There is also a special ingredient to remove magnesium chloride. We even add a polymerized natural bean wax to keep your trucks polished and rust free for years to come. Our patented Fusion provides anti-stick properties to keep your truck cleaner between washings.

Safe on all glass, aluminum, chrome, stainless steel, rubber and plastic. Our newest formulation also boasts the benefits of SynGuard, our safe but potent anti-stick agent making it harder for stains to adhere to the truck. Torque is environmentally safer, 100% biodegradable and non-corrosive. Simply apply, brush and rinse to safely clean and protect your significant investment.

The formula and its ingredients meet or exceed the EPA's Safer Choice program requirements for both the safety of the environment and the user.



For technical support or more information call 813-406-3852 or email [sales@masest.co](mailto:sales@masest.co)

## Technical Data

|                            |                             |
|----------------------------|-----------------------------|
| BIODEGRADABLE: Yes/100%    | FLAMMABILITY: Non-Flammable |
| FORM: Liquid               | BOILING POINT: 260° F       |
| ODOR: Mild Soapy Odor      | SOLUBILITY IN WATER: 100%   |
| COLD STABILITY: 30° F      | VOCs: None                  |
| DETERGENCY: Excellent      | VOLATILE BY VOLUME: N/A     |
| PHOSPHATES: None           | CARCINOGENS: None           |
| WETTING ABILITY: Excellent | SHELF LIFE: 2 Years         |

## Common Uses

VertKleen Torque is a super concentrated vehicle wash with uses for dozens of vehicle types including:

- Frieght companies
- Local Delivery
- Grumman and Box Bodies
- Fleet Vehicles
- Municipal Vehicles
- Buses
- Light Rail
- Subway Cars
- Construction Equipment
- Rental Equipment

## DOT STATEMENT

Non-D.O.T. Regulated/Non-D.O.T. Hazardous  
EXEMPT as per 49 CFR 173.154(d) (1) <6.25 mmpy

D. O. T. classifies a material to be corrosive and hazardous if it has a corrosion rate that exceeds 6.25 mmpy on SAE C1020 carbon steel or 7075- Y6 Aluminum.

## Dilution Specification

Please refer to the product label.

## Toxicity Studies

Toxicity Limits: Test Procedure OECD 202, 48 hr. LC 50 and LD 50 (rat oral: NON-TOXIC

Mutagenicity Limits: OECD Guidelines Sec. 471 Chemicals:  
NON-MUTAGENIC

Dermal Irritation & Corrosion  
A modified Draize method was used as described in OECD Guidelines for the Testing of Chemicals Sec. 404 and complies with the requirements of OECD Principles of GLP, Annex revised as of July 1992.

VertKleen Torque is classified as a "Non-Skin Irritant".

Biodegradation & Aquatic Safety  
Test Procedure: Hach Reactor Digestion method for Waste Water and Sea Water. Hach Reactor Digestion Method is a semi-micro adaptation of the Standard Methods.

VertKleen Torque is 100% Biodegradable.

## Classifications & Approvals

D.O.T., IMO, IATA , IMDG - Non-Regulated

TDG - Non-Regulated to and through Canada

SARA 313 311/312 - This product does not contain any ingredients that are subject to the reporting requirements.

California Prop 65 - This product does not contain any ingredients known to the state of California to cause cancer, birth defects or any other reproductive harm.

FDA - Recognized as Safe (GRAS)

USDA Authorization  
A1, A2, A4, A8, C3

NSF  
A1 & G1

Additional Studies & Results: When tested, VertKleen Torque showed no potential for the generation of Carbon Dioxide under NIOSH 7903 OSHA & ACGIH testing protocols governing workplace environments.