

WaterSafe60 and VertKleen CR User Guide

DOCUMENT ID MAS-VK-WS60-CR-GUIDE

DISTRIBUTION REVISION 1.1

EFFECTIVE DATE 2026-09-26

SUPERSEDED STATUS Current

OWNER MASEST Consulting LLC

APPROVAL Released for customer review

APPLICABLE SKU(S) VK-WS60, VK-CR

TECHNICAL / LEGAL CLAIM REVIEW REQUIRED

Review boundary. This cover controls MASEST website distribution only. It does not certify technical, regulatory, legal, safety, performance, or customer-specific claims. Branding and shelf-life corrections are owner-authorized. Technical measurements, study methods, results, and source revision dates are retained.

Approval scope: Distribution approval only; technical and legal claim approval is not asserted.



WATERSAFE 60
POTABLE CERTIFIED pH BALANCER AND DESCALER



VertKleen CR
POTABLE CERTIFIED HIGH pH CAUSTIC REPLACEMENT



Acid and Caustic Replacement



ACID & CAUSTIC FREE
100% BIODEGRADABLE
SUSTAINABLE INGREDIENTS
SAFE ON EQUIPMENT
10-DAY ZERO FOOTPRINT
SAFE ON SKIN AND EYES
NON-CORROSIVE

MASEST water treatment and descaler products offer the power of harsh mineral acids such as hydrochloric, sulfonic and sulfonic without the dangers those pose to your personnel, equipment or the environment.

The patented SynTech dissolves 10% more scale than (muriatic) acid. Yet all power comes in a liquid concentrate that is non-regulated, non-toxic, requires no secondary containment and carries a triple-zero HMIS score. It's no wonder SynTech powered BlowOut has been the first choice of the U.S. Navy, Coast Guard, cargo and cruise lines around the world.

It's the hydrogen load in SynTech that gives it such power. The pH of BlowOut is zero. What makes it unique is how that hydrogen behaves. Hydrogen in acids dissociates and trades place with the hydrogen in metal, seals and other materials. That exchange is what causes corrosion or embrittlement. Because the hydrogen in SynTech has a stronger bond to the H⁺ ion than those in acids, you get a non-corrosive cleaner that does not fume, has no exothermic reaction, neutralizes with water, is safe on skins, eyes and biodegrades 100% in less than 10 days.

Use BlowOut for any system that needs freed of scale, rust or other mineral deposits. It even is used in the EU to control Legionella.

Use WaterSafe60 for potable water systems. WS60 is certified NSF / ANSI / CAN 60 to lower pH in potable water, as a well rehabilitation aid, for corrosion and scale control and for pipe cleaning.

"We have been using these products for 4 years and have had great success both from a cleaning perspective as well as the outstanding safety aspects of the products."

Kellogg's

"These products are responsible for Myers finding and implementing safe, cost competitive replacements for several hazardous chemicals in our facilities."

Myers Container



**Still
using
ACID?!**



VertKleen CR (Caustic Replacement)

VertKleen CR has a pH above 13 and the ability to raise the pH any liquid as well as to clean and degrease with the potency of high pH cleaners, allowing you to replace these dangerous chemicals. VertKleen CR carries a triple-zero HMIS score, is non-toxic, non-fuming, safe on skin, eyes and equipment. VertKleen CR can be blended with water safely with no exothermic reaction.

Because VertKleen CR contains no traditional hydroxides, it does not leave a residue of salts after a cleaning. And because VertKleen CR neutralizes with water, there is no need for a follow up acid wash. VertKleen CR has no BODs and almost no CODs. Like all MASEST products, VertKleen CR can be shipped common carrier and requires no secondary containment.

VertKleen CR boasts LC50 and LD50 scores well below regulated toxicity limits and many times less than caustics.

VertKleen CR is NSF/ANSI/CAN 60 Certified.

VertKleen CR2 is also available offering an even more powerful option of this safe cleaner.

VertKleen CR is a direct replacement for 40% sodium hydroxide.
VertKleen CR2 is a direct replacement for 60% sodium hydroxide.

Either VertKleen CR product can be diluted with water as needed to replace the caustics you currently use. There is no reaction when adding VertKleen CR to water or water to the product.



Calcium Carbonate Dissolving Power

SynTech	9.8					
Muriatic	8.4					
Urea Hcl	7.2					
Sulfonic	6.9					
Phosphoric	0.9					

Percent of calcium carbonate cube dissolved in 3 minutes.

POWER and SAFETY

SynTech has a zero pH, carries a 0-0-0 HMIS score, is non-regulated by the DOT, TDG, IATA, IMDG, SARA 313 311 / 312 and California Prop 65.

Unlike other acids which power products such as Rydlyme and Dynamic Descaler, SynTech does not carry any GHS pictograms. It's simply that safe.

But the zero pH means that it dissolves more calcium carbonate than sulfuric, phosphoric, hydrochloric or buffered acids.

The 13+ pH of VertKleen CR2 is equally safe for people, equipment and the environment.



MASEST | masest.co | sales@masest.co | (813) 406-3852

MASEST Consulting LLC. Authorized branded distribution copy.

Technology names remain the property of their respective owners.

