

OverKill Hill P³ – Unified Sitemap (Standardized)

This document converts the custom `//` (page) and `//#` (section) notation into a more conventional sitemap structure suitable for implementation in Eleventy or Jekyll.

1. overkillhill.com (OverKill Hill Universe)

- `/`
Home (index)
- `/projects/`
Projects overview
- `/found-ry/`
 - Section: `Cage-Fight-Ry`
 - Section: `Phenomould-R`
 - Section: `PromptAscend-R`
 - Section: `ToneStrik-Ry`
 - Section: `TellePrompt-Ry`
 - Section: `StructRefino-Ry`
- `/homestead-r/`
 - Section: `HomeEstimate-R`
 - Section: `FloorPlan-R`
 - Section: `HomeVisual-R`
- `/un-nocked-truth/`
 - Section: `Geared-Up`
 - Section: `Dialed-In`
 - Section: `Hunted-Down`
- `/pathscrib-r/`
 - Section: `Abrahamic Reference Engine`
- `/manifesto/`

- </writings/>
 - Child page: </writings/magnus-saga/>
 - Child page: </writings/biases-as-constants/>
 - </ponders-concepts/>
 - </prompt-gallery/>
 - </universe/>
 - </about/>
-

2. askjamie.bot (AskJamie Ecosystem)

- </>
Home (index)
- </resume-representative/>
- </professional-portfolio/>
- </enterprise-sleuth/>
- </brandguard/>
- Section: [LEGO](#)
- Section: [Starbucks](#)
- Section: [Brooks Running](#)
- Section: [Ping Golf](#)
- Section: [Costco](#)
- Section: [Hershey](#)
- Section: [LVMH](#)
- Section: [Dollar General](#)
- Section: [Coca-Cola](#)
- Section: [Discount Tire](#)
- Section: [Scheels](#)
- </bfs-framing-intelligent-futures/>
- </universe/>

- </about/>
-

3. glee-fully.tools (Glee-fully Personalizable Tools)

- [`/`](/)
Home (index)
- [`/discovered-careers/`](/discovered-careers/)
 - Section: [`Resume Builder`](#)
 - Section: [`Resume Customizer`](#)
 - Section: [`Career Fitness`](#)
 - Section: [`Letter Composer`](#)
 - Section: [`Blinkin Tuner`](#)
 - Section: [`Career Seeker`](#)
- [`/treasured-finds/`](/treasured-finds/)
 - Section: [`Personal Librarian`](#)
 - Section: [`Decor Detective`](#)
 - Section: [`Present Hoarder`](#)
 - Section: [`Scentinal Journal`](#)
 - Section: [`Spirited Journal`](#)
 - Section: [`Supply Haus`](#)
 - Section: [`Bag Nabbit`](#)
- [`/tasty-tracker/`](/tasty-tracker/)
 - Section: [`Flavor Meister`](#)
 - Section: [`Menu Conductor`](#)
 - Section: [`Wishful Tastes`](#)
 - Section: [`Pantry Shopper`](#)
 - Section: [`Palatably Profiled`](#)
- [`/travelers-guide/`](/travelers-guide/)
 - Section: [`Journey Diary`](#)
 - Section: [`Itinerary Hacker`](#)
 - Section: [`Detour Discoverer`](#)
 - Section: [`Dreamland Journeys`](#)
 - Section: [`Memento Log`](#)

- `/organized-life/`
 - Section: `Task Maestro`
 - Section: `Thrifty Spender`
 - Section: `Giftlist Helper`
 - Section: `Scheduling Wizard`
 - Section: `Lifestyle Wallboard`
- Section: `Neighborly Bazaar`
- `/healthy-bee-ing/`
 - Section: `Care Check`
 - Section: `Calm Keep`
 - Section: `Snappy Count`
 - Section: `Medi Minder`
 - Section: `Moody Log`
- Section: `Maven Wise`
- `/identity-known/`
 - Section: `Critter Spotter`
 - Section: `Roost Wrangler`
 - Section: `Sight Seeker`
 - Section: `Snap Decoder`
 - Section: `Motif Muse`
 - Section: `Maker Matcher`
- Section: `Self Fixer`
- `/persona/`
- `/concepts-ideas/`
- `/universe/`
- `/about/`

4. Notes on Implementation in Eleventy / Jekyll

- Each **page** above typically becomes one Markdown or HTML file, e.g. `src/found-ry.md` or `found-ry.html`.
- Each **section** becomes a heading *inside* that file, usually with Markdown syntax:

```
---  
layout: default  
title: "Found-Ry"  
permalink: "/found-ry/"  
---
```

```
## Cage-Fight-Ry  
Content here...
```

```
## Phenomould-R  
Content here...
```

```
## PromptAscend-R  
Content here...
```

- For Eleventy, the folder and file structure under `src/` plus optional `permalink` in front matter will control URLs.
- For Jekyll, files live under the site root with front matter and optional `permalink` to control paths.

This sitemap is structured so it can be translated directly into directories and Markdown files for either generator.