

Business Process Mapping Fundamentals

Introduction: What is Process Mapping?

Process mapping is the practice of creating visual diagrams that show the flow of activities in a business process. A process map (or flowchart) **documents the “as-is” process** step-by-step, making complex workflows easier to understand. According to APQC (a leading process improvement authority), process maps are used for **documentation** (a visual guide to how work is done), **optimization** (uncovering missing steps, redundancies, and delays), and **monitoring** (managing process flow and performance) ¹. In short, process mapping turns implicit knowledge into explicit diagrams, helping teams see how work actually gets done and where it can be improved.

Example: A flowchart of an order-to-cash process might show steps like “Receive Order → Process Order → Ship Product → Invoice Customer → Collect Payment.” Seeing these steps laid out highlights handoffs and decision points, facilitating training, problem-solving, and improvement initiatives.

Purpose of Process Mapping

Process mapping serves many purposes across organizations:

- **Clarify scope and boundaries.** By identifying the start and end points, stakeholders, inputs and outputs, a map ensures everyone agrees what’s included in the process. Tools like SIPOC (Suppliers, Inputs, Process, Outputs, Customers) explicitly define these elements at a high level ² ³.
- **Improve understanding and communication.** A diagram makes it easier for team members and new employees to grasp a process. A shared map provides a common language and “big picture” context that words alone can’t convey ⁴ ⁵.
- **Identify waste and inefficiencies.** Visualizing the steps helps highlight non-value-added activities, bottlenecks, rework loops and delays ⁶ ¹. For example, seeing duplicate review steps in a flow can prompt process redesign to eliminate them.
- **Baseline performance (current state) for improvement.** An “as-is” map establishes where things stand today. It can include metrics (cycle time, throughput, error rates) at each step. Teams then use it to pinpoint targets for Lean or Six Sigma improvements ¹ ⁶.
- **Facilitate compliance and training.** Detailed process maps often serve as documented procedures or training aids. They make it clear who does what, when and how, which supports standardization and quality management.

Levels of Process Maps

Processes can be mapped at multiple levels of detail. It is important to choose the right level for the goal and audience. Commonly:

- **High-Level (Top-Down) Maps:** These show only the major phases or steps (e.g. 3–6 blocks). A SIPOC diagram is an example of a very high-level map: it lists suppliers and inputs feeding into the process, and shows the main outputs and customers ² ³. Executives or cross-functional teams use such overviews for strategic discussions.
- **Mid-Level (Value-Chain or Activity-Level) Maps:** These break each high-level phase into its key activities, but still abstract away the minute details. For example, “Process Order” might be expanded into “Validate Order”, “Check Inventory”, “Schedule Fulfillment”, “Send Order Confirmation”. Mid-level maps are useful for analysts to see handoffs and flow in an end-to-end process without being overwhelming.
- **Low-Level (Task-Level) Maps:** These show individual tasks or actions within each activity, often one per step. They capture detailed steps and decisions (for instance, “If item out of stock, backorder else pick from warehouse”), with responsible roles. Low-level maps are often used for training or as standard operating procedures (SOPs).
- **Very Low-Level (Work Instruction/Key-Stroke Level):** Some organizations go even deeper (e.g. key-stroke mapping or software click-tracing) to document every detail of a transaction for extreme process control or automation. This level is rarely needed for general process improvement.

Benchmark Six Sigma describes a four-level approach: **Level 1** is a broad “SIPOC” view (the 30,000-foot overview in ~3–5 blocks), **Level 2** an *Activity* map (major tasks), **Level 3** a *Task* map (sub-activities within each step), and **Level 4** an *Operating/SOP* map down to every key action ⁷. At each descending level, more detail is added. In practice, analysts typically do a mid-level (Level 2) map for end-to-end processes, then drill into any sub-processes (Level 3) for deeper analysis ⁸ ⁹. (For example, after mapping “Book Flight” in an itinerary process, one might expand that into “Select Flight → Enter Passenger Info → Confirm Payment → Receive E-ticket”.)

The **right level of detail** depends on purpose. For improvement projects (e.g. Lean/Six Sigma), maps should be detailed enough to reveal all decision points and handoffs, but not so detailed as to overwhelm. If a map is too cursory (high-level only), important issues will be hidden; if it is too granular (key-stroke level), it becomes too big to analyze. Experts recommend *avoiding mapping either only at SIPOC level or only at SOP level* when assessing current processes ¹⁰.

Common Notations

There are several widely-used notations for drawing process maps. Each has strengths and typical uses:

Flowcharts

Flowcharts are the simplest and most general process maps. In a flowchart, steps (process activities) are shown as rectangles, and decision points as diamonds, connected by arrows showing the sequence ⁵ ¹¹. Using standard symbols (rectangles for tasks, diamonds for decisions, ovals for start/end, arrows for flow) makes the chart easy to read.

Definition: “A flowchart is a common type of process map that visually represents the steps of a process... in sequential order. Using symbols and arrows, a flowchart makes complex processes easier to understand, analyze, and improve” ⁵ .

Flowcharts are highly versatile: they can map any process (manufacturing, administrative, service) and even show additional details like data inputs/outputs, delays, and responsible roles ¹² . In quality and process improvement, flowcharts are one of the classic “seven basic tools” for visualizing workflows ⁵ . They help identify the immediate predecessor and successor of each step, and reveal relationships between activities ⁶ .

When to use: Flowcharts are ideal for moderate-detail mapping. Use them when you need to follow the flow of tasks clearly, find bottlenecks, or document procedures for clarity. They suit both technical and non-technical audiences, as long as symbols are explained. One drawback is that standard flowcharts don’t easily show parallel processes or detailed role separations; for those cases, consider swimlane or BPMN diagrams (below).

SIPOC Diagrams

SIPOC is an acronym for **Suppliers – Inputs – Process – Outputs – Customers**. A SIPOC diagram is not a flowchart but a **high-level summary table** that outlines a process from end to end ² . The table has five columns:

- **Suppliers:** Who provides inputs (people or organizations).
- **Inputs:** What resources or data enter the process.
- **Process:** The main high-level steps (often 4–6) that transform inputs into outputs.
- **Outputs:** The products or results of the process.
- **Customers:** Who receives the outputs (could be internal or external stakeholders).

A SIPOC captures only the core parts of a process, omitting details. As TechTarget explains: “A SIPOC diagram... is a visual tool for documenting a business process from beginning to end prior to implementation. SIPOC diagrams are also referred to as high-level process maps because they do not contain much detail” ² .

SIPOC usage: SIPOC is most useful **before** or at the start of mapping, to clarify scope and ensure consensus on inputs/outputs ³ . It answers “who gives us what”, “what are our main steps”, and “who gets what” without yet drawing flow arrows. For example, in a purchase-order process, a SIPOC might list Suppliers = “Customer” (placing orders) and “Suppliers” (providing goods), Inputs = “Purchase Order”, Process = steps like “Order Processing, Shipping, Billing”, Outputs = “Products Shipped, Invoice”, Customers = “Customer” (receiving products) ² .

According to APQC, SIPOC “helps clarify the necessary steps in the process and provides clarity on stakeholders, inputs, and outputs before committing to complex flow charts or maps” ³ . It forces the team to agree on process boundaries and major components first. In Lean Six Sigma, SIPOCs are often drawn in the **Define** phase of DMAIC to frame the project, and may even be drawn “backwards” from customer to supplier (sometimes called COPIS).

BPMN (Business Process Model & Notation)

BPMN is a **standardized, rich notation** for process modeling. Unlike a simple flowchart, BPMN has a set of defined symbols (events, tasks, gateways, etc.) and can represent more complex behaviors (parallel flows, messaging between participants, loops, etc.). It was developed jointly by industry and standard bodies (now maintained by OMG and standardized as ISO 19510) to bridge business and IT perspectives ¹³ ¹⁴ .

Key aspects of BPMN:

- **Flow objects:** These are the core elements—**Events** (circles, which start/intermediate/end a process), **Activities** (rounded rectangles, representing tasks or sub-processes), and **Gateways** (diamonds, for branching/merging paths). For example, an exclusive decision gateway might show two outgoing arrows (one labeled “Yes”, one “No”) ¹⁵ .
- **Connecting objects:** Arrows and lines that link flow objects. **Sequence Flows** (solid arrows) show normal progression. **Message Flows** (dashed with envelope icon) link different pools/participants.
- **Swimlanes:** BPMN uses **Pools** and **Lanes** to organize activities by participant or department ¹⁶ . Each pool can represent a company or organization, and lanes subdivide responsibilities (for instance, “Sales” vs “Shipping” lanes).
- **Artifacts:** Data objects, annotations, and groups that add context (not process-driving elements).

Purpose of BPMN: As IBM explains, BPMN provides “a common business process modeling language that’s readily understandable by all business stakeholders” – from analysts to developers to managers ¹⁷ . A well-drawn BPMN diagram can even be directly used to generate executable process definitions (via BPEL or other execution languages) because it is precise. BPMN’s goals include unambiguous modeling of processes, better stakeholder collaboration, and bridging to automation ¹³ ¹⁸ .

When to use: Choose BPMN when you need a **detailed, standardized map** of a process, especially if automation or systems integration is involved. For example, BPMN is ideal for IT-driven processes where you want to document message exchanges, parallel tasks, or complex rule-based flows. However, BPMN’s richness can overwhelm lay audiences; for high-level stakeholder communication, a simpler flowchart may suffice.

Example notation in BPMN: A process start event is a circle (e.g. “Start”); a task is a rounded box (“Create Invoice”); an exclusive gateway is a diamond with an “X”; a parallel gateway is a diamond with a “+” sign ¹⁵ . Lanes group tasks by role (e.g. Purchase Dept vs Finance Dept) ¹⁶ . Because of this structure, BPMN diagrams look more complex than simple flowcharts, but they can capture all logic needed for rigorous process analysis and execution planning.

Best Practices for Clarity and Layout

A clear layout is crucial for useful process maps. The goal is that *anyone* reviewing the diagram can follow the process without confusion. Key best practices include:

- **Define scope, start and end first.** Before drawing anything, agree on the process boundaries. Clearly label the **Start** and **End** points, and focus the map only on steps within that range ¹⁹ . (For instance, if mapping an order process, decide if the starting point is “Customer requests quote” or “Sales enters order;” and whether the process ends at “Order shipped” or “Payment received.”)

- **Use consistent symbols and labeling.** Stick to one standard set of shapes (flowchart or BPMN) and use them correctly – e.g. rectangles for actions, diamonds for decisions, ovals for start/end ²⁰ . Label each step with an **active verb phrase** (e.g. “Verify Inventory”, “Approve Request”) so it reads like a process narrative. Consistency helps readers focus on content rather than deciphering shapes.
- **Layout flow logically (usually left-to-right or top-to-bottom).** As one UX guideline puts it: “Always format your flow from left to right or top to bottom” ²⁰ . This matches how people naturally read sequences. Avoid crossing connectors – if a path must loop, route the return arrow under the chart or off to the side in a tidy way ²⁰ . Consistent spacing between symbols also improves readability ²⁰ .
- **Keep it on one page if possible.** Scattering a process over multiple pages makes it hard to follow. Aim to fit the map on one view. If it grows beyond a page, consider breaking it into sub-maps (e.g. one for each major phase) with clear references between them. A Nulab guide advises: “Keep it to one page... If you find your chart exceeding one page... break it into multiple charts” ²¹ .
- **Use swimlanes or color for roles when needed.** If multiple people or departments are involved, use swimlane diagrams (horizontal or vertical lanes) to show who does what. This highlights handoffs. Alternatively, light shading or color coding can differentiate responsibility zones. Be sure to explain any color-coding in a legend for clarity.
- **Include decision logic and alternate paths.** Don’t omit branches or exceptions. If there are alternative flows (e.g. approval/no approval paths, error handling, loop back steps), show them clearly with decision points and labeled arrows. For example, at a “Manager Approval?” diamond, have two arrows “Yes” (leading forward) and “No” (leading to “Revise Request” step). The Asana guide recommends “Account for alternate paths – include those options” in your map ²² .
- **Iterate with stakeholders.** A process map should be validated by the people who perform the process. After drafting, walk through it with the team (or a representative group) to catch missing steps or mis-sequenced activities. Get feedback and refine. As Asana notes: “Get feedback. Involve everyone who plays a role in the process” ²² .

Adhering to these layout principles ensures the map serves its purpose: to communicate the process clearly. Poor layout (misaligned arrows, inconsistent shapes, unreadable fonts) can defeat the map’s usefulness.

Common Mistakes to Avoid

When mapping processes, certain pitfalls frequently occur. Being aware of these mistakes helps ensure the map is accurate and effective:

- **Mapping in isolation.** Never let one person (e.g. a lone analyst) create the map without input from others. A map generated without consulting the actual process performers will likely miss key steps or contain misconceptions ²³ . Always involve process owners and subject-matter experts (the people who do the work) during mapping ²⁴ ²⁵ . Collaboration ensures accuracy and buy-in.
- **Poor scoping.** Failing to define process boundaries often leads to maps that are either incomplete or include unrelated tasks. A too-narrow scope might omit important interfaces, while a too-broad scope can make the map unwieldy. Avoid this by agreeing on scope (as noted above) before mapping starts ¹⁹ ²³ .
- **Over-complexity (too much detail).** A process map that only the author can understand is of little use to others ²⁵ . Including every minor action or tech detail clutters the diagram. Use abstraction: group minor steps into a single high-level task or use subprocess symbols. If needed, split a very

detailed map into separate child-process maps. The key is to be “sufficiently detailed” to enable analysis, but still comprehensible to the target audience ²⁵ .

- **Under-detail (omitting important steps).** Conversely, maps that gloss over tasks or skip decision points (e.g. only showing a generic “Review” step without specifying approve/deny paths) won’t serve as effective guides. Make sure to include all critical branches and exceptions. One common error is leaving out contingency paths (like error or exception handling). Recall that an effective map highlights “which of the tasks/activities are Value Added and which are Non-Value Added” including where loops or rework can occur ¹⁰ .
- **Using non-shareable/static formats.** If the map is drawn in a way that’s hard to update (e.g. static PDF in a repository), it will soon become obsolete as processes change. The Cognidox blog warns that choosing a format or tool that “*can’t be easily updated*” causes maps to quickly become outdated ²⁶ . Best practice is to use collaborative tools or easily editable files, and store maps in a shared, version-controlled repository.
- **Ignoring maintenance.** Process maps should not be “one and done.” Procedures and business conditions change, so maps must be reviewed and revised regularly. Periodic validation (perhaps annually or when a major change occurs) keeps the documentation current. If a map is never updated, it ceases to reflect reality and loses credibility ²⁶ .
- **Overlooking clarity conventions.** Avoid violating basic diagramming rules: do not cross lines unnecessarily, use consistent shape sizing, and label arrows if meaning is not obvious. Using too many formatting styles (fonts/colors) can confuse readers. The Nulab guide aptly advises: “Keep it minimal... If the design delights the eye but confuses the viewer, you’ve gone too far” ²⁷ . Stick to a clean, professional look.
- **Failing to involve end-users.** A map that is never actually used by the organization yields no benefit. Ensure maps are published where relevant staff can access them easily (e.g. intranet, process portal) and train people to use them. Triaster notes that maps should be available to **everyone** to do their jobs better; it’s a mistake “to stop at [mapping] and not share and use those process maps to improve your business processes” ²⁵ ²⁸ .

By avoiding these mistakes—keeping the map collaborative, balanced in detail, well-maintained, and clearly formatted—you ensure the process map is a reliable tool for analysis and communication.

Practical Mini-Examples

Here are a few brief examples of process maps (in narrative form) illustrating the concepts above:

- **New Employee Onboarding (High-Level vs Detailed):** A high-level map of “Employee Onboarding” might have five phases: *Hire Requisition* → *Candidate Selection* → *Employment Offer* → *First Day Setup* → *Training Completed*. As a SIPOC, **Suppliers** could be HR and hiring manager, **Inputs** are job requisition and candidate information, **Outputs** a hired and trained employee, and **Customer** is the department receiving the new hire. A more detailed flowchart expands each phase: e.g. “*Verify candidate credentials*”, “*Send offer letter*”, “*Collect signed forms*”, “*Set up email account*”, etc. Each decision (offer accepted?) would be a decision node. This layered mapping helps both executives (who see only the five phases) and coordinators (who need every onboarding task).
- **Order-to-Cash Process:** At SIPOC level, **Suppliers** might include the *Customer* (who places orders) and *Suppliers* (providing goods). **Inputs** = Purchase Order, **Process** = Receive Order → Process Order → Ship Goods → Invoice → Collect Payment, **Outputs** = Shipped product and invoice, **Customers** =

the *customer* receiving goods and accounts receivable department receiving payment. Drilling down, “Process Order” could break into steps: *Validate order* → *Confirm inventory* → *Pack items* → *Generate shipping label*. Decision points could include “Is item in stock? If no, backorder or cancel.” Including these shows where delays or errors might occur.

- **Incident Response:** Consider an IT incident response process. An AS-IS flowchart might start with *Detect Incident* → *Classify Incident* → *Assign to Engineer* → *Resolve Issue* → *Close Ticket*. Decision points: if “Critical outage?” it follows a “Yes” branch to a crisis meeting, if “No” it follows normal path. Swimlanes might separate **Detection (Monitoring Team)**, **Triage (Support Desk)**, **Resolution (Tech Team)**, **Closure (Documentation)** to clarify roles. A BPMN diagram here could use a parallel gateway if multiple teams respond at once, or a message flow to an external vendor pool if third-party help is called.

These examples show how different notations and levels can apply. In each case, clarity (labeling steps, indicating flows and decision paths) is key. Even simple processes like an expense approval (Employee submits request → Manager approves → Finance processes payment) benefit from mapping: one can spot delays (if manager takes days) or parallel paths (auto-approve if under \$100).

Quick Reference Checklist

- **Define scope:** Agree start/end, and what’s in vs. out before you map ¹⁹.
- **Identify inputs/outputs:** A SIPOC table can ensure you list all suppliers, inputs, and outputs for the process ³.
- **Select notation:** Choose flowchart, BPMN, etc. based on audience and complexity. Use standard symbols with legend.
- **Gather information:** Interview or workshop with process owners/SMEs. Capture all major activities and decisions.
- **Draw the map step-by-step:** Arrange activities in sequence, connecting with arrows. Use swimlanes or colors for roles if needed.
- **Label clearly:** Use verb phrases for tasks and label decision outcomes (“Yes/No” or condition). Include metrics if helpful (e.g. cycle times).
- **Review and refine:** Walk through the map with the team to catch missing steps and alternative paths ²². Map the **actual** process (what is), not the ideal.
- **Keep layout clean:** Flow left-to-right/top-down, avoid crossed arrows, maintain spacing ²⁰. Fit on one page if possible ²¹.
- **Standardize:** Use the same method and symbols across maps to make them consistent and easy to read ²⁵.
- **Update regularly:** Change maps when the process changes. Establish a review schedule so maps stay current ²⁶.
- **Share and store:** Publish maps in a central repository (a shared drive or process portal) so everyone can access them. Use an editable format, not a locked image.
- **Use maps for improvement:** Leverage the map to identify inefficiencies (loops, delays, handoffs) and plan improvements.

Do/Don't Table

Do	Don't
Do involve process users and stakeholders in mapping.	Don't map processes alone without input from the people who do the work ²³ ²⁵ .
Define the scope clearly (start/end points) before mapping ¹⁹ .	Begin mapping before agreeing on the boundaries or objective.
Use standard symbols consistently (rectangles for tasks, diamonds for decisions) ²⁰ .	Mix up symbols or invent new shapes with no explanation.
Flow diagrams in a clear direction (left→right or top→bottom) with minimal crossed lines ²⁰ .	Crisscross arrows all over or force vertical flows arbitrarily.
Label each step and decision clearly with action verbs or conditions.	Use vague labels (e.g. "Check") or omit labels, forcing guesswork.
Show all relevant paths , including alternate and exception flows ²² .	Leave out decision branches or error paths.
Keep maps to a single page or logical sections ²¹ .	Spread one process over many unconnected pages.
Tailor the level of detail to the audience: high-level for execs, detailed for operators.	Make every map extremely detailed or extremely shallow regardless of audience.
Plan to update maps as processes change and keep them accessible.	Assume maps are "one-time artifacts" and let them become outdated ²⁶ .
Follow up with training or communication so staff use the maps (incorporate in SOPs).	Let maps sit unused in a folder.
Use maps as a tool , not just documentation – drive improvement actions from what you find.	Create maps merely to check a box, without using them to identify and implement improvements.

Glossary

- **Business Process:** A set of related activities or tasks that transform inputs (materials, information) into outputs (products, services) to achieve a specific business goal.
- **Process Map / Process Flowchart:** A visual diagram showing the sequence of activities (and decisions) in a process. It represents steps as shapes (e.g. rectangles, diamonds) connected by arrows.
- **SIPOC:** A high-level process mapping tool whose acronym stands for *Suppliers, Inputs, Process, Outputs, Customers*. Lists the major inputs/outputs and stakeholders of a process without detailed flow.
- **BPMN (Business Process Model and Notation):** A standardized graphical notation for detailed process modeling. Uses flow objects (events, tasks, gateways), swimlanes (pools/lanes), and connectors to capture complex process logic ²⁹ ¹⁵ .

- **Flowchart:** A type of process map using simple shapes (rectangles for steps, diamonds for decisions) and arrows to show the flow of control ⁵.
- **Swimlane Diagram:** A flowchart variant that uses horizontal or vertical "lanes" to group activities by role, department, or system, clarifying who is responsible for each step.
- **Value Stream Map (VSM):** A specialized flowchart used in Lean to map the entire end-to-end flow of materials and information in a value stream, often including metrics like cycle time and inventory at each step. (VSMs are often more detailed on process timing and typically used in manufacturing or Lean projects.)
- **Activity:** A major step or phase in a process (often drawn as a high-level block).
- **Task:** A smaller, atomic unit of work in a process. In BPMN these are often called "activities" as well.
- **Subprocess:** A group of tasks within a larger process that can be mapped separately (often shown as a single box with a "+" symbol in BPMN).
- **Decision (Gateway):** A point in the process where a choice is made, leading to different branches. In BPMN, gateways are diamonds (e.g. exclusive or parallel splits) ¹⁵.
- **Event (in BPMN):** A trigger or outcome represented by circles – a **Start Event** begins the process, **Intermediate Events** occur during (e.g. a timer or message), and an **End Event** signifies process completion.
- **Input:** Any material, information, or resource needed by a process step to produce outputs.
- **Output:** The product, service, information, or result produced by a process step or the process as a whole.
- **Supplier:** An internal or external person/organization that provides an input to the process (sometimes called *vendor* or *source*).
- **Customer:** The recipient of the process outputs. Can be internal (another department) or external (end-user).
- **Stakeholder:** Anyone with an interest in the process, including executors, owners, managers, suppliers, and customers.
- **Process Owner:** The person responsible for overseeing the performance of the process. Usually a manager who ensures the process is defined and maintained.
- **Subject Matter Expert (SME):** An individual who has in-depth knowledge of a process's execution, often one of the operators or leaders.
- **Scope:** The boundaries of the process map – defines where the process starts and ends, and what activities are included.
- **As-Is Process:** The current state of the process as it actually exists today (often what is mapped first).
- **To-Be Process:** A future-state process map showing how the process should function after improvements or changes.
- **Metric/KPI (Key Performance Indicator):** A measurable value that demonstrates the effectiveness or efficiency of a process step (e.g. cycle time, error rate). Maps often annotate steps with KPIs to highlight performance.
- **Value-Added (VA) Step:** An activity that directly contributes to fulfilling customer requirements (the customer is willing to pay for it).
- **Non-Value-Added (NVA) Step:** Activities that consume resources but do not add value from the customer's perspective (e.g. waiting, rework, excessive transport). Process maps are used to identify and eliminate NVA steps ¹⁰.
- **Cycle Time:** The time it takes to complete a process or a specific process step from start to finish.
- **Lead Time:** The total time from initiation of a process until completion.
- **Bottleneck:** A process step that limits the overall throughput because it has the longest duration or insufficient capacity.

- **RACI Chart:** A responsibility assignment matrix (Responsible, Accountable, Consulted, Informed) that can accompany a process map to clarify roles.
- **Procedure/SOP (Standard Operating Procedure):** A detailed, step-by-step instruction that aligns with a detailed process map, often used for training and compliance.
- **Root Cause Analysis:** Techniques (like the “5 Whys” or fishbone diagrams) often applied after process mapping to find the underlying cause of process problems.

Each of these terms is commonly used in process mapping and improvement. Understanding them is essential for creating and analyzing effective process maps.

1 What is Process Mapping? | APQC

<https://www.apqc.org/blog/what-process-mapping>

2 4 What is a SIPOC diagram? | Definition from TechTarget

<https://www.techtarget.com/searchcio/definition/SIPOC-diagram-suppliers-inputs-process-outputs-customers>

3 Process SIPOC Template | APQC

<https://www.apqc.org/resource-library/resource-listing/process-sipoc-template>

5 6 11 12 What is a Flowchart? Process Flow Diagrams & Maps | ASQ

<https://asq.org/quality-resources/flowchart?srsId=AfmBOopVTX5zj8Jgs30Swr4HT02uTWS01BVQGHgI5mzt8440Ut55uZU7>

7 8 9 10 Process Mapping - We ask and you answer! The best answer wins! - Benchmark Six Sigma Forum

<https://www.benchmarksixsigma.com/forum/topic/35730-process-mapping/>

13 Business Process Model & Notation™ (BPMN™) | Object Management Group

<https://www.omg.org/bpmn/>

14 15 16 17 18 29 What is Business Process Modeling and Notation (BPMN)? | IBM

<https://www.ibm.com/think/topics/bpmn>

19 22 Process Mapping Guide: Definition, How-To, & Examples [2025] • Asana

<https://asana.com/resources/process-mapping>

20 21 27 Keep it simple & follow these flowchart rules for better diagrams | Nulab

<https://nulab.com/learn/design-and-ux/keep-it-simple-follow-flowchart-rules-for-better-diagrams/>

23 24 26 Avoid These 9 Common Business Process Mapping Mistakes

<https://www.cognidox.com/blog/10-ways-to-screw-up-a-business-process-mapping-project-2>

25 28 3 Common Business Process Mapping Mistakes (and How to Avoid Them)

<https://blog.triaster.co.uk/blog/avoid-process-mapping-mistakes>