







































XEM7310 Breakout Board

Revision 1.000

Serial #













Serial #






Serial #






Serial #


Serial #




















C2_H	C1_H		
	U1_H	J1_H	
C2_G	C1_G	C3_H	C4_H
	U1_G	J1_G	
C2_F	C1_F	C3_G	C4_G
	U1_F	J1_F	
C2_E	C1_E	C3_F	C4_F
	U1_E	J1_E	
C2_D	C1_D	C3_E	C4_E
	U1_D	J1_D	
C2_C	C1_C	C3_D	C4_D
	U1_C	J1_C	
C2_B	C1_B	C3_C	C4_C
	U1_B	J1_B	
C2_A	C1_A	C3_B	C4_B
	U1_A	J1_A	
		C3_A	C4_A



1.03 mm

0.196 mm





Type	Material	Weight	Thickness	Dk
Top Overlay				
Top Solder			0.01 mm	3.5
Top Layer		0.5 oz	0.0175 mm (Plating to 1 oz)	
Dielectric 1	7628 RC 46%		0.196 mm	4.74
Second Layer		1 oz	0.035 mm	
Core	Core			4.6
Third Layer		1 oz	0.035 mm	
Dielectric 2	7628 RC 46%			4.74
Fourth Layer		0.5 oz	0.0175 mm (Plating to 1 oz)	
Bottom Solder			0.01 mm	3.5
Bottom Overlay				