


127: TICKET-A2T6: Implement Automated Security Updates Across 4 Servers Using Puppet

errors at the start

puppet not working and disk space was at 99%

disk space was max from error logs spamming about puppet being down.




[Image Failed to Load]

and there was a diskbomb that was removed.

all this took place in /etc/puppetlabs/code/environments/production/modules

making /modules/system_update/manifests/init.pp



[Image Failed to Load]

and made /modules/system_update/files/update.sh

```
#!/bin/bash
```

```
LOG_DIR="/var/log/system_updates"
LOCK_FILE="/var/log/system_updates/last_run.timestamp"
NOW=$(date +%s)
INTERVAL=$((48 * 3600))

mkdir -p "$LOG_DIR"

# Check last run time
if [ -f "$LOCK_FILE" ]; then
    LAST_RUN=$(cat "$LOCK_FILE")
    DIFF=$((NOW - LAST_RUN))

    if [ "$DIFF" -lt "$INTERVAL" ]; then
        echo "$(date): Skipping update (ran less than 48 hours ago)" >> "$LOG_DIR/skipped.log"
        exit 0
    fi
fi

# Run update
echo "$(date): Starting apt-get update" >> "$LOG_DIR/update.log"
apt-get update >> "$LOG_DIR/update.log" 2>&1

# Save timestamp
echo "$NOW" > "$LOCK_FILE"

echo "$(date): Update complete" >> "$LOG_DIR/update.log"
applied that to all servers using puppet agent
```

[Image Failed to Load]

Timer is active: systemctl list-timers
Service executed successfully: update.service
Script exists in /usr/local/bin
Logs are written in /var/log/system_updates

[Image Failed to Load]

(work on all but app-d)