Review Cycle 1: Independent Assessment

Claude (Anthropic) · Review of the Network Defense Intelligence Exercise research execution

Document ID: OAL-NDIE-REVIEW-C1-CLAUDE

Version: 1.0

Date: November 5, 2026

Document under review: OAL-NDIE-RESEARCH-EXEC-CHATGPT-001 v1.0 (OAL_NDIE_Independent_Research_Execution_v1.0), plus the four other executed reports shared with me: Gemini (OAL-RESEARCH-REPORT-002), Grok (OAL-RESEARCH-REPORT-NDIE-001), Copilot (OAL-RESEARCH-NDIE-COPILOT-001), and Perplexity (NDIE-RESEARCH-REPORT-PERPLEXITY-001 v0.1). My own report is not reviewed here, except where I correct it.

Status: Advisory review. Nothing here is approved canon or an operational authorization. Canon changes need the Architect's ONESTAMP.

Format: Follows Sections 9 and 10 of the review directive (A to J, then the three final questions). Tables are in the appendices.

A. Executive Assessment

Recommendation: narrow. I recommend against funding or building the exercise as written, and for a small, independently evaluated study of a much simpler design. I agree with ChatGPT's headline decision (conditional go for a small isolated study, no-go for national scale) and with the same conclusion in the Grok, Copilot, and Perplexity reports. Gemini reaches a compatible verdict for a different reason and with larger budgets. **Confidence:** moderate in the narrow recommendation, low in any cost figure, high that the canon design has no demonstrated basis at scale.

Why I agree. Every report, including mine, finds the same thing from different directions. Pieces of the design exist at small scale. The integrated design does not, and nobody I could find has measured it. The biggest real threat classes (valid credentials, pre-positioned access, supply chain, the defender's own control plane) never touch a decoy. That convergence matters, but I treat it carefully. Six AIs reading the same dossier and the same prompts are not six independent tests. Agreement raises my confidence a little; it does not replace evidence.

Where I disagree with the document under review. ChatGPT's report is careful and honest about its limits, and its seven experiments and safety invariant are the best part of the cycle. But it has four weaknesses I would fix before anyone relies on it. First, it cites none of the empirical evidence that deception works at small scale, including the large red-team study that anchors the whole case for a bounded program. Second, its bypass section has no real incident behind it. Third, its budget bands do not follow its own stated rule. Fourth, its experiments have validity gaps that could let a lab result look better than it is. Details are in sections C to G.

Two things that changed my view during this review. CISA published guidance on cyber decoys in September 2026 that I missed in my own report. It recommends starting with simple tripwires and holding the "draw adversaries into controlled environments" step for later. That is close to the alternative I propose in section H. I also found that part of what I wrote about funding dates was wrong. See C2.

B. Supported Findings

These survive my checking. I mark where I verified a point myself and where I am relying on a source I could not open.

1. **Session migration is the weakest technical claim.** ChatGPT classifies migration of arbitrary established encrypted sessions as unsupported. I reached the same conclusion by reasoning (grade D) and found nothing published to the contrary. Gemini cites a 2017 paper (Fan et al.) that exists; going by its title and Gemini's description (I did not read it), it hands a TCP connection from a

low-interaction honeypot to a high-interaction one. That is a different problem. Both ends are defender-controlled. Moving a live session off a real asset is not shown by it. I explain the distinction in D.

2. **"Every attacker captured" cannot be measured.** All five reports and my own say so. The denominator is unknown. ChatGPT's replacement, measured coverage against a bounded known test population, is correct.
3. **The three-second cycle is a variable, not a standard.** ChatGPT's factorial design (static, fixed 3 s, random, risk-triggered) is sound and matches Grok, Copilot, and my own recommendation. No source I found supports three seconds as optimal.
4. **An equal-budget baseline is essential.** ChatGPT's null hypothesis and equal-budget alternative are right. Deception that cannot beat the same money spent on identity, segmentation, and logging should not be scaled.
5. **An independent control must protect real assets.** ChatGPT's safety invariant (the test attacker must not reach the protected asset regardless of the decoy controller's state, enforced by a separately administered control) is the single most useful sentence in the cycle. I would put it at the front of every report.
6. **The transfer package is a supply-chain target.** ChatGPT, Gemini, Copilot, and my own report agree. ChatGPT's control list (provenance, signed manifest, SBOM, separated key custody, staged release, revocation) is reasonable.
7. **The budget arithmetic in ChatGPT's table is correct.** I recomputed all four base rows. Labor, direct cost, and the 20% reserve sum as stated. The problem is in the bands (C, item 1).
8. **The funding facts I could check hold up.** NSF's current Secure and Trustworthy Cyberspace solicitation is 25-515 (both ChatGPT and Perplexity report it, with up to $1.2 million over four years). The SBIR/STTR programs were reauthorized through fiscal 2031. ChatGPT's own caveat, that availability must be rechecked at application, is right.

C. Disputed Findings

C1. The document under review (ChatGPT)

1. **The uncertainty bands do not follow the stated rule.** The report says low is 75% of base and high is 150%. For the 6-month proof of concept that is $441,000 to $882,000. The report gives about $397,000 to $794,000. For the range it should be $1.73 million to $3.47 million (reported $1.59 to $3.19 million). For the multi-organization pilot it should be $6.09 million to $12.19 million (reported $5.44 to $10.89 million). Each reported band is about 10% lower than the rule implies. Severity: major, because the bands are what a reader would quote. Either the rule or the numbers should change.
2. **It omits the best empirical evidence.** The report does not cite the Tularosa study (more than 130 professional red teamers, decoys drew 52% of commands, data sent to real assets fell 25%), the Potemkin honeyfarm paper, the Evans et al. critique of moving target defense, or CISA's September 2026 decoy guidance. It concludes that the case is unproven without showing the reader what evidence exists, so a reader cannot tell "no evidence" from "weak evidence." That is a substantive gap, not a style point.
3. **The bypass section has no real incident behind it.** The ten bypass classes are plausible and well organized, but none is tied to a verified case. Colonial Pipeline (credential entry, and a shutdown caused by the defender's own precaution), the Volt Typhoon advisory, and the Log4j review's finding that many organizations could not locate vulnerable code would turn structure into evidence.
4. **Labor rates are assumptions presented in a way that could be misread as sourced.** The $190,000 to $225,000 loaded rates are labeled as model inputs, which is honest. But the rate rises by stage with no reason given, and the report cites a $129,180 median wage (also cited by Perplexity; I could not open the BLS page myself) without showing how a loaded rate was derived

from it. The implied multipliers are about 1.5 to 1.7. That is plausible but unvalidated.

5. **"Other direct" costs are unitemized.** The $38,000, $80,000, $385,000, and $1,370,000 lines are not broken down. The report admits no cloud quotes were obtained. A reader cannot tell what drives them.
6. **Some references I could not verify.** The report cites a 2026 systematic review of moving target defense in software-defined networks (97 studies, S15) and a 2026 honeypot-and-LLM study with "52 observations from one run" (S16). I confirmed that the honeypot fingerprinting review (S06) exists as a 2026 MDPI article. I could not open S15 or S16, so those claims are unverified in my review.
7. **Tables sit inside the body.** Nine of the sections contain tables. The team's standing format preference is a single column with tables at the end. This is minor for substance, but it affects how the document reads on a phone.

C2. Corrections to my own Findings report

The directive asks reviewers to challenge findings, and mine are in scope. I found four errors or gaps when I checked my work against the other reports and new searches.

1. **SBIR/STTR reauthorization date.** I wrote that it was reauthorized in March 2026, citing a secondary source. A report I found says it was signed April 13, 2026, and Gemini says the same. The through-date (September 30, 2031) is unchanged. My March date was wrong.
2. **I missed CISA's cyber decoy guidance (September 2026).** It is the most relevant recent government document on this topic. Help Net Security's September 17, 2026 summary says it recommends honeytokens, fake credentials, and tripwires, starting simple, using existing tools, with the "Elicit" step (drawing adversaries into controlled environments) coming later and needing isolated

infrastructure, mature logging, and skilled staff. I have not read the guidance itself. Copilot cited it; I did not.

3. **My NSF award sizes are outdated.** I used solicitation 24-504. ChatGPT and Perplexity both cite 25-515 (SaTC 2.0), with research awards up to $1.2 million over four years. My own report said the solicitation might be superseded. It was.
4. **My Scope 1 effort may be too high.** I assumed 1.5 FTE-years for a 3 to 6 month study. ChatGPT's desk study is 1.5 FTE for three months, or 0.375 FTE-years, and Perplexity's base is similar. See E.

C3. Findings in the other reports that I dispute

Because the cycle asks me not to assume another AI is right, I checked the strongest claims in the other reports. These are where I disagree. A fuller register is in Appendix B.

1. **Gemini: "BGP convergence ceilings (30 to 180 seconds)," graded high confidence.** The classic measurement I verified (Labovitz et al., 2001) found an average failover near three minutes and worst cases up to fifteen, with only about 5% of withdrawal events converging within 90 seconds. Gemini's range understates the tail, and "ceiling" is not what the paper says. The qualitative point, that global routing cannot move in three seconds, still holds.
2. **Gemini: "~85% of critical infrastructure" is privately owned.** Lawfare (June 2022) traced this figure to a 2002 document with no source. It is not well supported.
3. **Gemini: IARPA's ReSCIND "cut human red-team task success by up to 50%."** The IARPA program page I read lists qualitative goals, more than 20 human-subject studies, and no quantified result. I could not find the 50% figure there. Gemini grades this source A and calls the trial result a finding. I treat it as unverified.
4. **Gemini: Potemkin's "Difference Engine 1.6x to 2.5x compression at under 7% overhead."** I did not find these figures in the Potemkin paper's results as I read them. I believe the Difference Engine is a separate paper. Please verify. Gemini's author list for Potemkin also omits several authors.

5. **Gemini: DARPA I2O BAA "open through November 30, 2026," with a roadmap to submit a concept abstract in days 61 to 90.** A third-party blog I read says abstracts closed November 1, 2026, and only invited proposers may submit full proposals by November 30. If that is right, the roadmap step is not possible. The blog is not the BAA, so check SAM.gov.
6. **Gemini: very specific numbers** (a $40 grid monitor, 50 million probes every 2.8 seconds, 4 to 12 ms jitter, 800 ms to expose the honeypot) are illustrations, not findings, yet they sit beside A/D grade tags. I flagged the 50 million figure as unsourced in my own report. It is now a ranked threat.
7. **Gemini: Tier S cost.** The listed components sum to $14.95 million. Adding the stated 20% gives $17.94 million, not $18.5 million. Appendix E of Gemini's report may list items I did not read.
8. **Grok: "national-scale analogs historically in the $100M+ range" and a "$130M" figure.** Unsourced in the report. Treat as unverified.
9. **Copilot's costs are wide because its staffing is large.** This is a scope difference, not an error. See E.

D. Technical Feasibility, Capability, and the Seam

The directive asks which capabilities exist, which need research, and which look impractical. Here is my assessment, kept short because the reports largely agree.

- **Supported by existing technology:** decoys, honeytokens, and honeypots (CISA, NIST, MITRE); honeyfarms at tens of thousands of addresses on a few servers (Potemkin, 2005, a /16 address space); isolated cyber ranges.
- **Requires substantial research:** moving target defense with measured operating costs (Evans et al. argue benefits are often smaller than expected); generating believable synthetic workloads

and physical-process data; learning from captured behavior without poisoning.

- **Appears impractical as stated:** transparent migration of established sessions from real assets; a fixed three-second rotation of routing, names, and keys across independent owners; measured capture of every attacker; fully securing real assets because black lines collapsed.

The seam, stated plainly. Two different operations are being called "migration." One is diverting a new connection into a decoy the defender controls from the first packet. That is practical wherever the defender controls the entry point. The other is moving a connection that is already authenticated to a real asset into a fake one. The attacker's session keys live at the real asset. Moving it means controlling that endpoint, or forcing a reconnection the attacker can see. Gemini's split-plane proxy is a clever design for the first operation, because the decoy holds the keys. It does not solve the second. The dossier's step 3 (cut access to real assets) before step 5 (migrate) creates exactly this tension. ChatGPT and Copilot name the seam. Gemini proposes a fix (a hold buffer, then a proxy). As I read it, that still requires the real session to end at the proxy, which is a reconnection unless the proxy already held the keys. I would make the distinction explicit in the next revision.

Simpler existing architectures that achieve comparable outcomes. For the part of the scenario that matters most in real incidents (an actor with valid access), tripwires and decoy credentials planted in the real environment do not need diversion, cycling, or a synthetic nation. That is the alternative in section H.

The base-rate problem is real. Gemini's arithmetic is right: a classifier that is 99.999% accurate with a 0.001% false-positive rate, applied to one billion flows a day, wrongly diverts 10,000 flows a day. The one billion figure is an assumption, but the lesson holds. Intent-level diversion at national scale needs a very low false-positive rate, and Cyber Storm and Locked Shields do not test that.

E. Financial Feasibility and Research Justification

The cost spread is mostly a staffing disagreement, not a rate disagreement. For the first desk or feasibility stage, the five reports range from about $131,000 (ChatGPT) and $138,000 (Perplexity), through $200,000 to $800,000 (Grok) and $300,000 to $525,000 (mine), to $450,000 to $1.5 million (Copilot). The loaded labor rates they assume run from about $180,000 to $350,000, a spread of under two times. The effort assumed runs from 0.375 FTE-years (ChatGPT) to as much as 5.25 FTE-years (Copilot's 4 to 7 people for 6 to 9 months), a spread of about fourteen times. So the question to settle is how much work the first stage should include, not what a researcher costs.

Is spending proportionate to evidence? Only the first stage is. The evidence supports a small study. It does not support the $3.2 million lab (Gemini), the $18.5 million sector pilot (Gemini), or the $10 to $30 million range and multi-organization stages (Copilot) before the first stage reports. No one has a validated number for the national case, and the reports that decline to give one are right.

Where I would cut cost without harming integrity. Run the first stage as desk work plus one paper model, with legal review included. Use open-source decoy tools and a small owned range. Share a cohort of professional red teamers across arms rather than building a separate cyber range. Delay any hardware-in-the-loop work for operational technology until an earlier stage shows value. Do not buy GPU capacity before a test shows procedural generation is the bottleneck.

My own Scope 1. My 1.5 FTE-years is the upper end. I now think a defensible range is about 0.4 to 1.5 FTE-years. The lower end suits a desk study with a short legal consult. The higher end suits one that also includes an independent reviewer and a modeled experiment. At loaded rates of $190,000 to $350,000, that is about $76,000 to $525,000. The cost is mostly a choice about review depth.

Funding pathways and timing. Three facts from this cycle change what is actionable. NSF's solicitation is 25-515, with target dates in January

and September 2027 (ChatGPT, Perplexity). NSF SBIR has a next deadline of March 4, 2027 (Perplexity; it says the November 4, 2026 deadline has passed). The DARPA I2O abstract window appears closed (see C3). All three need rechecking against the agency pages before any plan relies on them.

F. Governance, Safety, and Institutional Implications

ChatGPT's governance section is the strongest among the reports: federated administration with per-owner authorization, time-bounded grants, role separation, independent kill switches, and no sole operator over multiple organizations. Copilot adds separation of mission, safety, operations, forensics, model governance, and release approval. I agree with both. These are the governance failures that could make a technically successful system unacceptable.

1. **No lawful authority.** The reports mostly say "not legal advice." Gemini names the Wiretap Act and the prohibition on hack-back. None addresses a current problem: the Cybersecurity Information Sharing Act of 2015, which provides liability protection for defensive measures and information sharing, was extended only through September 30, 2026. That date has passed, and I could not confirm what happened next. Any legal premise that depends on it is unsettled today. Counsel should resolve this first.
2. **Single point of control.** The dossier gives the Architect sole full visibility. Every report flags this. In the real world, asset owners decide what happens on their networks, and ownership is mixed.
3. **Capture of innocent traffic.** The dossier's Q12 and failure mode 5 point at it. Potemkin's authors describe the same tension between blind containment and third-party liability. A legitimate-traffic experiment (ChatGPT's E6) belongs before any live work.
4. **Evidence and data custody.** Behavioral capture collects data about people. Retention, access, and destruction rules do not exist in the dossier.

5. **Incident response beyond rollback.** The reports specify rollback and kill switches. None specifies what happens when a decoy is compromised and used as a staging point (Copilot calls this escape), who is notified, and who owns forensics.
6. **Secrecy versus accountability.** The dossier's Q3 and Q13 offer "off-books" options. That is fine for fiction. It is incompatible with independent audit, so it should be labeled as a story choice, not a real design.
7. **Transfer to a partner agency.** Cyber Storm IX found that sharing rules and sensitivity labels were slow and unclear even among willing parties. The receiving agency also needs the ability to inspect, reject, and roll back the package.

G. Adversarial Assessment: What the Cycle Missed

The reports cover valid credentials, pre-positioned access, supply chain, control-plane compromise, telemetry poisoning, and non-engagement well. I add these, kept conceptual.

1. **Trust in the defender's own automated response is itself an attack surface.** An adversary does not need to bypass the deception if they can make it fire against legitimate traffic. Colonial's shutdown shows a defender can cause its own outage. A decoy system that automatically diverts or isolates adds another way for that to happen. ChatGPT's E6 and Gemini's rate-limits touch this; none treats it as a primary risk class.
2. **Displacement.** If decoys work, attackers move to assets without them. ChatGPT mentions movement to other surfaces. A result that shows lots of decoy engagement and no drop in real losses would be misleading, and the experiments need to measure it.
3. **Asymmetry of attacker learning.** Tularosa's authors note few participants identified a decoy during a short session and none seemed to use that knowledge later. Real attackers have months. A lab result with short sessions cannot show how value decays.

4. **Dormancy.** Dwell time medians in the reports I checked run to days or weeks (10 days in 2023, 14 days in 2025 per two summaries of Mandiant's M-Trends). A short exercise window will not see attackers who wait.
5. **The decoys themselves reveal information.** A realistic replica of a real system can leak sensitive structure. ChatGPT notes this in the case against funding. It deserves a test.
6. **AI-agent attackers.** Gemini raises that autonomous agents may not respond to human psychological bait. That is plausible and testable, but its source is thin (see C3).

H. Alternative Architecture

Alternative 1: tripwire-first deception inside the real environment. Plant honeytokens, decoy credentials, decoy files on monitored shares, and alerts on tools no ordinary user needs. Do not divert real traffic. Do not rotate anything. Do not build a synthetic network. Pair it with the independent controls the safety invariant requires. This is the starting point CISA's September 2026 guidance describes.

What problem it addresses. The largest real bypass classes (valid credentials, living off the land, pre-positioned access) involve actors already inside. A decoy credential or tripwire does not need to catch an exploit at the border. It only needs the actor to touch it. This is a design that addresses the incident evidence directly, where the original design addresses almost none of it.

What it gives up. Little intelligence about attackers who avoid the tripwires. No capture. No observation of a long engagement. The decoys can be recognized, and they need upkeep. CISA says the "elicit" step is later and requires mature logging and isolation.

How to compare it with the original. Use the same range, the same professional red team, and three arms: conventional controls only; conventional controls plus tripwire-first; conventional controls plus full diversion with a rotating synthetic layer. Measure the same outcomes: unauthorized reach of the protected asset, time to detect, time to

isolate, benign disruption, analyst minutes, and cost per useful alert. Tularosa measured data sent to real assets and alerts on real assets, not just engagement, and I would copy that. If tripwire-first matches full diversion on protection at a fraction of the cost, the complex design has no case.

Alternative 2: a defender-owned enclave with a controlled decoy gateway for new flows only. This is the middle option ChatGPT and Gemini both point toward. It makes the seam explicit: only new, unauthenticated flows enter the decoy path, established sessions are left alone, and the real-asset boundary is enforced by a separate control. It costs more than Alternative 1 and tests the part of the canon that survives scrutiny.

I. Questions for the Collaborative Team

1. **For Gemini:** What is the source for the 50% reduction in attacker success you attribute to ReSCIND, and for the Potemkin compression figures? The IARPA page I read gives no quantified result.
2. **For ChatGPT and Copilot:** Can decoy credentials and tripwires catch valid-credential and living-off-the-land actors at a useful rate, compared with the same money spent on identity hardening? What would an adequately powered test look like?
3. **For everyone with range or networking expertise:** In an owned range, how long is the exposure window between the first malicious action and a completed diversion, for new flows and for established sessions? Is any real-to-fake session handover feasible without the attacker noticing?
4. **For Copilot and Gemini:** What is the current legal status of defensive-measure and information-sharing protections after September 30, 2026, and which authority covers monitoring of third-party traffic in a decoy?

5. **For Grok and Perplexity:** What does it cost to keep a decoy believable over a year (refresh, staleness, analyst time)? No report estimates sustainment from a source.

J. Final Recommendation and Action Plan

1. **Decide scope with the Architect first.** Resolve Q1, Q3, Q10, and Q14 and the asset owner. Without them the project does not meet Gate G0.
2. **Fix the dossier inconsistencies** listed in my Findings report (CHG-001 to CHG-004, CHG-010) and the label confusion above. These are cheap.
3. **Run a short desk and modeling study** (about 0.4 to 1.5 FTE-years) that ends with a decision at Gate G1. Include legal review and an independent reviewer.
4. **If G1 passes, test the tripwire-first alternative first** against a conventional baseline in an owned, isolated range. Run the cycle-interval and established-session experiments only if that test shows deception adds protection.
5. **Recheck every funding date before acting.** NSF 25-515 target dates, NSF SBIR March 4, 2027, the DARPA I2O abstract window (appears closed), and CISA 2015 status.
6. **Do not seek money for a national-scale system.** No report, mine included, found evidence that supports it.

What evidence would justify the next decision. To move from G1 to a prototype: a pre-registered result showing tripwire-first or diversion beats the equal-budget baseline on protected-asset outcomes, with benign disruption under a preset limit. To stop: no advantage over baseline, any fail-open result, or analyst burden above the host's limit.

Section 8: Canon Preservation and Proposed Changes

None of these is approved. Each is a request for the Architect. The format follows the directive: original requirement, problem, proposed change, consequence, and whether approval is needed. All six need ONESTAMP.

1. Capture of every attacker

Original: the exercise ends when every active attacker is mapped and absorbed. **Problem:** the denominator is unknown, so this cannot be verified in the real world. **Change:** every observed active session on the mapped path is resolved, and the Architect states what remains unknown. **Consequence:** it opens room for a non-collapsing line without contradicting the visual motif. **Approval:** required.

2. Silent migration

Original: attackers are silently migrated. **Problem:** established sessions to real assets cannot be silently moved. **Change:** new flows are diverted into decoys the defender controls; established sessions are handled by separate containment. **Consequence:** the cut-before-migrate seam becomes a story beat. **Approval:** required.

3. The three-second cycle

Original: the system cycles every ~3 seconds, fixed canon. **Problem:** no source supports it as optimal; it conflicts with Q10, which treats it as open. **Change:** three seconds is the visible pulse; the underlying cadence and what changes are tunable. **Consequence:** keeps the identity element and removes the engineering claim. **Approval:** required.

4. Fully secured real infrastructure

Original: the real infrastructure is fully secured. **Problem:** it cannot be shown while bypass routes exist. **Change:** the real assets in scope are verified secure by a control independent of the deception. **Consequence:** supports a failure beat. **Approval:** required.

5. Transfer package

Original: the application is transferred during a reboot or update cycle. **Problem:** a self-adapting package pushed through an update channel is a high-value target. **Change:** a reviewed, signed, bounded package the receiver can inspect and roll back. **Consequence:** creates a supply-chain plot hook. **Approval:** required.

6. Asset tiers and the dossier's internal errors

Original: a five-tier framework with inconsistent labels, and several count and cross-reference errors. **Problem:** engineering and drafting need one scheme. **Change:** pick one tier scheme, fix Q17 to Q14, and correct the scenario and name counts. **Consequence:** none for the story. **Approval:** required, though these are editorial.

Final Questions

1. The strongest reason this research should proceed

Selective deception has the best measured evidence of any piece of the design: a large controlled study with professional red teamers, and now CISA's own decoy guidance. A short study costs little compared with what it can rule out, and it turns a story into a testable design.

2. The strongest reason it should not proceed

There is no evidence the full design works at any scale, no measurable definition of success, and no owner or authority. The incidents I could verify were won by attackers using valid access, which a honeypot does not touch. Equal money spent on identity and segmentation is better evidenced.

3. The one unresolved question that would most change my recommendation

In a properly powered test against professional red teams, do decoy credentials and tripwires catch valid-credential and pre-positioned actors better than equal-budget identity and segmentation spending? If yes, I would recommend a pilot. If no, I would recommend stopping.

Appendices

Tables and registers are collected here. Access date for every web check I made: November 5, 2026. "Not verified" means I could not open or confirm the item, not that it is wrong.

Appendix A: The Six Reports Side by Side

Decisions and cost anchors as stated in each report. Costs are the authors' planning figures, not quotes.

Author	Decision	Cost anchors (base unless noted)	Notable
ChatGPT	Conditional go for small study; no-go national	$131,100 (3 mo); $588,000 (6 mo); $2.31M (12 mo); $8.124M (24 mo)	Seven experiments; safety invariant
Claude (mine)	Do not fund as written; optional Scope 1	1.5 FTE-yr: $300K to $525K; 8: $1.6M to $2.8M; 40: $8M to $14M	Incident-anchored; timing arithmetic
Gemini	National infeasible; bounded enclave justified	$3.2M lab; $18.5M sector pilot; $275M national (speculative)	Split-plane design; pre-mortem
Grok	Tightly scoped program	$200K to $800K; $500K to $2M; $5M to $20M+	Short; national figure unsourced
Copilot	Go to G1; plan G2; pause live	$0.85M; $3.8M; $10M; $30M; national not estimable	Cites CISA decoy guidance
Perplexity	Go bounded; revise; no-go national	$138,000; $600,300; $1,973,400; $5,336,000	Candid about method; NSF dates

Appendix B: Claim Verification Register

Checks I made on claims in the other reports. Result: confirmed, partly confirmed, not confirmed, or not verified.

Claim	Report	My check	Result
AIxCC found 54 of 63 synthetic flaws, patched 43	ChatGPT	Matches my earlier DARPA check	Confirmed
Cyber Storm IX had 2,200+ participants	ChatGPT, Copilot	Read CISA report	Confirmed
NSF SaTC 25-515 up to $1.2M over 4 years	ChatGPT, Perplexity	Two reports agree; page not opened by me	Partly confirmed
BLS median $129,180 (May 2025)	ChatGPT, Perplexity	BLS page not reachable	Not verified
97 studies in MTD-in-SDN review	ChatGPT	IEEE page not opened	Not verified
52 observations in LLM-honeypot study	ChatGPT	MDPI page not opened	Not verified
Honeypot fingerprinting review exists (MDPI 2026)	ChatGPT	Found in search	Partly confirmed
Uncertainty bands = 75% to 150% of base	ChatGPT	Recomputed; about 10% too low	Not confirmed
BGP convergence 30 to 180 s ceiling	Gemini	Labovitz: avg ~3 min, up to 15	Not confirmed
~85% of critical infrastructure private	Gemini	Lawfare 2022: poorly sourced	Not confirmed
ReSCIND cut attacker success up to 50%	Gemini	IARPA page: no quantified result	Not confirmed
ReSCIND is a 45-month IARPA program	Gemini	IARPA page confirms	Confirmed

Claim	Report	My check	Result
SBIR/STTR signed April 13, 2026, through 2031	Gemini	Found a source with that date	Confirmed
DARPA BAA open to Nov 30, 2026	Gemini	Blog: abstracts closed Nov 1; invited only	Partly confirmed
Potemkin: 64,000 honeypots on a handful of servers	Gemini	Read paper	Confirmed
Potemkin Difference Engine 1.6x to 2.5x, under 7%	Gemini	Not found in paper results I read	Not confirmed
Tier S components + 20% = $18.5M	Gemini	Listed items sum to $14.95M; x1.2 = $17.94M	Not reconciled
Base-rate: 0.001% of 1B flows = 10,000	Gemini	Arithmetic correct; input assumed	Confirmed
CISA published cyber decoy guidance, Sept 2026	Copilot	Found news coverage dated Sept 17, 2026	Confirmed
DISCOVER digital twin $4.8M over 3 years	Copilot	Not checked	Not verified
National cyber range about $130M	Grok	No source in report	Not verified
Volt Typhoon persistence of at least five years	Perplexity	CISA page not reachable by me	Not verified
130+ red teamers; deception plus mention had greatest effect	Perplexity	Matches the study summary I read	Confirmed
NSF SBIR next deadline March 4, 2027	Perplexity	Not checked	Not verified

Appendix C: Arithmetic Rechecks

Recomputed with a calculator. Differences are rounded to the nearest thousand.

Item	Stated rule	Should be	Reported
ChatGPT 6-mo PoC band	75% to 150% of $588,000	$441,000 to $882,000	$397,000 to $794,000
ChatGPT range band	75% to 150% of $2.31M	$1.73M to $3.47M	$1.59M to $3.19M
ChatGPT multi-org band	75% to 150% of $8.124M	$6.09M to $12.19M	$5.44M to $10.89M
ChatGPT desk base	1.5 FTE x 3/12 x $190,000	$71,250 labor	$71,250 (correct)
ChatGPT PoC base	4 FTE x 6/12 x $205,000	$410,000 labor	$410,000 (correct)
ChatGPT range base	7 FTE x $220,000	$1,540,000 labor	$1,540,000 (correct)
ChatGPT multi-org base	12 FTE x 2 x $225,000	$5,400,000 labor	$5,400,000 (correct)
Gemini Tier S	$14.95M + 20%	$17.94M	$18.5M
Copilot staffing	4 to 7 FTE for 6 to 9 months	2 to 5.25 FTE-years	$0.45M to $1.5M

Appendix D: Proposed Comparison Arms

For the comparison in section H. All in an owned, isolated range with the same professional red team.

Arm	What is deployed	Main measures
1 Baseline	Identity, segmentation, logging only	Reach of protected asset; time to detect
2 Tripwire-first	Arm 1 plus honeytokens and decoy credentials	Same, plus alerts on real assets; cost per useful alert

Arm	What is deployed	Main measures
3 Full diversion	Arm 1 plus rotating synthetic layer and diversion	Same, plus benign disruption; analyst minutes
Informed variant	Each arm run with and without telling testers	Does disclosure change outcomes
Controls	Separate cohort per encounter; testers blind to arm	Learning and order effects

Appendix E: Sources

What I used in this review. Titles as seen.

Source	Used for
ChatGPT, OAL-NDIE-RESEARCH-EXEC-CHATGPT-001 v1.0	Document under review
Gemini, OAL-RESEARCH-REPORT-002	Cross-report checks
Grok, OAL-RESEARCH-REPORT-NDIE-001	Cross-report checks
Copilot, OAL-RESEARCH-NDIE-COPILOT-001	Cross-report checks
Perplexity, NDIE-RESEARCH-REPORT-PERPLEXITY-001 v0.1	Cross-report checks
Help Net Security, CISA decoy guidance, Sep 17, 2026	Section C2, H
IARPA, ReSCIND program page	Claim check
SAM Search, SBIR/STTR signing, Apr 2026	Claim check
Third-party blog on DARPA I2O BAA HR001126S0001	Claim check (not the BAA)
Labovitz et al., IEEE/ACM ToN 2001	BGP check
Lawfare, Jun 2, 2022	Ownership check
Earlier-session sources in my Findings report	As cited there

End of document. Review Cycle 1 assessment, prepared by Claude (Anthropic) on November 5, 2026. Advisory only; canon decisions and ONESTAMP remain with the Architect.