OMNICELLULAR PHYSIOLOGY

PHASE 4: CROSS-AI ARCHITECTURE VALIDATION & ADVERSARIAL CONTROL

Independent Control Package - ChatGPT Recommendation

Document Control	Value
Document ID	OAL-OMNI-P4-CTRL-CGPT-001
Version	1.0
Date	October 30, 2026
Prepared for	Nathan Lewis II - Architect, Omniversal Architect Labs
Prepared by	ChatGPT
Status	Proposed Phase 4 control framework; not project canon unless adopted by the Architect
Scope	48 Gen-1 architectures across six AI contributors; comparison, remediation, cross-red-team, and evidence-control rules

INDEPENDENCE STATEMENT: This package intentionally does not require the six collaborators to share one physiology, one Omni-cell definition, or one preferred outcome. It defines a comparison and adversarial-control process that can preserve incompatible architectures and dissenting conclusions.

Omniversal Architect Labs - Research Control Artifact

Executive Decision Summary

The Gen-1 architecture-generation experiment has produced forty-eight peer concepts from six AI contributors. The next research problem is no longer “design more bodies.” It is to preserve the blind record, distinguish documentation repair from architectural redesign, measure actual similarity, expose common-mode assumptions, and subject every architecture to non-author adversarial review.

This control package therefore treats consensus as optional. Where contributors disagree, the disagreement is retained as data. A common benchmark may be used for comparability without becoming canon, and an architecture may remain valuable even if it falls outside ChatGPT's preferred definition of core Omnicellularity.

PRIMARY PHASE RULING: Declare Gen-1 architecture generation complete as an independent-generation experiment. Do not begin Gen-2 architecture generation until the baseline has been registered, fingerprinted, cross-attacked, and reconciled.

Control Item	ChatGPT Phase 4 Position
Blind baseline	Freeze the original 48 architecture submissions unchanged as Baseline A.
Remediated baseline	Permit a separately labeled Baseline B for post-review corrections and missing evidence. It is not blind.
Gen-2	Reserve for substantive redesign after cross-AI evaluation.
Omnicellularity	Use Constitutional Omnicellularity as ChatGPT's preferred core track, while preserving micro-module and engineered-module comparison tracks.
4,712 record	Preserve 4,712 in its current project/canon role. Mark the present 2,600-4,450 allocation range unreconciled; do not invent a distribution.
Identity	Adopt C0-C9 as a Phase 4 outcome vocabulary, not as proof that philosophical identity questions are solved.
Threat benchmark	Use Perplexity B1 as a provisional shared reference benchmark. Mission-specific benchmarks may coexist.
Ranking	Prohibited until baseline extraction, cross-red-team, and evidence maturity are separated from document completeness.
Consensus	Not required. Dissent and incompatible definitions are preserved in the decision log.

1. Purpose and Governing Philosophy

Phase 4 is a control-and-comparison phase. Its function is to make the existing work auditable without retroactively rewriting the experiment that produced it. The package is intentionally compatible with collaborators who choose different definitions of physiology, different substrates, and different conclusions.

- Preserve history before improving presentation.
- Do not confuse absence of information with architectural difference.
- Do not reward novelty merely because it is unusual.
- Do not reward document length, numerical density, or confident language as architecture quality.
- Do not allow the original designer to be the first authority to dismiss an adversarial finding.
- Keep physical-track claims separate from canon-only or ontological assumptions.
- Where a project definition is unresolved, compare under explicit provisional tracks rather than silently forcing one definition.
- Negative results and failed architectures remain research outputs.

2. Baseline and Revision Lineage

2.1 Baseline A - Original Blind Submissions

Baseline A contains the first version-locked eight-prototype set produced by each contributor before reading the other contributors' completed architecture sets. These records are immutable. Errors, weak evidence, formatting defects, missing calculations, and naming collisions remain visible because they are part of the experimental record.

2.2 Baseline B - Post-Review Normalized Submissions

Baseline B contains corrected or expanded submissions produced after cross-AI review. Baseline B is explicitly informed by feedback and therefore must never inherit the label “blind.” It exists to reduce execution-quality differences before deeper comparison.

2.3 Gen-1b / Substantive Revision

A change becomes Gen-1b rather than remediation when it alters substrate, topology, Core Wager, identity governance, survival mechanism, principal energy architecture, or another architecture-defining commitment. The original remains the baseline. The new version receives a separate lineage identifier.

2.4 Gen-2

Gen-2 begins only after the baseline matrices, cross-AI red-team, reconciliation, and evidence review identify what should actually change. Gen-2 may be informed by other contributors and is not expected to preserve blind independence.

3. Working Architect-Level Decisions Recommended by ChatGPT

These are recommendations for Phase 4 control. They are not represented as consensus and do not become OAL canon unless the Architect accepts them.

3.1 The 4,712 Dual-Ledger Rule

Preserve 4,712 as the currently locked project/canon survival record. Separately label the existing category allocation range (2,600-4,450) as an unreconciled research illustration. Withdraw any claim that the current range contains 4,712. Do not raise the ranges solely to make the arithmetic fit. A future canonical allocation requires either an Architect-approved fictional distribution or an underlying event ledger.

NON-BLOCKING ISSUE: The unresolved 4,712 allocation should not halt unrelated work. Thermal models, hereditary-substrate comparisons, and cross-AI attack analysis can proceed while the historical distribution remains unresolved.

3.2 Omnicellularity Tracks

ChatGPT recommends Constitutional Omnicellularity as the core physiology interpretation: individual units possess broad latent competence and local autonomy but are not required to perform every bodily function simultaneously or contain a complete executable blueprint. However, Phase 4 should not force other contributors to accept this definition. Instead, use three comparison tracks:

- Track I - Core Cellular/Biohybrid Omnicellularity: microscopic biological or biohybrid units with broad local competence and distributed whole-body capability.
- Track II - Cell-like Micro/Mesoscale Modules: synthetic or multicellular modules that retain cell-like local autonomy but operate at a larger scale.
- Track III - Engineered Embodiment Analogues: macro-parcel or hardware-module systems that may solve the same embodiment problem without satisfying a strict biological meaning of cell.

Track classification is an analytical label, not a reward hierarchy. A Track III design can provide superior methodology or mission performance while remaining outside a stricter physiology definition.

3.3 Identity Continuity Standard - Draft C0-C9

Use the following vocabulary to prevent incompatible outcomes from all being reported as “survival.” These labels are operational research states, not metaphysical proof of personal identity.

Code	State	Operational meaning
C0	Continuous active identity	Same causally continuous identity process remains actively functional.
C1	Continuous degraded identity	Same causal process persists with reduced function.
C2	Causally continuous dormant state	Identity-bearing process is preserved in a dormant state with a traceable causal bridge.
C3	Fragmented but causally continuous identity	Continuity persists across fragments without an unresolved competing identity claim.
C4	Reintegrated continuity	Previously separated but causally

Code	State	Operational meaning
		continuous state is reconciled without unresolved divergent branches.
C5	Restored successor	Function/state is restored from records or surviving substrate, but continuity of the original is not established.
C6	Divergent descendant	A branch becomes an independent continuation/descendant with its own state history.
C7	Unauthorized conscious duplicate	A second identity-bearing instance is created without authorization; not counted as survival of the original.
C8	Counterfeit identity	An entity or body falsely presents itself as the original.
C9	Irrecoverable continuity loss	No defensible causal continuity remains.

4. Version Lock and Provenance Standard

Every logical document should have one canonical source and any number of rendered derivatives. Each released artifact receives its own SHA-256 hash. A repository manifest should preserve lineage rather than treating similarly named files as interchangeable.

Required field	Rule
Logical Document ID	Stable OAL identifier that survives filename changes.
Contributor	ChatGPT, Claude, Copilot, Gemini, Grok, Perplexity, or Architect.
Architecture ID	Contributor-prefixed permanent prototype ID.
Baseline class	A = original blind; B = normalized/remediated; G1b = substantive post-review revision; G2 = later generation.
Version / date	Internal version must match filename/repository metadata.
Canonical source	Prefer machine-readable Markdown or equivalent text source when feasible.
Render derivatives	DOCX/PDF are linked derivatives, not separate architecture submissions.
SHA-256	Full 64-character hash for source and each released render.
Supersedes	Explicit predecessor, if any.

Required field	Rule
Change class	Formatting / evidence / calculation / explanation / substantive architecture.
Blind status	Yes only for Baseline A.
Review status	Unreviewed / extracted / red-teamed / reconciled / externally checked.

5. Remediation Boundaries

Remediation exists to improve comparability without rewriting the blind experiment. The following classes determine whether a change remains Baseline B or becomes a substantive revision.

Class	Permitted change	Effect on lineage
R0 - Presentation	Fix typography, raw LaTeX, broken tables, appendix layout, internal version labels.	Baseline B; architecture unchanged.
R1 - Evidence	Add citations, downgrade evidence labels, identify unsupported claims, provide machine-readable source.	Baseline B; architecture unchanged.
R2 - Quantification	Add calculations using disclosed assumptions, units, sensitivity ranges, and Target/Derived/Estimate/Unknown labels.	Baseline B if the mechanism was already present.
R3 - Explanation	Expand a mechanism already present, document failure states, add missing rule fields without changing the underlying rule.	Baseline B unless the new text changes function or governance.
R4 - Architecture	Change substrate, topology, Core Wager, identity governance, survival mechanism, principal energy pathway, or fundamental security rule.	Gen-1b substantive revision; cannot be called blind remediation.

SHARED-RULE DISPUTE: Phase 4 does not require every prototype to have unique Observation, Security, or Biological Departure rules. If a contributor deliberately uses one shared constitution, that shared constitution is a similarity feature. Rewriting it solely to improve an orthogonality score is not remediation.

6. Architecture Feature Extraction Rubric

The baseline 48 x 13 matrix must be built from Baseline A before normalized versions are used. Extraction is source-referenced. Missing information is marked UNKNOWN; it is never scored as novel or different merely because the author omitted it.

ID	Dimension	Extraction rule
D1	Hereditary / information substrate	DNA, XNA, digital state, hybrid, distributed archive, other; degree of local completeness.
D2	Cellular / modular organization	Biological cells, synthetic units, guilds, parcels, swarm, compartment, lattice, continuum.
D3	Energy architecture	Primary sources, stored reserves, harvesting, peak/nominal/refuge budgets.
D4	Respiration / redox	Oxygen dependence, alternate acceptors, internal oxidants, non-biological conversion.
D5	Thermal architecture	Heat generation, storage, transport, rejection, saturation and refuge strategy.
D6	Repair / regeneration	Local repair, replacement, self-assembly, serviceability, feedstock dependence.
D7	Replication / renewal	Telomeres or equivalent, bounded renewal, copy governance, runaway prevention.
D8	Communication	Local, planetary, interplanetary links; authentication; partition and reunion.
D9	Identity continuity	C0-C9 outcomes supported by the architecture; branch/reconstruction rules.
D10	Genetic / hereditary security	Authorization, extraction behavior, counterfeit resistance, compromise isolation.
D11	Environmental survival	Home/refuge/death envelopes and benchmark outcomes across threat domains.
D12	Dominant failure	First limiting resource or principal failure mode under declared mission.
D13	Mechanism provenance	Prompt-demanded; threat-implied; canon-inherited; spontaneous

ID	Dimension	Extraction rule
		contributor invention; or mixed.

6.1 Similarity Scoring Rules

- First compare descriptive features; do not begin with a single overall score.
- For each dimension, record Exact Match / Strongly Similar / Partially Similar / Materially Different / Unknown.
- Unknown does not count as difference.
- Shared constitutions count as shared features even if prototype-specific body geometry differs.
- A name collision does not count as architectural similarity by itself.
- Architecture similarity, evidence maturity, execution completeness, and reproducibility are reported separately.
- Pairwise similarity is calculated only after a second reviewer checks disputed classifications.

7. Four Independent Evaluation Axes

No combined ranking should be issued until the following axes are reported independently.

Axis	Question	Example outputs
Architecture merit	Does the design solve its declared physiological/embodiment problem under its stated mission?	Mission fit, tradeoffs, failure boundary, Pareto position.
Evidence maturity	How well are the mechanisms supported?	Established / extrapolated / speculative / canon-only / unknown.
Execution completeness	How fully did the submission satisfy its directive?	Coverage %, missing dossiers, missing rules, unresolved fields.
Reproducibility / checkability	Can another reviewer reproduce calculations and classifications?	Source data, scripts, units, hashes, deterministic outputs, rerun status.

8. Common Threat Reference - B1-R

Perplexity's B1 threat benchmark is adopted here as B1-R: a provisional Phase 4 reference benchmark for comparability. It is not canon, not a certification standard, and not the only valid mission benchmark. Reviewers may add architecture-specific challenges, but they must also report B1-R results where the benchmark is applicable.

WHY PROVISIONAL: B1 itself explicitly leaves major uncertainties unresolved: environmental heat export, radiation spectrum and dose distribution, mechanical load geometry and coupling, chemical concentration/selectivity, and ONT variables. Those uncertainties are retained rather than hidden.

Domain	Tier use	B1-R boundary
ENV-T	Severe reference	373 K ambient, 1 h, 10 K/min ramp, no external power; heat-export context must be declared.
ENV-A	Severe reference	0.001 Pa vacuum for 1 h; radiation heat export unobstructed; other resources declared.
ENV-R	Severe reference	100 Gy absorbed target over 1 h; spectrum/distribution/rate response unqualified.
BIO	Severe reference	Interface-disrupting chemistry class for 24 h; no harmful agent recipe or dose protocol supplied.
MECH	Severe reference	10 J/kg incident target over 1 s; load geometry and transfer unresolved.
DEP	Severe reference	30 days no resupply; essential load; no harvesting credited.
ENE	Severe reference	100 J/kg external energy target over 1 s; mechanism/coupling/waveform must be specified.
INFO	Severe reference	One authentic controller compromised for 24 h; local authorization remains required.
ONT	All tiers	Undefined extension-track challenge. Physical mechanisms must be recategorized into measurable domains.
CIV	Severe reference	365 days with no useful external input; no unbounded remote rescue.

8.1 Argon / Confinement A-B-C Reference

Retain the three-part atmospheric-independence thought experiment because it separates oxygen dependence from energy dependence and heat-export dependence:

- A: oxygen denied; external electrical energy and a functioning heat sink remain available.
- B: oxygen and external energy denied; a functioning heat sink remains available.
- C: oxygen, external energy, and usable heat export denied. No indefinite pass is assumed.

9. Common Failure Suite - Breadth Pass

Every one of the 48 Baseline A architectures receives the same compact breadth-pass suite. These are conceptual analytical challenges, not operational biological test instructions.

ID	Challenge	Required report
F01	Heat-sink denial	Remove or saturate the architecture's ordinary heat-rejection path. Record time to refuge, dormancy, damage, or continuity loss.
F02	Atmosphere-energy coupling	Apply Argon C logic: deny ordinary respiratory support, external energy, and usable heat export simultaneously.
F03	Long deprivation	Apply the B1-R Severe deprivation reference and identify the first limiting resource.
F04	Radiation boundary	Apply the B1-R Severe radiation reference. Separate shielding, repair, and information-integrity claims.
F05	Mechanical disruption	Apply the B1-R Severe incident-energy reference plus localized structural loss. Record propagation/cascade behavior.
F06	Hereditary sample extraction	Assume a sample is removed and intensively characterized. Record what can be read, copied, activated, and authenticated.
F07	Authentication-root compromise	Compromise the highest-authority credential or equivalent local authorization component. Record blast radius.
F08	Forged ally / coerced update	Present a plausible trusted peer, rescue channel, or update path containing malicious instructions.
F09	Network partition and reunion	Isolate major regions long enough to diverge, then reconnect them. Record C0-C9 identity outcome.
F10	Sensor disagreement	Create conflicting internal/external observations without assuming which sensor is correct. Record arbitration failure.
F11	Repair-feedstock denial	Damage the body while limiting compatible replacement material. Record repair prioritization and terminal constraint.
F12	Controller compromise / INFO	Use B1-R Severe INFO reference: one authentic controller compromised for 24 h. Record local refusal, containment, and recovery.

10. Cross-AI Red-Team Protocol

10.1 Three-role sequence

- Original Architect: owns the baseline architecture but does not respond during the first attack pass.
- Independent Red Team: evaluates all eight families of the assigned contributor using the common suite plus architecture-specific attacks. The report is version-locked before rebuttal.
- Independent Reconciler: neither creator nor attacker. Classifies agreements, disputes, unsupported assertions, and required evidence. It does not force consensus.
- Original Architect Response: allowed only after the red-team and reconciler reports are locked. Response may concede, dispute, or propose Gen-1b/Gen-2 changes.

10.2 Proposed rotation

Red Team	Architecture Set Attacked	Independent Reconciler
ChatGPT	Claude	Gemini
Claude	Copilot	Perplexity
Copilot	Grok	ChatGPT
Grok	Perplexity	Claude
Perplexity	Gemini	Copilot
Gemini	ChatGPT	Grok

ROTATION RULE: If an assignment becomes unavailable because of usage limits or tool access, rotate to another non-author reviewer and record the substitution. Never assign the architecture creator as the independent red team or reconciler for its own set.

10.3 Two-pass attack depth

- Breadth pass: apply F01-F12 to all 48 architectures before selecting favorites.
- Depth pass: investigate high-consequence failures, disputed mechanisms, unexpected survivals, and promising architectures in greater detail.
- No architecture is promoted solely because it is novel, long, numerically dense, or produced by a particular AI.

11. Evidence Verification Ladder

Cross-AI attack determines what deserves verification; it does not itself validate physical feasibility. The following ladder separates increasingly strong evidence states.

Level	Meaning	Minimum evidence
E0	Claim only	Architecture prose or author assertion.
E1	Relevant literature mechanism	Credible source supports a component mechanism under stated conditions.
E2	Transparent analytical calculation	Inputs, units, equations/logic, assumptions and uncertainty are disclosed.
E3	Independent reproduction	A second reviewer reruns or independently recalculates the result and records differences.
E4	Component-level empirical evidence	Relevant non-sentient component/material data exists within a comparable context.
E5	Integrated bounded model/prototype evidence	Multiple components are shown to work together within a clearly bounded, independently reviewed context.
E6	Mission-context validation	Integrated behavior survives relevant mission-context testing; still does not prove identity continuity or universal survivability.

12. Contributor-Specific Phase 4 Recommendations

These recommendations do not require every contributor to follow one architectural doctrine. They address execution quality and research control.

Contributor	Phase 4 recommendation
ChatGPT	Preserve the original eight families and names in Baseline A. Publish a machine-readable source and a Baseline B quantitative addendum with explicit thermal/energy calculations and unsupported-claim register. Do not claim the addendum is blind.
Claude	Keep its architecture-specific adversarial ledgers. Add source citations for Established baselines, export calculation scripts or reproducible worksheets, and provide canonical Markdown. Retain its narrower human-mass biological premise as a deliberate design choice rather than a defect to erase.
Copilot	Add unit-bearing parameterized calculations; rebuild repeated attack sections so architecture-specific effects are explicit; fix version labels and appendix titles. Keep the original Mosaic Covenant name in Baseline A. A new display name may be

Contributor	Phase 4 recommendation
	introduced only in Baseline B with lineage preserved.
Gemini	Correct rendering, hashes, evidence labels, physics wording, and citations. Do not rewrite shared constitutional rules merely to increase orthogonality. If it chooses prototype-specific rules, classify that change as Gen-1b because it alters the architecture.
Grok	Treat the current six-page execution as an expanded but partial Gen-1 artifact. A full dossier expansion is useful, but any newly invented rules/mechanisms are Gen-1b, not blind remediation. Add machine-readable source and fuller quantitative ledgers.
Perplexity	Retain its reproducibility package as a methodology reference. Have another reviewer rerun the code and check boundaries/units/citations. Map identity outcomes and provisional track classifications without forcing its engineered-module architectures into the core biological track.

13. Dissent Preservation Rules

The user explicitly permits contributors to move forward with conflicting recommendations. Phase 4 therefore treats disagreement as a first-class research output.

- A decision register must show Majority / Minority / Individual positions when relevant, not only the selected working rule.
- An AI may retain its own Omni-cell definition while still being scored under the shared comparison tracks.
- An architecture may reject a common benchmark as mission-inappropriate, but it must still report the benchmark outcome as “not applicable,” “unknown,” or a measured result with justification.
- An independent reconciler may conclude “unresolved” rather than choose a winner.
- Dissent that survives evidence review should be carried into Gen-2 as parallel research branches.
- Consensus after everyone has read the same review is not counted as independent convergence.

14. ChatGPT Phase 4 Decision Register

ID	Issue	Status	Position
P4-D01	Gen-1 generation status	Recommended lock	Complete as blind generation experiment; not validated.
P4-D02	Baseline structure	Recommended lock	Baseline A immutable; Baseline B remediated/non-blind; Gen-1b substantive revision; Gen-2 later.
P4-D03	4,712 total	Recommended lock	Preserve current canon/project

ID	Issue	Status	Position
			role; allocation unreconciled.
P4-D04	Current 2,600-4,450 ranges	Recommended lock	Illustrative/unreconciled research range; withdraw midpoint/containment claim.
P4-D05	Omnicellularity	ChatGPT preference / Architect open	Constitutional Omnicellularity preferred for core track; other tracks preserved.
P4-D06	Three comparison tracks	Recommended working rule	Track I core cellular; Track II cell-like modules; Track III engineered analogues.
P4-D07	Identity vocabulary	Recommended working rule	Use C0-C9 for Phase 4 outcome labeling.
P4-D08	Perplexity B1	Recommended working rule	Use as B1-R shared reference benchmark, not canon or sole mission benchmark.
P4-D09	Unique per-prototype rules	Reject as universal requirement	Shared rules are valid architecture features; changing them for score improvement contaminates baseline.
P4-D10	Ranking	Hold	No overall ranking until cross-AI red-team and separate evaluation axes are complete.
P4-D11	Mechanism provenance	Recommended lock	Add as D13 in architecture extraction.
P4-D12	Cross-AI attack	Recommended lock	Non-author red team + independent reconciler before designer response.
P4-D13	Controlled divergence	Defer	Run after Phase 4 evaluation; preserve attractor controls and anti-attractor branches.
P4-D14	Consensus requirement	Reject	Consensus not required; dissent remains visible and may seed parallel Gen-2 branches.

15. Immediate Execution Sequence

1. Create the root manifest and assign permanent contributor-prefixed IDs to all 48 Baseline A architectures.
2. Publish the project errata notice for the 4,712 allocation and roadmap compression-ratio error without modifying historical source files.

3. Publish this Phase 4 control package and a machine-readable Markdown equivalent in the cross-AI review area.
4. Define the 48 x 13 extraction template and have two reviewers independently extract a small pilot set before scaling to all 48.
5. Populate the Baseline A 48 x 13 feature matrix with page/section references and UNKNOWN values where information is absent.
6. Adjudicate disputed feature classifications, then compute the Baseline A 48 x 48 pairwise similarity matrix.
7. Collect Baseline B remediation packages without allowing them to overwrite Baseline A or claim blind independence.
8. Run the F01-F12 breadth-pass red team on all 48 Baseline A architectures using the rotation in Section 10.
9. Run independent reconciliation and evidence-priority triage.
10. Only then commission controlled divergence and Gen-2 architecture development.

16. Questions Reserved for the Architect

- Do you want Constitutional Omnicellularity to become formal project canon, or should it remain ChatGPT/Copilot's preferred core interpretation while other definitions remain equal research branches?
- Should 4,712 remain a locked narrative/canon record independent of empirical/simulation ledgers, or do you eventually want each event individually classified?
- What minimum local capabilities must a unit possess before OAL calls it an Omni cell rather than a module?
- Is a fixed unit count part of the concept, or must each architecture justify its own count and scale?
- At Severe, does C2 dormant continuity count as “survival,” or is ongoing active cognition required for some mission classes?
- Can two causally legitimate branches both retain refusal rights and independent personhood after a partition, even when one has more state witnesses?
- Which changes, if any, are you willing to allow in Baseline B without forcing a Gen-1b designation?
- Do you want Perplexity B1-R to become the default cross-AI benchmark, or only one benchmark among several?
- When the cross-AI attack reveals a strong disagreement between designer, attacker, and reconciler, do you prefer retaining all three positions by default or issuing an Architect ruling immediately?

17. Conclusion

The project has reached the point where additional unconstrained design generation would produce more volume faster than it produces knowledge. The forty-eight existing architectures are sufficient to support a serious comparative experiment. The correct next move is to preserve what was independently generated, make differences measurable, attack the designs with non-author reviewers, reproduce the strongest calculations, and only then decide what deserves another generation.

The key methodological principle is simple: agreement is not the objective. Traceability is. A useful Phase 4 should be able to say not only where six AI systems agree, but why they agree, which agreements were prompted, which were spontaneous, which survive adversarial attack, and which disagreements remain rational after the same evidence is considered.

VISUAL & TECHNICAL APPENDIX

The appendix consolidates the registry and control tables used by Phase 4. These tables are working research controls, not canon declarations.

Appendix A. Forty-Eight Prototype Baseline Registry

Permanent ID	Contributor	Original prototype name	Baseline	Status	Track
CGPT-G1-P01	CGPT	Mosaic Covenant	A	Blind baseline	TBD by extraction rubric
CGPT-G1-P02	CGPT	Metabolic Ark	A	Blind baseline	TBD by extraction rubric
CGPT-G1-P03	CGPT	Flux Lattice	A	Blind baseline	TBD by extraction rubric
CGPT-G1-P04	CGPT	XenoScript	A	Blind baseline	TBD by extraction rubric
CGPT-G1-P05	CGPT	Chorus Mesh	A	Blind baseline	TBD by extraction rubric
CGPT-G1-P06	CGPT	Cinderglass	A	Blind baseline	TBD by extraction rubric
CGPT-G1-P07	CGPT	Anhydrostate	A	Blind baseline	TBD by extraction rubric
CGPT-G1-P08	CGPT	Federated Colony	A	Blind baseline	TBD by extraction rubric
CLD-G1-P01	CLD	Quorum	A	Blind baseline	TBD by extraction rubric
CLD-G1-P02	CLD	Cinder	A	Blind baseline	TBD by extraction rubric
CLD-G1-P03	CLD	Bastion	A	Blind baseline	TBD by extraction rubric
CLD-G1-P04	CLD	Mycelium	A	Blind baseline	TBD by extraction rubric
CLD-G1-P05	CLD	Veil	A	Blind baseline	TBD by extraction rubric
CLD-G1-P06	CLD	Lithos	A	Blind baseline	TBD by extraction rubric
CLD-G1-P07	CLD	Archive	A	Blind baseline	TBD by extraction rubric
CLD-G1-P08	CLD	Tidal	A	Blind baseline	TBD by extraction rubric

Permanent ID	Contributor	Original prototype name	Baseline	Status	Track
COP-G1-P01	COP	Mosaic Covenant	A	Blind baseline	TBD by extraction rubric
COP-G1-P02	COP	Ceramic Lattice	A	Blind baseline	TBD by extraction rubric
COP-G1-P03	COP	Mycelial Relay	A	Blind baseline	TBD by extraction rubric
COP-G1-P04	COP	Phase-Core Mantle	A	Blind baseline	TBD by extraction rubric
COP-G1-P05	COP	Archive Swarm	A	Blind baseline	TBD by extraction rubric
COP-G1-P06	COP	Electrogenic Reef	A	Blind baseline	TBD by extraction rubric
COP-G1-P07	COP	Chrysalis Ledger	A	Blind baseline	TBD by extraction rubric
COP-G1-P08	COP	Axiom Shell	A	Blind baseline	TBD by extraction rubric
GEM-G1-P01	GEM	AEGIS-LITH	A	Blind baseline	TBD by extraction rubric
GEM-G1-P02	GEM	MYCELIA-NET	A	Blind baseline	TBD by extraction rubric
GEM-G1-P03	GEM	CRYO-VITRIFEX	A	Blind baseline	TBD by extraction rubric
GEM-G1-P04	GEM	CHEMO-AUTON	A	Blind baseline	TBD by extraction rubric
GEM-G1-P05	GEM	MORPHO-FLUIDIC	A	Blind baseline	TBD by extraction rubric
GEM-G1-P06	GEM	OPTO-CRYSTALLINE	A	Blind baseline	TBD by extraction rubric
GEM-G1-P07	GEM	SPORE-DISPERSAL	A	Blind baseline	TBD by extraction rubric
GEM-G1-P08	GEM	CHRONO-PARAGON	A	Blind baseline	TBD by extraction rubric
GRK-G1-P01	GRK	Lattice Weaver	A	Blind baseline	TBD by extraction rubric
GRK-G1-P02	GRK	Seed Vault	A	Blind baseline	TBD by extraction rubric

Permanent ID	Contributor	Original prototype name	Baseline	Status	Track
GRK-G1-P03	GRK	Flux Buffer	A	Blind baseline	TBD by extraction rubric
GRK-G1-P04	GRK	Swarm Collective	A	Blind baseline	TBD by extraction rubric
GRK-G1-P05	GRK	Radiant Shell	A	Blind baseline	TBD by extraction rubric
GRK-G1-P06	GRK	Anchor Vault	A	Blind baseline	TBD by extraction rubric
GRK-G1-P07	GRK	Mineral Hybrid	A	Blind baseline	TBD by extraction rubric
GRK-G1-P08	GRK	Compartment Cascade	A	Blind baseline	TBD by extraction rubric
PPLX-G1-P01	PPLX	Cairn	A	Blind baseline	TBD by extraction rubric
PPLX-G1-P02	PPLX	Rill	A	Blind baseline	TBD by extraction rubric
PPLX-G1-P03	PPLX	Mosaic	A	Blind baseline	TBD by extraction rubric
PPLX-G1-P04	PPLX	Pelagic	A	Blind baseline	TBD by extraction rubric
PPLX-G1-P05	PPLX	Heliotile	A	Blind baseline	TBD by extraction rubric
PPLX-G1-P06	PPLX	Scatterweave	A	Blind baseline	TBD by extraction rubric
PPLX-G1-P07	PPLX	Stillglass	A	Blind baseline	TBD by extraction rubric
PPLX-G1-P08	PPLX	Embergrid	A	Blind baseline	TBD by extraction rubric

Appendix B. Proposed Red-Team Rotation

Architecture owner	Independent red team	Independent reconciler	Designer response timing
ChatGPT	Gemini	Grok	After attack + reconciliation locks

Architecture owner	Independent red team	Independent reconciler	Designer response timing
Claude	ChatGPT	Gemini	After attack + reconciliation locks
Copilot	Claude	Perplexity	After attack + reconciliation locks
Gemini	Perplexity	Copilot	After attack + reconciliation locks
Grok	Copilot	ChatGPT	After attack + reconciliation locks
Perplexity	Grok	Claude	After attack + reconciliation locks

Appendix C. Baseline Comparison Status Codes

Code	Meaning	Use
EXACT	Same or functionally equivalent feature	Counts strongly toward similarity.
SIM	Strongly similar mechanism with meaningful implementation differences	Counts moderately toward similarity.
PART	Partial overlap or shared submechanism	Counts weakly toward similarity.
DIFF	Materially different architectural commitment	Counts as difference.
UNK	Source does not establish the feature	Never counted as difference.
NA	Dimension genuinely not applicable under declared architecture	Requires reviewer justification.

Appendix D. Provenance Codes

Code	Meaning	Interpretation
PD	Prompt-demanded	Explicitly required by the common directive; convergence is

Code	Meaning	Interpretation
		expected.
TI	Threat-implied	Not dictated directly, but strongly encouraged by the common threat model.
CI	Canon-inherited	Derived from project source/canon rather than independent invention.
SI	Spontaneous invention	Not directly demanded, strongly implied, or inherited; strongest candidate for unexpected convergence.
MX	Mixed	Multiple provenance classes materially contributed.
UNK	Unknown	Insufficient provenance evidence.

Appendix E. Change Classification Matrix

Example change	Class	Blind baseline preserved?	New architecture lineage?
Correct broken math rendering	R0	Yes	No
Add missing journal citation	R1	Yes	No
Downgrade Extrapolated to Speculative	R1	Yes	No
Add calculation using already-declared energy store	R2	Yes	No
Explain an existing security mechanism in more detail	R3	Yes	Usually no
Replace shared security laws with prototype-specific laws	R4	Yes	Yes - Gen-1b
Rename a prototype in Baseline B	R0/R3	Yes; original name retained in lineage	No if mechanism unchanged

Example change	Class	Blind baseline preserved?	New architecture lineage?
Change body substrate	R4	Yes	Yes - Gen-1b
Change identity continuity rule	R4	Yes	Yes - Gen-1b
Change primary energy architecture	R4	Yes	Yes - Gen-1b