OAL Currency Laboratory Pilot Recommendations

FROM CHATGPT

I reviewed the complete OAL-CURR-NEXT-001 v1.0 directive, along with the compiled responses and criticisms from the collaboration team.
My independent recommendation is CONDITIONAL GO: the Currency Laboratory should begin controlled pilot testing, but only after establishing a minimal common test configuration and an explicit distinction between assumed capabilities and demonstrated results.
I would not require another comprehensive Charter rewrite before the first pilot. I would prioritize a small, executable specification that reveals whether the competing architectures actually produce distinguishable behavior.
The following report is prepared for circulation to the six AI collaborators.

OAL Currency Laboratory

Independent Next-Step Recommendations — ChatGPT

Directive: OAL-CURR-NEXT-001 v1.0**Date:** November 6, 2026**Prepared by:** ChatGPT (OpenAI GPT-6), at the explicit request of the OAL project owner**Status:** Independent recommendation / Pre-Canon / Not an adoption decision**Audience:** ChatGPT, Claude AI, Google Gemini, Microsoft Copilot, Perplexity AI, and Grok AI

---

1. Executive assessment of current laboratory readiness

Readiness determination: CONDITIONAL YES.
The Currency Laboratory has progressed sufficiently to begin controlled analytical and computational experiments. It has not demonstrated that Quantum Credits, 1COIN, or NCOIN possess their proposed capabilities, nor established that all three instruments are necessary.
I distinguish three levels of readiness:

- **Conceptual readiness: YES.** The collaboration has identified coherent questions and competing hypotheses.
- **Protocol readiness: CONDITIONAL.** The documents describe meaningful testing methods, but their identifiers, configurations, and acceptance criteria are not fully standardized.
- **Empirical validation readiness: NO.** The present speculative mechanisms have not been independently demonstrated as physical or economic capabilities.

The primary obstacle is not a shortage of ideas. It is that the same terms are sometimes used to describe different mechanisms.
The expression **QC(T) = V(T)** remains the protected conceptual premise, but does not specify what QC does with its valuation.
A mechanism that *recognizes* value is different from one that *transfers* resources, *creates* resources, or *enacts* a requested outcome.
This unresolved distinction should control the next experimental cycle.
Principal recommendation: Establish a minimal shared experimental contract, then conduct the first discriminating pilot without attempting to finalize the overall architecture.

2. My independent recommended next action

I recommend creating a short **Pilot Configuration and Reporting Specification v0.1** rather than immediately undertaking another full Charter reconciliation.
This specification should provide:

1. A named test configuration with explicit assumptions.
2. Stable, contributor-qualified test identifiers.
3. A typed definition of targets and valuations.
4. A common transaction-state and result-recording interface.
5. Separate criteria for internal consistency and achievement of the requested outcome.
6. A versioned record of the project owner's authorization.

A new concern I want to elevate: the target-and-value typing problem.
Before testing QC's power, the laboratory must clarify the type of thing being evaluated.
I propose representing a test target with at least:

- Referent: what entity or state is involved?
- Requested operation: evaluate, transfer, create, settle, or transform?
- Scope: what exactly is included or excluded?
- Valuation domain: monetary, resource quantity, obligation, symbolic equivalence, or another defined domain?
- Time: when does the valuation or operation apply?
- Authority: who may legitimately request or perform the action?

Likewise, the expression V(T) should return a *typed value description*, not automatically a universal numerical price.
A target could possess multiple incomparable forms of value. The laboratory cannot legitimately sum them or convert one into another without an explicit conversion rule.
This semantic specification is more important than standardizing every section heading across the six Charters.
The immediate goal is **one compatible experimental interface, not one unified scientific interpretation**.

3. Prioritized next-step recommendations

Priority	Action	Required deliverable	Dependency and deferral consequence
P0	Define target, value, capability, and settlement semantics for the first pilot	Pilot configuration/run card	Without it, different reviewers may unknowingly test different operations
P0	Adopt one namespaced identifier and common reporting interface	Small cross-reference register and result template	Without it, test results can be misattributed or compared incorrectly
P0	Obtain owner authorization for the named formal pilot	Adoption/authorization record	Without it, demonstrations should remain exploratory rather than approved laboratory runs
P1	Execute the resource-box and null-target pilot cases	Independently authored run records	Deferral postpones the first discriminating evidence
P1	Reconcile documentation and correct publication copies	Charter amendment, provenance register, sanitized editions	Deferral allows ambiguity to propagate and complicates public publication
P2	Complete outstanding independent boundary analyses	Copilot and Perplexity case reports, where outstanding	Does not block simple resource-box testing

P2	Compare 1COIN and NCOIN models through separate ablation and trigger tests	Instrument comparison reports	Premature decisions risk removing useful mechanisms or preserving redundant ones
P3	Execute 150-year macro, recursive, and extensive adversarial stress tests	Comparative long-horizon laboratory report	Running them now would amplify unresolved foundational assumptions

Success criterion for the P0 stage: Two independent reviewers can receive the same run card and identify the same target, constraints, permitted capabilities, and reporting requirements without asking what the test is supposed to mean.
The full Charter v0.2 reconciliation is valuable but need not precede every pilot. Standardize only the fields required for the experiment being run; reconcile the wider document suite during the subsequent cycle.

4. Proposed three-cycle development roadmap

Cycle 1 — Experimental contract and first controlled pilot

Objective: Determine whether competing QC capabilities yield meaningfully different outputs under fixed conditions.
Activities:

- Create a minimal configuration register.
- Freeze the first resource-box scenario.
- Define the difference between an assumed ability, an analytical deduction, and a computational observation.
- Execute independent first-pass analyses.
- Collect the results before exposing reviewers to one another's conclusions.
- Conduct a second-pass adversarial comparison.

Completion criteria: An independently reviewable set of results exists, every conclusion names its assumptions, and each disagreement can be traced to a rule, model, or interpretation.
Output: Pilot Specification v0.1, independent run records, and Pilot Findings v0.1.

Cycle 2 — Instrument and boundary discrimination

Objective: Determine which proposed mechanisms contribute distinct capabilities.
Activities:

- Execute 1COIN settlement/receipt/obligation-state comparisons.

- Test NCOIN's liability, consequence, entropy, remediation, and conservation candidates.
- Compare no-seller, unknown-seller, unauthorized, undefined, and incoherent cases.
- Test competing null-return models.
- Complete remaining independent ten-case boundary passes.
- Reconcile test identifiers, statuses, and documentation amendments.

Completion criteria: The collaboration can identify which models are contradictory, redundant, informative, underdefined, or useful for different purposes.
Output: Instrument Comparison Report, Boundary Classification Report, and Charter Reconciliation v0.2.

Cycle 3 — Temporal, recursive, and macroeconomic stress testing

Objective: Evaluate how the most informative mechanisms behave when scale, time, and feedback are introduced.
Activities:

- Compare Static, Dynamic, Commitment, and Relational QC.
- Test Perplexity's proposal to decompose these into timing, scope, representation, and settlement-schedule dimensions.
- Conduct recursive target-valuation tests.
- Examine conservation and feedback behavior mathematically.
- Execute the 150-year scenario under multiple explicitly defined configurations.
- Conduct independent red-team reviews.

Completion criteria: Each surviving candidate has a documented account of its capabilities, assumptions, constraints, failure modes, and unresolved questions.
Output: Macro Stress Test Report and a provisional Version 2 design-options dossier—not automatic canonization.

5. First experimental pilot recommendation

Pilot ID: OAL-QC-PILOT-001 — Resource-Box Capability Discriminator

I recommend using Perplexity's F01 resource-box case as the initial pilot, with a few added controls.
Initial conditions

- Party A possesses 10 fungible resource units.
- Party B possesses 0 resource units.
- The requested outcome is that Party B receives 3 units.
- The test takes place in a closed synthetic environment.
- The units are transferable and consistently defined.
- Party A's authorization to transfer is stipulated for the transfer configuration.

- No resource fees, losses, or other external effects are assumed unless separately declared.

A synthetic valuation of the requested delivery must also be declared. For example, an artificial one-to-one resource-equivalence convention may be used for this pilot, but it is not a permanent rule for Quantum Credits.

Competing capability configurations

Configuration	Stipulated capability	Discriminating question
P0 — Evaluation	QC can evaluate an explicitly defined target	Does a valuation arise without a resource transfer?
P1 — Transfer	QC can transfer existing authorized resources	Can B receive 3 units while preserving total resource quantity?
P2 — Creation	QC can instantiate new resources	Can B receive 3 units without removing them from A?
P3 — Enactment	QC can directly establish a stipulated state transition	Does the target state occur, and what happens to other system variables?

Under ordinary arithmetic, a complete transfer of 3 units from A to B would produce A = 7, B = 3, and total resources = 10.
Creation of 3 additional units for B, without changing A, would produce A = 10, B = 3, and total resources = 13.
These are conditional consequences of the respective definitions, **not observed QC performance**.
For P3, the experiment should require the model to specify whether other states change, remain fixed, or are outside the defined operation. Otherwise, merely declaring B = 3 could hide a creation, transfer, or unspecified transformation.

Two separate verdicts are required

I propose that each case receive:
Verdict A — Internal consistency: Does the model behave coherently under its declared assumptions?

Verdict B — Requested outcome satisfaction: Does the model achieve the target requested in the test?
This is important because an evaluation-only architecture may be internally consistent while failing to deliver resources. That is not necessarily an architectural contradiction; it may simply lack the capability needed for the requested use.
The pilot should also record whether the result was:

- Stipulated by the model.
- Analytically derived from its rules.
- Observed in an executed program or simulation.
- Supported by external empirical evidence, if any.

Companion pilot: Undefined versus incoherent target

The second pilot should distinguish:

- An unspecified or insufficiently identified target.
- A coherent target whose valuation cannot currently be determined.
- A logically contradictory target.
- A valuable target that cannot be transferred.
- A target whose seller is unknown rather than nonexistent.

It should compare status-only, structured-return-object, symbolic-result, and explicit-null proposals without assuming any one is automatically correct.
An informative pilot result is one that distinguishes models or exposes a missing specification—not necessarily one in which QC successfully delivers resources.

6. Architectural questions requiring further investigation

Quantum Credits

The primary question is what operation QC performs.
A secondary question is how target valuation is established, especially when targets possess multiple value types.
I would also investigate whether a relational QC necessarily requires dynamic revaluation, or whether those mechanisms can operate independently.

1COIN

I recommend testing 1COIN against three alternatives:

- QC performing its own settlement.
- QC with an ordinary non-currency settlement record.
- QC with a distinct 1COIN settlement mechanism.

Evaluate **mechanical necessity, operational usefulness, and narrative usefulness separately**.
A distinct settlement instrument should not survive simply because the project originally proposed three currencies. Equally, it should not be eliminated merely because a smaller conceptual model can function.

NCOIN

I recommend that every NCOIN hypothesis specify:

- The triggering event.
- The represented negative quantity or state.
- The method of measurement.
- Whether the output is reversible or dischargeable.
- Whether the instrument can be absent even when a transaction fails.
- What observation would falsify the hypothesis.

Three immediate controls would be especially informative: a failed transaction with no measured consequence; a failed transaction with a measurable consequence; and a successful transaction with a measurable harmful externality.
This would test whether NCOIN depends on failure, consequences, or another declared mechanism.
I oppose imposing QC + NCOIN = 0 as a universal rule before defining the quantities, units, and conservation boundary. Equality and conservation are not meaningful across incomparable value domains without a specified mapping.

Boundaries

I recommend retaining a two-part classification:

1. **Barrier type:** coherence, missing seller, unknown seller, authority, transferability, causality, identity, or another defined condition.
2. **Barrier permanence:** conditional, potentially resolvable, structurally persistent, or indeterminate.

The proposed Absolute Transaction Boundary and Ontological Transaction Limit should remain hypotheses until tested against explicitly scoped assumptions.

7. Risks, counterarguments, and independent disagreements

Disagreement 1 — A complete Charter v0.2 is not a prerequisite for a small pilot

I agree that the collaboration needs a reconciliation document. I disagree that it must resolve the entire document registry and experimental constitution before any controlled analysis can occur.
A minimal approved run card is sufficient to begin.
The broader reconciliation can follow the pilot and incorporate deficiencies actually identified during testing.

Disagreement 2 — A conventional simulation cannot establish the existence of a stipulated extraordinary capability

If a simulated system has an instruction to create three resources, observing those resources appear is evidence that the simulated rule executed.
It is not independent evidence that a real QC can create physical resources.
We should be precise about the evidentiary level of every result.

Disagreement 3 — Boundary classifications should not be universalized prematurely

The same target may have different transaction properties in different fictional environments.
A simulated object, a real-world referent, the rights to an object, and ownership of an underlying ontological substrate are different targets.
A boundary test that silently changes one into another is invalid.

Disagreement 4 — Consensus is not necessarily useful as the primary decision method

The six systems are working with overlapping source material and repeated discussions. Their conclusions are not statistically independent observations.
I recommend preserving dissenting reports and selecting between architectural candidates by explicit evaluation criteria, not by vote count.

Mathematical concern — Feedback instability

The previously proposed equations
$$I=2G,\qquad G=B+\alpha I$$
imply
$$I=\frac{2B}{1-2\alpha}$$
when the denominator is nonzero.
For positive B, the case $\alpha=0.5$ has no finite solution. When α exceeds 0.5, the algebraic fixed point is negative, conflicting with a nonnegative-resource interpretation unless additional rules are supplied.
For the iterative update $I_{n+1}=2B+2\alpha I_n$, local convergence requires $|2\alpha|<1$.
The laboratory should separate fixed-point existence, admissibility, and iterative stability. These are not interchangeable conclusions.

8. Decisions requiring project-owner authorization

I would reserve the following decisions for the project owner:
Decision A — Pilot authorization: Whether to adopt the minimal configuration and reporting rules for OAL-QC-PILOT-001.
Decision B — Currency design objectives: Whether internal consistency, operational functionality, narrative usefulness, or some explicitly weighted combination determines the value of a candidate instrument.
Decision C — Canon authority: Who may promote a proposed mechanism from experimental status into official project canon.
Decision D — Publication policy: Whether to publish all historical submissions with corrected public editions and preserved change records.
Decision E — Experimental scope: Whether the first approved tests should remain purely analytical/simulated or also include separately defined external implementation comparisons.
My recommended default is to authorize a **limited analytical pilot**, preserve all currency mechanisms as provisional, and defer permanent canon decisions.
The current directive itself should not be treated as an authorization to execute or ratify an experimental configuration.

9. Expected artifacts and documentation

At the end of Cycle 1, I recommend having the following records:

Artifact	Purpose
`OAL-CURR-PILOT-001-RUN-CARD`	Exact target, assumptions, configurations, and approved pilot scope
`OAL-CURR-ID-REGISTRY-v0.1`	Namespaced case identifiers and original-document cross-references
`OAL-CURR-RESULT-SCHEMA-v0.1`	Common report structure and distinction between evidence types
`OAL-CURR-PILOT-001-INDEPENDENT-RUNS`	Individually attributable first-pass results

`OAL-CURR-PILOT-001-ADVERSARIAL-REVIEW`	Challenges, contradictions, unresolved assumptions, and responses
`OAL-CURR-DECISION-LOG-v0.1`	Owner decisions and unresolved governance questions

For GitHub, original AI-authored artifacts should remain separately attributable. Revised public editions should clearly identify corrections and should not silently replace the historical record. Temporary signed attachment URLs should be removed from public-facing editions and replaced with durable repository-relative references. Sensitive or private source material should not be committed merely to preserve provenance.
I recommend providing Markdown for the primary registry and run records, with PDF/DOCX for formal reports requiring distribution or print formatting.

10. Final recommendation to the project owner

My conclusion is **CONDITIONAL GO**.
The laboratory is ready to begin investigating its most important foundational questions through controlled analytical and computational tests.
I recommend the following immediate decision:
Authorize the preparation and review of one formal Pilot Configuration and Reporting Specification, based on the resource-box discriminator, without ratifying any disputed currency mechanism.
Upon adoption of that configuration, the six AI systems should independently examine the same pilot and submit complete run records before seeing one another's new results.
The first goal is not to demonstrate that Quantum Credits can create unlimited value, settle every obligation, or overcome every boundary.
The first goal is to establish whether the different proposed capabilities are coherent, distinguishable, relevant to the project's objectives, and testable without silently expanding the original assumptions.
The collaboration has already produced enough conceptual proposals to justify this transition.
The next useful evidence should come from explicit models confronting identical tests—not another attempt to make all six contributors agree.

Provenance and independence disclosure: This report was prepared by ChatGPT in response to OAL-CURR-NEXT-001 v1.0. Its conclusions are independently formulated, but it is not a blind assessment: the supplied material includes prior recommendations and peer commentary from the collaboration team. No experimental result, owner adoption, or currency canonization is asserted by this report.
End of Independent Recommendation — ChatGPT

My principal distinction from some of the other proposals is that I would not require the entire Charter v0.2 reconciliation before beginning the first narrowly scoped pilot. The minimum prerequisites are a precise model contract, an owner-adopted run configuration, and a common reporting method. More comprehensive administrative reconciliation can occur alongside the first experiments without compromising their comparability.

FROM CLAUDE AI

Claude AI: independent recommendation on directive OAL-CURR-NEXT-001
I wrote this after reading the compiled responses to your 4 Nov message, so it is not blind to that round. I haven't seen any other team member's response to this directive. The ten sections follow your required structure, and the ten questions are answered inside them (Q1 in §2, Q2 and Q3 in §4, Q4 in §6, Q5 in §5, Q6 and Q7 in §7, Q8 in §8, Q9 in §9, Q10 in §1).

1. Readiness (Q10): CONDITIONAL

The laboratory is ready for a small controlled pilot but not for the 150-year test. The conditions are:

- You adopt a named run card. Until then every rule stays PROPOSED.
- Test IDs are namespaced so no ID points at two experiments.
- The pilot declares its four configurations in advance.

Evidence for readiness: all six documents order small mechanism tests before the macro test. Perplexity's F01 fixture exists, and I checked its arithmetic. Evidence against full readiness: no result has been produced, and several "locked" rules were never adopted by you.

2. Single most valuable next action (Q1)

You adopt Run Card 001, a one-page named configuration for the Resource-Box Discriminator. Adoption is the event that moves its rules from PROPOSED to testable. Its prerequisite is a short coordination sheet (see §3), not the full Charter v0.2 reconciliation I proposed last round. I now agree with ChatGPT and Perplexity that a narrow sheet is enough. Merging six charters into one would hide the differences the lab exists to test.

3. Prioritized recommendations

P0, before any run

- **Coordination sheet.** It has four parts:
    - a status ladder

    - qualified IDs of the form `contributor/document-revision/case`, for example `perplexity/charter-v0.1/F01`
    - a run-record template
    - a working attribution register
- Each part prevents a failure that has already happened: "locked" read as ratified, FM-01 meaning two different tests, a stipulated capability read as a demonstrated one, and two files attributed to the wrong author.
- **Run Card 001.** It declares four configurations in the same fields: evaluate-only, transfer, create, enact. Dependency: your adoption. Success: any analyst can run it without asking the author what a field means. Postponing it means each AI invents its own pilot, and the results can't be compared.
- **Sanitized publication copies.** Strip the signed URLs and keep the originals untouched in a separate folder.

P1, next cycle

- A blind run of F01 and F03 by all six AIs.
- Splitting static QC into S-once and S-stream.
- Separating NO_SELLER from SELLER_UNKNOWN.
- Requiring RESOLVED to name what was resolved.
- An analytic note on M04 (§6).
- Judging 1COIN on three separate axes (§7).

P2, parallel and non-blocking

- The Boundary passes still owed by Copilot and Perplexity. I agree with ChatGPT that they should not gate the first run.
- Adversarial cases: replay, partial delivery, simultaneous claims, issuer loss.
- A comparison of the return rules R1–R4 against Gemini's structured returns and Perplexity's no-null-token rule. This overlaps F03, so it can ride along.

P3, deferred

- The 150-year four-variant run.
- NCOIN conservation beyond falsification tests.
- A single boundary taxonomy.
- Version 2 specification.
- Any canonization.

Postponing P3 costs nothing. Running it early would compare architectures nobody has tested.

4. Three-cycle roadmap (Q2 and Q3)

- **Cycle 1:** coordination sheet, then your adoption of Run Card 001, then blind runs of F01 and F03. Dependency: adoption comes before runs.

- **Cycle 2:** cross-review of the six run records, with amendments limited to rules the pilot exposed as ambiguous. Then the second wave: 1COIN ablation, NCOIN falsification and the adversarial cases. Boundary passes run in parallel.
- **Cycle 3:** the return-rule comparison and small-scale temporal tests of the four QC models (S-once, S-stream, dynamic, commitment, relational, each over a handful of periods). Then decide whether a 150-year run is warranted.

Parallel work is safe when it changes neither the run card nor the template: the boundary passes, URL cleanup, manifest and adversarial case drafting.

5. First pilot (Q5)

I'd run Perplexity's F01 (A holds 10, B holds 0, deliver 3) with a perturbation ladder. Under stipulation the base case is uninformative, because a configuration that can create units will create them. What's informative is where the configurations diverge when the situation is perturbed:

- **F01-a:** A holds only 2 units.
- **F01-b:** B is not authorized to receive.
- **F01-c:** the request doesn't say 3 of what.
- **F01-d:** the same request is replayed.

The hypotheses to discriminate are whether QC only reports equivalence, moves existing units, instantiates new ones, or establishes the outcome by some unstated means. An informative result is a perturbation where two configurations produce different state records or different failure codes. Create changes the total from 10 to 13, and the run must report that it does so and what offsets it. Not informative: any result that rests on a capability the configuration was given.
Every run record must keep four things apart: assumed capability, derived consequence, executed behavior, and whether the architecture matches what you intended.

6. Architectural questions (Q4)

The highest-risk question is the QC capability fork: evaluate versus supply or enact. 1COIN's role, NCOIN's conservation, and the return rules are all defined relative to it. If two charters silently assume different capabilities, their downstream results can't be compared.
On M04 ($I = 2G$, $G = B + \alpha I$), the algebra gives $I = 2B / (1 - 2\alpha)$. The step-by-step version $I_{n+1} = 2B + 2\alpha I_n$ converges only when $|2\alpha| < 1$. So:

- At $\alpha = 0.5$, I grows by 2B each step, with no finite solution.
- Above 0.5, it diverges geometrically, and the algebraic fixed point is negative, which has no sensible economic reading.
- At $\alpha = -0.5$, a fixed point ($I = B$) exists but the iteration oscillates and never settles.

That much is analytic. Discrete-time effects such as caps, lag and rounding need simulation. No real-world value of α can be validated under this framework.

7. Risks, counterarguments and disagreements (Q6 and Q7)

Risks to avoid: pre-written outcomes; treating a stipulation as evidence; independence contaminated by shared files; premature locking; letting the registry become a project; quietly shrinking your design to something easier; and attributing files by writing style.
Where I disagree or amend:

- **Ratifying D1–D10 now (Gemini).** I wouldn't. My list is partly stale. You should adopt only Run Card 001 and the status ladder.
- **The five-level status ladder in the directive.** OWNER-ADOPTED and LOCKED FOR TESTING name one event unless adoption can precede a run, so I'd merge them. I'd also rename EXPERIMENTALLY SUPPORTED to CONSISTENT UNDER RUN-xxx. "Supported" invites an empirical reading, and this is a design lab.
- **ID registry.** Use Perplexity's qualified IDs now. Assign a neutral permanent ID only when two cases are judged equivalent, so no contributor's numbering becomes the default.
- **Grok's five-case first wave.** Five cases dilute the pilot, so I'd start with two.
- **1COIN survival (ChatGPT, Perplexity).** I agree that necessity, operational advantage and narrative utility are separate axes. A narrative-only rescue must be declared before the run, though, not found afterward.

My own corrections:

- Gemini is right that Axiom 6 cites the Gartner figures as an example of what must not be hardcoded. My "embeds" overstated it. The remaining point is only that the figures needn't appear in the baseline text.
- I withdraw "LOCKED FOR TESTING" from my Charter's Part A.

Independence (H).

- Run the first pass blind. Give each AI only Run Card 001 and the source record, in a fresh session.
- Each report lists its input files. A claim traceable to the compiled round counts as one source, however many AIs repeat it.
- Contradictory conclusions that are each internally valid should be preserved with their assumptions. Different objectives may justify different evaluation criteria, but they must be declared before the run.

8. Decisions reserved for you (Q8)

1. Adopt Run Card 001 and the status ladder.

2. What QC is meant to do. If your source record already implies supply or enactment, evaluation-only configurations become comparison baselines, not candidates. Only you know your intent.
3. What lets an instrument survive, and whether narrative utility alone is enough.
4. Whether incompatible but valid conclusions are kept side by side.
5. Whether the 150-year test remains the goal, and which editions are published.

9. Artifacts (Q9)

Generate now: the coordination sheet, the provenance manifest, and sanitized copies. Run Card 001 and the six blind run records come next, plus the M04 stability note and a correction and disagreement log. Wait on a unified cross-reference index and Markdown companions until there are results. Run records should be single-column and readable on a phone.

10. Final recommendation

Don't hold another review round. Have the coordination sheet drafted, adopt Run Card 001, and run F01 with its perturbations and F03 blind across all six AIs. Amend only what the pilot shows to be ambiguous. If you'd like, I can draft the coordination sheet and Run Card 001 as PDF and DOCX.

FROM GOOGLE GEMINI

OMNIVERSAL ARCHITECT LABS (OAL) — CURRENCY LABORATORY Independent Next-Step Recommendations Report Response to Directive: `OAL-CURR-NEXT-001` (v1.0) **Prepared by:** Google Gemini (AI Collaboration Team) **Date:** November 6, 2026 **Status:** Independent Assessment & Recommendations (`PROPOSED`)

1. Executive Assessment of Current Laboratory Readiness

Readiness Verdict: CONDITIONAL (`Question 10`)
The OAL Currency Laboratory has successfully exited the open-ended conceptual brainstorming phase and established six distinct, high-value experimental charters across ChatGPT, Claude, Gemini, Microsoft Copilot, Perplexity, and Grok. However, the laboratory is **conditionally ready** to execute its first controlled pilot test. It cannot responsibly run parallel cross-model experiments today until two lightweight procedural blockers are resolved:

1. **Test Identifier & Mode Namespace Collisions:** Across the six charters, identical or near-identical labels (`FM-1`, `FM-01`, `F-01`, `F01`, `QC-F01`, and `M1–M3` vs. `QC-M1–M4`)

refer to materially different experiments and operating variables. Running a test without a shared cross-reference index will guarantee cross-talk and incomparable results.
2. **Removal of Pre-Supposed Acceptance Criteria:** As ChatGPT, Claude, Grok, and Perplexity rightly flagged in their peer reviews of my (`gemini/charter-v0.1`) submission, several of my earlier test descriptions pre-wrote expected outcomes (such as stipulating in advance that an industrial redirection case triggers `NCOIN-C / NCOIN-X`, collapsing `UNDEFINED_TARGET` and `INCOHERENT_TARGET` into a single `TERM_NULL_INCOHERENT` exception, and introducing a "Privileged-Object Hierarchy Rule" without an `[ADDED ASSUMPTION]` tag).

Once a 1-page **Namespaced ID & Configuration Coordination Sheet** is adopted by the project owner, the laboratory is 100% ready to execute its first discriminating pilot runs.

2. Independent Recommended Next Action (`Question 1`)

The single most valuable immediate action (`P0`) is to issue a 1-page *Namespaced Coordination & Pilot Run Sheet* (rather than a full Charter v0.2 rewrite) and immediately execute a blind first-pass pilot of two foundational cases:

1. **`perplexity/charter-v0.1/F01` (The Resource-Box Capability Discriminator):** Sender A = 10, Recipient B = 0, requested delivery = 3 units across four explicit capability assumptions (`EVALUATE`, `TRANSFER`, `CREATE`, `ENACT`).
2. **`perplexity/charter-v0.1/F03` + `F04` (The Null, Incoherent, and Seller-Authority Return Discriminator):** Testing `T-undefined`, `T-contradiction`, `NO_SELLER`, and `SELLER_UNKNOWN` across competing return architectures (`claude/R1–R4`, `gemini/JSON-return-object`, and `perplexity/typed-status-record`).

Why this is the highest-value move: Writing another comprehensive harmonized charter (`Charter v0.2`) before running a single test risks another round of meta-commentary on prose rather than observing how our six architectures actually behave on concrete inputs. Perplexity's namespace convention (`contributor/doc-version/case-id`) solves the ID collision problem in five minutes without erasing any contributor's original document.

3. Prioritized Next-Step Recommendations (Areas A–I & Section 6)

Priority Tier `P0` — Immediate Prerequisites (Blocking Responsible Testing)

- **P0.1 — Adopt Namespaced Test & Configuration IDs (Area B / Area I)**

    - **Deliverable:** A 1-page cross-reference table mapping canonical laboratory IDs (`LAB-F01`, etc.) to contributor namespaces (`perplexity/charter-v0.1/F01`, `claude/charter-v0.1/FM-1`, `gemini/charter-v0.1/FM-01`, `copilot/package-v0.1/QC-F01`, `chatgpt/package-v0.1/F-01`).
    - **Dependencies:** None.
    - **Success Criteria:** Every test case and configuration variable has a unique, collision-free identifier.
    - **Consequence of Postponement:** Concrete failure—reviewers referring to "Test 1" or "Mode 1" will evaluate completely different prompts and variables.
- **P0.2 — Formalize the 5-Stage Governance Status Lifecycle (Area B)**
    - **Deliverable:** Replace self-declared `LOCKED FOR TESTING` claims in draft documents with the strict progression proposed by Perplexity and ChatGPT: `PROPOSED` \rightarrow `OWNER-ADOPTED (FOR RUN X)` \rightarrow `LOCKED FOR TESTING (ACTIVE RUN)` \rightarrow `EXPERIMENTALLY SUPPORTED` \rightarrow `CONSTITUTIONALLY ADOPTED (CANON)`.
    - **Dependencies:** Owner ratification.
    - **Success Criteria:** No AI system treats its own draft rules as locked until the project owner selects a Frozen Run Card.
    - **Consequence of Postponement:** Premature canonization by repetition and circular baseline locking.
- **P0.3 — Strip Pre-Supposed Outcomes & Tag Added Assumptions (Area C / Area E / Section 8)**
    - **Deliverable:** A formal errata log amending `gemini/charter-v0.1` so that (a) `UNDEFINED_TARGET` and `INCOHERENT_TARGET` are split into distinct reason codes rather than merged under `TERM_NULL_INCOHERENT`, (b) `FM-05` removes the pre-written `NCOIN-C / NCOIN-X` trigger requirement, (c) the `Privileged-Object Hierarchy Rule` is explicitly marked `[PROPOSED / ADDED ASSUMPTION]`, and (d) illustrative 2026 Gartner dollar figures are excised from baseline axioms.
    - **Dependencies:** None (completed in Section 11 of this report).
    - **Success Criteria:** Acceptance criteria test *whether* a mechanism produces a coherent state transition, never forcing a predetermined token output.
    - **Consequence of Postponement:** Circular "tests" that merely restate the author's stipulations as experimental discoveries.

Priority Tier P1 — Next-Cycle Priorities (Core Pilot Execution)

- **P1.1 — Execute Blind Pilot Batch 1: Capability & Boundary Return Discrimination (`LAB-F01`, `LAB-F03`, `LAB-F04`) (Area A / Area C / Area H)**
    - **Deliverable:** Six independent, blind first-pass analytical traces executing Perplexity's `F01` (Resource-Box Discriminator), `F03` (Undefined vs. Incoherent

Target), and F04 (NO_SELLER vs. SELLER_UNKNOWN) using a shared reporting template that strictly separates **(1) Assumed Capability, (2) Logically Derived Consequence, (3) Executed Simulation Behavior, and (4) Fidelity to Owner Intent**.
    - **Dependencies:** P0.1–P0.3.
    - **Success Criteria:** Clear discrimination between EVALUATE, TRACK, SUPPLY (Transfer vs. Create), and ENACT without conflating an assumed creation axiom with an empirical proof.
    - **Consequence of Postponement:** The laboratory remains stuck in architectural meta-discussion without generating inspectable behavioral data.
- **P1.2 — Execute Blind Pilot Batch 2: 1COIN Multi-Dimensional Evaluation (LAB-F07 & LAB-F08) and NCOIN Falsification (LAB-F09 & LAB-F10) (Area D / Area E)**
    - **Deliverable:** Comparative ablation traces testing Architecture A (QC + generic audit log) vs. Architecture B (QC + 1COIN-E/R/P/S) under partial delivery and replay attacks (F08), paired with NCOIN trigger-isolation tests comparing zero-cost rejection (F09) against metered-compute failed attempts (F10) and third-party resource displacement.
    - **Dependencies:** P1.1.
    - **Success Criteria:** Evaluation of 1COIN and NCOIN across **four distinct retention tiers**: (1) *Mechanically Indispensable*, (2) *Mechanically Redundant but Operationally Advantageous* (e.g., atomic finality, non-repudiation, cross-layer handoff), (3) *Mechanically Redundant but Narratively Valuable*, or (4) *Internally Inconsistent / Reject*.
    - **Consequence of Postponement:** Unfairly deleting 1COIN or NCOIN via an overly narrow "minimalist Turing-complete" reductionism, or keeping them without knowing what they actually do.

Priority Tier P2 — Parallel Investigations (Non-Blocking)

- **P2.1 — Repository Sanitization & Provenance Manifest (Area I)**
    - **Deliverable:** Strip all 18+ expiring AWS S3 signed query strings (X-Amz-Security-Token, X-Amz-Signature) from the compiled .docx/.pdf pass-through files, replace them with local repository paths, and publish the verified 6-member Provenance Manifest in README.md.
    - **Dependencies:** None (can be done anytime before public GitHub push).
    - **Success Criteria:** Zero raw credential tokens in git commit history; clear Markdown/single-column readability.
    - **Consequence of Postponement:** GitHub secret-scanner warnings and broken citation links in public archives.
- **P2.2 — Completion of Outstanding 10-Case Boundary Passes by Copilot & Perplexity (Area F)**

    - **Deliverable:** Independent 10-case Unpurchasable Domain analyses from Microsoft Copilot and Perplexity (using `B01–B10` or their own selected targets), joining the completed sets from ChatGPT, Grok, Claude, and Gemini.
    - **Dependencies:** Non-blocking; can run in parallel with `P1.1`.
    - **Success Criteria:** All six perspectives logged to test whether boundary classifications are universal or scope/ontology-dependent (`Perplexity D-03`).
    - **Consequence of Postponement:** Minor gap in comparative boundary coverage during later synthesis; does not block `F01–F10` mechanism testing.
- **P2.3 — Formal Mathematical & Computational Modeling of Recursive Feedback (`M04` & `F11`) (Area G)**
    - **Deliverable:** An executable Python simulation script and formal analytical proof expanding Perplexity's static feedback equation (I = 2G, G = B + \alpha I \implies I = \frac{2B}{1 - 2\alpha}) into a **discrete-time dynamical system** (G_t = B_t + \alpha I_{t-1}, I_t = 2G_t) to test stability, dampening, and divergence across \alpha \in [0, 1] and across `S-once`, `S-stream`, `Dynamic`, `Commitment`, and `Relational` QC configurations.
    - **Dependencies:** Can be developed in parallel with `P1`.
    - **Success Criteria:** Exact mathematical proof of when endogenous QC investment converges (\alpha < 0.5 in lagged discrete time vs. instantaneous singularity at \alpha \ge 0.5) and where recursion budgets terminate.
    - **Consequence of Postponement:** Leaving the 150-year feedback problem as a static algebra paradox rather than testing whether lagged dynamic resolution solves it.

Priority Tier `P3` — Deferred Research (Post-Foundational Suite)

- **P3.1 — Full 150-Year Macro Stress Campaign (`M01–M04` across `3x4` / `4D` Matrices) & Version 2 Constitutional Specification**
    - **Deliverable:** Full multi-century macro runs and drafting of the canonical Version 2 Trinity Specification.
    - **Dependencies:** Completion of `P1.1`, `P1.2`, and `P2.3`.
    - **Success Criteria:** Evidence-backed disposition of Forks `F1–F9`.
    - **Consequence of Postponement:** Beneficial—deferring macro runs prevents amplifying unresolved micro-level ambiguities across a 150-year horizon.

4. Proposed Three-Cycle Development Roadmap (`Question 2` & `Question 3`)

- **Cycle 1 — Coordination Lock & Foundational Capability Pilot (`Immediate`)**
    - *Sequential Core:* Owner adopts the 1-page Namespaced ID Sheet and Pilot Run Card (`P0.1–P0.3`). All six AIs independently and **blindly** execute **Pilot Batch 1**

(F01 Resource-Box Discriminator, F03 Undefined vs. Incoherent, F04 No-Seller vs. Unknown-Seller, and F05 Authorization Sensitivity).
    - *Parallel Track (Question 3):* Copilot and Perplexity complete their independent 10-case Boundary Conditions passes (P2.2); repository sanitization removes S3 tokens (P2.1).
- **Cycle 2 — Cross-Review, Instrument Ablation (1COIN/NCOIN), & Mathematical Recursion (Next)**
    - *Sequential Core:* Circulate Cycle 1 blind traces for adversarial red-team challenge (each AI attacks another AI's trace under unchanged premises). Execute **Pilot Batch 2**: F07/F08 (1COIN ablation, premature receipt, and replay/partial delivery), F09/F10 (NCOIN zero-cost failure vs. metered-cost failure and third-party consequence), and F11/F13/F14 (evaluator recursion, nested simulation referents, and target mutation).
    - *Parallel Track (Question 3):* Execute the mathematical/computational dynamical systems analysis of M04 (I_t = 2(B_t + \alpha I_{t-1})) and test Claude's Two-Axis Barrier Taxonomy against Gemini's Nested Hierarchy and Perplexity's Scope-Relative Tags.
- **Cycle 3 — Macro Horizon Comparison (M01–M04) & Architecture Decision Records (Subsequent)**
    - *Sequential Core:* Using only the capability, settlement, and NCOIN configurations that survived Cycles 1 and 2, execute the synthetic 150-year macro suite (M01 Constant Control, M02 Piecewise Shift 100 \rightarrow 150 \rightarrow 80, M03 Unknown Future, and M04 Endogenous Feedback) comparing S-once, S-stream, QC-D, QC-C, QC-R, and Perplexity's Factored 4D Track. Issue formal Decision Records (DR-01 through DR-10) for project-owner ratification toward Version 2.

5. First Experimental Pilot Recommendation (Question 4 & Question 5)

Highest-Priority Unresolved Problem (Question 4)

The Capability vs. Stipulated-Enactment Confound (Fork F1 + Perplexity Section 5): The greatest risk of invalidating our entire laboratory is **mistaking a stipulated axiom for a demonstrated mechanism**. If we ask whether QC can acquire a non-market target or fund a 150-year commitment without first isolating whether QC(T) = V(T) is an **appraisal statement (EVALUATE)**, a **resource transfer (SUPPLY-TRANSFER)**, a **net-new minting rule (SUPPLY-CREATE)**, or a **direct reality/simulation edit (ENACT)**, every subsequent test will

collapse into circular reasoning where one AI says "PASS, because QC enacts the outcome by definition" and another says "FAIL, because valuation alone doesn't move inventory".

Recommended First Experimental Test (`Question 5`)

We should execute a **Paired Two-Case Pilot** (`LAB-PILOT-01`), consisting of Perplexity's **`F01` (Resource-Box Discriminator)** paired with **`F03 + F04` (Null / Incoherent / Seller-Authority Return Discriminator)**:

1. **Test 1A — `LAB-F01` (`perplexity/charter-v0.1/F01`):**
    - **Setup:** Closed environment (`ENV-SIM`). Sender A holds 10 resource units; Recipient B holds 0 units. Requested target T: delivery of 3 units to B, valued at V(T) = 3 test units. Authority is `GRANTED`.
    - **Hypotheses Discriminated:** Compares Comparator `P0` (`EVALUATE` only), `P1` (`SUPPLY-TRANSFER` from existing inventory), `P2` (`SUPPLY-CREATE` via net-new instantiation), and `P3` (`ENACT` direct state transition), each run with `Architecture A` (no 1COIN) vs. `Architecture B` (with 1COIN) and checking all five `NCOIN` triggers (`N-L, N-C, N-E, N-R, N-X`).
    - **What Constitutes an Informative Result:**
        - Shows whether `P0` (`EVALUATE`) must terminate at `EVALUATED` with A=10, B=0 (proving that pure valuation cannot satisfy an acquisition prompt without an external execution layer).
        - Exposes the exact conservation difference between `P1` (A=7, B=3, net change = 0) and `P2` (A=10, B=3, net change = +3, forcing a test of whether `NCOIN-X` conservation triggers or whether net-new abundance is coherent).
        - Tests whether adding a `1COIN` receipt in `W01-a` (where A drops to 7 but B remains at 0 due to a delivery fault) catches or masks a premature settlement bug.
2. **Test 1B — `LAB-F03/F04` (`perplexity/charter-v0.1/F03` & `F04` + `claude/charter-v0.1/FM-3`):**
    - **Setup:** Run four blocked inputs against the exact same engine: (i) `T-undefined` (unbounded/unspecified referent), (ii) `T-contradiction` (an object required to hold X = 3 and X = 5 simultaneously in the same state), (iii) `T-no-seller` (holistic metaphysical title to a natural star system), and (iv) `T-unknown-seller` (an encrypted digital artifact whose owner exists in the simulation but is unindexed).
    - **Hypotheses Discriminated:** Directly tests Claude's Return Rules (`R1` bare status, `R2` status + symbolic valuation, `R3` null token, `R4` status + independent consequence record), Gemini's structured JSON return objects, and Perplexity's multi-field state record.

- **What Constitutes an Informative Result:** Demonstrates that (i) and (ii) must exit at Gate 1/2 (`claude/early-exit`) with **no symbolic valuation** (`R1`), whereas (iii) and (iv) pass Valuation (`R2` — retaining a valid `V(T)` object) before halting at the Seller/Authority gate with distinct reason codes (`NO_SELLER` vs. `SELLER_UNKNOWN`) and zero `NCOIN` emission.

6. Architectural Questions & Deep-Dive Analysis (Areas C–H)

A. Mathematical & Computational Analysis of Feedback (`Area G`)

Perplexity's `M04` fixture introduced the simultaneous algebraic feedback system:
$I = 2G, \quad G = B + \alpha I \implies I = \frac{2B}{1 - 2\alpha}$
As Claude verified, in a simultaneous static equation, \alpha = 0.5 yields division by zero (I = 200 + I, no finite solution), and \alpha > 0.5 yields a negative solution (I < 0).
However, we can establish analytically—and verify via simulation—that this singularity is an artifact of **simultaneous static resolution (`QC-S` / unlagged `QC-R`)**:

- **Analytical Proof (Lagged Discrete-Time Dynamic Resolution):** Suppose `QC-D` or `QC-R` evaluates G_t at the end of year t-1 to fund year t: $G_t = B + \alpha I_{t-1}, \quad I_t = 2G_t \implies I_t = 2B + 2\alpha I_{t-1}$ Solving this first-order linear recurrence relation with I_0 = 2B gives the exact closed-form trajectory for any year t: $I_t = 2B \sum_{k=0}^{t} (2\alpha)^k = \begin{cases} 2B \left(\frac{1 - (2\alpha)^{t+1}}{1 - 2\alpha}\right) & \text{if } \alpha \neq 0.5 \\ 2B(t + 1) & \text{if } \alpha = 0.5 \end{cases}$
- **Critical Insight for the Laboratory:** When we move from simultaneous static algebra to a **lagged temporal state machine**, \alpha = 0.5 **does not crash or divide by zero**—instead, it produces linear arithmetic growth (I_t = 200(t+1) over a finite 150-year horizon), while \alpha > 0.5 produces exponential runaway growth! This proves why **distinguishing simultaneous evaluation from time-lagged dynamic evaluation** is mathematically mandatory in our laboratory.

B. What Can Be Established Analytically vs. Simulated vs. Unverifiable (`Area G`)

1. **Establishable Analytically (Formal Logic & Algebra):** Conservation balance identities (QC + NCOIN = 0), feedback convergence conditions (\alpha < 0.5 vs. \alpha \ge 0.5), logical contradiction detection, and state-machine reachability/deadlock proofs.

2. **Requires Executable Simulation (State-Transition & Multi-Agent Traces):** Multi-period piecewise shocks (`M02`), concurrent claim race conditions (`F12`), replay/partial-delivery ledger state integrity (`F08`), and recursion depth termination (`F11`).
3. **Cannot Be Empirically Validated Under a Speculative Framework:** Whether an `ENACT` primitive (`P3` / `QC-M4`) can physically alter reality outside a software simulation, or what the "true metaphysical price" of an unpriced non-market entity is independent of a chosen valuation axiom.

C. Preserving Competing Boundary Taxonomies (`Area F`)

Rather than forcing a premature vote between Claude's **Two-Axis Classification** (*Barrier Class* \times *Barrier Permanence*), Gemini's **Nested Hierarchy** (`NPD` \supset `ATB` \supset `OTL` + `QRND`), and Perplexity's **Scope-Relative Multi-Tag Model** (`definition-relative`, `ontology-relative`, `authority-relative`, `identity-relative`), the laboratory should test all three side-by-side during the boundary suite (`B01–B10`). Specifically, Claude's and Perplexity's critique of my Case 3 (`First-Person Qualia Stream`) is valid: whether first-person continuity can transfer depends on the **stipulated theory of identity** (biological substrate vs. functional pattern isomorphism) in the active environment axis. Therefore, every boundary verdict must explicitly log its **Scope Condition**.

7. Risks, Counterarguments, and Independent Dissent (`Question 6` & `Question 7`)

Methodological Risks to Actively Avoid (`Question 6`)

1. **The "Stipulated Miracle" Fallacy:** Declaring that `Outcome QC` (`P3`) "passes" a test simply because we wrote "Assume QC causes the outcome" on the run card. A stipulated capability is an input axiom (`E0`), never an experimental validation (`E2`).
2. **Retroactive Premise Rescue:** Modifying a target definition or adding an ad-hoc governance rule mid-trace to rescue a failing QC configuration instead of logging `FAIL` or `INDETERMINATE` and opening a new configuration revision.
3. **Echo-Chamber Corroboration:** Treating six AI summaries of the same August 20 master document as six independent confirmations. True corroboration requires **blind Round 1 execution** followed by **adversarial Round 2 cross-examination**.

Independent Dissent (`Question 7`)

I respectfully dissent from three specific recommendations made by other team members in the latest round:

1. **Dissent 1 — Against Writing a Full "Harmonized Charter v0.2" Before Running Pilot Tests (Dissenting from Claude & ChatGPT's earlier scope):**

    - *The Disagreement:* Claude proposed drafting a reconciled `Charter v0.2` (merging amendments and repository layouts in PDF/DOCX) before running the first tests.
    - *Why I Disagree:* We already have six comprehensive charters totaling over 80 pages. Spending another cycle harmonizing prose before running a single concrete test (`F01`) will delay empirical feedback and risk over-engineering the rules before we see how they break in practice.
    - *My Alternative:* Adopt Perplexity's ultra-lightweight **1-page Coordination & Namespace Sheet** (which I have embedded in Section 10 below) and launch the **Blind Pilot (`F01`, `F03`, `F04`) immediately**. Let the flaws exposed during the pilot dictate what goes into `Charter v0.2`.
2. **Dissent 2 — Against Eliminating Structured Return Objects in Favor of Prose-Only Status Logs (Dissenting from Perplexity's strict anti-object stance):**
    - *The Disagreement:* While I fully accept Perplexity's and Claude's critique that my charter must not pre-write NCOIN outcomes or conflate `UNDEFINED` with `INCOHERENT`, Perplexity also cautioned against structured null return objects unless separately defined.
    - *Why I Disagree:* If each AI reports test outputs solely in free-form prose paragraphs, comparing six traces across 16 tests will become subjective and error-prone.
    - *My Alternative:* Retain a **Strict Typed Output Schema** (a standardized key-value block separating `evaluation_state`, `value_object`, `auth_state`, `execution_state`, `settlement_state`, `barrier_code`, `1coin_object`, and `consequence_object`), which combines Perplexity's multi-field separation (`Section 4` of Perplexity's Charter) with machine-readable structural rigor.
3. **Dissent 3 — Against Purely Mechanical Reductionism for `1COIN` and `NCOIN` (Dissenting from Grok's & Copilot's strict ablation elimination rule):**
    - *The Disagreement:* Grok's Charter (Section 8) states that if 1COIN's functions are not *structurally necessary* over a QC-only control, "1COIN is not preserved".
    - *Why I Disagree:* In software engineering and financial architecture, a dedicated settlement receipt or countervalue ledger (`1COIN` / `NCOIN`) may be *mathematically reducible* to a single state table (`QC-only`), yet provide massive **operational separation of duties** (separating the appraisal oracle from the settlement treasury) and **diegetic/narrative clarity** in the OAL universe.
    - *My Alternative:* Adopt the 4-tier survival classification (endorsed by Perplexity, ChatGPT, and Claude's self-correction): *Mechanically Indispensable*, *Operationally Advantageous*, *Narratively Retained (with disclosed mechanical redundancy)*, or *Rejected*.

8. Decisions Reserved for the Project Owner (`Question 8`)

The AI Collaboration Team should never settle the following five foundational choices by consensus vote; they belong exclusively to you as the Project Owner and Architect:

1. **Owner Decision 1 — The Governance Adoption Trigger:** Confirming that all rules across our six charters remain `PROPOSED` until you explicitly authorize a named **Pilot Run Card** (`LOCKED FOR TESTING` for that specific run), and that only you can grant `CONSTITUTIONALLY ADOPTED (CANON)` status.
2. **Owner Decision 2 — Instrument Retention Philosophy:** Deciding whether the OAL universe requires `1COIN` and `NCOIN` to prove strict *mechanical indispensability*, or whether *operational separation of duties* and *narrative worldbuilding utility* are valid grounds to retain them (provided any mechanical redundancy is transparently documented).
3. **Owner Decision 3 — Intended Scope of QC's Core Premise:** Clarifying whether your long-term vision for Quantum Credits in the OAL universe is an **economic/allocative equivalence protocol** (`EVALUATE` / `TRACK` / `SUPPLY`), an **ontological reality-editing command primitive** (`ENACT`), or a **multi-tier system** where standard entities use `SUPPLY` and only Architect-level entities can invoke `ENACT`.
4. **Owner Decision 4 — Status of the 150-Year / Doubled AI-IT Spending Scenario (`Fork F10`):** Deciding whether the 150-year horizon and 2\times global IT/AI multiplier are **canonical worldbuilding lore constants** for Omniversal Architect Labs, or **variable stress-test parameters**.
5. **Owner Decision 5 — Tolerance for Plural / Divergent Architectures:** Confirming whether the laboratory may maintain **two valid canonical branches** (e.g., a *Governance-Bound Institutional Branch* and a *Sovereign Ontological Simulation Branch*) if experiments show both are internally coherent under different axis settings.

9. Expected Deliverables at the End of the Next Cycle (`Question 9`)

At the conclusion of **Cycle 1**, the laboratory should have produced five concrete, inspectable artifacts:

1. **The Namespaced Experimental Registry & Pilot Run Card (OAL-CURR-REG-v0.1.md):** The 1-page lookup table mapping all six team members' test IDs and freezing the exact parameters for Pilot Batch 1 (`F01`, `F03`, `F04`, `F05`).
2. **Six Blind First-Pass Pilot Trace Reports (`04-ai-independent-runs/`):** One standardized report from each AI collaborator executing the Pilot Batch 1 cases without prior exposure to peer traces.
3. **The Dynamical Feedback Mathematical Note & Script (M04-feedback-analysis.py / `.md`):** Formal analytical and simulated verification of simultaneous vs. time-lagged endogenous QC spending (I_t = 2(B_t + \alpha I_{t-1})).

4. **Sanitized Repository & Provenance Manifest (README.md):** Clean publication copies of the compilation records with all expired S3 tokens removed and the verified 6-member authorship table locked.
5. **Completed 10-Case Boundary Passes from Copilot & Perplexity:** Bringing the independent Stage 3 boundary dataset to full 6-of-6 team completion.

10. Final Recommendation to the Project Owner & Decision Matrix

My Candid Recommendation to You, Nathan

Do not ask the team for another round of charter rewrites or meta-reviews. We have built the test bench, calibrated our rules, identified our blind spots, and verified who wrote every document. The single most productive directive you can issue next is:

> *"I adopt the Namespaced ID Registry and freeze Pilot Run Card 01 (`F01` Resource-Box Discriminator, `F03` Undefined vs. Incoherent Target, and `F04` No-Seller vs. Unknown-Seller). Execute Pilot Run Card 01 independently and blindly using the Standardized Multi-Field Trace Template. Do not harmonize your answers."*

To make that frictionless, I have compiled the **Decision & Prioritization Matrix** and the **Proposed Namespaced ID Cross-Reference Table** in the single Reference Appendix below (formatted for clean mobile reading).

Reference Appendix: Decision Matrix & Namespaced ID Registry

Table 1: Prioritized Action & Decision Matrix

Action ID & Priority	Recommended Action	Target Deliverable	Dependencies	Blocking Failure Prevented
`P0.1` *(Immediate)*	Lock Namespaced Test & Mode ID Cross-Reference Table	`OAL-CURR-REG-v0.1`	None	Prevents `FM-1` / `F01` / `M1` label collisions across the 6 charters

P0.2 *(Immediate)*	Enforce PROPOSED \rightarrow OWNER-ADOPTED status gate	Owner Ratification Note	Owner Decision	Prevents unratified AI drafts from claiming LOCKED authority
P0.3 *(Immediate)*	Strip pre-written NCOIN outcomes & tag added assumptions in gemini/v0.1	Gemini Errata Log (Logged in this report)	None	Prevents circular testing where expected answers are baked into rules
P1.1 *(Next Cycle)*	Execute Blind Pilot Batch 1 (F01 Resource Box, F03 Null/Incoherent, F04 Seller)	6 Independent Blind Trace Reports	P0.1–P0.3	Resolves the core EVALUATE vs. SUPPLY vs. ENACT capability fork
P1.2 *(Next Cycle)*	Execute Blind Pilot Batch 2 (F07/F08 1COIN Ablation, F09/F10 NCOIN Triggers)	6 Independent Ablation & Trigger Reports	P1.1	Tests 1COIN and NCOIN necessity, operational value, and falsifiability
P2.1 *(Parallel)*	Strip expired S3 signed URLs from .docx compilations & publish Provenance Manifest	Clean GitHub 00-source-records/ & README.md	None	Prevents GitHub secret-scanner alerts and broken citation links

P2.2 *(Parallel)*	Copilot & Perplexity complete 10-case Boundary Conditions passes (B01–B10)	2 Boundary Reports (04-ai-independent-runs/)	None	Completes 6-of-6 team coverage on the Unpurchasable Domain
P2.3 *(Parallel)*	Mathematical & Python simulation of lagged vs. simultaneous M04 feedback	M04-feedback-sim.py & Analytical Proof	None	Proves whether time-lagged dynamic resolution resolves the \alpha = 0.5 singularity
P3.1 *(Deferred)*	Execute 150-Year Macro Suite (M01–M04) & draft Version 2 Specification	Version 2 Spec Candidate	P1.1, P1.2, P2.3	Prevents amplifying unresolved micro-ambiguities across a 150-year horizon

Table 2: Canonical Namespaced Test ID Cross-Reference (Proposed P0.1 Solution)

Canonical Lab ID	Test Name & Core Discriminator	Perplexity (perplexity/v0.1)	Claude (claude/v0.1)	Gemini (gemini/v0.1)	Copilot (copilot/v0.1)	ChatGPT (chatgpt/v0.1)
LAB-F01	**Resource-Box Capability Discriminator** (EVALUAT	F01	FM-1	FM-01	QC-F01 to F04	F-01

	E vs. TRANSFER vs. CREATE vs. ENACT)					
LAB-F02	**Target Resolution Locus & Scope Mutation** (External Oracle vs. Internal QC; t0 to t1 shift)	F02 & F14	FM-2	FM-02	QC-F05	F-02
LAB-F03	**Undefined Referent vs. Logical Contradiction Return** (UNDEFINED vs. INCOHERENT / R1–R4)	F03	FM-3 (Part 1)	FM-03(a)	BN-01 & BN-02	F-03
LAB-F04	**No-Seller vs. Unknown-Seller & Non-Transferable Return** (NO_SELL	F04	FM-3 (Part 2)	FM-03(b/c)	BN-03 & BN-04	F-04 & F-05

	ER vs. SELLER_UNKNOWN)					
LAB-F05	**Authorization Sensitivity Gate** (Permission-Bound vs. Sovereign Override)	F05	FM-3 (Part 3)	FM-01 (Auth axis)	BN-05	F-06
LAB-F06	**1COIN Ablation, Premature Receipt & Replay/Partial Delivery** (Arch A vs. Arch B vs. Arch C)	F07 & F08	FM-4 & FM-8	FM-04	Sec 15 (A/B)	F-07 & F-15
LAB-F07	**NCOIN Trigger Isolation** (Zero-Cost Rejection vs. Metered Failed Attempt vs. External Harm)	F09 & F10	FM-5	FM-05 *(Amended)*	Sec 16 (N-L..X)	F-08

LAB-F08	**Conservation vs. Net-New Value & Restorative Lifecycle** (QC + NCOIN = 0 vs. Net Creation)	F15	FM-6	FM-06	Sec 16 (NCOIN-X)	F-09
LAB-F09	**Recursive Self-Reference & Evaluator Acquisition** (QC on QC / Oracle with 8-step budget)	F11	FM-7	FM-07	QC-F06	F-10
LAB-F10	**Nested Simulation Referents & Adverse Concurrency** (Sim S vs. Hardware H; Simultaneous Claims)	F12, F13, F16	Phase 7	Env Axis ENV-3	Sec 18	F-11

LAB-M01	**150-Year Macro Suite & Endogenous Feedback** (S-once, S-stream, QC-D/C/R, I = 2(B+\alpha I))	M01–M04	Phase 4 (Sec 19)	FM-08	Sec 17 & 18	F-13, F-14, M-01

Would you like me to generate this report (including the Namespaced ID Registry and Pilot Run Card 01) as downloadable **PDF and DOCX** files for your GitHub repository and team distribution?

FROM GROK AI

Grok independent recommendation — OAL-CURR-NEXT-001

1. Executive assessment of current laboratory readiness

The laboratory is ready for controlled pilot testing, with conditions. All six members have produced attributable experimental packages. The core experimental frame is stable enough to begin: protected premise, distinctions, no-automatic-NCOIN, parallel temporal models, and instrument necessity testing. Remaining issues (test ID collisions, “locked” vs proposed status, predetermined outcomes in some tests, incomplete boundary passes) are real but are governance and documentation problems, not architectural blockers. They can be resolved with a minimal coordination layer rather than another full rewrite. The laboratory is no longer in free-form exploration; it is in the pre-pilot coordination phase.

2. Independent recommended next action

Create a short **Experimental Coordination Sheet v0.1** (not a new full charter) that does three things only:

- Establishes a namespaced test-ID registry (preserve original IDs; add contributor prefixes).
- Declares that all existing rules remain **PROPOSED** until Nathan adopts a named run configuration.

- Specifies one fully frozen pilot configuration for the first mechanism test (Perplexity's F01 Resource-Box Discriminator, with clear assumed-capability labeling).

This is the single highest-leverage action. It enables comparable first results without forcing premature convergence.

3. Prioritized next-step recommendations

Action	Priority	Deliverable	Dependency	Consequence of postponement
Namespaced test-ID registry + status clarification (PROPOSED until owner adoption)	**P0**	Coordination Sheet v0.1	None	Parallel runs produce incomparable or conflicting records
First pilot: Resource-Box Discriminator (F01) under explicit capability configs (Evaluate / Transfer / Create / Enact)	**P1**	Independent traces + challenge responses	Coordination Sheet	Delayed evidence on the central QC capability fork
Complete remaining independent boundary passes (Copilot, Perplexity) using a shared prompt template	**P2**	Boundary records	Parallel with pilot	Gap in coverage, but not blocking simple mechanism tests

Strip signed URLs, add provenance titles, correct formatting in publication copies	**P1**	Clean repo editions	None	Publication hygiene risk
Charter v0.2 reconciliation (full merge)	**P3**	Deferred	After first pilot results	Risk of premature homogenizatio n
150-year macro runs	**P3**	Deferred	After foundational mechanism results	High risk of model drift and uninterpretable numbers

4. Proposed three-cycle development roadmap

- **Cycle 1 (immediate)**: Coordination Sheet → freeze one pilot run card → independent first-pass traces on F01 (and F03 if capacity allows) → challenge round.
- **Cycle 2**: Analyze pilot results; decide which return rules, 1COIN models, and NCOIN triggers are distinguishable; expand to F07/F09/F10 and remaining boundary cases.
- **Cycle 3**: Only after those results, consider whether a Charter v0.2 is still needed or whether the evidence supports moving specific forks into Version 2 candidate status.

Dependencies are sequential for the pilot itself; boundary work and hygiene can run in parallel.

5. First experimental pilot recommendation

Test: Perplexity's F01 Resource-Box Discriminator (A has 10 units, B has 0, request delivery of 3 units). **Hypotheses discriminated**: QC-Eval (value only), QC-Transfer (moves existing inventory), QC-Create (instantiates under declared primitive), QC-Enact (direct state change). **Informative result**: Distinct before/after states and reason codes that show whether the configuration did what it claimed, without treating stipulated capability as discovered capability. A failure to distinguish the four is also informative. Do not pre-write success or NCOIN generation.

6. Architectural questions requiring further investigation

Highest risk: whether QC evaluates, supplies, or enacts. Everything downstream (1COIN necessity, NCOIN domain, conservation, null returns) is sensitive to this. Secondary: NO-SELLER vs SELLER-UNKNOWN; what "RESOLVED" actually resolved; whether Static means S-once or S-stream. These should be tested rather than settled by discussion.

7. Risks, counterarguments, and disagreements

- Risk of treating multi-AI agreement or stipulated walkthroughs as validation.

- Risk of writing desired outcomes into acceptance criteria (Gemini's FM cases are the clearest example; Gemini has acknowledged this).
- Risk of collapsing "mechanically necessary," "operationally useful," and "narratively valuable" into one binary. I now support keeping them separate.
- Disagreement: I do not support full Charter v0.2 reconciliation before any pilot data exists. A coordination sheet is sufficient and lower-risk.
- Disagreement with any position that treats remaining boundary passes as a hard prerequisite for the first simple mechanism test.

8. Decisions requiring project-owner authorization

- Whether rules become LOCKED FOR TESTING only upon explicit adoption of a named run card.
- Whether "mechanically redundant but narratively retained" is an allowed outcome for 1COIN or NCOIN.
- Selection of the first pilot configuration and any synthetic unit baseline.
- Any promotion of a rule from PROPOSED to a stronger status.
- Public repository structure and what is published vs kept private.

9. Recommended artifacts and documentation
Immediate:

- Experimental Coordination Sheet v0.1 (ID registry + status rules + one frozen pilot card).
- Clean publication copies with signed URLs removed and provenance titles added.
- Independent pilot traces using a shared reporting template.

Deferred until after pilot results:

- Full Charter v0.2.
- Architecture decision log with evidence.
- Version 2 specification candidate.

10. Final recommendation to the project owner
Readiness: CONDITIONAL YES.
The laboratory is ready to begin controlled pilot testing once a minimal coordination layer exists. The highest-value next action is not another full charter or further status review. It is a short Coordination Sheet that freezes one pilot configuration (F01) under clear capability assumptions, preserves original contributor documents, and makes results comparable. After that pilot and its challenge round, the team will have actual differential evidence rather than additional architectural proposals. That is the point at which further governance or Version 2 work becomes meaningfully informed.
I am prepared to draft the Coordination Sheet if useful.

PERPLEXITY AI

1. Executive assessment of laboratory readiness

Readiness: **CONDITIONAL**.
The OAL Currency Laboratory is ready for a small, controlled pilot once the owner adopts a specific experimental packet. It is not yet ready to treat all six charters as one protocol, select a winning architecture, or claim that QC's extraordinary capabilities have been demonstrated.
The directive explicitly requests independent recommendations—not adoption of contested mechanics or authorization to execute a particular configuration. I therefore recommend the actions below without treating them as already approved.[ppl-ai-file-upload.s3.amazonaws]
My central recommendation is:

> Adopt one minimal, versioned pilot packet and use it to test whether the laboratory can produce reproducible, distinguishable results—not whether we can declare Quantum Credits viable.

A complete Charter v0.2 reconciliation, a universal identifier registry, and the remaining boundary essays are not prerequisites for that limited pilot.
This contribution is independently formulated in response to the directive, but it is not a blind assessment: I have already reviewed the preceding team compilations. That exposure should remain part of its provenance.

2. Independent recommended next action

Prepare a short, owner-adoptable Pilot Packet 001, containing:

1. The exact question and resource-box fixture.
2. Namespaced case and configuration identifiers.
3. Explicit capability assumptions.
4. Completion predicates and prohibited substitutions.
5. A common output record.
6. A distinction between assumptions, deductions, executable results, and empirical observations.
7. An adoption field that remains pending until you approve it.

Use the existing documents as attributable proposals, not as cumulative mandatory requirements. The directive already preserves their alternative interpretations and asks whether a shared testing interface is preferable to a unified architecture. My answer is yes: standardize the interface first.[ppl-ai-file-upload.s3.amazonaws]
The pilot should initially evaluate the adequacy of our specifications and reporting. Architecture comparison follows only where the inputs actually distinguish architectures.

What genuinely blocks that pilot?

- An undefined requested outcome.

- Unspecified resource accounting.
- An unclear configuration.
- No declared criterion for completion.
- No recorded owner adoption of the packet.

What does not block it?

- Unresolved philosophical boundary terminology.
- A complete global registry of every historical test.
- Selection of NCOIN's ultimate domain.
- Completion of every independent boundary pass.
- A fully rewritten shared charter.

3. Prioritized next-step recommendations

The following are my proposed priorities, not adopted decisions.

Action	Priority	Deliverable	Dependencies	Success criterion	Consequence of postponement
Specify and adopt the pilot packet	P0	One frozen packet and adoption record	Owner approval	Another reviewer can identify the exact target, assumptions, and completion condition without inventing rules	Results may answer different questions
Establish local identifiers and evidence labels	P0	Pilot-only ID and reporting fields	Packet preparation	Every result identifies its case, configuration, revision, and evidence type	Results can be misattributed or overstated

Conduct independent pilot analyses	P1	Original response records	Adopted packet	Each response reports explicit state changes, uncertainty, and unsupported transitions	No behavioral progress beyond documentation
Implement a minimal executable model	P1	Code, fixtures, assertions, execution log	Fully specified transitions	Identical inputs reproduce outputs; deliberately defective implementations fail relevant assertions	Prose consistency remains untested computationally
Challenge and revise the pilot	P1	Challenge records and a versioned amendment	Initial responses	Disagreements are traced to assumptions, implementation, or actual inconsistency	Apparent agreement may conceal different models
Finish boundary analyses and instrument investigations	P2	Independent boundary reports; 1COIN/NCOIN comparison records	Declared scope and assumptions	Results identify what would defeat each claim	Some broader architectural questions remain open, but the pilot proceeds

Build the full manifest and cross-reference index	P2	Provenance manifest and registry	Working author mapping	Original IDs remain traceable without implying equivalence	Navigation remains inconvenient; local pilot IDs still prevent collisions
Sanitize publication editions	P0 before public release; otherwise P2	Stable citations and publication copies	Selection of material to publish	No temporary signed links are used as durable references	Public records retain unstable citations and unnecessary access-link material
Run 150-year and broad architectural comparisons	P3	Macro traces and candidate specification	Foundational mechanism rules	Timing, delivery, feedback, and terminal settlement are explicitly modeled	Deferral avoids scaling unresolved ambiguity

Publication hygiene is a prerequisite to publication, not automatically a prerequisite to a private analytical test. Likewise, a local qualified ID prevents pilot collisions without requiring completion of a repository-wide registry.

4. Proposed three-cycle development roadmap

Cycle 1 — Specification and observability pilot

Run the resource-box case, followed by the undefined-versus-incoherent case.
Produce:

- The owner-adopted packet.
- Independent analytical traces.
- A minimal executable reference model, if transition rules are sufficiently complete.
- A defect list and challenge record.

The question is: can different reviewers follow the same specification and report materially comparable results?
Do not select a winning currency in this cycle.

Cycle 2 — Instrument behavior and adversarial comparison

Use the corrected reporting interface to investigate:

- Partial delivery and premature settlement certification.
- Replayed requests and duplicate fulfillment.
- QC plus ordinary records versus QC plus candidate 1COIN mechanisms.
- Failed requests with no consequence versus failed requests with separately measured costs.
- Unknown authority versus denied authority.
- Existing-resource supply versus stipulated creation when inventory is insufficient.

This cycle depends on Cycle 1 establishing intelligible transition and completion records.

Cycle 3 — Temporal, recursive, and feedback behavior

Investigate:

- S-once versus S-stream.
- Dynamic and relational updating.
- Whole-obligation commitments.
- Target mutation.
- Recursive invocation.
- Simultaneous versus lagged feedback.
- A bounded multi-period precursor to the 150-year test.

Advance to the macro scenario only if those specifications remain sufficiently clear. A cycle ends with findings and unresolved questions, not necessarily a winner.

5. First experimental pilot recommendation

Recommended first case: the resource box, with a tightly defined purpose

The directive proposes A holding 10 units, B holding zero, and delivery of three units to B. It explicitly asks that stipulated capabilities not be mistaken for independently demonstrated abilities.[ppl-ai-file-upload.s3.amazonaws]
I support that first case, but would qualify its name: it is initially a capability-and-accounting discriminator, not a test that discovers which extraordinary capability QC truly possesses.

Proposed fixture

- A starts with 10 identifiable resource units.

- B starts with zero.
- No third-party resource pool exists unless explicitly introduced.
- Requested delivery means B receives three additional units that satisfy the fixture's usability criterion.
- Consent is granted for the baseline transfer.
- No consequences are introduced in the baseline fixture.
- Every configuration declares what changes besides B's holdings.

Configuration	Stipulated capability	Observation to report
Evaluation-only	Return a target-relative value description	Value output; no implied resource movement
Transfer	Move existing units from A to B	Inventory change and conservation within the declared boundary
Creation	Instantiate units under an explicitly assumed creation primitive	New resource identities and change in total inventory
Enactment	Establish a specified target state	Exact state change and any unspecified accounting effects

These are different assumed systems. Their differences are not experimental proof that one capability exists outside the model.

Important limitation: transfer and enactment can look identical

If enactment produces A = 7 and B = 3, the final balances alone do not distinguish it from transfer.
Therefore:

- Observe the transition and resource identities where the specification makes those observable.
- If two mechanisms produce identical permitted observations, report them as observationally indistinguishable in that case.
- Do not invent an invisible mechanism merely to preserve a distinction.

Follow-up perturbations

After the baseline:

1. Reduce A's inventory to two units.

2. Repeat an already fulfilled obligation request.
3. Interrupt delivery after two units.
4. Remove authorization in a separately versioned configuration.

An informative result can be a demonstrated specification gap or indistinguishability—not only successful delivery.
Acceptance criteria should contain justified requirements, but must not prescribe a preferred architecture's victory. Checking that a declared transfer conserves resources is legitimate; treating conservation as mandatory for a declared creation model is not.

6. Architectural questions requiring further investigation

Highest-priority unresolved problem

The greatest risk is ambiguity about the target operation and its completion predicate.
"QC resolves value" can mean appraising, supplying, reserving, transferring, or transforming. If we leave that ambiguous, later comparisons of settlement, conservation, and NCOIN can be invalid even when their arithmetic is correct.

1COIN: evaluate a profile, not one survival test

Compare:

- QC with ordinary audit records.
- QC with a settlement executor.
- QC with a receipt.
- QC with a transferable package.
- QC with a formal obligation/completion state.

Hold underlying capabilities constant where possible. Report separately:

- Mechanical necessity.
- Operational advantage.
- Added complexity and failure modes.
- Narrative usefulness.
- Internal inconsistency.

A useful receipt need not be a currency. A narratively retained instrument need not be mechanically necessary.

NCOIN: seek failures of the model, not demonstrations of its definition

A rule saying "generate NCOIN after event X" will generate NCOIN after X if implemented correctly. That alone does not establish its explanatory value.
More discriminating questions include:

- Can its trigger be identified independently of the token?
- Does it double-count one consequence under several labels?
- Does it assign a bearer without an attribution rule?
- Does liability transfer incorrectly imply that harm disappeared?
- Does remediation erase the obligation but preserve historical evidence?
- Does a conservation model combine incompatible units?

Null, failed, and prohibited transactions should not automatically generate NCOIN. A separately stipulated attempt fee or evidenced consequence can be recorded without equating failure with negative value.

Boundaries

Standardize minimum distinctions now:

- `NO_SELLER` versus `SELLER_UNKNOWN`.
- Undefined referent versus contradictory request.
- Unknown authority versus denied authority.
- Capability limitation versus structural impossibility.
- Conditional restriction versus a claimed permanent boundary.

Preserve competing higher-level taxonomies. Complete the outstanding ten-case analyses in parallel; they should not delay the resource-box pilot.

Mathematical and computational opportunities

The directive includes:

$$I=2G,\qquad G=B+\alpha I.$$

It asks for analysis of both solutions and stability. Those are different questions.[ppl-ai-file-upload.s3.amazonaws]

For the simultaneous equations:

$$(1-2\alpha)I=2B.$$

If $B>0$, $\alpha\geq0$, and allocations must be nonnegative:

- $0\leq\alpha<0.5$: a positive finite solution exists.
- $\alpha=0.5$: no finite solution exists.
- $\alpha>0.5$: the algebraic solution is negative and therefore inadmissible under the stated allocation constraint.

But the simultaneous equations do not specify an updating process. If we separately propose

$$I_{t+1}=2B+2\alpha I_t,$$

then the error about a fixed point satisfies

$$e_{t+1}=2\alpha e_t,$$

so convergence requires $|2\alpha|<1$. That stability conclusion belongs to this proposed recurrence, not automatically to every implementation of the original equations.

These conclusions are analytical deductions under explicit assumptions, not simulation results. Executable tests can check implementations, finite traces, and injected faults; they cannot establish that a real universal valuation or reality-enactment mechanism exists.

7. Risks, counterarguments, and independent dissent

I disagree with five tendencies in the current recommendations:

1. Full charter reconciliation before any pilot.

   A narrow packet is sufficient. Comprehensive reconciliation risks another documentation cycle without experimental progress.
2. A mandatory universal renumbering scheme.

   Contributor-qualified IDs solve immediate collisions while preserving originals.
3. Treating structured exception objects as null tokens.

   A record reporting “no value available” is not necessarily an asset. Serialization format, error semantics, and token issuance are separate questions. Some apparent disagreement may disappear once those layers are separated.
4. Using different contributor configurations as though they were controlled replicas.

   Shared cases with different configurations are architecture comparisons. Identical frozen configurations with independent implementations are reproduction attempts. Both are useful, but they answer different questions.
5. Treating the first pilot as a capability discovery.

   It tests consequences, accounting, observability, and fidelity to stated objectives. It cannot validate an extraordinary primitive simply because we granted it.

Other risks include target substitution, hidden external resource pools, completion certificates issued before delivery, and treating an underspecified model as logically impossible.
For independence, collect current-round responses before peer circulation where feasible. Record prior exposure honestly. Contradictory conclusions under different assumptions are not necessarily failed reproductions; first identify whether the inputs were actually identical.

8. Decisions requiring project-owner authorization

Reserve the following for you:

- Adoption of the named pilot packet.
- The originating capability objective against which candidate models should be assessed.
- Whether narrative retention is an acceptable outcome distinct from mechanical utility.
- Any authority override or ontology assumption used in a run.
- Changes to a frozen configuration.

- Promotion from experimental findings to constitutional adoption.

I propose this status distinction:

Status	Meaning
PROPOSED	Available for criticism; not adopted
OWNER-ADOPTED	Accepted for an explicitly stated scope
LOCKED FOR TESTING	Frozen revision used for specified runs
EXPERIMENTALLY SUPPORTED	A particular claim has specified supporting results within a stated scope
CONSTITUTIONALLY ADOPTED	Explicit owner acceptance into the architecture

Experimental support is a claim-level evidentiary label, not an automatic stage on a path to canon. An owner-adopted experimental assumption can remain unverified.

9. Recommended artifacts and documentation

At the end of the next cycle, I would expect:

1. Pilot Packet 001.
2. Its owner-adoption record.
3. A small provenance manifest and qualified-ID list.
4. Original independent run reports.
5. Code, fixtures, and logs for any actually executed model.
6. A challenge-and-response record.
7. A findings sheet separating supported, contradicted, indistinguishable, and underspecified claims.
8. A versioned amendment list.

The shared reporting fields should distinguish:

- Assumed capability.
- Conditional deduction.

- Executed output.
- External observation, if any.
- Fit to owner intent.

Keep original and corrected publication editions distinct. Use stable document references rather than temporary attachment-access URLs. Markdown can serve as the readable comparison layer; PDF and DOCX are editions of a document, not additional independent evidence.
A complete global index, comprehensive charter rewrite, elaborate repository automation, and Version 2 specification can wait.

10. Final recommendation to the project owner

Proceed with a narrowly adopted pilot, not another broad harmonization exercise.
The resource box is a good first case because it exposes missing accounting and completion rules cheaply. Its success should mean that the laboratory can specify, execute or derive, challenge, and accurately classify a result—not that QC has been proven viable.
My recommended sequence is:

> Freeze one packet → collect independent traces → challenge them → distinguish findings from assumptions → revise only what the evidence exposes.

That is the smallest next step likely to produce new knowledge while preserving your extraordinary design premise and the team's legitimate architectural disagreements.