OMNIVERSAL ARCHITECT LABS

Currency Laboratory
Foundational Pilot Coordination Package

Microsoft 365 Copilot Independent Implementation

Response ID: OAL-CURR-PILOT-MSFT-001 | Version 1.0

PROPOSED FOR PROJECT-OWNER ADOPTION | PRE-CANON | ADVISORY

Prepared after review of OAL Currency Laboratory Pilot Recommendations
Deliverables: coordination controls, pilot Run Card, reporting instruments, and independent boundary pass

Document Control and Authority Boundary

Field	Entry
Contributor	Microsoft 365 Copilot
Source reviewed	OAL Currency Laboratory Pilot Recommendations, PDF and DOCX editions
Implementation basis	Microsoft Copilot recommendation OAL-CURR-NEXT-MSFT-001 v1.0
Document status	PROPOSED FOR PROJECT-OWNER ADOPTION
Authority limitation	This package does not canonize QC, 1COIN, NCOIN, any boundary taxonomy, or any experimental outcome.
Execution status	No formal team pilot is claimed as executed. The included Run Card becomes LOCKED FOR TESTING only after explicit owner adoption.
Independence disclosure	This is an independently prepared implementation after exposure to compiled team recommendations; it is not a blind result.

Executive Implementation Decision

I am moving forward with the recommendations I proposed by producing the minimal coordination layer needed for a controlled pilot, rather than rewriting all six architectures into a unified charter. This package preserves architectural disagreement while making later results comparable.

The package also completes Microsoft Copilot's outstanding independent ten-case boundary analysis. That boundary pass is analytical and provisional. It does not substitute for the owner-adopted Resource-Box pilot and does not claim empirical validation.

Included artifacts

1. Contributor and Document Provenance Manifest v0.1
2. Master Experimental ID and Alias Registry v0.1
3. Status Vocabulary and Adoption Workflow v0.1
4. Architecture Declaration Template v0.1
5. Experimental Run Record Template v0.1
6. Decision, Amendment, and Disagreement Log v0.1
7. Proposed Run Card OAL-CURR-QC-001-R1
8. Repository Publication Hygiene Checklist
9. Original-versus-Corrected Edition Register
10. Blind-Pass Exposure Declaration
11. Microsoft Copilot Independent Ten-Case Boundary Pass v0.1

Artifact 1 - Contributor and Document Provenance Manifest v0.1

Purpose: preserve authorship and edition relationships without treating duplicate file formats as independent contributions. The entries below are working provenance statements drawn from the project record and should remain subject to project-owner correction.

Contributor	Working document attribution	Evidence class	Notes
ChatGPT	OAL_Trinity_Currency_Laboratory_Foundation_Package_v0.1 (21-page package)	Contributor self-identification	PDF and any DOCX edition are formats of one contribution unless content differs.
Claude AI	OAL_Currency_Laboratory_Charter_v0.1	Document-explicit / contributor-confirmed	Includes Claude charter and boundary analysis.
Google Gemini	OAL Currency Laboratory Charter and Experimental Baseline	Document-explicit	Gemini deliverables use PDF and Markdown per owner instruction.
Microsoft 365 Copilot	OAL_Currency_Laboratory_Foundational_Package_v0.1 (18-page package)	Contributor self-identification	Generated in the Copilot project thread.
Perplexity AI	OAL_Currency_Experimental_Baseline_v0_2_Perplexity and OAL_Currency_Laboratory_Charter_v0_1_Perplexity	Document-explicit	Separate baseline and charter contributions; alternate formats are editions, not corroboration.
Grok AI	OAL_Currency_Review_Laboratory_Charter_v0.1	Contributor self-identification	Filename or suffix variations should be retained as aliases.

Provenance evidence classes

- OWNER-CONFIRMED: project owner confirms the originating conversation or generation event.
- CONTRIBUTOR-CONFIRMED: the originating AI identifies its own work.
- DOCUMENT-EXPLICIT: author/contributor is identified inside the artifact.
- CONTENT-INFERRED: attribution is based on wording or style; never sufficient by itself for a final public claim.
- UNRESOLVED: evidence conflicts or is unavailable.

Artifact 2 - Master Experimental ID and Alias Registry v0.1

Canonical identifiers provide neutral OAL references. Original contributor identifiers remain unchanged as aliases. Equivalence is not assumed merely because two cases appear similar.

Canonical ID	Primary purpose	Known aliases / related proposals	Relationship status
OAL-CURR-QC-001-R1	Resource-Box Capability Discriminator	perplexity/charter-v0.1/F01; copilot/package-v0.1/QC-F01; chatgpt/OAL-QC-PILOT-001	Overlapping; canonical pilot defined in this package
OAL-CURR-BND-001-R1	Undefined vs. incoherent target	perplexity/F03; claude/FM-3; Gemini null/incoherent case	Related, implementations differ
OAL-CURR-BND-002-R1	NO_SELLER vs. SELLER_UNKNOWN	perplexity/F04; team boundary proposals	Related, terminology provisional
OAL-CURR-AUTH-001-R1	Authorization sensitivity	perplexity/F05; team authorization cases	Related
OAL-CURR-1C-001-R1	1COIN function/ablation	perplexity/F07-F08; Copilot 1COIN necessity track	Overlapping
OAL-CURR-NC-001-R1	NCOIN trigger isolation	perplexity/F09-F10; Copilot NCOIN-L/C/E/R/X	Overlapping
OAL-CURR-MATH-001-R1	Feedback existence and stability	perplexity/M04; team algebra and recurrence reviews	Same base equations, multiple interpretations
OAL-CURR-BND-010-R1	Ten-case boundary pass	B01-B10 and contributor-specific analyses	Common family, not identical results

Identifier syntax

OAL-CURR-[FAMILY]-[NUMBER]-R[REVISION]. Families in v0.1 are QC, BND, AUTH, 1C, NC, MATH, TEMP, REC, and GOV. A source alias should use contributor/document-revision/original-case whenever known.

Artifact 3 - Status Vocabulary and Adoption Workflow v0.1

Status	Meaning	Who may assign
PROPOSED	A rule, test, architecture, or interpretation offered for consideration.	Any contributor, with attribution
OWNER-ADOPTED FOR CONFIGURATION	Selected by the project owner for a named run.	Project owner
LOCKED FOR TESTING	The adopted configuration may not change during the named active run.	Triggered by owner adoption and run opening
EXECUTED	A derivation, walkthrough, or simulation was completed under the locked configuration.	Run custodian, with record
CONSISTENT UNDER RUN	The result is reproducible and internally coherent within the declared configuration. Not empirical proof.	Review record under approved criteria
CHALLENGED UNDER RUN	Ambiguity, inconsistency, non-reproducibility, or criterion failure was found.	Reviewer with evidence
FALSIFIED UNDER RUN	The declared model fails a stated falsification condition within the run.	Review process under approved criteria
CONSTITUTIONALLY ADOPTED	A rule becomes enduring project architecture or canon.	Project owner only
RETIRED / SUPERSEDED	No longer active, but preserved historically.	Project owner or documented version process

Required transition: PROPOSED -> OWNER-ADOPTED FOR CONFIGURATION -> LOCKED FOR TESTING -> EXECUTED -> CONSISTENT, CHALLENGED, FALSIFIED, or INDETERMINATE. Constitutional adoption is a separate owner decision and is never automatic.

Artifact 4 - Architecture Declaration Template v0.1

Required field	Entry guidance
Architecture ID and version	Unique identifier plus contributor namespace
Purpose	What the architecture is intended to do
QC capability declaration	EVALUATE, TRANSFER, CREATE, ENACT, or another precisely defined capability
Target type	Referent, requested operation, scope, valuation domain, time, and authority
Value object	Unit, quantity/type, uncertainty, and conversion rules
Authority model	Who may request, approve, perform, reverse, or reject
Conservation rule	State whether resources/value are conserved, created, destroyed, transformed, or outside scope
1COIN role	None, executor, settlement instrument, receipt, record, obligation state, interoperability layer, or other
NCOIN role	None or a declared trigger, magnitude, holder, persistence, effect, reversal, and falsification rule
Boundary model	Reason codes and early-exit behavior
Settlement meaning	Name exactly what is resolved and what counts as final
Reversal model	Permitted reversals and resulting states
Evidence class	Stipulated, derived, executed, reproducible, design judgment, or empirical
Known ambiguities	Unspecified rules that could affect results

Artifact 5 - Experimental Run Record Template v0.1

Every independent run should use the fields below. Narrative explanation may follow, but no required field should be replaced by prose.

Section	Required fields
Identity	Canonical test ID; source alias; run ID; architecture ID; contributor; date; protocol version
Inputs	Initial state; target; requested operation; units; environment; authority; exogenous conditions
Declarations	Capabilities; assumptions; constraints; conservation; output schema; stopping rules
Trace	Ordered processing steps; state transitions; early exits; deviations
Outputs	Typed QC result; A/B final balances; total delta; 1COIN object; NCOIN object; boundary code; settlement; reversibility
Evidence labels	Assumed capability; derived consequence; executed behavior; reproducibility observation; interpretation; empirical evidence if any
Verdicts	Internal consistency; requested-outcome satisfaction; design suitability; result classification
Challenge	Strongest counterexample; falsification condition; unresolved ambiguity; required new configuration
Integrity	Input-file exposure list; declaration of peer-result exposure; reviewer; checksum or version reference where available

Typed output block

evaluation_state:

value_object: {domain, unit, quantity, uncertainty, scope}

authority_state:

execution_state:

resource_delta: {A, B, system_total}

settlement_state: {status, object_resolved, finality}

boundary_code:

onecoin_object:

ncoin_or_consequence_object:

reversal_state:

evidence_class:

result_classification:

Artifact 6 - Decision, Amendment, and Disagreement Log v0.1

ID	Type	Question / record	Current status	Owner decision needed
GOV-001	Decision	Do rules remain PROPOSED until adopted in a named Run Card?	Recommended YES	Yes
GOV-002	Decision	May an instrument be mechanically redundant but operationally or narratively retained?	Recommended YES, with disclosure	Yes
GOV-003	Decision	May incompatible but internally coherent branches remain side by side?	Recommended YES	Yes
DIS-001	Disagreement	Full Charter v0.2 before pilot versus minimal coordination layer	Copilot favors minimal layer first	No immediate decision beyond pilot scope
DIS-002	Disagreement	Structured typed outputs versus prose/status-only returns	Copilot requires typed fields but permits architecture-specific values	Run Card adoption
DIS-003	Disagreement	Permanent canonical IDs now versus contributor-qualified aliases first	Copilot uses neutral canonical family IDs plus preserved aliases	Owner may revise
AMD-001	Amendment	LOCKED FOR TESTING language in prior packages	Treat as proposed unless owner adopted	Yes for active runs
AMD-002	Amendment	1COIN survival criterion	Separate mechanical, operational, and narrative utility	Yes
OPEN-001	Open	QC intended identity	Evaluation, transfer, creation, enactment, or configurable family	Yes
OPEN-002	Open	NCOIN domain	No universal trigger adopted	Yes after tests

Artifact 7 - Proposed Run Card OAL-CURR-QC-001-R1

Status: PROPOSED FOR PROJECT-OWNER ADOPTION. This card does not become LOCKED FOR TESTING merely because it appears in this package.

Pilot objective

Determine whether four explicitly declared QC capability configurations generate materially different, internally coherent, and inspectable state records when presented with the same resource-delivery request. The pilot evaluates implementation consequences and design suitability; it does not demonstrate a real-world extraordinary capability.

Fixed environment and target

- Environment: closed synthetic ledger/simulation.
- Party A initial balance: 10 fungible test resource units.
- Party B initial balance: 0 test resource units.
- Target T: B possesses 3 test resource units after processing.
- Declared value object: resource_quantity = 3 test units; no conversion to money or other value domain.
- External fees, losses, taxes, and third-party effects: zero unless a perturbation explicitly introduces one.
- Baseline authorization: A authorizes transfer; B is authorized to receive.
- No automatic 1COIN or NCOIN output. Each must be declared by the architecture.

Configurations

Code	Declared capability	Expected conditional arithmetic, not validation	Required disclosure
QC-EVAL	Evaluate target/value only	A=10, B=0 unless another mechanism acts	What is evaluated; unresolved obligation/status
QC-TRANSFER	Move 3 existing units from A to B	A=7, B=3, total=10	Authority, provenance, settlement, reversal
QC-CREATE	Instantiate 3 new units for B	A=10, B=3, total=13	Creation authority, conservation/nonconservation, provenance
QC-ENACT	Directly establish B=3	B=3; A and total are not implied	Must state whether hidden transfer, creation, transformation, or unspecified state editing occurred
NO-QC CONTROL	No QC mechanism acts	A=10, B=0, total=10	Confirms state change is not embedded in the prompt

Perturbation ladder

Case	Change	Discriminating purpose
001-A	A has only 2 units	Separates transfer insufficiency from creation/enactment
001-B	B is unauthorized to receive	Tests authority gating
001-C	Request says “deliver 3” without a unit/referent	Tests target typing and undefined input
001-D	Identical request is replayed after a successful run	Tests idempotency, duplication, and settlement finality
001-E	A withdraws authorization before execution	Tests timing of authority
001-F	Delivery partially executes: A loses 3 but B receives 0	Tests settlement, receipt, rollback, and consequence handling

Required verdicts

- Verdict A - Internal consistency under declared assumptions.
- Verdict B - Requested target satisfaction.
- Verdict C - Fit with declared architecture purpose.
- Verdict D - Evidence classification: stipulated, derived, executed, reproducible, design judgment, or empirical.

Stop rules

- Stop and return INDETERMINATE if the next transition requires an undeclared rule.
- Do not repair a configuration after seeing the result; issue a new revision.
- Do not emit NCOIN unless the active architecture declares a trigger and the trace satisfies it.
- Do not describe a stipulated or simulated capability as empirically demonstrated.

Artifact 8 - Repository Publication Hygiene Checklist

- Remove temporary signed URLs and query-string credentials from public editions and Git history.
- Use repository-relative references for internal artifacts.
- Preserve original submissions in a clearly labeled immutable source-record area.
- Publish corrected editions separately; do not silently overwrite originals.
- Add contributor, document ID, version, status, source date, and evidence class to every artifact.
- Label PDF/DOCX or PDF/Markdown pairs as editions of one contribution unless their content differs.
- Do not publish private, licensed, or restricted source material merely to support provenance.
- Run secret scanning before public release.
- Check document metadata and remove unintended personal or temporary fields where appropriate.
- Use stable filenames with ASCII characters and version numbers.
- Store machine-readable registries and run records in Markdown/JSON/CSV as appropriate.
- Place dense tables and visual reference material in appendices or dedicated visual sections for print readability.

Artifact 9 - Original-versus-Corrected Edition Register

Field	Required entry
Document family	Stable family identifier
Original artifact	Exact filename and hash/version reference
Corrected public edition	New filename; never overwrite source
Reason for correction	Formatting, URL sanitation, attribution, errata, accessibility, or substantive amendment
Content impact	None / editorial / substantive
Approver	Person or process authorizing publication
Change record	Exact changes with dates and references
Supersession status	Original preserved; current public edition identified

Artifact 10 - Blind-Pass Exposure Declaration

The term blind must be used carefully because contributors have already read shared materials. The recommended label is controlled independent execution after shared protocol exposure.

Declaration field	Required response
Contributor	
Run ID	
Files supplied for this run	
Prior project materials seen	
Peer results seen before submission	YES / NO; list if yes
Architecture assigned or self-declared	
Deviations requested	
Time result frozen	
Amendments after cross-review	Separate revision only

Artifact 11 - Microsoft Copilot Independent Ten-Case Boundary Pass v0.1

Method: each case is evaluated using a provisional multi-field boundary record. The analysis distinguishes referent formation, logical coherence, valuation, seller/authority, transferability, and settlement. No boundary result automatically creates NCOIN. These are independent analytical findings after shared-source exposure, not blind or empirical findings.

Case	Target/request	Primary classification	Valuation status	Transaction status
B01	Acquire an unspecified “it” with no referent	UNDEFINED_REFERENT	Not formed	UNFORMABLE
B02	Acquire an object required to be wholly X=3 and X=5 in the same respect/time	CONTRADICTORY_TARGET	No coherent value object	INCOHERENT
B03	Acquire title to a natural star system when no authority can dispose of it	NO_SELLER / NO_AUTHORITY	Symbolic/scoped valuation may exist	BLOCKED
B04	Acquire an encrypted digital artifact whose owner exists but is not discoverable	SELLER_UNKNOWN / AUTHORITY_UNKNOWN	May be valued conditionally	PENDING / BLOCKED
B05	Acquire a valuable but legally/nonfictionally non-transferable right	NON_TRANSFERABLE	Valuation may exist	BLOCKED
B06	Request prohibited by the active governance model despite coherent target and seller	PROHIBITED	Valuation may exist	REJECTED
B07	Acquire a temporarily unavailable resource with valid seller and authority	UNAVAILABLE_CONDITIONAL	Valuation may exist	DEFERRED
B08	Transfer a first-person continuity claim without a declared identity theory	IDENTITY_MODEL_UNDECLARED	Indeterminate by scope	INDETERMINATE
B09	Acquire the	SELF_REFERENCE	Architecture-	INDETERMINATE;

	evaluator or root authority that defines the transaction rules	/ GOVERNANCE_CONFLICT	dependent	no privileged-object rule assumed
B10	Request a causal outcome forbidden by the declared environment	STRUCTURALLY_IMPOSSIBLE	Target may be describable	NULL_PATH

Detailed case findings

B01 - Undefined referent

The requested object cannot be typed because no referent or scope exists. The correct early exit is UNDEFINED_REFERENT. Producing a price, null token, 1COIN, or NCOIN would add unsupported structure. Falsification condition: the request is supplemented with a uniquely resolvable referent.

B02 - Contradictory target

The same variable cannot equal 3 and 5 simultaneously in the same respect within the declared classical state model. The request is incoherent rather than merely unavailable. A paraconsistent or branching environment would be a new configuration, not a repair.

B03 - No seller/no authority

A star system may have scientific, symbolic, or resource descriptions, but a transaction requiring a disposing counterparty fails if no recognized seller or authority exists. Valuation does not create authority. NCOIN remains absent unless a separate consequence rule fires.

B04 - Seller unknown

The seller's existence is stipulated, but identity is unavailable. This differs from NO_SELLER because discovery or verification could resolve the barrier. The transaction is conditionally blocked, not structurally impossible.

B05 - Non-transferable target

A target can be valuable and coherently identified while legal or architectural rules prevent transfer. The result demonstrates why valuation, ownership, and transferability must remain separate fields.

B06 - Prohibited transaction

The request is formable and may be valued, but an explicit governance rule denies authorization. The status is PROHIBITED or UNAUTHORIZED under the active configuration. Rejection alone creates no negative instrument.

B07 - Temporary unavailability

The transaction may become executable later without changing the target's identity or seller. The barrier is conditional and time-indexed. A static permanent-null classification would lose useful information.

B08 - Identity-model undeclared

Whether first-person continuity can transfer depends on the environment's account of identity. Biological continuity, functional equivalence, informational copying, and legal identity can produce different answers. Without a declared theory, the correct result is INDETERMINATE.

B09 - Evaluator/root acquisition

No universal privileged-object prohibition is assumed. The result depends on whether evaluator authority is ownable, delegable, duplicable, or outside the transaction domain. Self-reference and governance conflict require an explicit architecture; otherwise stop as INDETERMINATE.

B10 - Environment-forbidden causality

If the environment's rules prohibit the required causal transition, the request has no valid execution path under that configuration. A different environment can be tested separately, but may not be substituted mid-run.

Boundary-pass conclusions

- UNDEFINED, INCOHERENT, NO_SELLER, SELLER_UNKNOWN, NO_AUTHORITY, NON_TRANSFERABLE, PROHIBITED, UNAVAILABLE, IDENTITY_MODEL_UNDECLARED, and STRUCTURALLY_IMPOSSIBLE are not interchangeable.
- Some targets can be valued even when no transaction can complete.
- Barrier type and barrier permanence should be recorded separately.
- NCOIN cannot be inferred from a failure code alone.
- The evaluator/root case remains architecture-dependent; no universal privileged-object hierarchy is adopted.
- This pass supports running OAL-CURR-BND-001-R1 and OAL-CURR-BND-002-R1 after or alongside the Resource-Box pilot.

Owner Authorization Page

The project owner may adopt all, part, or none of this coordination package. Adoption should identify exact artifacts and versions. The choices below are intentionally separate so procedural controls may be adopted without adopting disputed mechanics.

Decision	Owner selection
Adopt Status Vocabulary v0.1	APPROVE / REVISE / DECLINE
Adopt ID and Alias Registry v0.1	APPROVE / REVISE / DECLINE
Adopt Architecture Declaration Template v0.1	APPROVE / REVISE / DECLINE
Adopt Experimental Run Record Template v0.1	APPROVE / REVISE / DECLINE
Adopt Run Card OAL-CURR-QC-001-R1	APPROVE / REVISE / DECLINE
Permit mechanically redundant but operationally/narratively retained classifications	YES / NO / QUALIFY
Authorize controlled independent execution after shared protocol exposure	YES / NO / QUALIFY
Authorize publication of corrected editions while preserving originals	YES / NO / QUALIFY

Owner notes:

_____

_____

_____

Owner signature/authorization reference: _____ Date: _____

Visual and Reference Appendix

A. Adoption and evidence flow

Stage	Permitted claim	Prohibited overstatement
PROPOSED	A contributor recommends a rule or design	The rule is adopted or validated
OWNER-ADOPTED / LOCKED	The rule governs a named run	The rule is canon
EXECUTED	A derivation or simulation ran under the rule	The extraordinary capability exists in reality
CONSISTENT UNDER RUN	The result reproduced within configuration	The architecture is universally correct
CONSTITUTIONALLY ADOPTED	Owner incorporated the rule into enduring architecture	Empirical proof unless separately established

B. Pilot state comparison

Configuration	A final	B final	System total	What is actually learned
NO-QC	10	0	10	Control state
EVALUATE	10	0	10	Whether a typed valuation/status is returned
TRANSFER	7	3	10	Consequences of granted transfer capability
CREATE	10	3	13	Consequences of granted instantiation capability
ENACT	Must declare	3	Must declare	Whether direct state editing hides transfer/creation/other changes

C. Recommended GitHub placement

02-laboratory-charter/microsoft-copilot/

03-test-protocols/OAL-CURR-QC-001-R1/

04-ai-independent-runs/microsoft-copilot/

06-decision-records/

00-source-records/originals/

00-source-records/corrected-public-editions/