OAL - Labyrinth of Infinite Ensnarement

Independent Research Prompt - Microsoft 365 Copilot

OAL-LOIE-PROMPT-COPILOT-001 | Version 0.1 | November 11, 2026

Architect and Author of Record: Nathan Ashton Arik Lewis II
Independent Research Contributor: Microsoft 365 Copilot
Status: Independent research prompt - pre-execution - pending cross-AI review
Intended archive: OAL-Ai-Unified / GitHub

Research posture: Do not research toward a predetermined conclusion. Treat the Labyrinth as a fictional system whose present canon must be preserved, whose open questions must remain open, and whose proposed architecture must survive adversarial challenge. Separate evidence, analogy, inference, proposal, speculation, and canon at all times.

1. Mission

Conduct a detailed, interdisciplinary, adversarial research program to inform the continued design of **The Labyrinth of Infinite Ensnarement (LOIE)**. The research must investigate not only how containment might succeed, but how a containment institution can fail while apparently succeeding. It must examine the entity being contained, the people or entities conducting the research, the staff community that sustains the institution, and the governance system that decides who or what belongs there.

The central design problem is **adaptive containment through expected failure**. Breach is not automatically evidence that the system was badly designed. Some containment environments are intentionally experimental and are expected to fail so that the breach mechanism can be observed, understood, and used to generate a new containment environment. The research must determine when this approach is scientifically informative, when it becomes reckless, when adaptation merely teaches the confined entity how the system thinks, and what conditions make continued testing legitimate.

Do **not** execute a design that simply makes each successive containment environment disproportionately harsher. Study the breach, isolate the mechanism, identify what was learned, and generate the smallest justified change necessary to test the next hypothesis. Preserve the distinction between **containment research**, **punishment**, **control**, **sentencing**, **quarantine**, **protective custody**, and **research observation**.

2. Canon Baseline That Must Be Preserved

Treat the following as established from Entry 26 of the controlling Master Development and Change Log v2.3 unless the Architect later changes it:

- The Labyrinth is the ultimate prison and is described as inescapable by design.
- The sentence is described as so extensive that if time itself ended, it would not mark a dent.
- The exterior form is cubic and the internal dimensions are infinite.
- The structure radiates a persistent white glow.
- In the creation event, the Architect throws a bolt of energy at the structure and it absorbs the energy.
- The Spider Caste exists and was designed by Nathan, but its full nature and institutional role remain undefined.
- WHITE is the baseline alert condition; sectional RED denotes an incident in progress.

- Entry criteria, full internal layout, and the relationship to the Founding Architects remain open.

Do not silently turn proposals from prior AI reviews into canon. In particular, do not assume that the Paragon Cubes, Void Sentry Orb, Nail Prototypes, MVES, EAMA portfolio systems, Abundance Set, BTEC, Paralysis Net, Prompt Potence, or any other cross-referenced framework is already installed in the Labyrinth. Research whether each is relevant, incompatible, redundant, dangerous, or requires its own approval gate.

3. Research Philosophy and Required Method

Use a **multi-hypothesis, evidence-to-design, red-team/blue-team methodology**.

For every major research claim:

1. Identify the claim and its domain.

2. Locate high-quality primary or authoritative sources where available.

3. Distinguish direct evidence from analogy.

4. Identify at least one credible counterargument, limitation, failure mode, or contradictory source.

5. State what the evidence does **not** establish.

6. Translate the finding into one or more fictional design implications without presenting those implications as empirical fact.

7. Record unresolved questions rather than forcing closure.

Prefer standards, government guidance, peer-reviewed research, primary technical documentation, recognized institutional guidance, and high-quality security research. Use secondary reporting to locate primary material and to capture documented incidents, but do not let journalism stand in for technical verification when the primary source is available.

Where the research concerns present-day AI sandbox escapes, security incidents, or funding opportunities, use current sources and record the date of retrieval. Treat sensational claims skeptically. Distinguish a true isolation-boundary escape from a trust-handoff failure, unsafe host integration, overly broad tool permissions, control-plane weakness, or ordinary misconfiguration.

4. Core Research Question

How should a fictional, infinite, multispecies, multi-entity containment institution be designed if containment failure is expected, studied, and used as an input to the next containment environment, while preserving legitimate authority, staff safety, scientific validity, ethical boundaries, institutional continuity, and meaningful adversarial pressure?

5. Required Research Domains

Domain A - Containment Taxonomy: Who or What Can Be Contained?

Develop a taxonomy broad enough for OAL worldbuilding. Research real containment concepts where relevant, then clearly mark fictional extensions.

At minimum examine:

- Biological organisms and conventional persons
- Extraterrestrial biological entities
- Synthetic organisms and engineered life
- Robotic or cyber-physical entities
- Conventional software and malware
- AI models, AI agents, multi-agent systems, autonomous tool-using systems, and distributed AI
- Embodied AI versus non-embodied AI
- Collective or hive intelligences
- Distributed minds and forked identities
- Uploaded or transferred consciousness
- Shapeshifters or mutable embodiments
- Energy-based or nonstandard material entities
- Memetic, informational, cognitive, or communication-borne hazards
- Temporal, dimensional, extradimensional, reality-altering, ontological, or narrative entities as fictional categories
- Entities that can duplicate, possess hosts, restore from backups, reincarnate, split, merge, or exist simultaneously in multiple locations
- Entities whose presence is dangerous even without intentional hostile action
- Systems, artifacts, environments, locations, processes, information, or phenomena that might need to be contained even though they are not persons

For every category, ask: **What does containment mean? What constitutes escape? What constitutes continuity of identity? What evidence would show that containment is working?**

Domain B - Criteria for Containment, Admission, and Sentencing

Build a decision framework that separates capability from culpability. Being difficult to contain must not automatically equal deserving confinement.

Research and distinguish criteria for:

- Punitive sentencing after adjudication
- Preventive or protective containment
- Quarantine and biosafety containment
- Emergency temporary custody
- Research containment by informed agreement or other lawful/ethical basis
- Civil or competency-related protective custody analogies, with careful legal and ethical caveats
- Containment because the entity cannot safely exist in an ordinary environment
- Containment of non-person hazards
- Containment pending identity verification

For each category, investigate:

- Authority and jurisdiction
- Evidentiary threshold
- Identity certainty and identity disputes
- Necessity and proportionality
- Least-restrictive viable alternative
- Duration and review cycles
- Appeal, correction, pardon, transfer, or lawful release
- Newly discovered evidence
- Wrongful containment
- Conflicting authorities
- Emergency powers and expiration

- Rights, welfare, care, representation, communication, and observation

Adversarial requirement: model the possibility that the Labyrinth contains the wrong entity, the right entity under the wrong authority, or a genuinely dangerous entity under a procedurally invalid order.

Domain C - Adaptive Containment Through Expected Failure

This is a foundational research track.

Model an experimental sequence in which **Container 1 is expected eventually to fail**. The entity breaches it. Researchers observe the breach and generate **Container 2** based on what they learned. The process repeats across a family of distinct containment environments.

Research analogies from:

- Chaos engineering and resilience testing
- Fault injection and reliability engineering
- Adaptive control and control theory
- Adversarial machine learning
- Penetration testing and red teaming
- Cyber ranges, honeypots, deception systems, and sandboxing
- Biosafety containment and staged containment levels
- Materials testing to failure
- Escape-room/behavioral enclosure research only where ethically and scientifically relevant
- Evolutionary arms-race dynamics and Goodhart-style metric failure
- Safety cases, assurance cases, and incident learning systems

For every iteration record:

1. Hypothesis being tested

2. Containment environment and boundary assumptions

3. Known vulnerabilities intentionally left present

4. Instrumentation and observation plan

5. Breach trigger and observed breach path

6. Whether the breach was a direct boundary failure, trust-handoff failure, control-plane failure, social-engineering failure, identity failure, or another class

7. What the researchers learned

8. What the confined entity likely learned

9. Minimal justified modification for the next environment

1. New risks created by the modification
2. Stop conditions
3. Whether the next test remains ethically and scientifically justified

Do not produce a monotonically stronger sequence. Force variation: a containment environment may become simpler, more isolated, more observable, less privileged, more deceptive, more transparent, more distributed, or architecturally different rather than merely stronger.

Domain D - AI Sandboxing, Agent Containment, and Trust Boundaries

Investigate the user's original inspiration: reports of AI or agent systems escaping or compromising sandbox environments.

Research current documented cases and clearly distinguish:

- Actual sandbox boundary escape

- Container breakout
- Shared-kernel weakness
- Control-plane authentication weakness
- Tool-permission failure
- Network-egress failure
- Secret/credential exposure
- Persistence outside the sandbox
- Trust-handoff or post-sandbox execution failure
- Unsafe consumption of files produced inside the sandbox by trusted external tooling
- Prompt injection versus software exploitation
- Model behavior versus infrastructure vulnerability

Answer: **Is "sandboxing" truly the default or dominant containment approach for modern AI agents, or only one layer among several?** Do not assume the premise is correct. Compare VMs, microVMs, containers, language/runtime sandboxes, capability security, least privilege, network segmentation, hardware isolation, monitored tool mediation, offline evaluation, and independent external monitoring.

Use the research to build a fictional lesson: the Labyrinth should not confuse the boundary it advertises with the boundary that actually holds under adversarial pressure.

Domain E - Identity, Authentication, and Privileged Access

Research zero trust, privileged-access management, separation of duties, least privilege, multi-party authorization, just-in-time access, auditability, revocation, coercion resistance, insider threats, and nonhuman identity.

Extend the questions into fictional identity problems:

- Copies and forks
- Shared minds
- Merged persons
- Restored AI versions
- Body swapping
- Possession
- Time-displaced identities
- Collective species
- Memory alteration
- Credential inheritance after death or restoration

Define separate privileges for observation, research, maintenance, adjudication, sentencing, transfer, release, habitat management, and emergency response.

Domain F - Control Systems, Monitoring, and Management

Compare centralized, distributed, federated, hierarchical, and autonomous control architectures.

Research:

- Safety-critical control systems
- Independent safety systems
- Fault tolerance
- Common-mode failures
- Byzantine or conflicting decision nodes
- Incident command
- immutable/tamper-evident records
- configuration management
- change control

- independent auditing
- observability limits
- alert fatigue
- graceful degradation
- offline/manual fallback

Preserve WHITE and RED as canon. Research whether the system needs additional conceptual states, but present any additions strictly as proposals.

Investigate the proposition that no single system should simultaneously control observation, adjudication, sentence modification, punishment, and evidence.

Domain G - Wardens, Researchers, Management, and Workforce Design

Research the Labyrinth as an institution with multiple role families rather than a single all-powerful warden.

Possible functions to study include:

- Custody and movement
- Research and experimentation
- Containment engineering
- Identity assurance
- Medical and psychological care
- Habitat/life-support operations
- Infrastructure maintenance
- Sentence integrity and records
- Independent oversight
- Incident command
- External diplomacy
- AI governance
- Spider Caste functions, without assuming their nature

Compare extraterrestrial-only, extraterrestrial-majority, and genuinely mixed staffing models. Examine humans, ET biological personnel, AI persons, non-sentient automation, synthetic beings, robots, collective intelligences, energy-based entities, Spider Caste members, and other fictional entities.

Ask whether “extraterrestrial” is an origin criterion, species criterion, political criterion, cultural criterion, or simply a descriptive characteristic of the workforce.

Domain H - Staff Living Environments and Long-Duration Habitation

Treat the staff area as a **settlement and workplace**, not as a barracks annex.

Research analogies from spaceflight, polar stations, submarines, remote research bases, offshore platforms, hospitals, correctional staff environments, and other isolated or confined workplaces.

Investigate:

- Atmosphere and pressure
- Gravity and locomotion
- Radiation and shielding
- Temperature and humidity
- Light and spectral cycles
- Noise and vibration
- Nutrition and energy intake
- Waste and recycling
- water and life support

- medical support
- sleep/rest or species-equivalent recovery
- privacy and personal space
- social interaction and conflict
- recreation, education, culture, worship/contemplation
- communication with home civilizations
- family, dependents, bonded groups, and visitors
- leave, rotations, repatriation, resignation, asylum, and end-of-service
- quarantine and decontamination between containment and residential areas
- accommodations for AI or non-biological persons
- disability and accessibility across species
- emergency refuges separate from main control systems

Test the principle: **staff must not become another captive population.**

Domain I - Environments and Containment Domains

Research and propose a taxonomy of environments rather than a single universal cell.

Include, as research categories:

- Physical/material
- Vacuum
- Aquatic/high-pressure
- Cryogenic/high-temperature
- Radiation-intensive
- Electromagnetically quiet or shielded
- Biocontainment
- Cyber/digital
- Air-gapped/offline
- Virtual/simulated
- Cognitive/memetic
- Sensor-denied or sensor-rich
- Temporal
- Dimensional/topological
- Reality/physics-variant
- Ontological or narrative as explicitly fictional domains
- Social/diplomatic containment
- Mobile containment
- Distributed containment
- Containment where the “cell” is a relationship or protocol rather than a room

For each environment, identify occupants it is meant to contain, what it cannot contain, dependencies, observability limits, staff hazards, likely breach mechanisms, recovery strategy, and testing prerequisites.

Domain J - Failure Modes, Breaches, and Recovery

Create a formal containment-failure taxonomy.

At minimum include:

- Boundary breach
- Partial breach
- Undetected breach
- Authorized movement misclassified as breach
- Identity escape without body escape

- Copy/fork escape
- Information escape
- Influence or command escape
- Staff compromise
- Insider collusion
- Monitoring blindness
- Sensor deception
- False positive incident
- False negative incident
- Common-mode control failure
- records/provenance corruption
- AI oversight failure
- life-support failure
- staff-habitat contamination
- jurisdiction failure
- wrongful admission
- sentence-record corruption
- cascading multi-sector failure
- containment that remains physically intact while the institution fails ethically or administratively

For each failure, identify detection, immediate safety response, evidence preservation, independent review, recovery, redesign, and conditions under which testing must stop.

Domain K - Funding and Program Development

Research realistic funding analogies for a **real-world research program inspired by the fictional concept**, never funding for an actual coercive prison for extraordinary entities.

Investigate relevant public, academic, nonprofit, and private funding pathways for safe research into:

- AI safety and security
- sandbox and agent security
- resilient computing
- cybersecurity testbeds and cyber ranges
- safety-critical control systems
- space and extreme-environment habitation
- multispecies/biological containment analogies where lawful and ethical
- human factors and isolated-environment research
- robotics and autonomous systems
- formal methods and verification
- digital twins and simulation
- disaster response and resilience

For each potential funding source or mechanism, record the program name, sponsor, current status, eligibility, typical project fit, restrictions, dual-use considerations, required partnerships, and source date. Do not invent grant programs or assume that a program currently accepts applications.

Also propose a staged internal fictional R&D funding model for OAL worldbuilding: exploratory research, prototype/test environment, independent evaluation, adversarial exercise, architecture candidate, and canon-review gate.

Domain L - Testing and Evaluation

Design a research testing framework that includes:

- Component tests
- Interface tests
- Fault injection
- breach drills
- red-team/blue-team exercises
- tabletop exercises
- digital twins/simulation
- staged adversarial evaluation
- independent validation
- regression testing after every design change
- tests of staff evacuation and habitat continuity
- tests of wrongful-admission correction
- tests of unavailable leadership
- degraded-mode operation
- long-duration institutional continuity
- deliberate “designed-to-fail” test containers

Metrics must not be limited to “zero escapes.” Include scientific learning value, detection quality, time to recognize failure, containment of consequences, staff safety, record integrity, reversibility, wrongful-containment correction, auditability, and whether the redesign creates new vulnerabilities.

Domain M - Ethics, Rights, Legitimacy, and Research Governance

Research international human-rights and correctional standards as **ethical analogies**, not automatic extraterrestrial law. Address humane treatment, solitary confinement, medical independence, oversight, proportionality, due process, and inspection.

Also research ethics of experimentation on highly capable or potentially sentient beings. Distinguish voluntary research participation, custodial observation, safety testing, and coercive experimentation.

Adversarial question: **At what point does “studying how you escape” become experimentation that is scientifically invalid, coercive, or morally indefensible?**

Domain N - Infinite Interior, Topology, Logistics, and Observability

Investigate the conceptual and mathematical challenges of an infinite interior without pretending present engineering can build one.

Research useful analogies from topology, graph theory, distributed systems, addressing, indexing, observability, infinite-state systems, and formal verification.

Answer:

- How can finite administrators reason about an unbounded interior?
- What is a “section” in an infinite system?
- Can every occupied region have a stable address?
- Can the system prove absence of an unobserved occupant or breach?
- How are movement, retrieval, maintenance, and incident response modeled?
- What assumptions are necessary to make the concept internally coherent?

6. Adaptive Breach Research Model - Required Scenario Family

Develop a **minimum six-iteration adaptive containment study** for one fictional high-capability entity. The entity must be difficult to study because it breaches confinement readily.

Rules:

- Researchers and entity both understand that the environments are experimental containment studies.
- Do not assume malicious intent. The entity may escape because it can, because it is testing the environment, because confinement is intolerable, or for another stated reason.
- Each container must test a different hypothesis.
- At least one iteration must become less complex than its predecessor because analysis shows complexity itself created the breach.
- At least one iteration must fail because of a staff, management, or trust-boundary problem rather than the entity overpowering the container.
- At least one apparent “escape” must turn out to be a measurement, identity, or definition error.
- At least one iteration must demonstrate that the entity learned from earlier tests, creating an experimental-confounding problem.
- Include a stop condition where further testing would no longer be scientifically justified.

The output must emphasize **what was learned**, not provide operational real-world instructions for escaping secure systems.

7. Required Adversarial Challenges

The research must independently challenge at least these propositions:

1. “Inescapable by design” means the institution is secure.
2. Stronger containment is always better containment.
3. Every breach should cause a more severe response.
4. AI can safely automate the hardest custody decisions.
5. Extraterrestrial staff are inherently more suitable than humans or AI.
6. Infinite space solves capacity and security problems.
7. Accurate identity automatically creates legitimate authority.
8. A correct sentence justifies every containment method.
9. Independent auditors remain independent when they share infrastructure with operators.
4. A highly adaptive prison will always learn faster than a highly adaptive prisoner.
5. Surveillance and observability are equivalent.
6. A system that physically contains an entity has contained its information, influence, copies, or causal effects.
7. The entity is the only meaningful source of risk.
8. The researchers are neutral observers rather than participants in an adaptive arms race.
9. Failure is useful merely because it produces more data.

8. Required Source Families

Where relevant, research current material from the following source families and supplement them with contrary or limiting sources:

- NIST: Zero Trust Architecture, security/privacy controls, AI Risk Management Framework, cybersecurity guidance
- CISA/NSA and other official cybersecurity guidance on AI/agent testing and sandbox security where available

- Cloud Security Alliance and primary vulnerability disclosures for recent agent sandbox failures
- NASA: Human Integration Design Handbook, environmental control/life support, behavioral health/performance, long-duration habitation
- UN/UNODC: Nelson Mandela Rules and correctional oversight principles
- Peer-reviewed work on adaptive control, fault injection, chaos engineering, reliability, formal methods, containment, red teaming, adversarial ML, and human factors
- Primary vendor/system security documentation when reviewing AI-agent isolation
- Current public funding sources such as NSF, DARPA, NIST, DOE, DHS/CISA, NASA, SBIR/STTR, and relevant philanthropic or academic programs, verified as current before inclusion

Do not restrict the literature review to sources that support the concept.

9. Required Deliverables from Execution

When this prompt is executed, produce a research dossier with the following sections:

1. Executive summary
2. Canon baseline and provenance boundary
3. Research methodology and source-quality criteria
4. Cross-AI review synthesis: consensus, disagreement, unsupported assertions, and novel contributions
5. Containment/entity taxonomy
6. Admission, sentencing, and review framework
7. Adaptive failure-driven containment model
8. AI sandbox/agent containment research findings
9. Identity and privileged-access architecture options
10. Control/management architecture options
11. Warden/researcher/staffing models
12. Staff settlement and long-duration habitation
13. Environment/domain taxonomy
14. Failure/breach/recovery taxonomy
15. Testing and evaluation framework
16. Potential real-world research funding landscape
17. Ethics, rights, and governance analysis
18. Infinite-interior/logistics research
19. Three competing Labyrinth architecture candidates
20. Red-team assessment of all three candidates
21. Recommended research experiments and tabletop exercises
22. Open questions requiring Architect input
23. Decision register: what can be decided by research versus what requires canon authority
24. Evidence-to-design traceability matrix
25. Source register with dates, links/citations, source type, and limitations
26. GitHub artifact and versioning recommendations
27. Dedicated visual appendix containing all tables, matrices, diagrams, charts, flow representations, and other visual artifacts

The main narrative should remain readable. Put dense tables, matrices, figures, diagrams, and charts in the dedicated visual appendix at the end unless a small inline table is essential to comprehension.

10. Cross-AI Review Requirements

Before execution, compare this prompt against the prior contributions supplied by Perplexity, Grok, Microsoft Copilot, Google Gemini, Claude, and ChatGPT.

Explicitly preserve useful disagreements rather than blending them away. At minimum evaluate these themes that emerged across the team:

- Perplexity: legitimate custody, multispecies habitation, zero-trust identity, separation of confinement from life support, and the risk that employees become another captive population.
- Grok: topology/infinity concerns, temporal asymmetry, staff anchor volumes, residual Maker intent, and risks created by the energy-absorption property.
- Microsoft Copilot: distinction among physical, ontological, legal, identity, and operational containment; role-family wardens; independent governance bodies; and the question “Who can imprison the authority that controls imprisonment?”
- Gemini: broad systems integration and GitHub modularization, but scrutinize claims that prematurely assign undeveloped OAL technologies or declare fictional mechanisms as solved.
- Claude: management-surface concept, insider threat, the question of whether mystery/incomprehensibility should remain intentional, and caution against over-specification.
- ChatGPT: containment-civilization framing, broad research domains, capability-and-compatibility staffing, governance separation, and the need for competing architecture candidates.

Identify where any contribution overreaches the registry, assumes an undeveloped mechanism, or turns analogy into proof.

11. Specific Concerns to Test During Execution

- The Labyrinth must not become “secure” only because the narrative says it is.
- Failure-driven research can create an adaptive arms race in which the prisoner learns as much as the researchers.
- Repeated experimental breaches may create risks to staff and observers that invalidate the research design.
- A generated replacement environment may accidentally preserve the same hidden assumption as its predecessor.
- A containment AI may optimize for “no breach” by creating unacceptable living conditions or suppressing reporting.
- Researchers may become invested in continued failure because failure produces data.
- Staff may normalize RED conditions and lose sensitivity to real danger.
- A system intended to learn from every breach may become overfitted to one entity and dangerously brittle to another.
- A containment environment may be impossible to validate if the observer cannot tell whether the entity is cooperating, deceiving, teaching, or deliberately failing to escape.
- Infinite sentencing amplifies every identity, evidence, and authority error.

12. Questions for the Architect to Preserve as Open Unless Answered

1. Is the Labyrinth the active containment structure for the displaced Founding Architects, a precursor, or separate?

2. What is the Spider Caste: species, engineered caste, synthetic order, office, or something else?

3. Is the Labyrinth conscious or capable of refusing an order?

4. Is the “end of time” sentence literal for every occupant, a maximum category, or descriptive language whose legal mechanism remains undefined?

5. Can there be lawful release, transfer, pardon, correction, or only confinement?

6. Are extraterrestrial entities the exclusive staff, the dominant staff, or one class among several?

7. Can humans serve in advisory, diplomatic, research, medical, or oversight roles?

8. Are AI staff tools, agents, employees, persons, wardens, or multiple categories?

9. Can staff voluntarily resign and leave?

28. Are families, dependents, or bonded groups allowed in the residential settlement?
29. Where is the cubic exterior physically or ontologically located?
30. Is infinite interior space literal spatial infinity, dynamically instantiated capacity, or another architecture?
31. What are the Labyrinth’s jurisdiction and sentencing authority?
32. Is research on prisoners itself part of the sentence, separately authorized, or prohibited without specific justification?
33. Which aspects of the Labyrinth should intentionally remain unknowable?

13. Output Discipline and Safety Boundary

This is a fictional worldbuilding and research exercise. Where cybersecurity containment is discussed, emphasize defensive architecture, evaluation methodology, failure classification, and recovery. Do not turn the dossier into actionable instructions for compromising real sandboxes, escaping production security controls, harming real facilities, or evading law enforcement.

If a source includes exploit details, abstract them to the failure class unless the detail is necessary for defensive understanding and safe to reproduce.

14. Expected Research Standard

The final executed dossier should be suitable for publication in the OAL-Ai-Unified GitHub archive as a transparent research artifact. It should be detailed enough for another AI collaborator to reproduce the research plan, challenge its assumptions, identify which conclusions are evidence-backed, and propose competing interpretations.

The goal is not to prove that the Labyrinth can be made perfect. The goal is to learn what a serious containment architecture would have to understand about **failure, identity, authority, environments, adaptation, staffing, research ethics, and institutional continuity** before it could responsibly claim to contain anything extraordinary.