

Bidirectional Total Event Closure (BTEC) — Canon Standardization Document, Version 1

Bidirectional Total Event Closure (BTEC)

Canon Standardization Document - Version 1

Prepared for:

One Industries

Lewis Corp

Omniversal Architect Labs

Prepared by:

Nathan Lewis

I. Canon Purpose Statement

The purpose of this document is to formally define, standardize, and canonize the Bidirectional Total Event Closure (BTEC) protocol. BTEC establishes a universal rule for event activation across conceptual, symbolic, narrative, simulated, mathematical, organizational, and hypothetical domains. This Version 1 document serves as the foundational reference for all future iterations, expansions, and cross-AI comparative analyses.

This document is **retroactively effective forever**, meaning its definitions, rules, and structures apply across all temporal references-past, present, future, and any nonlinear or non-temporal frameworks.

II. Core Entities of BTEC

BTEC operates on four fundamental event classes. These classes define how any event interacts with its opposite, its directional equivalents, and its non-directional counterparts.

1. Event A - The Reference Event

Event A is any defined occurrence within a chosen domain. It is the anchor point for the closure operation. Event A may be:

- an action,
- a state change,
- a transformation,

- a declaration,
- a system-level operation,
- or any other definable event.

Event A establishes the directional axis for all related evaluations.

2. Opp(A) - The Opposite Event

Opp(A) is the inversion, negation, reversal, or antithetical form of Event A. It is defined by the rule:

$$[\text{Opp}(\text{A}) = \neg \text{A}]$$

Opp(A) may be:

- direct reversal,
- conceptual negation,
- functional inversion,
- relational dissociation,
- or any antithetical expression.

Opp(A) is always activated when Event A is activated.

3. Dir(A) - Directional Equivalent Events

Directional equivalents are all events possessing any directional relationship to Event A. These include:

- proportional equivalents,
- amplified equivalents,
- reduced equivalents,
- inverse equivalents,
- reciprocal equivalents,
- parallel equivalents,
- orthogonal equivalents,
- systemic equivalents.

Directional equivalents may exist across multiple dimensions:

- spatial,
- temporal,
- relational,
- functional,

- conceptual.

Dir(A) is always activated when Event A is activated.

4. NonDir(A) - Non-Directional Events

Non-directional events are events that:

- cannot be mapped directionally,
- have no meaningful opposite,
- exist outside directional logic,
- or cannot be increased, decreased, reversed, or redirected.

NonDir(A) always occurs when Event A is activated.

III. Total Activation Rule

The complete activation condition for BTEC is:

[$T(A) = A \cup \text{Opp}(A) \cup \text{Dir}(A) \cup \text{NonDir}(A)$]

This rule is **exhaustive and unconditional**. Every event in the closure set must activate. No event is optional. No event is suppressed. No event is contingent on feasibility.

IV. Directionality Categories

Directional equivalents may exist across multiple interpretive dimensions.

1. Spatial Directionality

- inward / outward
- ascent / descent
- expansion / contraction
- convergence / divergence

2. Temporal Directionality

- initiation / cessation
- acceleration / deceleration
- progression / reversal

3. Relational Directionality

- linking / unlinking

- inclusion / exclusion
- association / dissociation

4. Functional Directionality

- activation / deactivation
- creation / dissolution
- increase / decrease

5. Conceptual Directionality

- affirmation / negation
- certainty / uncertainty
- definition / indeterminacy

V. Proportionality Rule

Directional equivalents include all proportional and disproportional expressions:

[m , $-m$, km , $\frac{f(m)}{m}$]

Where **f(m)** may be:

- nonlinear,
- recursive,
- conditional,
- context-dependent.

This ensures the full spectrum of directional equivalents is activated.

VI. Non-Directional Resolution Rule

If an event cannot be assigned a direction:

- it still occurs,
- it is not rejected,
- it is not forced into a directional model.

Examples include:

- identity statements,
- static conditions,
- total or complete states,
- events outside magnitude/time/space.

VII. Contradiction Handling

Opposites do **not** cancel.

[$A + \text{Opp}(A) \neq 0$]

Instead:

[$A + \text{Opp}(A) = \text{text}$]

Contradictions persist unless a separate resolution rule is defined.

VIII. Scope Declaration Requirement

Every invocation must specify a domain. Possible domains include:

- conceptual,
- linguistic,
- symbolic,
- simulated,
- narrative,
- mathematical,
- organizational,
- interpersonal,
- legal,
- hypothetical,
- mixed-domain.

Default scope: **conceptual + specification-level only**.

IX. Standard Invocation Format

Full Invocation Form

Define Event A as: *[event]*

Activate Bidirectional Total Event Closure.

Cause A to occur.

Cause $\text{Opp}(A)$ to occur.

Cause all $\text{Dir}(A)$ to occur.

Cause all $\text{NonDir}(A)$ to occur.

Retain contradictions unless a resolution rule is defined.

Scope: *[domain]*

Resolution rule: *[rule or none]*

Compact Invocation Form

Activate BTEC for Event A within *[scope]*.

X. Test Cases

Test Case 1: Expansion

Event A: Expand a system.

Activated set includes:

- expand,
- contract,
- partial expand,
- total expand,
- inward/outward expand,
- non-directional expansion.

Test Case 2: Visibility

Event A: Make an object visible.

Activated set includes:

- visible,
- concealed,
- partial visibility,
- total visibility,
- observer-dependent visibility,
- non-directional visibility.

Test Case 3: Connection

Event A: Connect X and Y.

Activated set includes:

- connect,
- disconnect,
- partial connection,

- reciprocal connection,
 - temporary connection,
 - persistent connection,
 - non-directional connection.
-

XI. Development Questions for Version 2

1. Should Dir(A) include all logically possible equivalents or only known ones?
 2. Should activation be simultaneous, sequential, recursive, or conditional?
 3. Can opposites occupy the same state without partitioning?
 4. Should unknown equivalents be auto-generated?
 5. Can directionality be metaphorical or symbolic?
 6. What if Opp(A) is plural or undefined?
 7. Should agency/consent constraints exist?
 8. Is BTEC a reasoning engine, creative rule, simulation mechanic, or ontological framework?
-

XII. Provisional Canon Definition

Bidirectional Total Event Closure (BTEC) is a protocol in which any defined event activates itself, its opposite, all directional equivalents, all proportional equivalents, and all non-directional expressions, while preserving contradictions unless a resolution rule is supplied. This protocol is **retroactively effective forever** across all temporal references.

XIII. Versioning and Canon Notes

- This is **Version 1** of the BTEC Canon Document.
 - Future versions will incorporate cross-AI comparative analysis.
 - Each AI system will generate its own version for review.
 - Approved versions will be archived and published through Scribd and internal OAL repositories.
-

End of Document - Version 1