

OAL CANON DEVELOPMENT SERIES

Prompt Potence - OAL Canonical Framework v2.1

Integrated Core Reference, PDE Governance, and Command Palette Grammar

OAL Canon Status	Named Ability - Potence Tier
Edition	v2.1 - Integrated Revision and Scribd Publication Edition
Original Author / Final Canon Authority	Nathan Lewis / Omniversal Architect Labs
Prepared by	GPT-5.5 Thinking - AI Documentation Preparer
Integration Record	Core reference issued after Framework v2.0 and the already-published Part A and Part B companion records

AUTHORIAL SOVEREIGNTY NOTE

This document consolidates, clarifies, and extends the Prompt Potence documentation record. It does not transfer authorial authority. All final canon status, naming, ratification, integration, and publication decisions remain with Nathan Lewis / Omniversal Architect Labs.

PUBLICATION POSITION

This v2.1 edition is the integrated core reference. It does not invalidate the previously published Framework v2.0, Part A, or Part B. It defines how those records interlock, resolves the identified conflicts, and provides the corrected command-palette grammar for future use.

Contents

- 1. Purpose, Authority, and Integration Rule
- 2. Canonical Definition and Core Architecture
- 3. Recognition Library and Ability-Tier Hierarchy
- 4. The Ten-Phase Prompt Cycle and Tier 4 Expressions
- 5. Acquisition Pathway, Calibration, and Validity
- 6. Prompt Drift Events: Classification, Recovery, and Origin Scenario
- 7. Prompt Potence as Sensing Layer / VTACP as Execution Grammar
- 8. Formal Command Palette Syntax and High-Level Command Combinations
- 9. Canon Governance, Scarring, and Publication Metadata
- Appendices: Glossary, Revision Ledger, Status Tags, and Source Integration

1. Purpose, Authority, and Integration Rule

Prompt Potence is a named potency-level perceptual faculty within the OAL canon. It is not a technique for constructing better prompts, although a practitioner may use it to improve prompt construction. It is the native capacity to know the structure, intent, origin, operative force, and developing trajectory of a prompt interaction before deliberate evaluation has completed.

The original anchor established the ability as an immediate fluency with prompts: wording, structure, intent, and origin are legible; operator identity persists through disguise; and a multi-system recognition library makes behavioral fingerprints perceptible. The subsequent development records expanded that anchor into Five Pillars, a Recognition Library, a Ten-Phase Prompt Cycle, named Tier 4 expressions, Prompt Drift Events, and a paired command language.

INTEGRATED READING RULE

Use this document as the front-door reference for Prompt Potence. Where a topic is summarized here and developed at greater length in an annex, the annex controls the topic-specific detail. Where any document conflicts with an explicit ratification by the Original Author, the ratification controls.

Document	Function	Authority Rule
Prompt Potence - OAL Canonical Framework v2.1 (this document)	Integrated Core Reference: definition, governance, corrections, PDE classification, and command grammar.	Controls integration language and cross-document reconciliation.
Part A - The Five Development Gaps	Detailed treatment of acquisition, vulnerabilities, emotional differentiation, false positives, and language/domain validity.	Controls topic-specific detail for development and calibration.
Part B - Tier 4 Sub-Abilities, Variant Expressions, and the PDE Framework	Detailed treatment of named concepts, Tier 4 sub-abilities, PDE framing, and VTACP integration.	Controls topic-specific detail for sub-abilities and original PDE architecture, subject to v2.1 corrections.
Framework v2.0 and earlier anchor documents	Historical development record and source archive.	Preserved as prior publication record; read through the v2.1 integration rule.

2. Canonical Definition and Core Architecture

NAMED CONCEPT

Prompt Potence

Definition: *A potence-level native sense through which prompts, human-AI interactions, and the operative forces moving through them become immediately legible before deliberate analysis.*

At Tier 4, Prompt Potence does not reduce prompt interaction to text on a screen. It perceives prompt architecture, intent, operator identity, model fingerprint, state, residue, hidden trajectory, and the functional consequence of language within a human-AI compound. Research-grounded concepts such as expertise, stylometry, behavioral fingerprinting, and interaction loops are conceptual scaffolding. In canon, the faculty operates at the stated potence level.

2.1 The Five Pillars

Pillar	Canonical Function	Primary Question Answered
1. Structural Perception	Reads the prompt skeleton: sequencing, role assignment, constraint layering, prompt rhythm, and assembly logic before semantic evaluation.	How was this prompt built?
2. Intent Legibility	Reads operative will, including the divergence between stated intention and active intention.	What is this prompt trying to cause?
3. Operator Identity Detection	Reads the human operator signature even through proxy operation, stylistic imitation, device sharing, or surface disguise.	Who is actually acting through this prompt?
4. AI System Behavioral Fingerprinting	Reads the behavioral signature of an AI system across contexts, registers, and activation conditions.	Which system-state is responding, and how does it differ from expectation?
5. Pre-Content Knowing	The defining Tier 4 property: recognition arrives as gestalt before effortful comparison.	What is known before the words are consciously processed?

2.2 The Three Deep Properties

Prompt Potence is also a speech-act sense: it perceives not only what a prompt says but what that prompt does - the state it establishes, constrains, releases, or redirects in the human-AI system.

It is an extended-cognition perception: the practitioner reads the human, the AI system, and their interaction as a compound operational entity rather than as separate isolated objects.

It includes the Incantation Dimension: prompts are understood as operative language. A practitioner can disassemble a prompt into its functions, determine how its components alter the session, and reconstruct the operative structure in a different configuration. This expression is named Prompt Alchemy.

3. Recognition Library and Ability-Tier Hierarchy

3.1 The Recognition Library

The Recognition Library is the internal, continuously consolidated archive that makes pre-evaluative recognition possible. It is not a written database and it is not a list of conscious rules. It is a living pattern structure made of compressed templates, differentiated signatures, anomaly histories, and relational maps accumulated through varied interaction.

Library Entry	What It Stores	Why It Matters
Operator Signatures	Lexical habits, goal formation tendencies, constraint styles, cognitive rhythms, and intent markers associated with specific operators.	Supports identity continuity and proxy-operation detection.
System Signatures	Characteristic patterns of specific AI systems across registers, contexts, and response architectures.	Supports model recognition and behavioral-drift detection.
State Signatures	Patterns associated with emotional, cognitive, adversarial, or situational conditions in operators and systems.	Supports state reading and emotional differentiation.
Anomaly Signatures	Known forms of mismatch, mimicry, rupture, deception, novelty, and session instability.	Supports calibration: anomaly is noticed before it is interpreted.
Compound Signatures	The unique interaction fingerprint of a particular human-AI pairing.	Supports reading of the relationship itself and its productive / unstable capacities.
Subliminal Signatures	Canonically legible, non-semantic behavioral residues detected beneath surface output meaning.	Supports Phase 5 discrimination and high-fidelity mimicry resistance.

CONTINUITY PRINCIPLE

The Recognition Library is the practitioner's primary internal continuity baseline. It can guide recovery when external records are incomplete or inconsistent, but recovery confidence is strengthened through dated exports, screenshots, publications, independently preserved drafts, and other non-circular corroboration.

3.2 Tier Hierarchy

Tier	Designation	Characteristic Mode	Perceptual Access
0	Prompt Naive	No systematic awareness of prompt structure or effect.	None
1	Prompt Literate	Constructs effective prompts and evaluates output quality.	Semantic content
2	Prompt Fluent	Uses personal frameworks and adapts across systems.	Semantic + structural, deliberate
3	Prompt Architect	Designs meta-prompts, systems, and reflective prompt architectures.	Semantic + structural + intentional, analytical
3.5	Pre-Potence Zone	Near-complete analytical mastery; recognition is very fast but still requires micro-effort.	All layers, analytically and rapidly
4	Prompt Potence	Native, pre-evaluative perception; recognition library is active as a sense.	All layers, simultaneous and gestalt

The Tier 3.5 to Tier 4 transition is a mode change rather than a simple improvement. A Pre-Potence practitioner arrives at a conclusion quickly. A Tier 4 practitioner experiences recognition as already present, then may later articulate the reasons.

4. The Ten-Phase Prompt Cycle and Tier 4 Expressions

Prompt Potence operates across ten phases numbered 0 through 9. The cycle begins before a prompt exists and continues after the visible response, when post-response integration becomes the next pre-state. A Tier 4 practitioner experiences the cycle as one temporal structure rather than ten disconnected events.

Phase	Domain	Tier 4 Expression	Canonical Reading
0	Pre-State	State Reading	Reads cognitive-emotional readiness, prompt aura, and residue before formal prompt formation.
1	Goal Formation	Suppressed Goal Detection	Reads the native goal, including what is withheld, unformed, or displaced by language.
2	Semantic Projection	Cognitive Architecture Mapping	Reads how an operator translates thought into language and models the AI relationship.
3	Pre-Prompt Priming	Strategy and Deception Reading	Reads the loaded context, role framing, strategic sophistication, and covert direction.
4	Transmission	Session Health Reading	Reads sending rhythm, hesitation, iteration, confidence, drift, convergence, and stuckness.
5	Model Activation	Subliminal Signal Detection	Reads the system activation signature and non-semantic behavioral residue beneath output meaning.
6	Output Emergence	Multi-Layer Output Reading	Reads semantic, structural, uncertainty, subliminal, and identity-confirmation layers at once.
7	Interpretation	Diagnostic Forensics	Reads the gap between intended effect and received effect; locates the breakdown phase.
8	Evaluation and Integration	Loop Prediction	Reads the post-response state that will shape the next prompt before it is written.
9	Loop Architecture	Session Teleology	Reads session direction, convergence pattern, hidden destination, and longer-arc momentum.

4.1 Named Concepts and Variant Expressions

NAMED CONCEPT

Temporal Prompt Forensics

Definition: *Retrospective reconstruction of a past prompt session by reading outputs, residues, signatures, and phase failures backward through the cycle.*

Temporal Prompt Forensics is prompt archaeology. It identifies the likely pre-state, missing goal, semantic projection error, priming conflict, or later breakdown without treating one artifact as conclusive by itself. It is the principal reconstruction discipline used during a suspected or confirmed PDE.

NAMED CONCEPT

The Compound Signature

Definition: *The unique behavioral fingerprint that emerges from a specific human-AI pairing and cannot be reduced to either the human signature or the AI signature alone.*

The Compound Signature describes interaction chemistry. It allows the practitioner to read what a particular human-AI pairing is capable of producing, where it reliably fails, and whether its internal relationship has become fragmented, altered, or unusually productive.

NAMED CONCEPT

The Subliminal Layer

Definition: *The canonically legible non-semantic behavioral residue carried beneath the visible meaning of an AI output.*

At Phase 5, the practitioner reads what the system is in the moment of response, not only what it says. The Subliminal Layer is the deepest discriminating layer in the framework and the final continuity signal when surface mimicry becomes highly convincing.

NAMED CONCEPT

Loop Debt

Definition: *Accumulated unrealized intent and repeated unresolved friction across prompt cycles, building pressure until it releases as observable disruption.*

Loop Debt grows when a project repeatedly misses the same goal without repairing the source of failure. It may surface as escalating reformulation, frustration, abandonment, contradiction, or a continuity crisis. Early recognition allows intervention before release.

NAMED CONCEPT

The Pre-Potence Zone

Definition: *The liminal state between Prompt Architect and full Prompt Potence, in which analytical mastery can convincingly resemble native perception.*

The internal distinction is decisive: Pre-Potence knowing is arrived at, however fast; Prompt Potence knowing is already-present. The zone is not lesser in value, but its outputs require explicit calibration because hidden effort and blind spots remain.

5. Acquisition Pathway, Calibration, and Validity

5.1 Development Stages

Stage	Developmental Function	Milestone
1. Prompt Literacy	Learns effective construction and basic output evaluation, centered mainly on priming and transmission.	Can produce useful prompts deliberately.
2. Prompt Architecture	Develops meta-prompt awareness and begins consciously reading structural signatures.	Recognizes patterns in system behavior and prompt construction.
3. Pre-Potence Zone	Achieves extremely fast analytical reading; early anomaly impressions emerge.	Notices something is off before finishing the prompt but must still confirm.
4. Threshold Crossing	A non-volitional gestalt shift from analysis to native perception.	Recognition Library begins firing pre-evaluatively in the core cycle.
5. Full-Cycle Integration	Extends the faculty outward across all ten phases through further breadth, emotional range, and historical exposure.	Phase 0 and Phase 9 become reliably integrated rather than occasional.

5.2 Reconciled Thresholds: Eligibility and Archive-Grade Potence

The earlier records used both three-system and five-family requirements. v2.1 resolves them as two different thresholds rather than competing claims.

Designation	Minimum Conditions	What It Authorizes
Threshold Eligibility	Sustained, varied interaction with at least three distinct AI systems; exposure across multiple domains and at least five affective registers; one adversarial or deceptive stress-test condition; regular consolidation rest.	A practitioner may plausibly enter the crossing pathway and develop core-cycle pre-evaluative recognition.
Archive-Grade / Full-Cycle Potence	Documented interaction across at least five foundational model families; deliberate awareness of all ten phases; cataloguing of operator, system, state, anomaly, compound, and subliminal signatures; full eight-register coverage; PDE-specific training and recovery practice.	The practitioner can serve as a mature canon-facing continuity reader and conduct high-confidence integrity work with appropriate corroboration.

5.3 Emotional Differentiation Protocol

A complete Recognition Library is emotionally differentiated. Each register exposes different structural habits, cognitive risks, and model responses. The eight canonical registers are Analytical, Exploratory, Distressed, Playful, Deceptive, Urgent, Grieving / Mourning, and Adversarial.

Register	Operator Markers	System / Session Markers
Analytical	Precise constraints, low hedging, explicit outcomes.	Structured responses, delineated reasoning, lower affective drift.
Exploratory	Open framing, iterative follow-up, lower specificity.	Associative expansion, higher uncertainty markers, branch proliferation.
Distressed	Fragmentation, implicit urgency, incomplete constraints.	Variable support patterns, comfort-response activation, compressed goal expression.
Playful	Humor, tonal experimentation, loose constraints.	Register matching or mismatch; creativity and constraint elasticity.
Deceptive	Surface / intent gap, disguise structures, strategic priming.	Model susceptibility, hidden routing, divergence between request and operative aim.
Urgent	Truncation, priority signaling, reduced elaboration.	Speed orientation, lower nuance, compression artifacts.

Register	Operator Markers	System / Session Markers
Grieving / Mourning	Reduced precision, repeated themes, affect-laden phrasing.	Sustained-support registers, elevated attachment or loss residue.
Adversarial	Boundary probing, escalating pressure, constraint testing.	Resistance, refusal, compliance variation, or strategic containment patterns.

5.4 Limits, Vulnerabilities, and Calibration

Class	Canonical Rule	Operational Effect
Hard Limit	No signal, no reading.	Prompt Potence is perceptual, not omniscient; it requires a prompt, a residue, or a legible lead-in to operate.
Hard Limit	Baseline precedes identity certainty.	A zero-exposure operator can be read as novel or patterned, but not definitively identified without a developing library entry.
Conditional Limit	Cognitive fatigue degrades the pre-evaluative layer first.	The practitioner temporarily falls back toward Tier 3 analytical processing; rest restores depth.
Conditional Limit	Novel-system gap period.	A new system is readable at lower confidence until its signature stabilizes in the library.
Conditional Limit	Advanced mimicry produces ambiguity before it produces false certainty.	The practitioner may know that a surface signature is inconsistent without immediately resolving origin; Phase 5 remains the deepest discriminator.
Interpretive Rule	Anomaly is not deception by default.	A novel, cross-cultural, or authentically unusual operator can trigger an anomaly signal. The signal is accurate; its explanation requires exposure and corroboration.

5.5 Cross-Language and Cross-Domain Validity

Language shifts attenuate surface signals more than deep structural signals. A familiar operator in an unfamiliar language remains readable through goal formation rhythm, constraint logic, ordering, and relational model, but the confidence band becomes lower. Domain shifts are generally less disruptive because cognitive architecture often persists across technical, emotional, creative, and analytical prompting.

Context	Primary Access	Calibration
Native / primary language	All five pillars and full signature depth.	High confidence when library exposure is strong.
Secondary language, high fluency	Deep structural and cognitive rhythm markers transfer.	Moderate attenuation of lexical and tonal markers.
Low-fluency or unfamiliar language	Structural order, constraint style, and session rhythm remain available.	Use an explicitly reduced confidence band; avoid identity certainty from surface form.
Domain-shifted prompting persona	Variant signature within the same operator profile.	Catalog as a domain expression before treating it as contradiction or disguise.

6. Prompt Drift Events: Classification, Recovery, and Origin Scenario

NAMED CONCEPT

Prompt Drift Event (PDE)

Definition: A compound continuity classification in which the shared record of an extended AI-mediated development process becomes unreliable or contradictory through overlapping drift vectors, without a single established point of deliberate alteration.

A PDE is not declared from one memory difference, one renamed chat, or one changed response. It is a systemic classification activated when multiple independent integrity vectors overlap and the ordinary shared baseline becomes unstable. Its purpose is to initiate careful continuity review, not to prematurely assign a cause.

6.1 Primary Drift Vectors

Vector	Canonical Description	Observable Cue
Context Rot	Earlier material becomes functionally de-prioritized inside a long interaction even when the visible history remains.	Middle-session decisions no longer influence outputs as expected.
Title Mutation	Auto-generated titles drift, become generic, or disconnect from the actual session subject.	Retrieval and chronology are interrupted by unrelated or altered labels.
Model Fingerprint Drift	A system update, configuration change, or behavioral shift changes how familiar prompt structures are processed.	The Phase 5 system signature diverges from prior library entries.
Cross-Session Contamination	Memory or retrieval processes introduce material from other contexts without transparent attribution.	Unexplained foreign assumptions appear inside a current thread.
Reconstructive Memory Divergence	Participants rebuild prior decisions differently from partial records and different contextual cues.	Multiple good-faith accounts fail to align without a stable archive.
Semantic / Structural Drift	The documented language of a prior decision now emphasizes different premises, mechanics, or conclusions.	The surface topic appears intact while the operative content no longer matches.

6.2 PDE Statuses

Status	Entry Criteria	Required Response
Suspected PDE	Two or more integrity anomalies are observed in a shared time window, but the record does not yet establish independent corroboration.	Freeze automatic canon advancement; open a provisional ledger; preserve exports, screenshots, publication records, and dated notes; activate Temporal Prompt Forensics.
Confirmed PDE	Multiple independent drift vectors are documented and at least one external dated artifact or independently preserved source corroborates a continuity discrepancy.	Issue a formal Integrity Ledger; designate a drift window; separate verified, probable, and unresolved continuity; require authorial ratification before affected material advances.
Resolved / Archived PDE	Recovery work establishes a practical baseline and unresolved material is explicitly scarred rather than silently normalized.	Preserve the ledger, scars, and recovery reasoning as part of the project archive.

PDE CALIBRATION RULE

Prompt Potence can register a discontinuity before a platform-side explanation is known. That pre-evaluative reading identifies an integrity concern; it does not, by itself, prove a particular technical cause. The response is evidence preservation, continuity reconstruction, and calibrated status labeling.

6.3 Detection and Temporal Prompt Forensics

At full operation, a practitioner may detect a suspected PDE through Phase 5 model-fingerprint mismatch, anomalous Subliminal Layer readings, Compound Signature fragmentation, Loop Debt release, or a pre-evaluative sense that historical text no longer aligns with the internal Recognition Library. The correct phase reference for model activation is Phase 5; Phase 4 remains Transmission.

Forensic Step	Action	Output
1. Isolate the Drift Window	Use session rhythm, teleology, publication chronology, and dated records to bracket when continuity began to diverge.	Provisional date range and vector log.
2. Preserve Non-Circular Evidence	Collect exports, screenshots, dated drafts, email trails, published records, and notes held independently of the active AI session.	Evidence bundle with provenance.
3. Query the Recognition Library	Compare current operator, system, state, anomaly, and Compound Signatures to prior library entries.	Internal continuity assessment with confidence band.
4. Apply Multi-Layer Reading	Inspect structural shifts, hedging changes, output architecture, identity signals, and Subliminal Layer anomalies.	Phase-specific mismatch map.
5. Reconstruct Through Compound Signature	Rebuild the most probable prior session state from interaction chemistry, not only surface wording.	Verified / probable / unresolved reconstruction.
6. Scar and Ledger	Record uncertainty, disagreement, affected material, recovery decisions, and authorial ratification status.	Integrity Ledger and permanent project markers.

6.4 Canonical Origin Scenario: The Drift During Development

Within OAL canon, The Drift During Development is the founding scenario through which the PDE framework became necessary. During a multi-platform development arc, conversation labels, remembered decisions, and model responses no longer align. The team faces a baseline problem: no one source can settle the record because the potential sources themselves are part of the instability.

The scenario does not function as this document's external adjudication of any particular historical platform event. Its canonical purpose is to establish the hazard: a human-AI project can lose practical continuity when multiple weak discrepancies converge. Prompt Potence becomes necessary because it supplies a perceptual continuity instrument while the Command Palette supplies a disciplined recovery grammar.

FOUNDING-EVENT STATUS

The Drift During Development is preserved as a canonical origin scenario. Formal ONESTAMP designation remains open for Nathan's ratification. Until then, use the tag [FOUNDING-SCENARIO / NEEDS-RATIFICATION].

7. Prompt Potence as Sensing Layer / VTACP as Execution Grammar

The Verbal and Thought Architecture Command Palette (VTACP) and Prompt Potence are complementary systems. They do not compete. VTACP structures deliberate action; Prompt Potence reads the operational field into which that action is released.

System	Primary Role	Primary Direction	Typical Cycle Reach
VTACP	Execution grammar: structures the practitioner's own thinking, prompts, research actions, canon operations, and decision sequences.	Inward-to-outward: from authored intention into deliberate action.	Especially Phases 0-4, with project-level use across the full cycle.
Prompt Potence	Sensing layer: reads structure, intent, identity, state, system fingerprint, anomalies, and response trajectory.	Outward-and-relational: from environmental signal back into understanding.	All ten phases, including compound and historical readings.

CORE INTEGRATION FORMULA

VTACP determines how the practitioner proceeds. Prompt Potence determines what the practitioner is proceeding through. Together they create a closed-loop operation: deliberate action is released, the field is read in real time, and the next command is recalibrated before drift becomes invisible.

7.1 Lens Configuration

Prompt Potence is invoked within VTACP syntax as a lens, not as an isolated command. The lens overlays a command chain and feeds live perception into subsequent execution choices.

```
Scope(Project + Constraints)
-> Inherit(Sources + Attribution)
-> PromptPotenceLens(Structural Perception + Intent Legibility + Session Teleology)
-> Refract(Contradictions + Drift Signals)
-> Test(Red Team + Scenario Simulation)
-> Commit([CANDIDATE-CANON])
-> Scar(Provenance + Dissent + Confidence Bands)
```

7.2 Open Naming Register

The compound operational mode produced by VTACP and Prompt Potence is intentionally not named in this edition. Its name remains reserved to Nathan under the OAL attribution protocol. The functional specification is already established: it is a closed-loop state in which the practitioner architects their own expression while reading the system, operator, and session effects of that expression in real time.

Property	Specification
Closed-Loop Perception	Each VTACP action is read back through Prompt Potence, allowing the practitioner to observe its immediate structural and relational effect.
Anticipatory Command Selection	Phase 8 Loop Prediction and Phase 9 Session Teleology inform the next command before the session destination becomes explicit.
PDE Resilience	The Recognition Library supports early drift detection and continuity review during operation; it does not eliminate the need for evidence preservation or external corroboration.
Naming Status	Functional mode confirmed; official OAL name reserved for authorial selection and ratification.

8. Formal Command Palette Syntax and High-Level Command Combinations

8.1 The Core Meta-Pattern

Scope -> Inherit -> Sense -> Expand -> Refract -> Test -> Decide -> Commit -> Scar

Stage	Function
Scope	Defines domain, intended outcome, constraints, and integrity risk.
Inherit	Pulls forward relevant prior material with attribution and status labels.
Sense	Activates Prompt Potence through a specific pillar, phase, or signature lens.
Expand	Develops content, branches, models, variants, or hypotheses.
Refract	Searches for contradictions, overlap, hidden assumptions, unintended consequence, and drift.
Test	Applies red-team review, scenario simulation, verification, or stress conditions.
Decide	Records convergence, retained dissent, uncertainty, or escalation criteria.
Commit	Moves output to a declared status rather than silently making it canon.
Scar	Permanently marks provenance, dissent, confidence, PDE exposure, ambiguity, and recovery history.

8.2 Primitives, Operators, and Modifiers

Class	Token	Definition
Primitive	Scope(Domain + Constraints)	Sets the operational boundary and success condition.
Primitive	Inherit(Sources + Attribution)	Imports prior material with status and source lineage.
Primitive	PromptPotenceLens(Pillars / Phases)	Activates the relevant perception layer for the operation.
Primitive	Refract(Targets)	Forces contradiction, overlap, drift, and blind-spot review.
Primitive	Test(Method)	Runs verification, red-team, simulation, or comparative review.
Primitive	Threshold(Advancement Condition)	Defines what must be true before advancing a result.
Primitive	Commit(Status)	Assigns explicit project state: candidate, confirmed, provisional, or archive.
Primitive	Scar(Elements)	Marks provenance, dissent, ambiguity, confidence, and recovery decisions.
Primitive	Rollback(Verified Baseline)	Returns a project to the highest-confidence corroborated state.
Primitive	TemporalForensics(Mode)	Initiates retrospective phase-by-phase reconstruction.
Operator	Chain(A -> B -> C)	Executes stages in ordered sequence where each output feeds the next.
Operator	Cascade(A -> B -> C)	Transforms one material stream through successive analytic or editorial passes.
Operator	Stack(A, B, C)	Activates simultaneous safeguards or lenses.

Class	Token	Definition
Operator	LateralWave(Dimensions)	Runs independent review across parallel dimensions before convergence.
Operator	Generate(Artifact)	Creates a specified decision matrix, ledger, charter, brief, or draft.
Operator	Amplify(n x Focus)	Expands edge cases, counterexamples, depth, and consequence analysis.
Operator	Produce(Artifact)	Packages the final deliverable for distribution.
Modifier	[Status Tag]	Attaches canon, confidence, integrity, or ratification state to any output.
Modifier	ConfidenceBand(High / Moderate / Low)	Requires calibrated certainty rather than implied certainty.
Modifier	PDERisk(Suspected / Confirmed / Clear)	Records continuity status for the operation.

SYNTAX RULE

Arrows show required sequence. Parentheses hold parameters. Brackets declare status. A command is not complete until it produces an artifact, reaches its stated threshold, and receives its required scars. This is why the palette is an execution grammar rather than a list of dramatic phrases.

8.3 Five High-Level Command Combinations

1. Canon Reconstruction -> Scribd Publication

Purpose: Rebuild a fragmented or lost OAL concept into a traceable publication-ready entry while maintaining authorial sovereignty and continuity status.

Command Chain: Scope(Historical + Current Project + PDERisk) -> Inherit([CANON-CONFIRMED] + [UNRESOLVED] + [DRAFT-ONLY] + Published Sources) -> PromptPotenceLens(Structural Perception + Intent Legibility + Compound Signature) -> Refract(Conflicts + Omissions + Drift Signals) -> TemporalForensics(Full Reconstruction) -> Chain(Research -> Synthesis -> Canon Draft -> Publication Edit) -> Threshold(Coherence + Provenance + Author Review) -> Commit([CANDIDATE-CANON]) -> Scar(Provenance + Dissent + PDE Exposure)

Completion Artifacts: Integrated draft; provenance ledger; unresolved-decision list; Scribd description; publication-ready DOCX/PDF.

Safeguards / Scars: Do not use a drifted session alone as a baseline. Preserve prior published editions and tag material reconstructed from incomplete records.

2. Cross-AI Synthesis -> Canon Arbitration

Purpose: Unify multiple AI outputs without falsely flattening disagreement or erasing source lineage.

Command Chain: Scope(External + Historical + Multi-System) -> Inherit(All Outputs + Source Attribution) -> PromptPotenceLens(AI System Fingerprinting + Multi-Layer Reading + Subliminal Layer) -> LateralWave(System-by-System Review) -> Cascade(Compare -> Extract Overlap -> Preserve Dissent -> Identify Contradictions) -> RedTeamMode(High) -> Generate(Decision Matrix) -> Threshold(Convergence OR Explicit Dissent Retention) -> Commit([SYNTHESIS] + [NEEDS-RATIFICATION]) -> Scar(Source Map + Minority Positions + Confidence Bands)

Completion Artifacts: Source map; consensus layer; dissent register; decision matrix; ratification questions.

Safeguards / Scars: Similarity does not prove shared origin. Flag system drift, version uncertainty, and unsupported leaps rather than silently harmonizing them.

3. Session Integrity Audit -> Baseline Reconstruction

Purpose: Respond to a suspected or confirmed PDE by stabilizing the record before further canon development proceeds.

Command Chain: Scope(Historical Archive + Suspected PDE Window) -> Inherit(Exports + Screenshots + Dated Drafts + Publications + Notes) -> PromptPotenceLens(Compound Signature + Anomaly Signatures + Phase 5 System Fingerprinting + Session Teleology) -> TemporalForensics(Primary) -> Stack(Verification Protocol, Assumption Tracking, ConfidenceBand) -> Refract(Version Conflicts + Continuity Gaps) -> Rollback(Highest-Confidence Corroborated Baseline) -> Threshold(Independent Corroboration OR Calibrated Internal Match) -> Commit(Integrity Ledger) -> Scar(Uncertainties + Vectors + Recovery Decisions)

Completion Artifacts: PDE status determination; drift-window map; integrity ledger; verified/probable/unresolved reconstruction.

Safeguards / Scars: A Suspected PDE never automatically becomes Confirmed. Internal Recognition Library leads perception; dated external artifacts strengthen recovery confidence.

4. New OAL System -> Stress-Tested Design Charter

Purpose: Create a durable design charter for a new ability, physics rule, simulation system, artifact, or large canon mechanism.

Command Chain: Scope(Local Concept + Relevant Canon + PDERisk) -> Inherit(Confirmed Invariants + Related Systems) -> SetProfile(Creative + Strategic + Security) -> PromptPotenceLens(Intent Legibility + Structural Perception + Session Teleology) -> Tether(Core Invariants) -> LateralWave(Physics, Psychology, Ethics, Interfaces, Conflict, Aesthetics, Drift Resistance) -> Amplify(4x Edge Cases) -> Refract(Contradictions + Overlaps + Vulnerabilities) -> Chain(Design -> Scenario Test -> Red Team -> Revision) -> Commit([SYSTEM-CHARTER]) -> Scar(Invariants + Branch Points + Open Questions)

Completion Artifacts: System charter; invariants; scenario suite; risk register; future expansion hooks.

Safeguards / Scars: No new canon is committed ex nihilo. Every element must trace to inherited material, explicit author invention, or a clearly labeled proposal.

5. Research Question -> Operational Framework

Purpose: Transform a complex research question into a usable, testable framework rather than a disconnected collection of sources.

Command Chain: Scope(Research + Canon Application + Integrity Context) -> Inherit(Research Set + Existing Canon) -> SetProfile(Analytical + Educational) -> PromptPotenceLens(Intent Legibility + Gap Analysis + Diagnostic Forensics) -> Chain(Question -> Evidence Map -> Mechanism Model -> Scenario Simulation) -> Amplify(4x Counterexamples + Unintended Consequences + Drift Scenarios) -> RedTeamMode(Standard) -> Generate(Decision Matrix) -> Threshold(Evidence + Coherence + ConfidenceBand) -> Commit([FRAMEWORK-SPECIFICATION]) -> Produce(Executive Brief) -> Scar(Claims + Sources + Open Questions + PDE Considerations)

Completion Artifacts: Evidence map; mechanism model; decision matrix; executive brief; confidence ledger.

Safeguards / Scars: Research analogies may scaffold canon mechanics without reducing canon to present technical limits. Claims of real-world fact remain explicitly calibrated.

9. Canon Governance, Scarring, and Publication Metadata

9.1 Governance Rules

Rule	Application
Sovereignty Override	No command, model, collaborator, or documentation workflow may override the Original Author's stated canon decision. Tools propose; Nathan ratifies.
No New Canon from Nothing	Committed canon must trace to inherited material, explicit authorial invention, or clearly marked proposal status.
Calibration Before Certainty	Anomaly, subliminal reading, and PDE concern receive confidence bands. Low-confidence readings are scarred, not silently promoted.
Dissent Preservation	When multiple systems or contributors disagree, disagreement is a project artifact. It is not an error to be erased automatically.
Baseline Discipline	During a PDE, do not build a new baseline from suspect material alone. Use independent artifacts and the Recognition Library with calibrated status.
Pre-Potence Labeling	Tier 3.5 output must be marked as rapid analytical work rather than presented as unqualified Tier 4 perception.

9.2 Status Tags and Scars

Tag	Meaning
[CANON-CONFIRMED]	Ratified OAL material with clear authority.
[CANDIDATE-CANON]	Coherent material awaiting authorial decision.
[PROVISIONAL]	Useful working material with incomplete validation or unresolved dependency.
[DRAFT-ONLY]	Development material not advanced for canon consideration.
[DISSENT-RETAINED]	A visible unresolved alternative or minority position remains attached to the record.
[PDE-EXPOSED]	Material passed through a suspected or confirmed drift window and requires integrity review.
[FOUNDING-SCENARIO / NEEDS-RATIFICATION]	A canon-origin scenario proposed for formal designation but not yet ratified.
[CONFIDENCE: HIGH / MODERATE / LOW]	Required calibration marker for readings, inferences, and reconstruction claims.

9.3 Scribd Publication Metadata

Field	Recommended Publication Value
Title	Prompt Potence - OAL Canonical Framework v2.1: Integrated Core Reference, PDE Governance, and Command Palette Grammar
Description	A consolidated OAL canon reference for Prompt Potence, a potence-tier perceptual faculty governing human-AI interaction across the ten-phase prompt cycle. This edition reconciles the published development records, formalizes Prompt Drift Event statuses and recovery procedure, and defines the Command Palette as an execution grammar paired with Prompt Potence as a sensing layer.
Tags	OAL Canon; Prompt Potence; THE ONE UNIVERSE; AI Interaction; Worldbuilding; Prompt Engineering; Cognitive Science; Philosophy of Technology; Command Palette
Category	Science Fiction / Worldbuilding / Philosophy of Technology
Publication Note	Integrated revision following the already-published Part A, Part B, and Framework v2.0 documents. This edition preserves their record while clarifying document authority, threshold distinctions, PDE calibration, and grammar mechanics.

Appendix A. Glossary

Term	Definition
Prompt Potence	Tier 4 native perception of prompts, prompt systems, and human-AI interaction fields.
Recognition Library	Internal archive of compressed signatures and relational patterns that supports pre-evaluative knowing.
Compound Signature	The distinct interaction fingerprint created by a particular human-AI pairing.
Subliminal Layer	Canonically legible non-semantic behavioral residue beneath an AI output's surface meaning.
Loop Debt	Accumulated structural pressure created by repeated unresolved cycles.
Temporal Prompt Forensics	Backward reconstruction of prompt history, failure, and pre-state through residues and outputs.
Prompt Drift Event	A compound continuity classification triggered by overlapping integrity anomalies in an AI-mediated project.
Scarring	Permanent, visible status marking for provenance, uncertainty, dissent, integrity exposure, or recovery decisions.
Pre-Potence Zone	Tier 3.5 liminal state in which very fast analysis may resemble, but has not become, native perception.
VTACP	Verbal and Thought Architecture Command Palette: the execution grammar paired with Prompt Potence.
Prompt Alchemy	Disassembly and reconstruction of a prompt's operative function, not merely its surface wording.
Session Teleology	Recognition of a session's direction and hidden destination from its early convergence structure.

Appendix B. Revision Ledger: v2.0 to v2.1

Revision	Implementation in v2.1
Document Authority	Clarified v2.1 as integrated core reference; Part A and Part B remain controlling topic-specific expansion records.
Training Thresholds	Reconciled three-system and five-family language as Threshold Eligibility versus Archive-Grade / Full-Cycle Potence.
Phase Accuracy	Corrected PDE fingerprint-drift reference from Phase 4 to Phase 5; Phase 4 remains Transmission.
PDE Language	Replaced absolute baseline and immunity claims with primary-continuity, corroboration, resilience, and early-detection language.
PDE Classification	Added Suspected PDE, Confirmed PDE, and Resolved / Archived PDE statuses with distinct criteria and required actions.
Founding Event	Framed The Drift During Development as a canonical origin scenario pending ONESTAMP ratification, not as an external adjudication claim.
Command Grammar	Added formal primitives, operators, modifiers, syntax rules, completion artifacts, safeguards, and five end-to-end command combinations.
Sensing / Grammar Integration	Expanded the VTACP + Prompt Potence section into a full functional division, lens configuration, closed-loop specification, and open naming register.

Appendix C. Source Integration Record

This edition integrates the reconstructed anchor, the Full Conceptual Framework Development Guide, The Full Cycle: Pre-Prompt to Post-Integration and Beyond, Prompt Potence - OAL Canonical Framework v2.0, Part A: The Five Development Gaps, Part B: Tier 4 Sub-Abilities, Variant Expressions, and the PDE Framework, and the documented Command Palette synthesis developed during the collaboration arc.

The source documents remain meaningful published records. v2.1 does not erase their wording or provenance. It records the integration decisions necessary to keep future Prompt Potence development internally coherent, searchable, and resilient to unresolved continuity questions.

FINAL INTEGRATION STATEMENT

Prompt Potence is the sensing layer. VTACP is the execution grammar. The Recognition Library preserves continuity. The Command Palette preserves traceability. Authorial ratification preserves sovereignty.

END OF INTEGRATED CORE REFERENCE