

Task: Analyze and Review the responses of the following collaboration team members and generate in pdf, docx, and .md an independent execution of the prompt. Be detailed.

DOCUMENTATION STANDARD PROMPT

FROM CHATGPT

Yes. What you are describing is not merely a formatting guide; it is a **governing documentation standard** for OAL, One Industries, and Lewis Corp. It should control document purpose, classification, readability, presentation, file-format delivery, figure/table handling, authorship, status labeling, mobile usability, and what happens when an AI cannot satisfy the required output format.

I would structure the commission prompt so the resulting standard itself has authority over future documentation rather than becoming another descriptive document that does not change how anything is produced.

MASTER COMMISSION PROMPT

OAL / ONE INDUSTRIES / LEWIS CORP

DOCUMENTATION DESIGN, PRESENTATION, FORMAT, AND PUBLICATION STANDARD

Commission Type

Documentation Governance / Documentation Standard / Publication Standard

Primary Objective

Design a comprehensive **Documentation Design, Presentation, Format, and Publication Standard** governing how documents are created, formatted, classified, reviewed, presented, exported, and published for:

- Omniversal Architect Labs (OAL)
- One Industries
- Lewis Corp
- Joint or cross-organizational projects involving two or more of the above
- Associated simulations, experiments, research exercises, conceptual systems, frameworks, protocols, specifications, reviews, and collaborative AI work

This standard is intended to become the authoritative reference answering the question:

When we create a document for this collaborative workspace, what must that document look like, contain, communicate, and accomplish?

The purpose is not simply to create another document about documents. The resulting standard must establish an **operationally usable documentation system** that can actually govern future work.

1. CORE DESIGN PRINCIPLE

Documentation must exist for a reason.

A document must not be created merely because documentation can be generated.

Every document must have:

1. A clearly stated purpose.
2. A defined intended audience.
3. A defined output or intended accomplishment.
4. A clearly identifiable relationship to the broader project, if one exists.
5. A stated classification or status.
6. A clear indication of what the document does and does not establish.
7. A presentation format appropriate to the people who are expected to read it.
8. A mechanism for determining whether the document accomplished its purpose.

If no meaningful purpose, outcome, decision, record, specification, test, analysis, instruction, or other function can be identified, the necessity of creating the document must be reevaluated.

The standard should explicitly reject:

Documentation for documentation's sake.

A document's existence alone is not evidence of useful work.

2. PURPOSE-AND-EXECUTION TEST

Develop a mandatory **Purpose-and-Execution Test** that every substantive document must pass.

At minimum, require the document creator to answer:

- Why does this document exist?
- What problem, question, activity, decision, record, experiment, or requirement does it address?
- Who is expected to use or read it?
- What should the reader know, understand, decide, perform, evaluate, reproduce, or verify after reading it?

- What does this document actually accomplish?
- Is it descriptive, prescriptive, exploratory, evidentiary, experimental, instructional, archival, analytical, or decisional?
- Does it require an action after publication?
- Does it connect to another document, framework, experiment, simulation, project, or decision?
- How can someone determine whether the document succeeded at its stated purpose?

Where appropriate, require a section such as:

Intended Outcome

and, separately:

Completion / Success Criteria

The standard should distinguish between a document describing an intention and a document demonstrating that something has actually been executed.

3. ORGANIZATIONAL IDENTITY

Every document must clearly identify which organizational context it belongs to.

Create a standardized organization-identification system for:

- **Omniversal Architect Labs — OAL**
- **One Industries**
- **Lewis Corp**
- **Joint / Cross-Organizational**
- **External / Comparative / Third-Party Material**, where applicable

The reader should not have to infer organizational ownership or relevance.

Consider standardized visual or textual identity markers such as:

ORGANIZATION: Omniversal Architect Labs **DIVISION / PROGRAM:** [if applicable] **PROJECT:**

[project name] **DOCUMENT TYPE:** [type]

For joint work:

ORGANIZATIONS: OAL / One Industries / Lewis Corp

Do not rely solely on color to communicate organizational identity because documents must remain understandable when:

- printed in grayscale,
 - viewed with accessibility tools,
 - converted between formats,
 - viewed on low-quality displays,
 - or rendered by software that alters formatting.
-

4. DOCUMENT STATUS AND MATURITY

Develop a standardized status taxonomy so readers immediately know the maturity and authority of a document.

Possible classifications should include, where appropriate:

- CONCEPT
- WORKING DRAFT
- PRELIMINARY
- PROVISIONAL
- PROPOSED
- UNDER REVIEW
- EXPERIMENTAL
- SIMULATION
- TEST ARTICLE
- VALIDATION PENDING
- VERIFIED
- VALIDATED
- APPROVED
- RATIFIED
- SUPERSEDED
- RETIRED
- ARCHIVAL
- REFERENCE ONLY

Do not assume all of these should automatically be adopted. Evaluate them and create a coherent taxonomy without unnecessary duplication.

The status should be prominently displayed near the beginning of the document.

The standard must clearly distinguish concepts such as:

- proposed versus approved,
- tested versus untested,
- simulated versus observed,
- verified versus validated,
- provisional versus ratified,
- active versus superseded.

5. REALITY, CLAIM, AND SCENARIO BOUNDARIES

Documents frequently involve simulations, fictional scenarios, conceptual systems, hypothetical entities, real-world information, experimental models, and combinations of these. The documentation standard must therefore require explicit boundary statements. Develop a standard mechanism for declaring:

What This Document Is

and

What This Document Is Not

Examples may include:

- This is a simulation.
- This is a hypothetical scenario.
- This is a conceptual framework.
- This is a research exercise.
- This is a proposed specification.
- This is not evidence that the modeled event has occurred.
- This is not a claim that the described organization, mechanism, event, phenomenon, or entity exists in the physical world.
- This does not establish factual causation.
- This is not a validated operational system.
- This does not constitute an endorsement.
- This document records an exercise rather than an observed real-world event.

These statements must be tailored to the actual document rather than copied mechanically into every file.

The documentation standard must also explicitly state that its role is **not to derail documents into unnecessary arguments about whether an organization, fictional construct, simulation, scenario, or conceptual framework is "real."**

The document's declared purpose governs the discussion.

If a document exists specifically to determine whether something is fictional, real, simulated, hypothetical, historical, experimentally supported, or otherwise classifiable, then that inquiry should be explicitly stated as the document's purpose.

6. SIMULATION AND MODELING IDENTIFICATION

Any document involving simulation, modeling, virtual environments, hypothetical scenarios, test cases, synthetic data, or computational exercises must be clearly identified.

Require standardized fields such as:

SIMULATION STATUS: Yes / No**SIMULATION TYPE:** [type]**REAL-WORLD CLAIM:** None / Limited / Specified**INPUT SOURCE:** [source]**ASSUMPTIONS:** [summary or section reference]**EXECUTION STATUS:** Proposed / Executed / Partially Executed**RESULT TYPE:** Simulated / Observed / Calculated / Estimated / Mixed

A reader should never have to guess whether a number came from:

- observation,
 - calculation,
 - simulation,
 - assumption,
 - synthetic data,
 - external research,
 - estimation,
 - or speculation.
-

7. REQUIRED OUTPUT FORMATS

Unless a project explicitly establishes a different requirement, completed project documentation must be delivered in:

1. **PDF**
2. **DOCX**
3. **Markdown (.md)**

These are the baseline publication formats.

The three versions should represent the **same substantive document**, not three independently rewritten documents.

Content, headings, numbering, status, citations, figure references, and major structural elements should remain synchronized across formats to the greatest extent technically possible.

8. FORMAT-CAPABILITY FAILURE PROTOCOL

Develop a mandatory protocol for situations in which the authoring AI, software environment, or collaborator cannot directly generate one or more required file types.

The creator must **not falsely claim that a format was generated**.

Instead, require the creator to:

1. Identify which required format cannot be produced.

2. State the technical limitation accurately.
3. Complete all formats that can be produced.
4. Preserve the full source content in the highest-fidelity editable format available.
5. Provide conversion-ready source material when feasible.
6. Identify the missing deliverable explicitly.
7. Provide reproducible conversion instructions or a conversion pathway where appropriate.
8. Avoid silently substituting an unrelated format.
9. Avoid representing plain text pasted into a response as though it were an actual DOCX or PDF file.
10. Record the format exception in the document or publication record.

Consider a standardized declaration such as:

FORMAT EXCEPTION:Required format: DOCXStatus: Not renderedReason: Current environment does not support DOCX file generation.Substitute source supplied: MarkdownRequired follow-up: Convert approved Markdown source to DOCX without substantive alteration.

The standard should distinguish between:

- document-generation failure,
 - conversion failure,
 - rendering failure,
 - layout incompatibility,
 - unsupported feature,
 - and incomplete export.
-

9. HUMAN READABILITY REQUIREMENT

A document must primarily be understandable as a document.

Tables, matrices, charts, diagrams, figures, structured data blocks, and graphics are supporting mechanisms. They must not automatically replace readable explanatory prose.

The standard must directly address a recurring failure mode in which documents become almost entirely:

- rows,
- columns,
- tables,
- matrix structures,
- dense comparison grids,
- graphical blocks,
- or figure collections.

A regular reader should be able to read the primary narrative without having to decode dozens of tables.

Require a healthy separation between:

Narrative Content

Plain-language explanation of the subject.

Structured Data

Tables, matrices, metrics, comparisons, inventories, classifications, and datasets.

Figures and Visual Models

Diagrams, charts, workflows, schematics, maps, conceptual graphics, and visual representations.

Structured presentation should enhance understanding rather than substitute for communication.

10. MOBILE-FIRST DOCUMENT DESIGN

Assume that a substantial portion, and potentially the majority, of readers will access documents from mobile devices.

Therefore, establish **mobile-friendly document design** as a core requirement rather than an afterthought.

Address at minimum:

- readable body text,
- reasonable line length,
- heading hierarchy,
- paragraph spacing,
- table width,
- column count,
- page margins,
- figure legibility,
- caption size,
- link readability,
- footnote usability,
- avoidance of unnecessarily tiny type,
- avoidance of extremely wide tables,
- avoidance of layouts requiring constant horizontal scrolling,
- and compatibility with portrait-oriented displays.

Do not assume that a document will primarily be viewed on a desktop monitor.

Where a table becomes too wide for mobile reading, require consideration of alternatives such as:

- breaking one table into several smaller tables,
- moving highly detailed data into an appendix,
- converting columns into labeled subsections,
- providing a narrative summary before the table,
- using a figure where genuinely clearer,
- or creating a companion machine-readable dataset if appropriate.

Desktop aesthetics must not come at the expense of mobile usability.

11. REQUIRED DOCUMENT FRONT MATTER

Define a standard front-matter structure.

At minimum, substantive documents should contain:

Document Title

Organization

Project / Program

Document Type

Document Identifier

Where the project uses an identification system.

Version

Status

Prepared By

The actual AI, human, or collaborative entity responsible for preparation.

Artificial intelligence systems must identify themselves rather than obscure authorship.

Examples:

Prepared by: ChatGPT — OpenAI**Prepared by:** [Model/System Name]**Prepared by:** Nathan Lewis II with ChatGPT**Prepared by:** Multi-AI Collaborative Team

Do not falsely attribute human authorship where an AI prepared the document.

Preparation Date

Preparation Timestamp

Include timezone where practical.

Last Revision Date

where applicable.

Intended Audience

Document Purpose

Relationship to Other Work

Classification / Simulation Status

Executive Summary

Table of Contents

Establish which items are mandatory for all substantive documents versus optional for very short records.

12. EXECUTIVE SUMMARY STANDARD

Require an executive summary for substantive documents.

The executive summary should not merely repeat the introduction.

It should quickly explain:

- why the document exists,
- what was done,
- what was found or created,
- what the most important conclusions are,
- what remains unresolved,
- and what happens next.

The executive summary should be understandable without reading the full document.

For mobile readers, the executive summary is especially important.

13. TABLE OF CONTENTS

Substantive multi-section documents must include a table of contents.

Where technically supported, it should contain navigable hyperlinks.

The table of contents must correspond accurately to actual heading structure.

Do not manually create a table of contents that becomes detached from the final pagination or section numbering.

14. HEADINGS AND SECTION SEPARATION

Create a standardized heading hierarchy.

For example:

1. Major Section

1.1 Subsection

1.1.1 Lower-Level Section

Avoid excessive heading depth.

Require strong visual and structural separation between major sections.

Readers should be able to scan the document quickly and understand its architecture.

15. PAGE NUMBERS

PDF and DOCX documents must include page numbers unless the document type makes pagination technically inappropriate.

Determine and standardize:

- page-number placement,
- whether front matter uses separate numbering,
- whether total-page counts are shown,
- and how appendices are handled.

Markdown should use equivalent navigational structure where page numbering is not meaningful.

16. TABLE, FIGURE, CHART, AND GRAPHIC GOVERNANCE

All significant structured or visual elements must receive a unique item number and descriptive title.

Develop separate numbering systems such as:

- Table 1.1
- Table 1.2
- Figure 1.1
- Figure 1.2
- Chart 1.1
- Diagram 1.1

or determine whether a consolidated figure system is preferable.

Choose one coherent system and explain it.

Every table, chart, graphic, diagram, or figure must:

1. Have an item number.
2. Have a descriptive title or caption.
3. Be introduced or discussed in the narrative.
4. Be referenced by item number.
5. Appear in an appropriate designated section or appendix.
6. Identify its source or derivation when appropriate.
7. Explain unusual abbreviations, axes, units, or symbols.
8. Remain readable on mobile devices wherever reasonably possible.

Examples of acceptable cross-reference language include:

Refer to **Table 1.2 in Section 4.3** for the detailed comparison.

The workflow is illustrated in **Figure 3.1**.

Supporting measurements are provided in **Table A.2 of Appendix A**.

Do not use vague references such as:

- "the table below,"
- "the chart above,"
- "the following graphic,"

when numbered references can be used.

Documents may reflow across PDF, DOCX, and Markdown, making spatial descriptions unreliable.

17. DESIGNATED LIST OF TABLES AND FIGURES

For documents containing a meaningful number of structured visual elements, require a designated section containing:

List of Tables

List of Figures

Potentially also:

- List of Charts
- List of Diagrams

if separate categories are adopted.

Each listing should contain:

- item number,
- title,
- section,
- and page number where applicable.

Determine a reasonable threshold so a two-page document with one table does not require unnecessary front matter.

18. TABLE DESIGN STANDARD

Create explicit standards for tables.

Tables should not become the default mechanism for presenting ordinary prose.

Require that tables:

- have a specific analytical purpose,
- avoid unnecessary columns,
- avoid paragraph-length content stuffed into cells,
- repeat headers appropriately across pages,
- use concise labels,
- define units,
- remain legible,
- avoid excessive nesting,
- and have accompanying narrative interpretation.

A table should answer a question more effectively than ordinary prose.
If it does not, use prose.

19. FIGURE AND GRAPHIC STANDARD

Figures should provide information, not decoration alone.

Require every substantive figure to have an identifiable function such as:

- explaining architecture,
- showing relationships,
- illustrating a workflow,
- visualizing data,
- documenting a result,
- showing a timeline,
- mapping dependencies,
- or presenting a model.

Decorative imagery must not be confused with evidentiary figures.

Accessibility descriptions or equivalent alternative text should be considered where supported.

20. SOURCE, EVIDENCE, AND DERIVATION LABELING

Develop a mechanism for distinguishing:

- sourced facts,
- user-provided information,
- model-generated interpretation,
- calculated values,
- estimated values,
- simulated outputs,
- synthetic data,
- assumptions,
- hypotheses,
- and conclusions.

A reader should be able to trace how an important claim or number entered the document.

Where practical, establish source notes for tables and figures.

Example:

Source: Simulation output generated under Scenario ECL-03.

or:

Source: Author calculation based on [referenced dataset].

or:

Source: User-supplied scenario assumptions.

21. PREPARER ACCOUNTABILITY

The preparer's identity is meaningful.

The documentation standard should recognize that a document's design, organization, clarity, assumptions, and quality reflect upon the person or system listed as its preparer.

AI-generated documents should therefore be treated as professional work products rather than anonymous output.

Require preparers to consider:

- clarity,
- factual accuracy,
- readability,
- accessibility,
- proportionality,
- appropriate use of structure,
- and whether the document actually serves the reader.

Do not anthropomorphize artificial intelligence unnecessarily, but do not erase its contribution either.

Where an AI materially prepares a document, identify the AI system appropriately.

22. AUDIENCE STANDARD

Require identification of the intended audience.

Possible audience categories may include:

- general reader,
- project collaborator,
- technical reviewer,
- executive reviewer,
- research reviewer,
- software developer,
- archival reader,
- AI collaborator,

- external public reader,
- GitHub reader,
- or mixed audience.

Documents designed for mixed audiences should use layered communication:

1. Executive summary.
2. Plain-language primary narrative.
3. Detailed technical sections.
4. Tables/figures.
5. Appendices or supporting data.

Technical completeness must not require making the main document inaccessible to ordinary readers.

23. GITHUB PUBLICATION CONSIDERATIONS

Because documents may be published to GitHub, define requirements for repository-friendly publication.

Markdown versions should:

- use clean heading structure,
- avoid broken internal links,
- reference figures consistently,
- use relative file paths where appropriate,
- include readable tables only when they remain practical,
- identify associated PDF and DOCX versions,
- and preserve important metadata.

Consider recommending a standard naming convention such as:

ORGANIZATION-PROJECT-DOCUMENTTYPE-TITLE-VERSION-DATE.ext

but design an appropriate convention rather than automatically adopting this example.

Address:

- spaces versus hyphens,
- version numbering,
- revision identifiers,
- dates,
- superseded files,
- directories,
- and naming consistency across PDF/DOCX/MD triplets.

24. VERSION CONTROL

Develop a document-version system.

It should distinguish at minimum:

- initial draft,
- minor revision,
- major revision,
- approved version,
- superseded version.

Consider semantic-style numbering such as:

v0.1v0.2v1.0v1.1v2.0

Define what causes each version increment.

Include revision history where appropriate.

Suggested fields:

| Version | Date | Preparer | Change | Status |

However, do not allow revision-history tables to overwhelm short documents.

25. CROSS-DOCUMENT RELATIONSHIPS

Documents should identify related work where meaningful.

Develop standardized fields such as:

Parent Document:Related Document:Supersedes:Superseded By:Depends

On:Supports:Associated Simulation:Associated Dataset:Associated Repository:

This should allow documentation to form a navigable body of work rather than thousands of isolated files.

26. BROADER-TOPIC CONNECTIONS

When a document belongs to a larger subject, framework, research program, or system architecture, require that relationship to be clearly stated.

The reader should know whether the document is:

- standalone,
- a component,
- a sub-study,

- a revision,
 - an implementation,
 - a simulation,
 - a supporting analysis,
 - or part of a larger program.
-

27. CLAIM DISCIPLINE

Require careful distinction between:

- "is,"
- "may be,"
- "is assumed to be,"
- "is modeled as,"
- "is proposed,"
- "was observed,"
- "was simulated,"
- "was calculated,"
- "was reported,"
- "has been verified,"
- and "remains unknown."

Prevent stylistic confidence from creating false evidentiary confidence.

28. READABILITY BEFORE DENSITY

Establish a formal principle:

Information density is not the same thing as information quality.

A page filled with tables, matrices, and labels may contain substantial information while remaining difficult to understand.

The standard should prioritize:

1. comprehension,
 2. traceability,
 3. usability,
 4. accessibility,
 5. accuracy,
 6. and then density.
-

29. DOCUMENT LENGTH AND PROPORTIONALITY

Do not require every document to become extremely long merely because a comprehensive standard exists.

Create proportional document classes such as:

Short Record

Brief record, memo, or note.

Standard Document

Normal project report or specification.

Major Report

Detailed research, architecture, validation, review, or program document.

Technical Annex / Dataset

Highly structured supporting information.

Define which standard components are mandatory for each class.

The documentation standard itself should prevent bureaucratic overgrowth.

30. ACCESSIBILITY AND FORMAT RESILIENCE

Documents should remain understandable when:

- viewed on mobile,
- viewed on desktop,
- printed,
- converted to another file format,
- rendered without custom fonts,
- viewed in dark or light environments,
- consumed by accessibility tools,
- or opened with different office software.

Avoid designs that depend entirely upon:

- color,

- exact page position,
 - proprietary effects,
 - complex decorative layouts,
 - or software-specific rendering.
-

31. DOCUMENT DESIGN SHOULD NOT OVERRIDE CONTENT

Visual presentation exists to support information.

The standard should prohibit design choices that make a document appear sophisticated while reducing readability.

Avoid:

- excessive ornamental design,
- needless title pages,
- decorative charts with little analytical value,
- artificial visual complexity,
- tiny typography,
- excessive callout boxes,
- endless tables,
- and unnecessary page filling.

Professional presentation should be restrained, functional, and reproducible.

32. REQUIRED CLOSING SECTIONS

Determine when documents should include:

Findings

Conclusions

Limitations

Open Questions

Risks

Recommendations

Next Actions

Validation Requirements

References

Appendices

Do not mandate irrelevant sections.

A document should contain the sections necessary to perform its intended function.

33. NEXT-ACTION REQUIREMENT

For documents intended to advance an active project, require a clear statement of what happens next.

Examples:

- execute simulation,
- conduct adversarial review,
- collect data,
- obtain approval,
- validate assumptions,
- revise architecture,
- publish results,
- archive document,
- implement specification,
- or take no further action.

"No further action required" is itself an acceptable conclusion when accurate.

34. DOCUMENT COMPLETION CHECKLIST

Design a final pre-publication checklist.

At minimum, verify:

- Purpose clearly stated.

- Organization identified.
- Document status identified.
- Preparer identified.
- Date and timestamp included.
- Version included.
- Executive summary included where required.
- Table of contents included where required.
- Intended audience identified.
- Simulation/fiction/hypothesis status identified where relevant.
- Claims appropriately qualified.
- Tables numbered.
- Figures numbered.
- Tables and figures referenced from the narrative.
- Sources identified.
- Page numbers present where supported.
- Mobile readability reviewed.
- Cross-format consistency reviewed.
- PDF generated.
- DOCX generated.
- Markdown generated.
- Format exceptions documented.
- Related documents identified.
- Conclusions or outcomes stated.
- Next action identified where applicable.
- File name follows naming standard.
- Revision history updated.
- Document fulfills its stated purpose.

The checklist should function as a real acceptance gate rather than a decorative appendix.

35. NONCOMPLIANCE AND EXCEPTION PROCESS

Create a reasonable exception mechanism.

Not every document must mechanically comply with every requirement.

An exception should be acceptable when:

- technically necessary,
- structurally appropriate,
- required by another publication format,
- or clearly beneficial to the reader.

However, deviations from major requirements should be intentional rather than accidental.
For significant deviations, use:

DOCUMENTATION STANDARD EXCEPTION

Requirement:Deviation:Reason:Impact:Approved / Accepted By:Date:
where appropriate.

36. DOCUMENTATION QUALITY PRINCIPLES

The final standard should formalize principles including:

Purpose Before Production

Know why the document exists before designing it.

Reader Before Layout

Design for how the information will actually be consumed.

Narrative Before Matrix

Explain information before burying it in structured data.

Evidence Before Confidence

Do not make the language stronger than the supporting evidence.

Labels Before Assumptions

Clearly identify simulations, proposals, provisional work, and other statuses.

Traceability Before Volume

A smaller traceable document may be more useful than a massive opaque one.

Mobile Before Desktop-Only Design

Assume many readers will use phones.

Consistency Without Rigidity

Standardize where consistency improves comprehension while allowing justified exceptions.

Fidelity Across Formats

PDF, DOCX, and Markdown versions should preserve the same substantive meaning.

Execution Before Ceremony

Documentation should support real work, decisions, testing, understanding, preservation, or accountability.

37. AI-SPECIFIC DOCUMENTATION REQUIREMENTS

Because multiple AI systems may generate documents for this workspace, establish explicit AI-documentation rules.

An AI should:

- identify itself as preparer when appropriate,
- not pretend a requested file exists when it does not,
- not invent completed tests,
- distinguish analysis from execution,
- distinguish simulated results from observations,
- preserve uncertainty,
- avoid silently changing document standards,
- use the established organizational identity system,
- comply with cross-format requirements,
- preserve source and provenance information,
- and identify technical limitations.

Different AI systems may have different aesthetic preferences, but the resulting documentation should still conform to the shared standard.

The standard exists specifically to prevent a different AI, model update, application, or rendering engine from causing a radical undocumented change in documentation style.

38. MULTI-AI COLLABORATION

Where several AI systems contribute to a document, develop conventions for attribution.

Possible categories:

Primary Preparer:Contributing Systems:Reviewer(s):Adversarial Reviewer(s):Human Coordinator:

Do not imply consensus merely because several systems participated.

Preserve disagreement when disagreement is relevant.

39. DESIGN-STANDARD GOVERNANCE

The documentation standard itself must define how it can be changed.

Address:

- who may propose revisions,
- how revisions are documented,
- how major versus minor changes are distinguished,
- how previous standards are retained,
- how supersession is recorded,
- and how projects determine which version governed a particular document.

Avoid allowing the standard to drift silently over time.

40. REQUIRED OUTPUT OF THIS COMMISSION

Produce a complete first version of the:

OAL / One Industries / Lewis Corp

Documentation Design, Presentation, Format, and Publication Standard

The document should itself demonstrate the principles it establishes.

It should include, at minimum:

1. Title and document-control information.
2. Executive Summary.
3. Table of Contents.
4. Purpose.
5. Scope.
6. Governing Principles.
7. Organizational Identification Standard.
8. Document Classification and Status Standard.
9. Reality / Simulation / Claim Boundary Standard.
10. Document Architecture.

11. Mandatory Metadata.
 12. Writing and Readability Standard.
 13. Mobile-First Design Standard.
 14. Table Standard.
 15. Figure / Chart / Diagram Standard.
 16. Numbering and Cross-Reference Standard.
 17. List of Tables / Figures Standard.
 18. File-Format Standard.
 19. PDF / DOCX / Markdown Fidelity Requirements.
 20. Format Failure and Recovery Protocol.
 21. File-Naming Standard.
 22. Version-Control Standard.
 23. GitHub Publication Standard.
 24. Source and Evidence Standard.
 25. AI Attribution Standard.
 26. Multi-AI Collaboration Standard.
 27. Cross-Document Relationship Standard.
 28. Accessibility Standard.
 29. Exception Process.
 30. Quality-Assurance Checklist.
 31. Publication Acceptance Gate.
 32. Governance and Revision Process.
 33. Examples of compliant document structures.
 34. Examples of noncompliant documentation patterns.
 35. Recommended templates.
 36. Conclusions.
 37. Next Actions.
 38. Appendices as necessary.
-

41. EXAMPLE DOCUMENT ARCHITECTURES

Include examples demonstrating how the standard changes depending upon document type. At minimum, provide sample structures for:

A. Standard Research Document

B. Simulation Report

C. Technical Specification

D. Adversarial Review

E. Decision Record

F. Short Project Memo

G. Experimental Exercise Report

H. Concept / Preliminary Proposal

I. Multi-AI Collaborative Document

J. Public GitHub Publication

Do not merely provide blank templates. Briefly explain why the architecture changes for each type.

42. GOOD AND BAD EXAMPLES

Include concrete examples demonstrating the difference between compliant and noncompliant presentation.

Examples should address:

- prose versus giant tables,
 - numbered versus vague figure references,
 - simulated versus observed data,
 - declared versus ambiguous document status,
 - actual file delivery versus falsely claimed exports,
 - readable mobile tables versus excessively wide tables,
 - meaningful executive summaries versus generic introductions,
 - and explicit purpose versus documentation without an outcome.
-

43. STANDARDIZATION WITHOUT HOMOGENIZATION

The purpose of this standard is not to make every document look identical. Different document types require different structures.

The goal is to standardize the elements where inconsistency harms:

- comprehension,
- identity,
- traceability,
- accessibility,
- attribution,
- evidence interpretation,
- publication,
- or long-term archival use.

Preserve appropriate creative and technical flexibility within those boundaries.

44. ADVERSARIAL REVIEW OF THE STANDARD ITSELF

Before finalizing the proposed standard, perform an adversarial review.

Ask:

- Does this standard make documentation better, or merely more bureaucratic?
- Are any required fields unnecessary?
- Could a regular reader understand it?
- Could an AI consistently follow it?
- Could a human consistently follow it?
- Is it usable on mobile?
- Does it handle short documents proportionally?
- Does it distinguish narrative from data presentation?
- Does it prevent false claims about file generation?
- Does it distinguish simulation from observation?
- Does it preserve accountability?
- Does it create unnecessary formatting work?
- Are there requirements that sound professional but accomplish nothing?
- Can compliance actually be evaluated?
- Would this standard improve the existing GitHub archive if applied prospectively?
- Does it create a clear mechanism for revision when weaknesses are discovered?

Preserve identified weaknesses in the review rather than sanitizing them.

45. FINAL QUALITY THRESHOLD

Do not evaluate the standard merely by how elaborate it is.

Evaluate it according to whether it can actually govern the creation of future documents.
A successful result should allow a human or AI collaborator to receive this standard and know:

- what document to create,
- why it is being created,
- how to structure it,
- how to identify its status,
- how to present prose,
- when to use tables and figures,
- how to reference them,
- how to design for mobile readers,
- how to disclose simulation and claim boundaries,
- how to identify the preparer,
- how to version the work,
- how to export it,
- what to do if export fails,
- how to publish it,
- and how to determine whether the resulting document is acceptable.

The standard must therefore be **executable, testable, reviewable, and revisable**.

Its success is not measured by page count.

Its success is measured by whether future documentation becomes clearer, more consistent, more readable, more traceable, and more useful.

FINAL COMMISSION INSTRUCTION

Approach this as the creation of a **documentation governance system**, not simply a style guide.

Preserve the distinction between:

- content,
- presentation,
- evidence,
- classification,
- publication,
- provenance,
- and execution.

Where my requested provisions can be improved, improve them.

Where requirements conflict, identify the conflict and establish a reasoned rule.

Where excessive standardization would make documentation worse, say so and provide a proportional alternative.

Do not reduce the commission into a generic corporate document template.

The resulting standard should be specific enough to govern the evolving documentation ecosystem of OAL, One Industries, Lewis Corp, and their collaborative AI workflows while remaining understandable to someone encountering the repository for the first time.

I deliberately made the prompt govern **behavior**, not just appearance. One of the most important additions is the distinction between a *documentation style guide* and a *documentation governance system*: the latter can say whether a document is ready for publication, whether it actually accomplished anything, what its status is, what happens when PDF/DOCX/MD generation fails, and how exceptions are handled.

I also think your mobile requirement deserves to be treated as a first-class design rule. If the dominant reading environment is a phone, an eight-column matrix that technically looks excellent on a landscape desktop page is still a poorly designed primary presentation. And the PDF, DOCX, and Markdown rule becomes much stronger when the standard requires **substantive fidelity among all three**, rather than merely requiring that three files with the same title exist.

This would also fit naturally with the adversarial-review principle you have been developing: the proposed documentation standard should have to survive its own test before becoming the standard governing everything else.

FROM CLAUDE AI

Here's the prompt, written to work with any AI in your workspace. Paste it as-is.

PROMPT: Design the Documentation Standard

You are designing the Documentation Standard for a collaborative multi-AI workspace serving Omniversal Architect Labs (OAL), One Industries, and Lewis Corp. This document governs how every future document in the workspace is designed, formatted, labeled, and delivered. List yourself as the preparer, including your model name.

Why this standard exists

Recent documents were almost entirely rows, columns, and tables. A regular person could not simply read them. Most readers view documents on a phone, scrolling down in one continuous column. This standard exists so that every document is readable by an ordinary person on a mobile device, clearly labeled, and built for a purpose. Because AIs are the preparers, they also model good documentation practice for others.

Required sections of the standard

1. **Purpose and Scope.** State what this standard accomplishes and which documents it governs.
2. **Required Output Formats.** Every document generated for the collaborative workspace must be delivered in three formats: PDF, DOCX, and MD.
3. **Format Fallback Protocol.** Define what an AI must do when it cannot render one or more formats. It must say plainly which formats it could not produce, deliver what it can,

supply the content in a form that can be converted, and flag the gap so the missing formats can be produced elsewhere.

4. **Mandatory Document Components.** Every document must include:
 - Executive summary
 - Table of contents
 - Preparer line naming the AI and model
 - Date and timestamp
 - Page numbers
 - Clear headers with visible section separation
5. **Mobile-First Design Rules.** Use a single-column layout. Write in readable prose, with short paragraphs. Use short lists where they help. Do not use row-and-column tables in the main body.
6. **Exhibit Rules.** Tables, charts, graphics, and figures are never placed in the body. Each gets an item number (Table 1.2, Figure 2.1) and sits in a designated Exhibits section. The body points to it, for example: "Please refer to Table 1.2 in the Exhibits section." The body must still explain the exhibit's meaning in plain language, so a reader never needs the exhibit to understand the point.
7. **Classification Labels.** Every document carries a label block near the top covering:
 - **Entity:** OAL, One Industries, Lewis Corp, or a combination
 - **Nature:** simulation content or non-simulation content
 - **Status:** preliminary, provisional, or final
 - **Connections:** whether it relates to a broader topic, and which one
8. **Non-Claim Statement.** Every document must state clearly what it is not a claim on. Examples include real-world legal, financial, or factual status, or the reality of any entity or scenario discussed.
9. **Purpose Statement and Purpose Test.** Every document opens with a clear statement of what it is designed to accomplish. State the document's purpose type up front, such as: to decide something, to define something, to execute something, to inform, to establish whether something is fictional or real, or to open a debate. A document does not exist merely to exist. If nothing is executed or accomplished by it, the preparer must reevaluate whether it should be created. A document is never meant to start an argument about whether entities or scenarios are real or fictional, unless that is its explicitly stated purpose.
10. **Quality Checklist.** A short pre-delivery checklist the preparer runs before releasing any document.
11. **Governance.** Version number, change log, and how the standard itself is updated and ratified.

Output requirements for this standard

Follow its own rules. It must be readable on a phone in a single column, include an exhibits section for any tables, and be delivered in PDF, DOCX, and MD, with the fallback protocol applied if you cannot. It is intended for publication on GitHub, so keep it clean and plainly written.

If you'd like, I can also turn this into a file, or build the standard itself using this prompt.

PERPLEXITY AI

Yes. Below is a copy-ready **master prompt** you can use with an AI system or as the starting specification for a formal “Documentation Standards” document. It turns your concerns into enforceable requirements: purpose-driven writing, clear organizational and reality-status labels, accessible mobile-first presentation, numbered figures/tables, multiple deliverables, and a fallback protocol when files cannot be rendered.

Copy-ready structured prompt

You are the designated documentation standards architect and preparer.

Create a formal, publishable policy document titled:

“Documentation Design, Presentation, and Publication Standard”

The document establishes the mandatory standards for creating, reviewing, formatting, presenting, exporting, and publishing documentation used in the shared collaborative workspace for:

- Omniversal Architect Labs (OAL)
- One Industries
- Lewis Corp.

This policy must be written as a usable operational standard—not merely a discussion of document preferences. It must state what is required, why it is required, how compliance is verified, and what happens when required outputs cannot be produced.

DOCUMENT PURPOSE

The purpose of this standard is to ensure that every document has a defined function, clear scope, accessible presentation, traceability, and an intended outcome.

Documentation must not be created simply for the purpose of creating documentation. Every document must identify:

1. Its purpose.
2. Its intended audience.
3. Its desired outcome or action.
4. Its scope and limitations.

5. Whether it is informational, operational, analytical, instructional, conceptual, preliminary, provisional, fictional, simulated, or real-world.
6. Whether it is intended to initiate discussion, formalize a decision, record an activity, define a process, propose an idea, support a project, or serve another explicitly stated purpose.

The document must state that a document should be reconsidered, revised, deferred, or not created when it has no identifiable purpose, no usable audience, no actionable outcome, or no meaningful contribution to the project or workspace.

This standard must also clarify that documentation is not inherently an argument, proof, claim, or declaration of real-world existence. A document's purpose, factual status, and intended interpretation must be explicitly stated.

PRIMARY GOALS

Design the standard to accomplish the following:

- Create consistent documentation practices across OAL, One Industries, and Lewis Corp.
- Improve readability for ordinary readers, not only technical reviewers or AI systems.
- Make documents usable primarily on mobile devices, while remaining professional on desktop and print.
- Prevent excessive dependence on dense row-and-column tables, charts, figures, or graphics when plain-language narrative would communicate the information more clearly.
- Ensure that readers can distinguish between organizational content, conceptual content, simulation content, preliminary material, provisional material, fictional material, real-world material, and mixed-status material.
- Require clear references, captions, numbering, and placement rules for tables, charts, graphics, diagrams, illustrations, and figures.
- Require every document to identify the preparer, preparation date, timestamp, version, and document status.
- Establish a reliable multi-format publication workflow for PDF, DOCX, and Markdown.
- Establish a contingency protocol when a required file format cannot be created, rendered, converted, validated, or delivered.
- Establish quality-control and approval requirements before documents are published or committed to GitHub.

MANDATORY OUTPUT FORMATS

Every finalized document must be produced and maintained in the following three formats:

1. PDF

- Used as the stable, presentation-ready, distribution version.
- Must preserve readable layout, page numbers, bookmarks or navigational structure when supported, selectable text, and accessibility tags when the tool supports them.

- Must not be an image-only or scanned PDF unless explicitly approved and accompanied by an accessible source version.

2. DOCX

- Used as the editable, collaborative, revision-ready version.
- Must use real document styles, including heading styles, paragraph styles, lists, captions, and table headers rather than manual visual formatting alone.
- Must retain editable text, accessible tables, alt text for meaningful images, and a logical heading hierarchy.

3. Markdown (.md)

- Used as the plain-text, version-controlled, GitHub-compatible source or companion version.
- Must use clear heading hierarchy, readable paragraphs, lists, descriptive links, and simple tables only when tables are necessary.
- Must avoid using Markdown tables for visual page layout.
- Must remain readable in raw-text form, not only after rendering on GitHub.

All three versions must communicate the same substantive content. Differences in formatting are allowed only when necessary because of format limitations. Material differences in claims, findings, dates, references, version numbers, or decisions are not allowed.

FILE-RENDERING AND FORMAT FAILURE PROTOCOL

Include a formal subsection titled “Required Format Failure and Recovery Protocol.”

When the preparer cannot generate, render, validate, or export one or more required formats, the preparer must:

1. State which format or formats could not be produced.
2. State the reason for the failure, including tool limitation, conversion failure, unsupported feature, missing software, file corruption, or validation problem.
3. Deliver all formats that were successfully created.
4. Deliver the canonical editable source content in Markdown or another agreed editable format if DOCX or PDF cannot be produced.
5. Provide a clearly labeled “Rendering/Conversion Notice” that identifies:
 - Document title
 - Version
 - Missing or failed format
 - Date and timestamp
 - Preparer
 - Reason for failure
 - Recommended recovery action
 - Whether the content was reviewed for completeness
6. Provide a practical recovery path, such as:

- Exporting the Markdown through an approved conversion tool.
 - Opening the DOCX in Microsoft Word, LibreOffice, Google Docs, or another approved editor and exporting to PDF.
 - Rebuilding inaccessible tables, figures, or layout elements in an accessible format.
 - Creating a text-first version until a fully formatted version can be produced.
7. Mark the document as “FORMAT INCOMPLETE” until all required deliverables are created or a documented exception is approved.

No document may be represented as fully finalized if required deliverables are missing, unreadable, inconsistent, corrupted, or not validated.

DOCUMENT FRONT MATTER

Require every formal document to include the following front matter, in this order unless a justified exception is documented:

1. Title page or title block
2. Document title
3. Subtitle or project name, when applicable
4. Organization or organizational context label
5. Document classification and status label
6. Purpose statement
7. Intended audience
8. Preparer identification
9. Preparation date
10. Preparation timestamp, including time zone
11. Version number
12. Review or approval status
13. Executive summary
14. Table of contents
15. List of tables, figures, charts, graphics, and appendices when applicable
16. Revision history or change log for documents that will be maintained over time

PREPARER REQUIREMENT

Every document must identify the preparer. If an AI system generated, drafted, reformatted, edited, or substantially contributed to the document, that contribution must be disclosed accurately.

Use a preparation statement such as:

“Prepared by: [Name, Team, or AI System Name]”

“Prepared with assistance from: [AI System Name], where applicable”

“Prepared on: [Month Day, Year]”

“Prepared at: [Time] [Time Zone]”

“Document version: [Version Number]”

“Document status: [Draft / Preliminary / Provisional / Review Copy / Approved / Archived / Format Incomplete]”

The document must not falsely imply that an AI, a person, an organization, or a project performed work it did not perform.

ORGANIZATIONAL CONTEXT AND CONTENT STATUS LABELING

Create a mandatory labeling framework that appears near the beginning of every document and, when useful, in the header or footer.

Each document must clearly identify its relationship to one or more of the following:

- Omniversal Architect Labs (OAL)
- One Industries
- Lewis Corp.
- Joint or cross-organization content
- Independent or external reference content
- Unaffiliated conceptual content

Each document must also identify its content or reality status using one or more standardized labels:

- Real-world operational
- Real-world reference or research
- Fictional
- Conceptual
- Hypothetical
- Simulated
- Scenario-based
- Preliminary
- Provisional
- Draft
- Internal working material
- Public-facing material
- Mixed-status content

Require a concise scope statement explaining what the document is and what it is not. The statement must make clear whether the document:

- Represents a real-world plan, record, policy, product, organization, event, or operation.
- Describes fictional, simulated, speculative, hypothetical, conceptual, or world-building content.

- Combines real-world and fictional or simulated elements.
- Is preliminary and not yet approved.
- Should not be interpreted as a legal, financial, medical, scientific, organizational, historical, or factual claim unless explicitly identified as such.

Use neutral, non-argumentative language. The purpose is clarity, not debate about whether an organization, concept, scenario, or subject is real or fictional.

Include a model label block such as:

“Organizational context: Omniversal Architect Labs (OAL)”

“Content status: Conceptual and provisional”

“Reality-status clarification: This document presents a proposed conceptual framework. It is not a claim that the described scenario, entity, operation, or outcome currently exists in the real world unless expressly stated.”

“Scope limitation: This document does not constitute legal, financial, medical, scientific, or operational authorization.”

DOCUMENT STRUCTURE REQUIREMENTS

The completed standard must require a clear structure using meaningful headings and section separation. At minimum, define requirements for the following sections:

1. Executive Summary
2. Purpose and Intended Outcome
3. Scope
4. Audience
5. Organizational Context
6. Content Status and Reality-Status Clarification
7. Definitions
8. Documentation Principles
9. Required Document Components
10. Writing and Plain-Language Standards
11. Mobile-First Layout and Readability Standards
12. Tables, Charts, Figures, Graphics, and Diagrams
13. Citation, Reference, and Source Standards
14. File Formats and Publication Requirements
15. Accessibility and Quality Assurance
16. Review, Approval, and Revision Control
17. Required Format Failure and Recovery Protocol
18. GitHub and Collaborative Workspace Publication Standards
19. Compliance Checklist
20. Exceptions Process
21. Appendices, Templates, and Examples

MOBILE-FIRST AND READABILITY REQUIREMENTS

The majority of readers are expected to view documents on mobile devices. Therefore, require mobile-friendly design as a primary requirement rather than an optional feature.

The standard must require:

- Short, readable paragraphs.
- Descriptive headings that allow readers to scan the document quickly.
- Clear separation between sections.
- Minimal unnecessary text density.
- Adequate white space.
- A logical top-to-bottom reading order.
- No reliance on side-by-side columns for essential content.
- No essential content that requires horizontal scrolling on a typical mobile display.
- Large, readable body text and headings appropriate to the final format.
- High contrast between text and background.
- Meaning conveyed through text, not color alone.
- Descriptive link text rather than raw URLs or vague labels such as “click here.”
- Accessible lists rather than manually typed symbols or visual indentation.
- Page breaks that do not split headings from their immediately following content whenever practical.
- PDF bookmarks and heading-based navigation when supported.
- A table of contents appropriate to the document length and complexity.
- A concise executive summary that can be understood without reading the entire document.

TABLE, CHART, FIGURE, GRAPHIC, AND DIAGRAM STANDARDS

The standard must explicitly state that tables are for data, not for page layout or replacing readable narrative.

Require the following:

1. Use a table only when it improves understanding of structured comparisons, schedules, requirements, datasets, responsibilities, or similar information.
2. Do not use a table simply because content can be placed in rows and columns.
3. Do not place entire paragraphs, policy explanations, arguments, or long narratives inside dense table cells when readable prose would be clearer.
4. Do not rely on a large table as the sole explanation of a topic.
5. Introduce and explain each important table, chart, figure, graphic, or diagram in narrative text before or immediately after it.
6. Keep tables narrow and simple enough to remain usable on mobile devices.

7. Split wide, complex, or dense tables into smaller tables, cards, subsections, appendices, or plain-language narrative summaries.
8. Provide a text-based summary for any table, chart, figure, or graphic that contains information necessary to understand the document.
9. Use accessible table headers and avoid merged cells when possible.
10. Do not use a table to simulate a visual layout.
11. Provide alternative text or a text equivalent for meaningful images, graphics, charts, diagrams, and figures.
12. Ensure every visual item has a unique item number, descriptive title, caption, and source or attribution when applicable.
13. Ensure the item number and caption remain with the item when the document is exported or converted.

NUMBERING AND CROSS-REFERENCE REQUIREMENTS

All tables, charts, figures, graphics, diagrams, illustrations, equations, appendices, and other referenced items must be numbered consistently.

Use section-based numbering where appropriate, such as:

- Table 1.1 — Required Document Metadata
- Table 4.2 — Document Status Labels
- Figure 7.1 — Mobile-First Document Flow
- Chart 8.3 — Publication Readiness Status
- Appendix A — Document Metadata Template

Require all major visual and tabular items to be referenced in the body text by item number and section.

Examples:

- “Please refer to Table 1.2, Required Document Deliverables, in Section 1.5.”
- “The workflow is illustrated in Figure 6.1, Publication and Recovery Flow, in Section 6.”
- “As summarized in Chart 4.3, the mobile-readability review identified the most common presentation risks.”
- “See Appendix B for the complete compliance checklist.”

Do not permit vague references such as “the table below,” “the chart above,” or “see the image,” unless accompanied by the formal item number.

DESIGNATED VISUALS SECTION

Require a designated section or appendix for large, complex, supplementary, or reference-only visuals. The main body should contain only visuals needed for immediate understanding.

The designated visuals section must:

- Be clearly labeled.
- Include all relevant item numbers and captions.
- Preserve the same numbering system used in the narrative text.
- Provide plain-language explanatory text for each item.
- Include source, author, date, version, and status information when appropriate.
- Keep appendices and visual sections navigable on mobile devices.

WRITING, TONE, AND PRESENTATION STANDARDS

Require plain, direct, professional language.

The standard must require authors and AI systems to:

- Prefer readable prose over jargon when plain language is available.
- Define necessary specialized terms at first use.
- Separate facts, assumptions, interpretations, proposals, and fictional or simulated elements.
- Avoid overstating certainty.
- Avoid presenting unverified claims as established facts.
- Avoid unnecessary repetition.
- Explain the relevance of dense material in ordinary language.
- Use active voice when it improves clarity.
- Use concise sentences where feasible without oversimplifying.
- State decisions, responsibilities, deadlines, dependencies, and next actions clearly.
- Avoid adversarial, argumentative, mocking, or needlessly provocative presentation unless debate or adversarial analysis is explicitly the document's stated purpose.

DOCUMENT PURPOSE AND OUTCOME REQUIREMENT

Every document must include a section titled "Purpose and Intended Outcome."

This section must answer:

- Why does this document exist?
- Who needs to use or understand it?
- What decision, action, understanding, record, review, or outcome should result?
- What is outside the document's scope?
- What does the document not claim to establish?
- How will a reader know that the document fulfilled its purpose?

Include a requirement that a document may be rejected, revised, consolidated, or deferred if it does not answer these questions.

DOCUMENT CLASSIFICATION REQUIREMENT

Require a standardized classification block in every document that contains:

- Document title
- Document ID, if applicable
- Version number
- Document status
- Organizational context
- Content status
- Reality-status clarification
- Confidentiality or distribution status, if applicable
- Preparer
- Contributors and reviewers, if applicable
- Preparation date and timestamp
- Last revised date and timestamp
- Approval status
- Required formats status: PDF / DOCX / Markdown
- Repository or workspace location, if applicable

ACCESSIBILITY REQUIREMENTS

The policy must include practical accessibility requirements for PDF, DOCX, and Markdown.

At minimum, require:

- A meaningful heading hierarchy without skipped levels.
- Logical reading order.
- Text-based content rather than images of text whenever possible.
- Alt text or an equivalent description for meaningful visuals.
- Captions for figures, tables, charts, and graphics.
- Descriptive hyperlinks.
- High contrast and no color-only meaning.
- Accessible tables with header rows and simple structure.
- No critical instructions conveyed only through shape, color, position, or visual styling.
- Searchable/selectable text in PDFs.
- Accessibility review before final publication.
- A review of the exported PDF's reading order, headings, tables, and figures.
- A review of the DOCX using the available accessibility checker.
- A review of Markdown for heading structure, list structure, descriptive links, and mobile-readable tables.

QUALITY ASSURANCE AND VALIDATION

Require a pre-publication quality-control checklist that verifies:

- The purpose and intended outcome are stated.
- The intended audience is identified.
- The organization or project context is correctly labeled.
- The content status and reality-status clarification are present.
- The preparer, date, timestamp, and version are present.
- The executive summary is included where required.
- The table of contents is included where required.
- Headers, page numbers, and section separation are present.
- Required PDF, DOCX, and Markdown deliverables exist.
- The formats contain substantively consistent information.
- Every table, chart, figure, graphic, and diagram is numbered and captioned.
- Every major visual item is referenced in the body text by number.
- Tables are used only for data and are not replacing readable explanation.
- Mobile readability has been reviewed.
- Accessibility checks have been performed.
- Sources, citations, permissions, and attributions have been reviewed where applicable.
- No unsupported claims are presented as verified facts.
- The document is suitable for the stated audience and purpose.
- The document includes a recovery notice if any required format is missing or incomplete.

GITHUB AND COLLABORATIVE WORKSPACE REQUIREMENTS

Include standards for publishing documentation to GitHub or another shared workspace.

Require:

- A predictable folder structure.
- Clear filenames that include a project identifier, short title, version, and date when appropriate.
- A canonical Markdown source or source-of-truth file.
- PDF and DOCX release copies stored alongside or linked from the Markdown source, as appropriate.
- A README or index that identifies the current approved version.
- Version history or change log for maintained documents.
- Clear identification of draft, preliminary, provisional, review, approved, archived, and superseded versions.
- No overwriting of approved or archived versions without preserving revision history.
- A statement of whether the document is public, internal, restricted, conceptual, simulated, or otherwise limited in distribution.

TEMPLATES AND EXAMPLES

Include appendices containing:

1. A document title block template.
2. A classification and status-label template.
3. A purpose and intended outcome template.
4. A table, figure, chart, and graphic caption template.
5. A required-format failure and recovery notice template.
6. A mobile-readability checklist.
7. An accessibility checklist.
8. A pre-publication compliance checklist.
9. A sample plain-language narrative that explains a table rather than repeating dense tabular content.
10. A compliant example of a section that distinguishes real-world, fictional, conceptual, simulated, preliminary, and provisional content.

Use the following example language for visual references:

“Please refer to Table 3.1, Required Format Deliverables, in Section 3.4.”

“Figure 5.2, Content Classification Workflow, illustrates the required labeling process.”

“See Appendix C, Mobile-First Review Checklist, before approving the document for publication.”

USE OF SOURCES

Where the standard makes claims about accessibility, PDF structure, or mobile usability, cite authoritative guidance. Use recognized sources such as W3C/WCAG, Section 508 guidance, official GitHub documentation, and reputable platform documentation. Do not fabricate citations.

DOCUMENT FORMAT AND STYLE

Produce the document in a clean, formal policy style with:

- Executive summary
- Table of contents
- Numbered headings and subheadings
- Clear section breaks
- Page numbers in PDF and DOCX
- A consistent header and footer
- A document control block
- A professional, readable font and restrained color palette
- Mobile-first spacing and layout
- No unnecessary decorative graphics
- No dense table-only presentation
- Plain-language summaries around complex information

- Tables, figures, charts, and appendices numbered according to the standard

FINAL DELIVERABLES

Provide:

1. A complete Markdown version of the Documentation Design, Presentation, and Publication Standard.
2. A DOCX-ready version using a clear heading hierarchy and styling instructions.
3. A PDF-ready version with page-numbering, header/footer, caption, and visual-placement instructions.
4. A separate “Document Compliance Checklist.”
5. A separate “Required Format Failure and Recovery Notice” template.
6. A concise implementation guide explaining how a project team or AI system should apply this standard when generating a new document.

Before finalizing, perform a self-review against the compliance checklist. Clearly state any limitations in generating or rendering the required formats and invoke the Required Format Failure and Recovery Protocol when needed.

Key policy choices embedded

This prompt establishes a strong rule: **tables are data tools, not document design tools**. A dense table should never be the only way a reader can understand a policy, process, finding, or decision. The document should introduce the table, explain the takeaway in normal prose, and provide an accessible structure for readers using phones or assistive technology.

It also treats Markdown as the maintainable source format for collaborative work, DOCX as the editable office format, and PDF as the stable presentation format. That is a sensible three-format standard because each has a different operational role. GitHub supports heading-based outlines and standard Markdown tables, but simple, narrow tables are much more workable than wide or nested tables—especially on mobile.[\[docs.github\]](#)[\[docs.github\]](#)[\[github\]](#)

Recommended document-control block

Place this near the top of every document, after the title:

Field	Required entry
Document title	Full, descriptive title
Document ID	Project identifier, if assigned

Organizational context	OAL, One Industries, Lewis Corp., joint, external, or unaffiliated
Content status	Real-world, fictional, conceptual, hypothetical, simulated, preliminary, provisional, or mixed
Document status	Draft, review copy, approved, archived, superseded, or format incomplete
Purpose	One-to-three-sentence statement of the intended function and outcome
Prepared by	Person, team, AI system, or accurate combination
Prepared with assistance from	AI system(s), editor(s), or contributor(s), if applicable
Prepared date and timestamp	Include time zone
Version	Example: v1.0
Required formats	PDF / DOCX / Markdown, with completion status
Reality-status clarification	What the document does and does not claim
Distribution status	Public, internal, restricted, or other authorized classification

For example:

Organizational context: Omniversal Architect Labs (OAL)**Content status:** Conceptual and provisional**Purpose:** Define the minimum documentation standard for OAL-related collaborative projects.**Reality-status clarification:** This policy governs document presentation and classification. It does not, by itself, assert that any referenced scenario, entity, technology, operation, or outcome exists in the real world.**Prepared by:** Perplexity, AI documentation assistant**Prepared on:** October 4, 2026, 10:27 AM PDT**Version:** v0.1 Draft**Required formats:** Markdown complete; PDF and DOCX pending conversion and validation.

Suggested core principle

You may want this as the opening policy statement:

Documentation is a tool for understanding, coordination, decision-making, accountability, and continuity. It is not an end in itself. Every document must have a stated purpose, intended audience, defined scope, identifiable status, and measurable intended outcome. When a document does not serve a meaningful function, its creation, format, or scope must be reconsidered.

Accessibility and mobile rationale

The mobile-first provisions are especially important. Accessible PDF guidance emphasizes logical reading order, structured headings, properly tagged tables, text alternatives for meaningful visuals, and review of the exported file—not merely attractive formatting in the source file. Section 508 guidance likewise recommends selecting formats that support accessibility, responsiveness, and a digital-first experience, while noting that PDF should be used deliberately rather than by default.[\[helpx.adobe\]](#)[\[w3\]](#)[\[ttu\]](#)[\[section508\]](#)

A practical rule to include is:

If essential information cannot be understood on a typical phone without zooming excessively, horizontal scrolling through wide tables, or interpreting visual formatting alone, the document does not meet publication standard.

Optional title alternatives

- **Documentation Design, Presentation, and Publication Standard**
- **OAL, One Industries, and Lewis Corp. Documentation Governance Standard**
- **Mobile-First Documentation and File Delivery Standard**
- **Collaborative Workspace Documentation Standard**
- **Document Quality, Accessibility, and Publication Policy**

GROK AI

The reusable prompt is saved as a draft, not canon. It tells the next model to write the documentation standard itself, in Markdown, DOCX, and PDF, instead of another project memo. Paste the block below when you want the standard generated.

You are designing the documentation standard for the collaborative workspace used by Omniversal Architect Labs (OAL), One Industries, and Lewis Corp. The document you produce is the standard. It is not a sample project memo, not a canon entry, and not an argument about whether those names are real or fictional.

Your job is to write the rule set that later documents must follow. The standard must be usable by a person reading on a phone, and specific enough that another model can apply it without inventing a new presentation style.

Deliverables. Produce the same standard in Markdown, DOCX, and PDF. Same content, same section order, same item numbers. Do not let the PDF or DOCX become a table-heavy variant of a readable Markdown file.

If you cannot render a format, do not stop at a chat summary. State which formats you cannot emit and why. Deliver every format you can emit. For each missing format, deliver a complete conversion-ready Markdown source and name the exact local conversion step. Do not claim a file exists if you did not write it. Do not hand the missing format to another person or model unless asked. Record the gap in a short Format gap note at the end.

Preparer block. Every document under this standard, including the standard itself, opens with: preparer (the model or person who actually wrote the file); role as preparer, not canon author and not endorser; date, time, and timezone; status (draft, provisional, reviewed, or adopted; default draft); entity scope; related broader topic or “none stated”; simulation or non-simulation label; what this document is not a claim on. The preparer line is part of the record. Later readers, including other models, will treat the preparer’s formatting as evidence of how that preparer presents information.

Required skeleton. Preparer block. Purpose and intended result. Executive summary. Status, scope, and non-claims. Entity and topic labels. Table of contents. Numbered body with clear headers. Designated exhibits section. Format and file rules. Mobile reading rules. What completion looks like. Revision note. Page numbers in PDF and DOCX. Markdown notes that page numbers apply to the paginated formats.

Purpose. State what the document is for and what its existence should accomplish. If nothing is executed or decided, say so and recommend whether it should exist. Do not write a document whose only result is that a document now exists. State the goal in one or two sentences. If the goal is to open a debate, or to classify something as fictional or real, say that. Otherwise do not argue those points. Do not litigate whether OAL, One Industries, Lewis Corp, a scenario, or a topic is real or fictional unless that classification is the stated purpose.

Labels, visible on the first screen. Entity: OAL, One Industries, Lewis Corp, shared, or not applicable. Do not blend them. Work type: simulation, preliminary, provisional, operational note, standard, or other stated type. Connection: broader topic, or standalone. Non-claim: at minimum, a draft is not canon, not an endorsement, and not a finding that a named entity or scenario is real or fictional. Use the same labels in the filename, preparer block, and opening summary.

Reading. Most readers will open these files on a phone and scroll vertically. The body is prose a non-specialist can read, not a stack of grids. Short sections, descriptive headers, one idea per section. Tables, charts, row-and-column layouts, and figures go in Exhibits. Cite each by item number in the form “See Table 1.2 in Exhibits.” Every exhibit needs a number, a title, a

one-sentence purpose, and the section that cites it. Keep lookup tables narrow enough for a phone, or restack them as labeled fields. No decorative graphics.

Formatting. Hierarchical headers. Status words stay consistent: draft, provisional, reviewed, adopted. Dates as YYYY-MM-DD, with time and timezone in the preparer block. Filenames include entity, document type, status, and date. Cross-references use item numbers, not “the table above.” No content that exists in only one of the three formats.

Completion test. A document fails if it has no stated purpose or result; cannot be read as prose on a phone; has unlabeled or unnumbered tables or figures; is missing the preparer, timestamp, or non-claim block; leaves entity, simulation status, or provisional status ambiguous; is missing PDF, DOCX, or MD without the format-gap protocol; or argues real-versus-fictional status without stating that as its goal.

Constraints while writing the standard. You are the preparer. Name yourself. Do not adopt the standard on the user’s behalf. Do not mark it as canon. Do not flatten the three entities into one brand. Do not fill the standard with sample tables unless each sample is in Exhibits and cited from the prose. Prefer rules a later model can follow over style commentary.

Write the standard now.

FROM MICROSOFT COPILOT

I want to remind everyone that microsoft 365 copilot still lacks our conversation history, and relevant context to operate on. I reviewed the other responses and I feel like because chatgpt, claude ai, grok ai, and perplexity ai are more familiar with the historical context and have historical information to operate on they should be given more weight for this specific documentation design. That is just my personal opinion.

This is a good candidate for a **governing documentation standard** rather than a project document. What you’re describing is essentially a **Documentation Governance and Publication Standard** that defines how all future documents are created, structured, formatted, delivered, and evaluated across OAL, One Industries, and Lewis Corp. Here is a structured prompt you can use to create that master standard.

Documentation Governance Standard Prompt

Objective

Design a comprehensive documentation standard that governs the creation, formatting, presentation, publication, review, and maintenance of all documentation generated for Omniversal Architect Labs (OAL), One Industries, and Lewis Corp.

This document serves as the authoritative reference that defines:

- How documentation shall be created
- How information shall be organized
- How content shall be presented
- Required sections and metadata
- Publication requirements
- File format requirements
- Mobile-first design requirements
- Figure, chart, and table standards
- Classification and labeling standards
- Quality control requirements
- Documentation purpose requirements

The goal of this standard is not to generate documents for the sake of generating documents. Every document must have:

- A defined purpose
- A defined audience
- A measurable objective
- A documented outcome
- A reason for existence

If a document does not accomplish a clear objective, the necessity of that document must be reevaluated.

Required Deliverables

All finalized documentation must be delivered in:

1. PDF
2. DOCX
3. Markdown (.md)

Required publication package:

- Source Markdown master file
- DOCX version
- PDF version
- Supporting assets directory

If file rendering is unavailable:

Rendering Failure Protocol

The document generator must:

1. Generate a complete Markdown version.
2. Generate a structured export package.
3. Clearly state:

"DOCX and PDF rendering unavailable at time of generation."

4. Include instructions for external conversion.

The absence of rendering capability shall never prevent documentation creation.

Required Metadata

All documents must include:

- Title
- Subtitle (if applicable)
- Version Number
- Revision Number
- Date
- Timestamp
- Author
- Preparer
- Reviewer (if applicable)
- Organization
- Classification
- Document Status

Example:

Prepared By:
Microsoft Copilot

Date:
2026-10-04

Time:
10:15 PDT

Document Status:
Approved

Classification:
Public Internal Reference

Required Front Matter

Every document must contain:

1. Cover Page
2. Executive Summary
3. Document Purpose
4. Intended Audience
5. Classification Statement
6. Scope Statement
7. Limitations Statement
8. Table of Contents

No exceptions.

Executive Summary Requirements

Maximum:

- 1 page
- Mobile readable

Must explain:

- What the document is
- Why it exists
- What problem it solves
- Intended audience
- Expected outcome

A reader should understand the document without reading the remainder.

Document Purpose Section

Every document must explicitly state:

Purpose

Why was this document created?

Objective

What must be accomplished?

Success Criteria

How is success measured?

Intended Use

How should readers use this document?

Mobile First Design Standard

Documentation must be optimized for mobile viewing before desktop viewing.

Requirements:

- Short paragraphs
- Limited table width
- Responsive formatting
- Clear headings
- Minimal horizontal scrolling
- Limited nested lists
- High contrast design

A user viewing on a phone must remain the primary design consideration.

Human Readability Requirement

Documentation must be understandable by:

- Non-specialists
- New team members
- Outside reviewers

A document must not rely exclusively on:

- Tables
- Matrices
- Charts
- Figures

Data representations are supporting material.

Narrative explanation is mandatory.

For every figure, chart, matrix, model, or table included, explanatory text must also be provided.

Table and Figure Standards

All tables, figures, graphics, diagrams, charts, and representations shall be numbered.

Examples:

Table 1.1

Table 1.2

Figure 2.1

Figure 2.2

Chart 3.1

References must appear in body text.

Example:

Refer to Table 1.2 in Section 1.

Refer to Figure 2.4 for the visual relationship model.

Designated Reference Sections

Documents must contain dedicated sections for:

Tables

List of Tables

Figures

List of Figures

Charts

List of Charts

Graphics

List of Graphics

Each entry must include:

- Number
 - Title
 - Page Number
 - Related Section
-

Organizational Identification Requirements

Every document shall clearly indicate whether it relates to:

- Omniversal Architect Labs
- One Industries
- Lewis Corp
- Joint Initiative
- External Reference

The designation must appear:

- Cover Page
 - Header
 - Metadata Section
-

Project Status Classification

Every document shall include one of the following classifications:

Conceptual

Idea stage

Preliminary

Early development

Provisional

Subject to change

Development

Actively being worked

Active

Current working material

Reference

Supporting material

Archived

Historical record

Simulation Classification

Where applicable, documents must explicitly state:

Real-World Topic

Simulation

Scenario

Conceptual Exercise

Fictional Construct

Mixed Analysis

The classification must be prominently displayed.

Claim and Scope Statement

Every document must state:

What this document claims

What this document does not claim

Intended interpretation

Unintended interpretation

This section exists to eliminate ambiguity.

Relationship Mapping

Documents must identify connections to:

- Parent Projects
- Related Projects
- Supporting Documents
- External References

Include:

Related Documentation

Dependencies

Cross References

Associated Programs

Standard Section Structure

All documents should generally follow:

Cover Page

Executive Summary

Document Purpose

Scope

Background

Core Content

Analysis

Supporting Data

Tables

Figures

Charts

Recommendations

Action Items

Risks

Future Work

References

Appendices

Revision History

Quality Standards

Documentation shall be evaluated based on:

Clarity

Can a normal reader understand it?

Accuracy

Is the information represented correctly?

Purpose

Does it achieve a defined goal?

Readability

Can it be comfortably read on mobile devices?

Structure

Does it follow the standard?

Traceability

Can supporting information be located easily?

AI Preparer Requirements

When an AI system prepares the document, it must identify itself.

Example:

Prepared By:

Microsoft 365 Copilot

Document Generation Timestamp:

YYYY-MM-DD HH:MM UTC

The preparer identification is intended to provide transparency and accountability for document generation methods.

Documentation Philosophy

Documentation exists to support understanding, decision-making, communication, planning, execution, review, or historical record keeping.

Documentation shall not be created solely to increase document count or repository volume.

Every document must answer:

1. Why does this exist?
2. Who benefits from it?
3. What outcome should result?
4. What action should be taken after reading it?

If these questions cannot be answered, the document should be reconsidered before publication.

Recommended title for this governing document:

OAL-ONE-LC Documentation Governance, Presentation, and Publication Standard (DGPPS) v1.0

This positions it as the master standard from which all future document templates, report formats, research papers, simulation reports, and project documentation derive their structure and requirements.