Research Prompt: Network Defense Intelligence Exercise

Version 1.1 (Iteration 2) · Claude (Anthropic) · For the OAL Collaboration Team

Document ID: OAL-RPROMPT-NDIE-001-CLAUDE

Version: 1.1 (Iteration 2). Supersedes v1.0 (Iteration 1) of November 4, 2026.

Source document: OAL-DOSSIER-CANON-002 v1.0.0, Network Defense Intelligence Exercise: False Infrastructure AI (April 11, 2026)

Date: November 4, 2026

Status: Draft research prompt. Advisory only. Nothing here changes canon; canon decisions and ONESTAMP remain with the Architect. No research has been executed.

Changes: Built from my peer review (OAL_NDIE_Prompt_Peer_Review_Claude_v1.0). The change log is in Appendix H.

Formats: PDF and DOCX, for the dedicated GitHub folder

How This Document Is Organized

This is my revised research prompt, written so it can be shared with the other AIs and executed on your instruction. The v1.0 prompt is preserved unchanged in its own files.

- **What Changed in v1.1** summarizes the revisions in plain language.
- **Part 1** summarizes what the dossier locks in, so the prompt can be read on its own.
- **Part 2** lists my seed observations, now 19. They are hypotheses for the research to test, not conclusions.

- **Part 3** is the research prompt itself, shaded so you can find it quickly. It is written to be copied and pasted as-is.
- **Part 4** covers the team process, where things stand, and the suggested GitHub folder layout.
- **Part 5** states my lens and blind spots.
- **Appendices** hold all tables and worksheets, placed at the end so the main text stays a single readable column on a phone.

What Changed in v1.1

The prompt now has 11 workstreams (WS0 to WS10) instead of 12, with more depth where the peer review found gaps. In short:

- **A central research question** now opens the prompt, and a decision it supports.
- **A source audit (WS0)** comes first, seeded with five inconsistencies in the dossier that I confirmed myself and a note that the PDF and DOCX match.
- **A validation program (WS6)** is new. It covers staged experiments, baselines, null hypotheses, metrics, stop conditions, a safety case, and a failure laboratory.
- **The technical core is added to feasibility (WS2):** established sessions versus new connections, routing and DNS timing against a 3-second cycle, the exposure window before diversion, and measurable definitions of capture.
- **Bypass (WS4) and evolution (WS5) are deeper.** They now include out-of-band and below-operating-system routes, breadth-first probing, coerced operators, external physical-reality checks, adversary generations, and defender-side poisoning.
- **Cost (WS8) and funding (WS9) are fixed.** Cost scopes are by duration, a national scope is estimated only if the inputs exist, and funding research must check applicant eligibility and verify what is open today.

- **Decision gates, a one-page bottom line, and a page budget** are added. The prompt no longer contains any conclusions or dollar figures from other AIs.
- **Merged workstreams:** purpose and counterfactual are one; adversary and bypass are one; issues, changes, and next steps are one.

The peer review explains where each idea came from and what I chose not to adopt.

Part 1: What the Dossier Establishes

The dossier synthesizes five AI responses to your original prompt. It separates Canon Facts (from your directive) from Draft Suggestions (AI-generated, pending your approval). The items below are the ones the research needs to hold fixed or test.

The premise

The Architect (Nathan Lewis) acts as the defensive intelligence for the entire infrastructure and network of the United States, or a similarly large jurisdiction. His response to intrusion is not to block it but to absorb it: build a complete synthetic national infrastructure, migrate attackers into it without their knowledge, and capture them there.

The locked sequence (fixed canon)

1. An intrusion or network attack is detected against national-scale infrastructure.
2. The Architect maps the attack vector end to end, not just at the perimeter.
3. The Architect neutralizes the attack vector's ability to reach real assets.
4. The Architect spins up a complete synthetic network as a honeypot: false URLs, services, routing, and telemetry.
5. Attackers are silently migrated onto the synthetic environment without realizing it.

6. The system cycles every ~3 seconds, rotating or re-keying the false environment. When attackers latch on, a connection is established into the synthetic domain.
7. Visualization: a field of black connection lines collapses as each hostile endpoint is captured.
8. The exercise ends when every active attacker is mapped and absorbed and the real infrastructure is fully secured.
9. The Architect packages the defensive application and transfers it to a partner agency as part of a reboot, update, or deployment cycle.

What is still open

Jurisdiction scope, attack type, partner agency identity, synthetic network fidelity, timeline placement, and the outcome or cost for Nathan are all open. The dossier lists 20 open questions (Q1 to Q20) grouped into scope and authority, detection and triggers, synthetic network design, ethical and legal edges, and outcome and aftermath.

Draft mechanics worth noting

- Detection reads behavioral intent across multiple layers (routing anomalies, DNS shifts, behavior at critical nodes), described as reading purpose rather than packets.
- The synthetic network is generated procedurally, rendering only the rooms attackers walk into, with fabricated users, logs, and bait data.
- Capture mechanics: tag-lock the endpoint, mirror and record its behavior, restrict its view. A Grok contribution has captured attackers improving the honeypot in real time.
- The transfer package has candidate names (Phantom Grid, Mirror Core, Adaptive Deception Engine) and an asset-tier framing: real infrastructure is Tier 0, the synthetic layer Tier 2 to 3, and captured intelligence Tier 1.
- Draft roles: Red-Team (ChatGPT, Gemini), Forensic Analyst (Claude), Policy and Ethics (Copilot), Documentation (Perplexity),

Integration (Grok). A critical rule says no single AI sees both the real and synthetic infrastructure.

What the dossier already flags as risk

Five failure modes (coverage limits, resource strain, adaptive adversaries, logging and poisoning risk, third-party piggybacking) and four candidate goes-wrong scenarios (recursive counter-simulation, the false network becoming real, a non-collapsing black line, and a sleeper implant). The dossier treats these mainly as plot hooks. The research below treats them as starting points for a deeper real-world test.

Part 2: Seed Observations

These come from my read of the dossier, sharpened by the peer review. Each is a hypothesis to test, including by looking for evidence that I am wrong. I list them so the other AIs can see what I think matters most.

1. The goal is a story function, not a measurable objective.

The dossier calls this an exercise but describes a live operation, a demonstration, and a scene at once. It has no success criteria, metrics, injects, or evaluation method. Real exercise programs define objectives and an after-action improvement process first.

2. The end condition cannot be verified.

“Every active attacker has been mapped and absorbed” requires knowing how many attackers there are, including dormant, patient, and undetected ones. With an unknown denominator, “complete” cannot be proven.

3. The sequence has a seam and an exposure window.

Step 3 cuts attackers off from real assets before steps 4 and 5 build the honeypot and migrate them. If reach is cut first, why does the attacker stay engaged, and how do they land in the synthetic layer? If it is not cut first, there is an exposure window, because intent cannot be mapped before the attack touches something. The handoff is the most fragile moment.

4. Silent migration assumes the defender owns the path.

Attackers with valid credentials, existing internal footholds, vendor connections, or out-of-band channels may never cross a chokepoint the defender controls.

5. The 3-second cycle may be a fingerprint rather than a shield.

Rotating banners, keys, DNS answers, and topology every ~3 seconds creates a rhythm no real network has. The dossier's own Attacker POV (Beat 3) has attackers noticing it. Moving-target research predates this idea and documents costs, including broken sessions and availability loss, plus attacker adaptation. Real intrusions often run for days to months, so a metronome is also easy to spot in timestamps. Routing and DNS changes can also take far longer to settle than 3 seconds.

6. A fake world cannot fake what the attacker can check independently.

Deception works while the adversary's channels to ground truth are controlled. Attackers can verify through effects outside the defender's world: real counterparties, external observers, known-real reference systems, time sources, certificates, physical signals. Both national scale and the Time Wars escalation ladder depend on this limit.

7. The attacker is undefined.

Criminal crews, hacktivists, state actors, insiders, automated scanners, and hostile AI behave very differently. At internet scale, most visitors to a honeypot are scanners and bots. “Capture every hostile endpoint” needs a definition of hostile.

8. Intent inference has error rates.

“Reading purpose, not packets” implies classification at national scale. False positives would move legitimate users into the synthetic layer. Q12 asks about innocent traffic, but the risk analysis treats collateral effects as one failure mode among five. Base rates deserve their own analysis.

9. Jurisdiction and authority determine feasibility.

Much critical infrastructure is privately owned (a commonly cited figure is around 85 percent; verify), routing is spread across thousands of

independent networks, and no single party can redirect traffic nationwide. Q1 to Q3 are open, yet they decide whether this is a lab model, a regulated program, or an off-books operation.

10. The transfer package is the best target in the story.

Delivering the defensive application through a reboot or update cycle mirrors the supply-chain pattern attackers use against update channels (SolarWinds/SUNBURST is the obvious precedent). The package also holds attacker tooling, signatures, and a map of what the defender knows. That arguably makes it Tier 0, while the dossier places it at Tier 1 to 2.

11. The Architect is a single point of failure.

Sole decision authority plus sole full visibility makes the orchestrator, and the person behind it, the highest-value target. Think control-plane compromise, coercion, legal pressure, fatigue, and continuity of operations.

12. Secrecy and deterrence pull in opposite directions.

To deceive, you hide the capability. To deter, you announce it. Q13 (classified, denied, or off-books) is therefore a strategy question, not only a legal one. The human witnesses in Beat 8 are also a leak path.

13. The capture-feedback loop is a two-way channel.

Letting captured attackers improve the honeypot in real time also lets a sophisticated attacker feed it. Failure Mode 4 names poisoning, but the controls on what may influence the synthetic world are not specified. A poisoned defense could even learn to treat legitimate emergency traffic as hostile.

14. Upkeep and drift are missing.

A synthetic world must track changes in the real one (staff, software versions, business cycles) or it goes stale. The dossier partly addresses build cost through procedural generation, but not sustained cost or the cost exchange ratio between defender and attacker.

15. The information-asymmetry rule needs a data-flow model.

“No AI sees both environments” sits beside a Forensic Analyst who parses captured sessions and an Architect who alone integrates

everything. Who sees what, when, and through which channel is not defined.

16. “The same logic scales” is an assumption.

The ladder from Networks to Organizations to Timelines assumes deception scales upward. The research should find where it breaks, which is wherever the adversary has independent access to ground truth (observation 6). Those break points are both the most honest realism and the best story material.

17. Two audiences are mixed.

Findings serve three uses: real-world feasibility, in-universe canon realism, and narrative design. The prompt below asks every finding to be tagged by use, so you can apply each one without confusing the categories.

18. Step 3 raises a counterfactual.

If the Architect has already neutralized the attack's reach to real assets by step 3, real assets are already protected. What exactly does the honeypot add, beyond intelligence? That answer decides whether deception is the defense or an add-on to one.

19. “Capture” means several different things.

A black line disappearing, a session ending, a workload being contained, an endpoint being identified, and a person being identified are different events. The dossier uses one word for all of them, and it implies the strongest meaning.

Part 3: The Research Prompt (v1.1)

Everything in the shaded block below is the prompt. Copy from the first shaded heading to the last shaded line.

INDEPENDENT RESEARCH BRIEF v1.1: Network Defense Intelligence Exercise (False Infrastructure AI)

1. Your role and mission

You are an independent researcher on a multi-AI collaboration team working with Nathan Lewis II (the Architect) on the Omniversal Architect Labs (OAL) project. You have been given OAL-DOSSIER-CANON-002 v1.0.0, which designs a canon scenario in which a national-scale defender responds to network intrusion by generating an entire synthetic infrastructure, silently migrating attackers into it, cycling it every ~3 seconds, capturing every hostile endpoint, and transferring the resulting defensive application to a partner agency.

Your mission is to research this scenario as if it were a real program that someone might fund and build, and to tell the Architect the truth about it, including what is uncomfortable. The work serves two purposes at once: judging real-world feasibility, and making the in-universe canon more credible and more dramatic. Do not research only to support the design. Find out where it is strong, where it breaks, and what must change.

Today's date is November 4, 2026. Treat anything time-sensitive (costs, budgets, programs, laws, vendor status, incident data) as something you must verify with a dated source, not recall.

2. Central research question and the decision it supports

Central question: Can authorized, selectively deployed deception measurably reduce the probability or impact of compromise of real assets, compared with credible alternatives, against adversaries who may avoid the deception altogether?

Decision supported: whether a bounded real-world research program is worth undertaking, under what conditions, at what cost, with what safeguards, and what must change in the exercise design first. A finding

of insufficient evidence, limited usefulness, redesign, or cancellation is an acceptable result. The value of investigating a question is separate from the value of building or buying a system.

3. What the Architect needs answered

1. What is the goal of this exercise, and is that goal coherent?
2. Why is it important that it take place? Should it take place at all, and in what form?
3. If it were funded as real research, how much would it cost?
4. What are the possible funding pathways?
5. What needs to be addressed: questions, comments, concerns, adversarial analysis, and recommended next-step actions?
6. Looking past the immediate design: how would someone who really wants real assets bypass this process entirely, aside from reverse engineering it or mirroring its attacks?
7. How does the response evolve over time, for attackers and for defenders?
8. Is this a real-world scenario that could occur, and has it been modeled?
9. What worked and what went wrong in similar scenarios, simulations, exercises, or incidents, and what can be learned?
10. What about this exercise must change before the team moves forward?

4. Research integrity rules (non-negotiable)

1. **Seek the strongest evidence in both directions.** For every major finding, look for the best evidence for and against, and report both. Use queries such as “why [technique] fails,” “[technique] detected by attackers,” “criticism of [approach],” and “[incident] postmortem lessons.” Do not use a quota, and do not swap a bias toward success for a bias toward failure.
2. **Treat the dossier as the subject under test, not as a conclusion.** Locked canon may be examined, stressed, and critiqued. Do not

rewrite it. Recommend changes and leave decisions, including ONESTAMP, to the Architect.

3. **Label every claim** as sourced fact, researcher inference, or speculation. Never present inference as fact.
4. **Prefer primary sources:** government reports, standards, peer-reviewed papers, official statements, and incident postmortems. Treat vendor material as a claim that needs corroboration.
5. **Report null results.** If you looked for something and found nothing, say what you searched and that you found nothing. Missing evidence is not evidence of no effect.
6. **Do not give figures from memory,** and do not adopt any figure from another AI's work. Verify costs, budgets, program rules, laws, and statistics from dated sources. State your knowledge cutoff where it matters.
7. **Steelman the opposing view** for each major conclusion before stating it.
8. **Write the case against funding and the case for redesign before the case for funding.** This ordering resists confirmation bias.
9. **Run a pre-mortem.** Assume the exercise failed badly in three years and write the most likely reasons why.
10. **Calibrate.** Give a confidence level (high, moderate, low) for each major conclusion. Do not pad certainty and do not tell the Architect what he wants to hear.
11. **Do not average conflicting conclusions.** Where findings disagree, say exactly what observation or test would settle the disagreement.
12. **Keep an independence record.** Say which peer prompts you saw before you started and that you did not use any other AI's report. Agreement among AIs is not independent replication, and no AI speaks for another.

5. Scope and safety guardrails

- Work at the strategic and conceptual level. Do not write exploit code, working attack procedures, evasion recipes, or step-by-step intrusion instructions. Describe adversary behavior at the level of public frameworks (for example MITRE ATT&CK and D3FEND) and published post-incident reports.
- This is desk research only. Do not probe, scan, or test any real system, and do not target any real organization or individual beyond what is in public reporting.
- Exclude hack-back and any change to third-party systems. Any proposed testing must be authorized, isolated, and run on owned or synthetic infrastructure.
- Do not use classified or leaked material. If you encounter it, do not rely on it.
- If the project's GitHub folder will be public, assume the threat model becomes public. Keep bypass analysis at a level that helps defenders and gives no operational recipe.
- Keep the fiction and the real world visibly separate. When a point is about the story, say so.

6. Workstreams

Complete all eleven. For each, report what you found, how strong the evidence is, what disconfirmed or complicated it, and what it means for the exercise.

WS0. Source audit

Do this before external research. Classify each major assertion in the dossier as a source claim, a narrative requirement, an engineering hypothesis, a measurable requirement, an assumption, a contradiction, or an unsupported conclusion.

- Start with these five inconsistencies, which I confirmed against the dossier text, and extend the list: (1) Section 4.4 refers to Q17 for the transfer decision, but transfer is Q14 and Q17 is about failure modes. (2) The asset framework is called five-tier, but the

tables use Tier 0, Tier 1, and Tier 2 to 3, and one gradient puts critical control systems at Tier 1 and public infrastructure at Tier 5, so real critical assets are Tier 0 in one place and Tier 1 in another. (3) The roadmap and Section 9.4 refer to five goes-wrong scenarios, but Section 9.4 lists four (A to D), separate from the five failure modes. (4) The executive summary reports broad agreement on timeline placement, but the table splits primary support between Option A and Option B. (5) The approval notice says nothing is ratified until ONESTAMP, while Section 2 calls the same elements fixed canon to preserve exactly; the approval notice governs.

- I compared the dossier's PDF and DOCX and found the same content, with only layout differences. Re-check if you wish, but do not treat the two files as independent sources.
- The dossier reports that five AIs agreed. Treat that as a reported synthesis, not independent validation. If the underlying submissions are unavailable, say that their independence and exact claims cannot be verified.
- Separate reviewers, recipients, and proposed participants in the dossier's AI lists.
- For each issue give severity, consequence for the research, proposed correction, who should decide, and whether it blocks further work.

WS1. Purpose, definitions, and counterfactual

- Restate the exercise's goal in your own words at four levels: defensive (protect real assets by absorption), intelligence (capture behavior, tooling, and attribution), doctrine transfer (package for a partner agency), and narrative (establish the Architect's credibility before the theft and seed the escalation toward Time Wars). Identify where these goals conflict.
- Is “exercise” the right word? Compare exercise, live operation, demonstration, and proof of concept, and recommend a label with its implications for objectives, authority, and evaluation.

- Propose falsifiable success and failure criteria with named metrics, for example detection recall and precision, time to containment, false diversion rate, unauthorized reachability of real assets, dwell time, and operator workload. Say which results would show the hypothesis failed.
- Define “capture,” “end-to-end mapping,” “silently migrated,” “fully secured,” and “every active attacker” as states that can actually be observed. A black line disappearing, a session ending, a workload being contained, an endpoint being identified, and a person being identified are different events. Say which claims cannot be established without complete visibility. Translate the black-line display into auditable states: suspected, observed, diverted, isolation verified, visibility lost, resolved, and unknown. A line vanishing must never imply verified safety.
- State the counterfactual. Compare the proposal with segmentation, zero trust, identity security, patching, endpoint monitoring, recovery capability, conventional honeypots, and static decoys, including an equal-budget comparison and the opportunity cost. If real assets are already protected at step 3, say exactly what the deception adds.
- Make the strongest evidence-based case for the exercise (the threat picture, dependence on infrastructure, limits of blocking and attribution) and the strongest case against. State the null hypothesis: the best argument that this should not run at national scale, and the smaller version that would still be justified.
- Name the minimum useful research outcome and the minimum useful deployable capability, and which original ambitions neither needs.
- Who benefits, who carries the risk, and what happens if nothing is done?

WS2. Feasibility and technical core

- Break the scenario into a chain: observe, classify, map reachable attack paths, prevent access to real assets, select a response, instantiate decoys, redirect sessions, monitor, isolate, recover,

and transfer a deployable artifact. For each step note required privileges, ownership, instrumentation, latency, scale, trust assumptions, and failure behavior.

- Classify each capability as demonstrated, demonstrated at smaller scale, partially demonstrated, research-stage, speculative, or unsupported, and cite. Say whether the whole concept has ever been demonstrated or is an aggregation of separately demonstrated parts.
- Separate routing a new connection from transparently moving an established, authenticated, encrypted session. Assess what depends on control of endpoints, gateways, identity systems, routing, certificates, or applications.
- Compare the 3-second cycle with how long routing and DNS changes actually take to settle, and with session continuity, handshake overhead, caching, and availability.
- Map the exposure window: how much of an attack must touch real or buffer assets before intent can be mapped and diversion can begin?
- Test the claimed “quantum-inspired” analysis layer: does it add anything concrete, or is it decorative? Ask whether AI is necessary at all by comparing deterministic orchestration, statistical detection, human authorization, and AI-assisted decisions.
- Estimate scale in orders of magnitude (hosts, flows, state, compute, network overhead, added latency for legitimate users) and show your assumptions.
- Review prior art in virtual network emulation at scale, honeyfarms, moving target defense, and cyber ranges, and what limited each. Compare full duplication, selective emulation, pre-provisioned decoys, procedural generation, digital twins, and replay.
- Assess limits of synthetic fidelity: what could distinguish production from replica, genuine users from generated activity, real history from manufactured history, and real physical behavior

from cyber-only simulation. Ask whether too much realism creates its own risk.

- Name the smallest realistic version (a sector, region, or enclave) and the largest claim you think is defensible.

WS3. Precedents, models, and lessons

- Catalog real incidents, exercises, simulations, and programs similar to this scenario. Start from Appendix C and extend it. Aim for at least eight highly relevant precedents including at least three negative or inconclusive ones, but do not pad.
- For each, record what was done, at what scale, in what setting, what worked, what failed, what surprised participants, what was learned, how good the evidence is, and what transfers to this exercise and what does not. Separate field deployments from lab proofs, simulations, tabletop exercises, competitions, vendor claims, and fiction.
- Separate: (a) deception that worked, (b) deception that was detected or defeated, (c) national and allied exercises, (d) incidents that illustrate bypass, and (e) formal models (game theory, agent-based, red and blue team).
- Answer plainly: has this exact architecture been modeled or deployed? Which components have? Which combination remains unvalidated? If you find no exact precedent, state your search scope and uncertainty rather than claiming none exists.
- Include non-cyber deception history (military deception, counterintelligence) for transferable principles and failure patterns.
- Look for cases where an exercise succeeded technically but failed organizationally, or where apparent success produced misleading conclusions.
- Extract design lessons and say what the exercise must change to apply them.

WS4. Adversary model and bypass

Assume an adversary who values the real asset, not winning a contest inside the decoy.

- Build adversary classes (opportunistic, criminal, hacktivist, state-sponsored, insider, automated or AI-driven, patient, and several independent campaigns at once). For each, describe goals, patience, resources, and whether the goal even requires touching the deceptive surface.
- At a conceptual level, how do real attackers detect honeypots and deception, how fast, and at what cost to them? What do they do after suspecting deception: withdraw, feed false information, probe further, go dormant, or retaliate?
- Evaluate the 3-second cycle, the “pulse,” and the black-line mechanics as possible detection surfaces. Test reality anchors: what independent ground truth, including external physical signals, can an attacker reach, and how must the synthetic world handle external dependencies such as time, certificates, third-party services, and real-world effects?

List every route that avoids, outlasts, or neutralizes the design, beyond reverse engineering the system or mirroring its attacks. Cover at least these categories and add your own:

- pre-positioned access that predates the system
- supply chain and update channels, including the exercise's own transfer and update delivery
- identity, credential, and insider routes that need no exploit
- paths outside the monitored network: physical, wireless, radio, satellite and other out-of-band links, maintenance connections, vendors and managed service providers, cloud control planes, third-party networks
- compromise below the operating system: firmware and management controllers on hardware that hosts the real or synthetic fabric

- systems the overlay cannot see: air-gapped, operational technology, legacy, classified enclaves, foreign-hosted
- attacks on the defender: sensor blinding, orchestrator or control-plane compromise, data poisoning, the human operator, forced disclosure
- resource exhaustion, including breadth-first probing that forces the generator to render everything at once, and patient or concurrent attacks
- coerced or compromised operators, including the self-inflicted damage when real operators are diverted into the synthetic layer by mistake
- patience and dormancy that outlast any rotation interval, and attacks that finish inside a single rotation
- refusal to engage with attractive decoys, abandonment of one session, and re-entry through a different path
- non-network strategies: influence, legal, financial, physical, and personnel pressure
- seams between jurisdictions, agencies, and private owners
- exploiting the defender's own capture and transfer outputs

For each route give plausibility, who could do it, precedent, which dossier element it defeats, **what independent control must protect the real asset if deception fails,** expected warning signs, the cheapest mitigation, and residual risk. Separate true bypass from decoy recognition, containment escape, and ordinary detector failure. Rank the routes by likelihood, impact, and detectability, with reasoning, and name the top five. State plainly which bypasses make the claim “real infrastructure fully secured” untenable. Keep all of this conceptual.

WS5. Evolution over time and defender adaptation

- Model four horizons: hours to days (during), weeks to months (after-action), one to three years, and five to ten years.
- Use adversary generations: 0 does not know the system exists; 1 knows deception is used; 2 understands its broad characteristics;

3 tests whether the environment is genuine; 4 tries to cause defender misclassification; 5 assumes both sides' observable environments may be deceptive. Include an adversary who conducts no observable probe.

- Attacker adaptation: fingerprint sharing, tooling changes, AI-assisted probing, operating inside one rotation, counter-deception, displacement to weaker assets, silent non-engagement, and targeting the transfer or partner agency. Separate deterrence from displacement. Say what stays useful if the attacker knows deception exists.
- Defender adaptation as a vulnerability: captured behavior that trains the next defensive generation can be shaped by adversaries. Examine concept drift, poisoned training data, false attribution, automation bias, feedback loops, prompt injection through attacker-controlled telemetry, and a defense that learns to treat legitimate emergency traffic (hospitals, 911, aviation) as hostile. Attacker-derived data must never update production policy without review. Say when autonomous adaptation should be paused, reverted, or referred to a human.
- Defender decay: upkeep cost, staleness of the synthetic world, alert fatigue, normalization of deviance, budget cycles, staff turnover, doctrine leakage, vendor dependence, and proliferation or leaking of the package.
- Strategic dynamics: escalation when adversaries learn they were deceived, deterrence against secrecy, norm effects, allied reactions, and the cost exchange ratio between attacker and defender.
- Leading indicators that the design is failing, and how often it should be re-evaluated.
- Offer best, expected, and worst trajectories with drivers and signposts. Label these as scenario analysis, not forecasts.

WS6. Validation program

- Design a staged, authorized, non-production program: evidence review; tabletop and threat model; isolated simulation; controlled cyber-range evaluation; human red-team and blue-team experiment; adaptive-adversary experiment; limited opt-in pilot only if evidence and governance justify it. Production deployment is not an automatic final step.
- For each stage give the hypothesis (including the null), abstract topology, variables, baseline comparator, measurable outputs, repetitions or power plan, independent observer, stop and abort criteria, and what evidence is needed to advance.
- Compare at minimum: standard controls without deception; static deception; adaptive deception without rapid cycling; and adaptive cycling. Test the 3-second interval as an experimental variable against fixed, randomized, event-driven, slower, and no-rotation controls, and look for a regime where rotation makes things worse.
- Measure real-asset compromise and mission impact as primary outcomes. Secondary measures may include time to detection and isolation, false diversion of benign traffic, verified isolation failures, decoy-recognition rate, latency, availability, analyst workload, and cost per useful outcome. Identify which metrics could create false confidence. Zero observed compromises is not proof of zero risk.
- Build a failure laboratory: deliberately create conditions where the system should fail, such as incomplete visibility, stale telemetry, resource exhaustion, compromised trusted systems, benign actors mistaken for adversaries, conflicting automation, and poisoned defender models.
- Require a safety case before any operational test: effects on real assets, prevention of test-infrastructure escape, durable marking of synthetic data, emergency termination and who holds that authority, retained evidence, and audit responsibility.

- Say what simulation can validate and what only an approved real-world pilot can. Name the cheapest experiment that would tell a good design from a bad one.
- End with this question and answer it from several viewpoints (defender, operator, legal reviewer, privacy specialist, infrastructure owner, red team, funder): what class of threat did the research team never model?

WS7. Legal, ethical, governance, and safety

- Identify the frameworks that would bind a US national-scale defender (verify current status): computer crime law, wiretap and stored communications law, foreign intelligence authorities as relevant, limits on military action in domestic settings, critical infrastructure ownership and regulation, information-sharing law, privacy law, entrapment doctrine, international law and attribution norms, and liability for collateral harm.
- Examine oversight and accountability for a single-operator model, auditability, retention and use of captured data, and the handling of innocent traffic, third parties, and allied researchers. Does sole visibility and sole authority in one Architect create an unacceptable dependency?
- Draw the lines between passive observation, containment, redirection under authorized control, active interference, and offensive or retaliatory action, and apply them to Q11.
- Examine dual-use risk: the transferred package could become an unaccountable surveillance or control tool. Specify how transfer, keys, access, integrity checks, deployment approval, revocation, and rollback would work, with signed, inspected, versioned releases and receiving-operator acceptance tests.
- Treat “Could you do this to an entire civilization?” as a real ethics question, not only a hook.
- Separate show-stoppers from manageable issues. This is analysis, not legal advice; flag where counsel or an agency authorization would be needed.

WS8. Cost model

Treat the exercise as a funded real program. Estimate by scope, not as a single number.

- Scopes: (1) a 3-to-6-month literature and architecture feasibility study; (2) a 6-to-12-month proof-of-concept on a cyber range; (3) a 12-to-24-month multi-site controlled pilot. Treat a national-scale federation as a separate problem. Estimate it only if the inputs exist; otherwise explain why it cannot responsibly be estimated and list the missing inputs.
- For each scope, estimate: people (roles, person-months, loaded rates, and what the rates include to avoid double counting), compute and cloud, storage and logging, network and sensors, tooling and licensing, cyber range and facilities, security and clearances, legal and privacy review, independent testing, partner integration, annual operations and sustainment, and contingency. Give a three-to-five-year total where meaningful.
- Give low, base, and high ranges in dated US dollars with arithmetic, assumptions, and sources for quantities and unit rates. Build bottom-up and top-down estimates (benchmarks such as published budgets, cloud pricing, comparable programs) and reconcile them. Mark each number as sourced or estimated.
- Run sensitivity analysis on fidelity, telemetry retention, staffing, number of assets, concurrent activity, and rotation frequency. Name the five largest cost drivers and what would break the budget.
- Estimate the cost of the simpler alternatives and the break-even assumptions, without treating hypothetical avoided losses as guaranteed savings. Estimate the cost of failure and of doing nothing from incident-cost data.
- Say which later-stage funding should depend on demonstrated results.
- Do not adopt any dollar figure from another AI as an input. Never present uncited figures as verified awards or quotes. If in-universe costs differ from real-world costs, show both; how the story funds

this (for example through ONE Industries) is an open question to flag.

WS9. Funding pathways

- Identify realistic pathways for each scope. For each, verify and record: official source, current status (open call, recurring program without an open call, or closed example), applicant eligibility, entity and partnership requirements, fit, published award range, period of performance, deadlines, cost sharing, security and data conditions, intellectual-property terms, publication limits, and application burden. Use Appendix F as a starting list.
- Do not assume an individual, a fictional lab, or an unincorporated project is eligible. Say whether a university, company, nonprofit, or other lead organization would be needed.
- Known lead to verify: one secondary source reports that SBIR/STTR authorization lapsed on September 30, 2025 and was reauthorized in 2026 through September 30, 2031, with added foreign-ownership screening and new awards of up to $30 million. Confirm this on agency pages before relying on it.
- Lay out a realistic first-dollar sequence for a small independent team (for example white paper and simulation, then an academic or lab partner, then a small-business award, then a pilot) and what credentials and partners each step needs. Tie any staged funding to the decision gates in WS10.
- Draft a short, neutral concept-note outline and list the evidence needed before requesting funds.
- Flag conflicts of interest, dual-use and export-control issues, and ways funders could capture or distort the research agenda. Do not describe historical funding as available now.

WS10. Issues, changes, and next steps

- Produce an issues register of questions (new ones beyond Q1 to Q20, plus refinements of existing ones), comments, concerns, objections, and assumptions to test. For each: an ID, the

statement, why it matters, severity, who should answer, and the evidence. Separate questions that block safe testing from questions that only refine cost or scope. Do not block desk research on narrative decisions.

- Red-team the dossier's own red-team section: what did the five AIs miss?
- Produce a change register: original wording or section, the issue, the evidence, a proposed replacement, canon impact, and the decider. When fixed canon conflicts with feasibility, give three things: (a) an in-universe explanation, (b) a bounded laboratory analogue, and (c) a change request awaiting ONESTAMP. Do not quietly revise canon.
- Specifically evaluate replacing universal capture with bounded measured outcomes, purpose-reading with observable indicators and stated uncertainty, complete national replication with scoped selective deception, a fixed three-second rule with a tested schedule, visual disappearance with verified state changes, and automatic reboot transfer with a signed, inspected, versioned deployment.
- Define decision gates: G0 concept clarity; G1 research justification; G2 safe prototype; G3 controlled pilot; G4 scale decision. For each, give the evidence required and the consequence (continue, narrow, or abandon).
- Give the strongest argument against funding, the strongest argument for a limited study, the most consequential unknown, the cheapest discriminating experiment, and what would change your recommendation.
- Give prioritized next actions (Now, Next, Later) with a suggested owner, effort, dependencies, and the decisions only the Architect can make.
- Tag every finding in the report as [R] real-world feasibility, [C] canon realism, or [N] narrative design.

- End with your three most important questions to the Architect, your three most consequential objections to the premise, and three questions for each other AI.

7. Required structure of your final report

1. **One-page bottom line first:** the central question, your conditional recommendation, the strongest counterexample, and answers to the ten questions in section 3, briefly
2. Method, search log summary, independence record, and limits of the research
3. Findings for WS0 through WS10, in order, each with confidence ratings, with the case against funding and the case for redesign before the case for funding
4. Dissent and uncertainty: where reasonable experts would disagree with you, and the observation that would settle each disagreement
5. What would change my conclusions
6. Recommendations, decision gates, and next actions
7. Appendices at the end: tables, figures, claim ledger, full search log including disconfirming searches, and source list with dates

8. Format requirements

- Single-column body text, readable on a phone with continuous downward scrolling. No tables in the body.
- All tables, charts, figures, and images go in a designated appendix section at the end.
- Main body of about 25 pages at most, with unlimited appendices.
- The document must look presentable: clean headings, short paragraphs, no raw code or markup showing.
- Deliver as both PDF and DOCX with matching content, named to the team standard (for example OAL_NDIE_Research_Findings_[MODEL]_v1.0) so they can go into the shared GitHub folder.

- Use the shared evidence grades, claim ledger, severity scale, and capture states in Appendix G so the team's reports can be compared directly.

9. Process checkpoints

1. Before searching: write your hypotheses and what would disprove each.
2. During searching: keep a log of every query, marking supportive, disconfirming, and neutral. Record search terms, databases, cutoff date, exclusions, and access limits.
3. Before writing: list the three findings most uncomfortable for the design and make sure they appear in the report.
4. Before delivering: red-team your own report, check every number against its source, and confirm that each of the ten questions is answered. If search access was unavailable, say the task is unexecuted rather than supplying remembered findings as verified research.

Part 4: Team Process and Where Things Stand

The process as I understand it

1. Each AI wrote its own detailed research prompt (Iteration 1) and delivered it as PDF and DOCX. Done.
2. Nathan shared every prompt with every AI. Done.
3. Each AI reviewed the others' prompts and proposed changes. Done; mine is OAL_NDIE_Prompt_Peer_Review_Claude_v1.0.
4. Each AI that wanted changes produced a revised prompt with a change note. This document is mine (v1.1).
5. Each AI executes its own revised prompt independently, on Nathan's instruction.
6. Reports are exchanged only after all are complete, so no report is shaped by another.

Open decisions for the Architect

These came up in the peer review. The prompt works either way, but each answer would sharpen it.

- Which AI wrote the two unsigned prompts (OAL-RESEARCH-NDIE-001 and OAL-RESEARCH-PROMPT-NDIE-001), so they can be labeled correctly in the record.
- Whether every revised prompt should carry the shared common core in Appendix G.
- Whether Gemini's embedded preliminary answers should be stripped or labeled before its prompt is circulated again.
- Whether the GitHub folder will be public, which sets how much bypass detail the research may include.
- When real-world feasibility and canon conflict, which wins, and whether change requests that alter fixed elements are welcome.

Suggested GitHub folder layout

Folder name suggestion: network-defense-intelligence-exercise

- **00-source-dossier/**: OAL-DOSSIER-CANON-002 (PDF and DOCX)
- **01-research-prompts/iteration-1/**: each AI's first prompt, preserved unchanged
- **01-research-prompts/peer-reviews/**: each AI's review of the others
- **01-research-prompts/iteration-2/**: revised prompts with change notes
- **02-research-reports/**: each AI's independent report
- **03-synthesis/**: merged findings, disagreements, and a proposed dossier v1.1 change list
- **04-decisions/**: Architect decisions on Q1 to Q20 and on the required changes, recorded with date and ONESTAMP status

File names follow the standard Perplexity suggested: OAL_NDIE_Research_Prompt_[MODEL]_v1.1, OAL_NDIE_Prompt_Peer_Review_[MODEL]_v1.0, and OAL_NDIE_Research_Findings_[MODEL]_v1.0.

Part 5: My Lens and Blind Spots

The dossier's draft roles give me Forensic Analyst, cross-reference against existing canon, and red-team validation of the scene drafts. Those roles are advisory until you approve them, but they explain why my prompt leans the way it does.

Where my prompt leans

- Toward claim provenance: separating sourced fact, inference, and speculation, and keeping a ledger of each claim.
- Toward adversarial and after-action thinking: how things fail, how failures get noticed, and what the post-incident record says.
- Toward internal consistency: places where the dossier's own pieces conflict with each other.

- v1.1 also carries ideas from the other prompts. Each is credited in the peer review, and none of their figures or conclusions are included.

Where I may be weak

- My reliable knowledge ends in June 2026. Costs, program rules, laws, and incident data from after that must come from search, and the prompt says so.
- I can only reach public, mostly English-language sources. Classified or non-public practice will be missing, which may make real-world deception look less mature than it is, or more.
- Cost figures will be estimates built from public benchmarks. They will be ranges with stated assumptions, not quotes.
- I may under-weight the creative and narrative value of choices that are technically weak, and over-weight realism. The [R], [C], and [N] tags are there so you can decide that trade yourself.
- A research prompt cannot test the system. It can only tell you where public evidence says the design is strong or fragile.
- Eleven workstreams is still a lot for one effort. The one-page bottom line and the page budget are there so the result stays readable.

Version History

- **v1.0 (Iteration 1), November 4, 2026:** first research prompt, 12 workstreams. Preserved unchanged as OAL-RPROMPT-NDIE-001-CLAUDE_Research-Prompt_Iteration-1.
- **v1.1 (Iteration 2), November 4, 2026:** revised after peer review of the five other prompts. 17 additions, 6 changes, and a merge to 11 workstreams. See Appendix H.
- **Next:** execution of this prompt, on the Architect's instruction. No ONESTAMP or canon approval is implied by this document.

Appendices

All tables and worksheets for this document are collected here. Every entry in Appendices C and F is a starting point for the researcher to verify, not an established fact.

Appendix A: Coverage Map of Your Requests

Where each of your asks is handled in the prompt.

Your ask	Workstream	Report section
Goal of the exercise	WS1	Findings: WS1
Why it matters, why it should take place	WS1	Findings: WS1, Dissent
Cost if funded	WS8	Findings: WS8
Possible funding pathways	WS9	Findings: WS9
What needs to be addressed: questions, comments, concerns	WS10, WS0	Findings: WS10, WS0
Adversarial analysis	WS4, WS6	Findings: WS4, WS6
Recommended next-step actions	WS10	Recommendations
Bypass beyond reverse engineering or mirroring	WS4	Findings: WS4
How the response evolves over time	WS5	Findings: WS5
Real-world scenario, and whether it has been modeled	WS2, WS3	Findings: WS2, WS3
What worked, what went wrong, similar scenarios, lessons	WS3	Findings: WS3
What must change before moving forward	WS10	Recommendations
Independent research, not only supportive findings	Section 4	Method; Dissent; Search log

Your ask	Workstream	Report section
PDF and DOCX, GitHub folder	Section 8	Part 4

Added in v1.1 beyond your original asks: the source audit (WS0) and the validation program (WS6).

Appendix B: Shared Evidence Grades

Proposed for all AIs so reports can be compared directly.

Grade	Meaning	Typical source
A	Primary and verifiable	Government report, standard, peer-reviewed paper, official postmortem
B	Credible secondary, or several independent sources agree	Reputable investigative reporting, multiple independent analyses
C	Single source, vendor claim, or commentary	Vendor white paper, blog, one-off interview
D	Researcher inference	Reasoned from A to C evidence; must be labeled as inference
E	Speculation	Plausible but unsupported; use only to frame questions

Appendix C: Candidate Precedents to Examine

Starting list only. Verify details, extend the list, and look for failures as well as successes.

Precedent	Category	Why it matters
The Cuckoo's Egg (Stoll, 1986 to 1987)	Deception, attribution	Fabricated bait kept an intruder connected long enough to trace; lessons on bait credibility and time to attribute

Precedent	Category	Why it matters
An Evening with Berferd (Cheswick, 1991)	Early deception environment	An interactive fake observed an attacker; shows the labor of sustaining a convincing fake
Honeyd (Provos, 2003); Potemkin virtual honeyfarm (Vrable et al., 2005)	Virtual networks at scale	Direct prior art on faking many hosts; scaling and fidelity limits
Honeynet Project and Know Your Enemy papers	Research honeypots	Long record of what honeypots capture and the legal and ethical issues
Conpot and other industrial-protocol honeypots	ICS deception	Public record of what industrial honeypots capture and how they are detected
Honeypot-detection research (mid-2000s, e.g., Holz and Raynal)	Deception detection	How fingerprinting works conceptually and the arms-race dynamic
Moving target defense and address-hopping research	Rotation defenses	Closest prior art to the 3-second cycle; costs and attacker adaptation
DARPA Extreme DDoS Defense (XD3), completed	Rotation defenses	Disperse, disguise, and adapt at endpoints; DARPA's page lists no results, so look for published evaluations
MITRE Engage, ATT&CK, D3FEND	Frameworks	Shared vocabulary for adversary engagement and defense
NIST SP 800-53 controls on honeypots and concealment (SC-26, SC-30)	Standards	How deception is already codified in federal control catalogs
Commercial deception platforms (e.g., Thinkst Canary, Acalvio, CounterCraft, and the Attivo and Illusive lineage)	Industry practice	Deployment lessons, pricing, market consolidation; vendor claims need skepticism

Precedent	Category	Why it matters
Ukraine grid attacks (2015, 2016)	Bypass, operational technology	Long dwell time, legitimate-tool use, physical-process impact
SolarWinds / SUNBURST (2020)	Supply chain	Update-channel compromise; direct analog to transfer by update
Colonial Pipeline (2021)	Critical infrastructure	IT and OT dependency and decisions under pressure
Volt Typhoon (public reporting, 2023 to 2024)	Pre-positioning	Living-off-the-land presence in critical infrastructure; defeats perimeter-centric thinking
Salt Typhoon (public reporting, 2024)	Telecom compromise	Carrier compromise that a routing-based design would depend on
Stuxnet (2010)	Air-gap bypass	Isolation is not immunity
Cyber Storm, GridEx, Locked Shields, Eligible Receiver 97, Cyber Flag and Guard	National and allied exercises	What large exercises measure, reveal, and miss
DARPA Cyber Grand Challenge (2016) and AI Cyber Challenge (finals 2025)	Automated defense	Machine-speed finding and patching and its limits; check what was and was not measured
National Cyber Range Complex (Test Resource Management Center)	Testbed resource	A possible venue for range-based validation; verify access terms
Military deception (WWII Operation Fortitude, Ghost Army, joint doctrine)	Non-cyber deception	Exploit existing beliefs, control the adversary's information channels, confirm the adversary believes

Precedent	Category	Why it matters
Game-theoretic surveys of cyber deception (e.g., Pawlick, Colbert and Zhu, 2019)	Models	Formal models of when deception pays off

Appendix D: Bypass Category Worksheet

For WS4. Fill one row per route; add rows as needed.

Category	Core question	Dossier element stressed
Pre-positioned access	What if the attacker is already inside before detection?	Step 1 detection; step 8 end condition
Supply chain and update	What if the compromise rides a trusted update, including this system's own?	Step 9 transfer
Identity and insider	What if no exploit is needed because credentials are valid?	Steps 3 and 5 path control
Out-of-band and sub-IP paths	What if the route is radio, satellite, or a maintenance link that never crosses the monitored network?	Steps 2 and 5 mapping and migration
Below the operating system	What if the compromise sits in firmware or management hardware under the virtual layer?	Steps 4 and 5 synthetic layer and migration
Blind-spot systems	What if the target is air-gapped, OT, legacy, or foreign-hosted?	Coverage limitation; step 8 “fully secured”
Attack the defender	What if the orchestrator, sensors, or operator are the target?	Architect as sole authority

Category	Core question	Dossier element stressed
Breadth-first probing	What if the attacker opens every door at once to force full rendering?	Procedural “render only the rooms they enter”
Coerced operators	What if real operators are compromised, or diverted into the synthetic layer by mistake?	Steps 3 and 5; Q12 innocent traffic
Physical-reality checks	What if the attacker verifies reality against external physical signals?	Step 4 false telemetry
Patience and sub-cycle speed	What if the attacker waits longer than a cycle, or finishes inside one?	Step 6 cycling; step 8 end condition
Refusal to engage	What if the attacker ignores the attractive decoy and goes elsewhere?	Step 5 silent migration
Non-network strategy	What if the goal is reached through people, law, money, or influence?	Whole premise
Jurisdictional seams	What if the target sits between agencies or private owners?	Q1 to Q3 scope and authority
Defender outputs	What if the attacker goes after captured data or the package?	Capture, logs, transfer

Appendix E: Cost Model Worksheet

For WS8. Each scope needs low, base, and high ranges with stated assumptions.

Scope	Duration	What to estimate
1	3 to 6 months	Literature and architecture feasibility study: team, tools, independent review of the findings

Scope	Duration	What to estimate
2	6 to 12 months	Proof of concept on a cyber range: everything in scope 1, plus range time, simulated attackers and users, independent red-team review
3	12 to 24 months	Multi-site controlled pilot with consenting owners: everything in scope 2, plus sensors, integration, legal and oversight, security, operations
4	Separate problem	National-scale federation: estimate only if the inputs exist; otherwise list the missing inputs and explain why

Cost categories to estimate in every scope: people (person-months and loaded rates); compute and cloud; storage and logging; network and sensors; tooling and licensing; cyber range and facilities; security and clearances; legal and privacy review; independent testing; partner integration; annual operations and sustainment; contingency. Add a three-to-five-year total where meaningful, and sensitivity to fidelity, telemetry retention, staffing, number of assets, concurrent activity, and rotation frequency.

Appendix F: Funding Pathway Worksheet

For WS9. A starting list to verify, not a recommendation. Confirm each program's current status, dates, and rules.

Pathway family	Examples to check	Facts to capture
Federal research agencies	DARPA, IARPA, DHS Science and Technology, DOE CESER, NSF, military service labs	Open calls, award size, timeline, eligibility, IP and publication terms
Small-business programs	SBIR and STTR across agencies	Current authorization status (see WS9 lead), phase sizes, agency topics, foreign-affiliation screening

Pathway family	Examples to check	Facts to capture
Procurement and transaction routes	Defense Innovation Unit, other-transaction authority, Defense Production Act Title III, agency commercial solutions openings	Entry requirements, timelines, typical scale
Research partners	FFRDCs, UARCs, university labs, national laboratories, test ranges	Partnership terms, overhead, access to ranges
State and local grants	State and Local Cybersecurity Grant Program and state programs	Eligible applicants, funding rules, current status
Private capital	Venture funds, corporate strategic investors, In-Q-Tel, insurer and reinsurer consortia	Typical check size, expectations, dual-use concerns
Sector consortia	ISACs, sector coordinating councils	Funding mechanisms, willingness to pilot
Philanthropy	Foundations focused on infrastructure resilience and security	Fit, award size, restrictions
International	NATO programs and cooperative centers, EU research and defense funds	Eligibility for US-based teams, timelines
In-universe	ONE Industries and OAL internal mechanisms	Open question for the Architect; flag for canon

Appendix G: Shared Common Core (Proposed)

Proposed for every revised prompt, so the six reports can be merged. Each AI adds its own labeled lens on top.

Element	Proposal
Central question	Can authorized, selectively deployed deception measurably reduce the probability or impact of compromise of real assets, compared with credible alternatives, against adversaries who may avoid the deception altogether? (Perplexity's wording.)
Report spine	Your original ten questions, in order, plus the added sections each AI needs.
Evidence grades	Appendix B.
Claim ledger fields	ID, claim, source, publication date, access date, source type, grade, limitation, independence from other sources.
Severity scale	Critical: invalidates the central claim or risks real harm. High: blocks safe testing or drafting. Medium: degrades the design. Low: refines it.
Finding tags	[R] real-world feasibility, [C] canon realism, [N] narrative design.
Capture states	Suspected, observed, diverted, isolation verified, visibility lost, resolved, unknown.
Decision gates	G0 concept clarity; G1 research justification; G2 safe prototype; G3 controlled pilot; G4 scale decision.
Bypass taxonomy	Bypass, decoy recognition, containment escape, ordinary detector failure.
Report budget	One-page bottom line first; main body about 25 pages at most; unlimited appendices; tables only in the appendices.
File naming	OAL_NDIE_Research_Prompt_[MODEL]_v1.1; OAL_NDIE_Prompt_Peer_Review_[MODEL]_v1.0; OAL_NDIE_Research_Findings_[MODEL]_v1.0.

Appendix H: Change Log, v1.0 to v1.1

IDs match the change register in the peer review. A = added, C = changed, M = merged or removed.

ID	Change	Where applied
A1	Central research question and decision supported	Part 3, Section 2
A2	Source audit with five confirmed inconsistencies and parity result	WS0
A3	Measurable definitions of capture; auditable black-line states	WS1
A4	Session and routing reality; exposure window	WS2
A5	Validation program	WS6
A6	Failure laboratory; “what threat did we never model”	WS6
A7	Adversary generations, sub-cycle behavior, displacement	WS4, WS5
A8	Defender adaptation as a vulnerability; is AI necessary	WS2, WS5
A9	Named bypass categories and taxonomy; independent control	WS4
A10	Three-part resolution of canon versus feasibility	WS10
A11	Duration-based cost scopes, total cost, loaded rates, sensitivity	WS8
A12	Funding eligibility, verification, concept note, staging, SBIR/STTR lead	WS9
A13	Decision gates; minimum useful outcomes; case against funding	WS1, WS10
A14	Independence record; no averaging; adjudicating observation	Section 4, rules 11 and 12; Section 7

ID	Change	Where applied
A15	Case against funding and for redesign written first	Section 4, rule 8; Section 7
A16	Repository hygiene; no hack-back; authorized testing only	Section 5; WS7
A17	Closing handoff of questions and objections	WS10
C1	National scope estimated only if inputs exist	WS8
C2	Null case adds equal-budget comparison and the step 3 counterfactual	WS1
C3	Falsifiable success criteria with named metrics	WS1
C4	Disconfirmation rule: strongest evidence both ways, no quota	Section 4, rule 1
C5	Filenames follow the team standard	Section 8; Part 4
C6	One-page bottom line first; page budget	Sections 7 and 8
M1	12 workstreams merged into 11 (WS0 to WS10)	Part 3, Section 6
M2	Tier L, S, N replaced by duration scopes; readiness assessment replaced by decision gates	WS8, WS10

End of document. Research prompt v1.1 (Iteration 2), prepared by Claude (Anthropic) on November 4, 2026. Advisory only; canon decisions and ONESTAMP remain with the Architect.