Network Defense Intelligence Exercise

INDEPENDENT RESEARCH, ADVERSARIAL VALIDATION & FEASIBILITY DIRECTIVE

OAL-RESEARCH-NDIE-001 | Prompt v1.1 | November 4, 2026 | Cross-AI revised team circulation draft

Purpose: Issue a complete, independently executable research mandate for ChatGPT, Claude AI, Gemini, Copilot, Perplexity and Grok. Version 1.1 retains the v1.0 research scope and adds explicit source auditing, migration-seam validation, evidence controls, budget discipline, safety gates and governance of the transfer artifact. This is a research directive, not executed research or an approved canon change.

Document control and source integrity

Primary source: OAL-DOSSIER-CANON-002, Network Defense Intelligence Exercise — False Infrastructure AI, Canon Scenario Design Dossier, v1.0.0, dated April 11, 2026, supplied in DOCX and PDF. The source labels itself PENDING ELECTRONIC APPROVAL — ONESTAMP REQUIRED. Its “fixed canon” is a stated creative-design constraint within the dossier, not evidence of technical feasibility or final ratification.

Research rule: cite the dossier by section/page where useful; do not invent missing source decisions. Treat both submitted versions as representations of the same dossier unless a substantive discrepancy is demonstrated. Explicitly report discrepancies if found.

1. Master prompt — instructions to every AI collaborator

You are an independent research investigator and skeptical reviewer for the OAL Network Defense Intelligence Exercise. Your responsibility is NOT to confirm the project’s assumptions. Investigate whether the proposed objective is coherent, what it is intended to accomplish, whether comparable real-world work exists, how and why the defense might fail, how an adversary might bypass the entire process, whether a research program is justified, what it could cost, and what evidence would justify the next investment or design decision. Provide original analysis before examining peer-model conclusions. Clearly distinguish documentary fact, external verified evidence, assumption, hypothesis, fictional extrapolation, and your own inference. Disagree explicitly when warranted.

Do not merely paraphrase the attached dossier. Do not claim that a fictional national-scale synthetic network has been built or proven. Do not equate observing a hostile connection with identifying or neutralizing the adversary behind it. Avoid attack-enabling exploit recipes, live target instructions, credential theft, or unauthorized access methods; conduct adversarial evaluation through high-level threat modeling and authorized isolated simulation.

2. Baseline scenario to preserve and interrogate

The dossier’s fixed sequence is: intrusion detection; end-to-end attack-path mapping; denial of paths to genuine assets; generation of false URLs/services/routing/telemetry; unnoticed redirection of adversarial engagement into a synthetic domain; approximately three-second cycling/re-keying; black connection-line collapse as hostile paths are absorbed; closure on the claimed capture of all active attackers and security of real infrastructure; transfer of a defensive package to a partner agency through a reboot/update or deployment event. Preserve this as a fictional canon baseline, but test every engineering assumption and distinguish observable evidence from narrative shorthand.

Do not quietly revise canon. When a fixed feature conflicts with real-world feasibility, explicitly identify the conflict and propose (a) an in-universe explanation, (b) a bounded laboratory analogue, and (c) a change request requiring author approval, if needed. The exact jurisdiction, attack types, agency, fidelity, timing interpretation, transfer artifact, authorization, consequences, and canonical failure mode remain open.

3. Research questions: purpose, justification and measurable success

1. What precise problem is the exercise solving: intrusion prevention, deception engagement, early warning, attacker decision disruption, lateral-movement restriction, evidence collection, resilience, attribution, or a combination? Which are primary versus secondary goals?
2. Why would ordinary segmentation, zero trust, identity security, endpoint detection, patching, backups, and incident response not already solve a substantial portion of this problem? What incremental benefit is attributable to deception?
3. Who benefits, who bears risks, what is the intended protection boundary, and what assets are excluded? Identify necessary permissions and the distinction between protecting the United States as a narrative premise and protecting one consenting organization in reality.
4. Define a falsifiable success condition: detection recall and precision, time to containment, false diversion rate, unauthorized real-asset reachability, dwell time, attacker engagement quality, false-positive disruption, and operator workload. Which results would demonstrate that the hypothesis failed?
5. Explain what “capture,” “end-to-end mapping,” “silently migrated,” “fully secured,” and “every active attacker” can legitimately mean in observable systems. Identify claims that cannot be established without complete visibility.

4. Independent evidence review and historical analogues

Conduct a dated literature and practice review of cyber deception and honeynets; high- and low-interaction honeypots; moving-target defense; software-defined networking/network function virtualization; dynamic network deception; deception-aware detection; breach-and-attack simulation; cyber ranges and digital twins; critical-infrastructure/ICS testbeds; adaptive cyber defense; adversarial machine learning; and attacker adaptation over repeated encounters.

Seek primary material first: peer-reviewed experiments, reproducible benchmark studies, official standards, operational assessments, independent evaluations, and public program documentation. Candidate starting points to VERIFY rather than assume: MITRE ATT&CK and D3FEND; NIST SP 800-160 Vol. 2 (cyber resiliency), NIST CSF 2.0, NIST SP 800-53 and SP 800-207; CISA guidance; MIT Lincoln Laboratory cyber-range work; DARPA cyber defense research programs; and documented university/industry honeynet experiments.

For at least 8 highly relevant precedents, provide: project/study, publication year, setting, study design, scale, threat class, defense mechanism, quantified results where available, adverse findings, external-validity limits, and transferable lesson. Separate operational deployments from lab proofs, simulations, marketing, and fictional analogues. Identify at least 3 contrary/negative or inconclusive studies. Never manufacture effectiveness percentages or claim independent replication without evidence.

5. Threat model: bypass rather than merely reverse-engineer

Use a defender–adversary–bystander model. List adversary objectives, resources, knowledge assumptions, footholds, constraints, incentives, and whether their goal requires interacting with the deceptive surface. Build an attack-path coverage matrix at a NON-OPERATIONAL level, analyzing whether the system even encounters the threat. Include the following scenarios:

- Preexisting insider access, compromised identities, legitimate third-party access, contractors, supply-chain dependencies, and privileged management/control-plane access.
- Routes outside monitored or controlled territory: physical access, out-of-band connectivity, disconnected infrastructure, unmanaged endpoints, shadow IT, and organizational process abuse.
- Adversaries who refuse apparent “easy” access, deliberately avoid instrumented assets, or simply wait for operational maintenance or misconfiguration.
- An adversary already resident before the system activates; malicious activity occurring within ostensibly trusted services; and attacks whose immediate goal is disruption rather than persistent access.
- Coordination across multiple actors, decoys, proxy infrastructure, sacrificial connections, and adversaries who learn from successive encounters without interacting with the same surface twice.
- Defender dependence on telemetry, time synchronization, identity systems, supply-chain update channels, and the deception orchestration/control plane.
- Separate pressure on people, policy, procurement, trust, and governance, where a technical deception mechanism is not part of the attack path.

For each scenario, state: why deception might fail to engage; what independent control must protect the genuine asset; warning signals; realistic countermeasure category; residual risk; and whether a laboratory experiment could test it. Do not provide tactical exploitation instructions.

6. Dynamic and recursive adversaries

Evaluate a multi-round contest, not a one-shot trap. Specify at least six phases: unaware attacker; exposed attacker; suspicious attacker; adversary capable of pattern recognition; adversary adapting strategy or shifting surfaces; adversary exploiting defender overconfidence, alert fatigue, or resource strain. Include an adversary who conducts no observable network probe. Describe how defender policies, deception density, observability, confidence calibration, safety constraints, and resource allocations should evolve. What happens when attacker behavior is purposely misleading or poisons defensive retraining?

Consider repeated-game analysis, belief updates, concept drift, deceptive equilibrium, attacker opportunity costs, and the possibility that the best defense is to stop trying to entice the actor and instead harden the real assets. Identify when autonomous adaptation should be paused, reverted, or referred to a human operator.

7. The three-second cycle: exact hypothesis under test

Treat three seconds as a documented fictional design anchor, NOT an established optimal cryptographic or networking interval. Define what rotates in each possible implementation (visualization, decoy identity, credentials, routing, service personality, or session context). Which elements cannot safely rotate that quickly? Evaluate session continuity, handshake overhead, cache behavior, DNS propagation, availability, jitter, fingerprinting, logging, forensic continuity, computation, and detectability. Compare fixed 3-second,

randomized, event-driven, slower, and no-rotation controls in isolated tests. Seek a plausible regime where rotation worsens outcomes.

8. National scale, trust boundaries and operational architecture

Distinguish a national-scale narrative from a national-scale deployed architecture. Study jurisdictional fragmentation, autonomous network ownership, critical infrastructure diversity, interconnection dependencies, data sovereignty, partial observability, single-point-of-failure concentration, and bounded authority. Compare (A) one-org sandbox, (B) multi-organization federation with independent controls, and (C) national-scale fictional extrapolation. Avoid assuming omniscient telemetry or universal power to redirect third-party connections. Propose federation and least-privilege models; fail-open versus fail-closed decisions; isolation, emergency stop, and rollback requirements.

9. Modeling, experimental design and validation

Propose an authorized, segmented, non-production research program with baseline controls and independent observers. Include synthetic traffic and safe attack emulation rather than live victim systems. At least six experiments:

6. Deception versus baseline controls, measuring incremental value with matched workloads.
7. Bypass coverage: threats that never touch the deceptive environment.
8. Three-second rotation versus randomized/event-driven/static controls.
9. Attacker learning across repeated episodes with separated training/test cohorts.
10. False-positive/collateral capture, ordinary user performance and availability.
11. Control-plane outage, telemetry failure, corrupted updates, rollback and incident reconstruction.
12. Optional: multiple coordinated adversaries, AI model drift, and simulation-to-reality limitations.

For each experiment give hypothesis (including null), topology abstractly, variables, controls, measurable outputs, number of repetitions or power-analysis plan, data stewardship, stopping conditions, evaluation bias, expected failure signatures, and acceptance/rejection criteria. Distinguish what simulation can validate from what requires approved real-world pilot trials. Include reproducibility artifacts, negative result reporting, and third-party test protocols.

10. Economic feasibility and funding research

Build itemized USD estimates for three scopes: (1) 3–6 month literature/architecture feasibility study; (2) 6–12 month proof-of-concept cyber range; (3) 12–24 month multi-site controlled pilot. If possible, model an aspirational national-scale federation separately, explicitly marked speculative and likely non-estimable from available data. Present low/base/high budgets with assumptions, headcount and salary/benefits, cloud/compute/network storage, software/licenses, testbed, security/legal/IRB review where applicable, independent assessment, contingency, and sustainment. Show arithmetic, source date, geographic assumptions and sensitivity to cloud and staffing costs. Never present uncited funding figures as verified awards or official quotes.

Investigate actual current program eligibility, deadlines, funding ceilings, cost-share, IP requirements, security constraints, and application rules for plausible channels: U.S. federal cyber R&D solicitations (including NSF, DARPA, DHS/CISA, DOE and DoD where applicable), SBIR/STTR, state/university research partnerships, nonprofit foundations, and private-sector security/critical-infrastructure consortia. Do not assume an individual, fictional laboratory, or unincorporated project is eligible. Differentiate grants,

contracts, cooperative agreements, partnerships, venture capital and in-kind resources. Verify open versus closed opportunities against current primary pages; provide links and access dates.

11. Legal, ethical and governance review

Investigate authorization and scope, privacy and data minimization, consent/notice, human rights and civil liberties, third-party network effects, handling of malicious traffic and sensitive data, cross-border issues, evidence preservation, auditability, independent oversight, liability and safe disposal. Separate passive observation, containment, redirecting traffic under authorized control, active interference, and retaliatory action. Explain where specialized counsel and regulator/agency authorization would be needed. Do not claim legal permission from a research paper.

Assess dual-use risk: deception technology may itself become an unaccountable surveillance/control system. Who could misuse the update artifact? How would transfer, keys, access permissions, integrity verification, deployment approvals, and revocation work? Propose human decision rights and a process for reporting unexpected harm.

12. Failure, falsification and abandonment criteria

Name at least 12 plausible failure modes, prioritizing bypass, incomplete scope, compromised control plane, detection mistakes, performance collapse, coordination failures, adaptive evasion, poisoning, privacy harm, misattribution, brittle automation, and irreproducible results. Rate likelihood, consequence, detectability, evidence status and mitigation confidence. Distinguish story tension from credible engineering risk. Specify at least five “stop or substantially redesign” triggers and what evidence would change your conclusion.

13. Cross-domain OAL canon implications

Preserve the dossier’s creative-universe framework and references to the OAL Security Framework, First Memory and Time Wars, while differentiating them from experimentally supported cybersecurity claims. Study the temptation to extend a cyber deception model to institutions, cognition, or civilizations; identify analogy limits, ethical discontinuities, and nontransferable physical assumptions. Offer a story-bible note on what a credible costly failure would reveal about the Architect. Any proposed canon modification must be presented as a change request awaiting ONESTAMP.

14. Required independent deliverables

- Executive assessment (one page): objective, why it matters, preliminary feasibility, most threatening counterexample and a conditional go/no-go recommendation.
- Source audit: what the dossier asserts, what is still open, internal contradictions, and an evidence-grade register (verified / provisional / speculative / fictional).
- Comparable-program evidence table, including contrary results and direct links, dated access information and short methodological critiques.
- High-level adversarial bypass matrix and multi-round defender/adversary evolution analysis.
- System decomposition, laboratory experiments, metrics, acceptance criteria and replication plan.
- Budget workbook-style low/base/high table; funding pathway eligibility matrix; and estimate of ongoing operating cost.
- Legal/ethical risk register, safety constraints, authority boundary and independent governance plan.

- Prioritized decisions, top unresolved questions, proposed amendments to the dossier, and a 30/60/90-day plan.
- Contrarian memo: the strongest argument that this exercise should not proceed, plus circumstances under which that conclusion would change.
- Peer-review handoff: three questions for each other AI; points of disagreement; confidence score by conclusion; and source gaps requiring verification.

15. Evidence and citation rules

- Use current primary sources wherever possible. Every material factual claim about a precedent, price, law, grant, capability or outcome needs a source; include publication date and access date for mutable pages.
- Label assumptions and estimates. State “not found,” “not independently verified,” or “insufficient evidence” when appropriate. Do not invent detailed study results, grants, eligibility, threat statistics or historical deployments.
- Differentiate observed tests from simulations, lab emulation, field experience, vendor claims, and fictional mechanics; note mismatched environments and sample limitations.
- Maintain separate sections: supported findings; refutations / contrary evidence; unknowns; testable hypotheses; recommendations. Cite a concise bibliography with links or DOIs.
- For disagreements, report exactly what observation would adjudicate the competing claims. Do not average incompatible conclusions into artificial consensus.

16. Collaboration and iteration protocol

ROUND 1 — BLINDED INDEPENDENT RESEARCH: Each of six AI models receives this same prompt and the source dossier, conducts original research, and publishes a dated response without adapting to other AIs. Each must identify its own top three objections, without delegated specialization.

ROUND 2 — PROMPT REVIEW ONLY: The Architect circulates all six proposed research prompts. Each AI reviews the others for omissions, shared blind spots, untested assumptions, scope creep, dual-use risk, evidence rules and contradictory objectives. Each recommends explicit edits, preserving a changelog. No research execution is implied by this step.

ROUND 3 — REVISED DIRECTIVE: Consolidate accepted changes into v1.1 without suppressing minority objections. Maintain author approval boundaries and a version comparison.

ROUND 4 — EXECUTION: Upon a separate instruction, execute the ratified research directive independently, then compare evidence, develop an adversarial dissent report, and produce a decision memo. Do not claim that multiple AI outputs are independent empirical replication.

Suggested filenames: OAL_NDIE_Research_Prompt_[MODEL]_v1.0; OAL_NDIE_Prompt_Peer_Review_[MODEL]_v1.0; OAL_NDIE_Research_Findings_[MODEL]_v1.1. A separate GitHub folder should include README, source inventory, prompts, peer reviews, research, experiments, cost model, governance, decisions, and changelog.

17. Decision gates and recommended next actions

Gate	Evidence required	Consequence
G0: Concept clarity	Asset boundary, owner, purpose,	No engineering before

	threat model, success metrics	definitions
G1: Research justification	Comparable evidence; plausible incremental value; known bypasses	Continue / narrow / abandon
G2: Safe prototype	Approved sandbox, threat model, oversight, budget and test plan	Authorize isolated PoC only
G3: Controlled pilot	Replicated measured advantage, manageable collateral risk, rollback	Seek formal external partner
G4: Scale decision	Independent review, legal authority, cost/benefit, sustained reliability	Scale only within approved domain

Immediate team instruction: Submit your original version of this prompt or a detailed annotated critique. List material revisions as ADD / CHANGE / REMOVE with rationale, benefit, and any conflict with the source canon. Do not execute research yet. End with your three most important questions to the Architect and your three most consequential objections to the premise.

Appendix A. Initial document-review observations (not independently researched findings)

- The source dossier is primarily an in-universe canon/story-bible and design synthesis, not a real-world feasibility study or empirical validation report.
- The dossier's open-question registry contains 20 unresolved decisions including authority, simulation versus live operation, attack type, rotation interpretation, third-party effects, transferred artifact and failure mode.
- The asset classification section describes core assets as Tier 0, while a later fidelity-gradient passage refers to Tier 1 as critical control systems and Tier 5 as public infrastructure. Reconcile this taxonomy before using it as an engineering control model.
- The claim that every attacker is mapped and captured needs a bounded observable definition; attackers outside the monitoring domain cannot be counted as known absent.
- The three-second pulse could be a visualization/canon marker while the actual safe engineering actuation interval differs. This should be treated as a testable distinction, not silently assumed.
- The original team-role mapping names five AI systems and the Architect; the present six-model research collaboration includes Claude AI as an independent researcher rather than limiting any model to its historic role.
- The source identifies high-priority narrative risks (omnipotence, recursive counter-simulation, sleeper implant and collateral captures); the present directive expands them into falsifiable engineering and governance questions.

End of prompt v1.0 — circulation draft. No ONESTAMP or canon approval applied.

VERSION 1.1 — CROSS-AI AMENDMENTS AND EXECUTION CONTROLS

Status: all requirements below are mandatory supplements to Sections 1–17 above. Where a supplement adds specificity, follow the supplement. It does not ratify ONESTAMP, assert real-world feasibility, authorize live testing or override independent researcher judgment.

R01 / P0 — Source-integrity and contradiction audit

Before external research, produce a table of each material dossier claim, section/page, classification (narrative requirement, author-approved canon, pending approval, design suggestion, testable engineering hypothesis, or unsupported conclusion), affected decision, severity and proposed correction. Explicitly reconcile or flag: pending ONESTAMP versus “locked” language; five reviewers versus six collaborators; five-tier taxonomy alongside Tier 0 and Tier 5 and inconsistent critical-tier labels; erroneous Q17 reference to transfer package; four versus five “goes wrong” scenarios; and the difference between observed agreement and independently verifiable source submissions. Compare PDF and DOCX for substantive parity. Do not silently correct the source.

R02 / P0 — The neutralization-to-migration seam

Treat the handoff between denying access to real assets and convincing an adversary that a synthetic session remains authentic as a first-class failure boundary. Study prerequisites for defender-controlled ingress, connection admission, authenticated/ encrypted-session continuity, state consistency, decoy provisioning, identity and certificate trust, existing internal footholds, and out-of-band reality checks. Distinguish redirecting a new connection from seamlessly transferring an established session. Define the exposure window and safe fallbacks when diversion fails. Construct a dependency graph and at least two alternative laboratory architectures. No claim of universal silent migration is allowed without evidence.

R03 / P0 — Outcome semantics and verifiable security

Build a state machine that separates suspected activity, observed endpoint, redirected session, confirmed isolation, captured telemetry, attributed infrastructure, identified human operator, asset-integrity verification, visibility lost and unresolved threat. A black line disappearing from visualization is not evidence that an adversary was defeated. Define denominators, sample coverage and uncertainty for “every attacker,” “fully secured,” “end-to-end mapping,” and “capture.” Establish acceptable residual risk and independent asset-protection measures.

R04 / P0 — Bypass outside the deception surface

Use defensive, non-operational threat modeling to test whether adversary goals can be attained without ever encountering the deception system. Evaluate third-party and supplier trust, identity/privileged-access dependencies, software and hardware supply chains, existing malicious presence, physical and offline workflows, unmanaged or disconnected devices, process/policy manipulation, telemetry compromise, administrative control planes, and coordination or distraction. For each: adversary objective, trust boundary, exposure precondition, whether interception is possible, independent control required, safely observable indicators, test design and residual risk. Distinguish bypass, detection avoidance, decoy recognition, containment escape and disruption-only objectives.

R05 / P0 — Secure transfer and distribution

Treat the resulting agency deployment/update package as a potentially critical asset, not an incidental conclusion. Examine provenance, reproducible builds when practical, signing, software bill of materials, key custody, secure artifact storage, receiving-party authentication, independent acceptance testing,

phased rollout, revocation, rollback, patch management, access to collected intelligence and the consequences of a compromised partner. Separate fictional “reboot/update” staging from deployable real-world controls. Recommend a tier assignment only after clarifying the source taxonomy.

R06 / P1 — Economics, alternatives and funding skepticism

Budget scoped stages separately: desk feasibility, isolated proof of concept, cyber-range demonstrator and limited multi-organization pilot. National-scale estimates must be marked speculative unless a defensible scope and comparator exist. For each stage, include headcount/FTE, loaded labor cost, duration, compute, networking, storage, vendors/licensing, evaluation, legal/privacy, contingency, O&M, cost sensitivity, and transparent arithmetic. Compare an equal-budget baseline of conventional identity, segmentation, endpoint, monitoring, recovery and static deception defenses. Verify grants, contracts, SBIR/STTR, university collaboration, private cofunding and actual eligibility/closing dates from primary current sources. A null or negative funding recommendation is permissible.

R07 / P1 — Shared evidence ledger and epistemic independence

Each model must use a common table: claim ID; source ID/URL/DOI; publication and access dates; type and independence; research setting; exact supporting passage; counterevidence; data availability; limitations; confidence; change-of-mind condition; and whether the claim is verified, inferred, assumed, fictional, contradicted or unresolved. Capture search method, databases, exclusions and access limitations. Shared prompts and shared sources do not constitute independent replication. Preserve the model’s analysis before reading synthesized peer conclusions where possible.

R08 / P1 — Longitudinal adaptation and information integrity

Model at least six encounter states: unaware; aware; suspicious; attempting recognition; shifting to other surfaces; actively corrupting defender expectations. Include a patient adversary who never probes the decoy. Examine repeated-game costs, defender overconfidence, data poisoning, concept drift, automation bias, adversarially controlled logs, feedback retraining, and accumulated false positives. State when adaptive response must pause, revert or require human sign-off. Measure degradation or improvement over repeated episodes, not merely first-session performance.

R09 / P1 — Safety case and progression gates

Use exclusively isolated, owned or explicitly authorized synthetic environments for early stages. For each experiment specify research question and null, ethical authorization, isolation, traffic generation, instrumentation, repeat count/power rationale, comparator, outcome measure, analyst blinding if appropriate, failure and abort thresholds, data minimization, audit trail and rollback. Define independent approval gates for any change in scope, especially OT/ICS or multi-organization testing. No live national infrastructure deployment or operational exploitation is authorized by this directive.

R10 / P2 — Repository provenance and version control

Deliver immutable source copies, independent prompts, individual research reports, machine-readable evidence/budget/risk registers, experimental protocols, ADR/change decisions, review comments, and summarized public findings. Keep internal or sensitive configurations out of the public GitHub repository. Name releases, log approval status, maintain change histories and prevent draft proposals from masquerading as ratified canon.

New experiment specification — required factorial comparisons

- E1: Match the baseline security controls in treatment and comparison groups; isolate incremental value from deception, with consistent work profiles and repeat trials.
- E2: Test threats that never traverse defended interception points; report bypass coverage even when no decoy telemetry is collected.
- E3: Compare fixed 3-second cycling, static deception, randomized cycling and risk-triggered cycling. Test session breakage, detection of periodicity, CPU/compute overhead and incident-reconstruction reliability.
- E4: Compare prepositioned decoys and on-demand procedural synthesis; quantify provisioning delay, fidelity, cost and redirect feasibility.
- E5: Run learning rounds against separate synthetic adversary cohorts; withhold test episodes from adaptive retraining and record poisoning safeguards.
- E6: Inject benign monitoring and misclassified traffic; measure unintended diversion, operator correction time and impact on authorized user workflows.
- E7: Simulate orchestration/control-plane outage and compromised update artifacts; verify containment isolation, rollback, provenance and emergency-stop outcomes.
- Each experiment must report a testable hypothesis, null hypothesis, control, measurable variables, sample-size or power rationale, failure criteria, abort criteria, result uncertainty and reproducibility assets.

New investment decision model — minimum useful prototype

- Ask what is the smallest authorized deployment capable of proving net benefit over a simpler, equally funded alternative.
- Define minimum useful research outcome separately from a minimum useful operational tool; identify functions that could be removed without losing measurable protection.
- Deliver staged go / redesign / no-go guidance tied to evidence, expected costs, risk reduction, technical overhead and independent evaluability.
- Incorporate the counterfactual of not funding the project; do not equate intellectual interest with financial or operational justification.

Mandatory researcher reporting schema

- A. Executive decision memo (one page): answer goal, importance, evidence-supported feasibility, largest bypass, recommended decision and confidence.
- B. Source-integrity register and canon-vs-engineering decision register, with document locations and unresolved approvals.
- C. Capability decomposition and transition/hand-off dependency diagram described in reproducible text.
- D. Precedent evidence matrix with negative/indeterminate studies; do not assume a minimum number when evidence is weak, but explain search coverage.
- E. Asset-centered bypass coverage matrix, threat assumptions and safe experimental tests.
- F. 3-second-cycle evaluation, adversary/defender learning model, and multi-round results or proposed protocol.
- G. Full study design, metrics, safety case, stop/go gates and independent verification.

- H. Phased budget (low/base/high when defensible), assumptions ledger, comparator budget and funding eligibility matrix.
- I. Governance and secure transfer package assurance case; privacy, authority, oversight and rollback.
- J. The strongest credible case against undertaking the project; falsifiers and a conditional 30/60/90-day development plan.
- K. Three constructive questions to every other AI and disagreements that should remain open for synthesis.

Explicit cross-AI review questions

- Q1: If the adversary never touches the deception environment, what evidence would still support this investment?
- Q2: Could centralized visibility or control across independent organizations become a systemic hazard more severe than the intercepted threats?
- Q3: If an independently tested simpler design matches or outperforms this architecture, which real-world functions should be abandoned while preserving the in-universe canon?
- Do not impose a numeric quota of disconfirming evidence. Do require explicit negative-evidence search and document the potential bias of each research design.

VERSION HISTORY & CHANGE CONTROL

Version	Status	Material change
1.0	Original team circulation draft	Original 17-section independent research mandate.
1.1	Revised draft; pending author review	10 cross-AI requirements; explicit handoff/verification, provenance, secure transfer, equal-budget comparison, repeatable experiments and decision gates.

Source basis: OAL-DOSSIER-CANON-002 v1.0.0 (supplied PDF and DOCX); initial prompts from ChatGPT, Claude, Gemini, Copilot, Perplexity, and Grok (November 4, 2026). This document synthesizes prompt requirements; it does not assert the referenced external examples or funding opportunities have been researched or verified.