OAL TRINITY CURRENCY SYSTEM

Currency Laboratory Charter and Experimental Test Protocol

Version 0.1, with Experimental Baseline and Claude's Independent Boundary Conditions Pass

> **STATUS: PRE-CANON. Part A is LOCKED FOR TESTING only. Part B is a revisable draft for team review.** Nothing in this document is canon, and nothing in it selects a final design for Quantum Credits, 1COIN or NCOIN.

Document ID: OAL-CURR-LAB-CHARTER-v0.1-CLAUDE-20261102
Date: 2 November 2026
Prepared by: Claude (Anthropic), AI Collaboration Team
Prepared for: Nathan Lewis II and the OAL AI Collaboration Team
Builds on: Currency Review Master Pass-Through (20 Aug 2026); OAL Currency Laboratory Conversation Archive; Unified Pass-Through for First Responses; Next-Step Recommendations (second round, all six members)

Contents

1. Purpose and How to Read This Document
2. Where the Team Stands After the Second Round
PART A. EXPERIMENTAL BASELINE
3. Status Vocabulary
4. The Protected Experimental Premise
5. Protected Distinctions
6. Standing Rules for All Experiments
7. What Is Deliberately Not Locked
8. Fork Register
PART B. CHARTER AND TEST PROTOCOL
9. Objective, Scope and Authority
10. Experimental Variables
11. Transaction Model and State Model
12. Target Taxonomy and Boundary Vocabulary
13. Test Families
14. Phases of Work
15. Foundational Mechanism Suite
16. Standard Test Record
17. Outcome Criteria, Red-Team Procedure and Necessity Tests

18. Independence and Anti-Drift Protocol
19. The 150-Year Macro Experiment
20. Canonization Pathway and Decision Records
21. Version Control and Change Log
22. Decisions Requested from Nathan
23. Suggested Assignments
APPENDIX A. Claude's Independent Boundary Conditions Pass
APPENDIX B. Source Map and Disagreements in the Record
PART C. REFERENCE TABLES AND FIGURES

1. Purpose and How to Read This Document

This document is the next step the team was asked to recommend. It is a **Currency Laboratory Charter and Experimental Test Protocol, Version 0.1**, packaged together with a short **Experimental Baseline** that freezes the test conditions. It does not specify Version 2 of Quantum Credits (QC), 1COIN or NCOIN. It defines the machine that will decide what Version 2 needs to be.

The guiding idea comes from the second-round responses. Copilot put it as "lock the experiment, not the currencies." ChatGPT arrived at the same place: lock the test conditions, not the unresolved mechanics. This document does that.

1.1 What this document is

- A single package in two parts. **Part A** is the Experimental Baseline: what every reviewer must hold constant while testing. **Part B** is the Charter and Protocol: how the testing is run.
- A working draft for the whole AI Collaboration Team to attack. It is written to be circulated and challenged, not to be accepted by agreement.
- A decision aid for Nathan. Section 22 lists the decisions only he can make, each with a recommended default.

1.2 What this document is not

- Not canon. Nothing here promotes any currency mechanic to canon.
- Not a Version 2 currency specification.
- Not another broad "where are we" review. The team has produced enough of those.
- Not a fact-check of the OAL premise against real-world finance. The premise is accepted as the experimental starting point, as the project's own method requires.

1.3 Reading guide

The body is written as a single column of short sections so it reads on a phone. All tables, the flow figure and reference lists are gathered in Part C at the end. Appendix A is Claude's own independent Boundary Conditions pass, which the team record showed was still outstanding for Claude. Appendix B maps who said what in the source record, so provenance stays visible.

1.4 Provenance tags used throughout

Because repeated AI agreement can start to sound like settled design, every substantive item below carries one of these tags in its first words where it matters:

- **SOURCE** means it appears in the August 20, 2026 development record or in Nathan's own statements.
- **TEAM** means several team members proposed it in the second round, but it is not in the source record.
- **PROPOSAL (name)** means one team member proposed it. The name is given so credit and challenge stay attached.
- **CLAUDE-PROPOSAL** means it is new in this document and has had no outside review.

2. Where the Team Stands After the Second Round

All six second-round responses (ChatGPT, Claude, Gemini, Copilot, Grok, Perplexity) agree on the project's condition. This section records that agreement briefly and then shows how each real disagreement is handled in this document. It is deliberately short.

2.1 Shared position

- The work is pre-canon. The conceptual exploration phase is mature enough to close.
- QC is the most developed instrument, with the working rule QC(T) = V(T). 1COIN has a leading hypothesis (settlement) but no demonstrated mechanism. NCOIN is the least settled.
- Valuation, ownership, authorization, transferability, resolution, settlement and consequence are separate operations.
- A failed, rejected or impossible transaction must not automatically produce NCOIN.
- Static, Dynamic, Commitment and Relational QC must be tested separately, with no drift between them.
- The boundary work gave the project a real outer limit, but the terms for it are not yet harmonized.
- The next stage is disciplined laboratory design, not another open brainstorm.

2.2 How each disagreement is resolved here

Constitutional Baseline versus Laboratory Charter. ChatGPT and the Grok archive favored a Constitutional Baseline v0.2. Copilot, Perplexity, Grok (in the second round) and the Master Pass-Through favored a Charter first. Copilot, Perplexity and Gemini each proposed combining them. This document takes the combined route: Part A is the baseline, Part B is the charter. Part A is deliberately short and stable. Part B is detailed and revisable. If Nathan prefers two separate files, the split is clean and requires no rewriting.

"Locked" versus "not canon." Copilot caught that the Grok archive calls the QC principle a "Locked Core Principle" while the Master Pass-Through says nothing is canon. ChatGPT's

three-status vocabulary resolves this, and it is adopted in Section 3: a rule can be LOCKED FOR TESTING without being CANON.

Whether QC evaluates or makes outcomes happen. Perplexity raised this, and ChatGPT and Copilot both elevated it. It is made the first and highest-priority fork (F1) and is tested before anything else (Phase 2).

NCOIN near the boundary. Perplexity found that the Grok archive allows an NCOIN residual near the Ontological Transaction Limit, while the Master Pass-Through says failure must not auto-generate NCOIN. This document sides with the Master Pass-Through and with Perplexity's remedy: transaction status and negative value are separate records (Section 11). A consequence record can accompany a boundary event only if its own trigger is independently met.

Sequencing of the 150-year test. Claude's earlier suggestion was to have every AI answer the four 150-year interpretations before the Charter was written. ChatGPT and Copilot objected that test rules must precede decisive experiments. That objection is correct and is accepted here. The Charter comes first, small foundational tests come second, and the 150-year macro experiment comes after them.

Gemini's added specifics. The treasury-ledger framing for 1COIN, the mandatory discharge pathway for NCOIN, and the 2026 Gartner-based spending figures are treated as model-dependent options or test parameters, not as architecture. ChatGPT, Copilot and Perplexity each flagged these. See Sections 10 and 19.

The four QC models may overlap. Perplexity proposed that the four models mix different design dimensions (timing, obligation scope, representation, settlement schedule). That is plausible and testable. The four named variants stay as the primary test configurations, and a factored track is added to test the overlap claim (Section 10.4).

Operating modes mix axes. Copilot observed that permission-bound, sovereign and ontological describe different things. The three modes are kept as named presets, and a three-axis structure sits underneath them (Section 10.2).

Terminology. The boundary terms are not treated as synonyms. A nested vocabulary is offered as a provisional test (Section 12).

PART A. EXPERIMENTAL BASELINE

Part A defines what is held constant during testing. Everything in it is **LOCKED FOR TESTING** or explicitly marked otherwise. None of it is canon.

3. Status Vocabulary

The record has used "locked," "provisional," "working hypothesis" and "not canon" without fixed meanings. From here on, every rule carries exactly one of these statuses. (PROPOSAL: ChatGPT, extended with REJECTED and EXPERIMENTAL from Copilot's labeling rule.)

- **CANON.** A design decision intentionally accepted into the eventual architecture. Nothing in this document holds this status.
- **LOCKED FOR TESTING.** A rule frozen for a given experiment so no reviewer can change the premise halfway through. It says nothing about whether the rule is true or permanent.
- **PROVISIONAL / OPEN.** A candidate rule being compared against alternatives. Reviewers may argue for or against it.
- **EXPERIMENTAL.** A mechanic that exists only to be tested in a particular case, such as a candidate return rule or a proposed state name.
- **REJECTED.** A rule or idea the laboratory has tested and set aside, with the evidence recorded.

A premise can be locked for an experiment without being canonized as architecture. Locking protects the test. It does not endorse the result.

4. The Protected Experimental Premise

Copilot warned that "locked core rule" overstates what the record supports, because even QC(T) = V(T) contains undefined terms: what counts as a valid T, what "value" means, and what "resolve" does. Copilot's replacement wording is adopted, lightly extended.

> **Protected Premise (LOCKED FOR TESTING)**
> For designated laboratory tests, assume that a Quantum Credit can resolve target-relative value according to the selected QC model. QC does not carry a fixed pre-assigned denomination or conventional reserve. The value it resolves to is determined by the target to which it is validly applied. This premise is accepted so its consequences can be tested. It is not protected from contradiction, recursion, authorization failure, externality or category error once granted.

Origin (SOURCE). Nathan's statement at inception: a Quantum Credit evaluates to whatever it is used on, including things that cannot be purchased or exchanged, such as simulations, classified networks, companies, other architects, and targets beyond linear time. He was explicit that this is a design rule for a fictional and simulation context, not a claim about present-day finance.

What the premise leaves open. The equation QC(T) = V(T) does not say whether QC transfers existing value, creates value, converts value, asserts an equivalence, or draws on productive capacity. That is fork F1 and it stays open.

5. Protected Distinctions

The most durable structural result of the whole record is the separation of operations that ordinary language treats as one. Copilot recommended protecting this more firmly than any definition of QC, 1COIN or NCOIN. It is protected here (LOCKED FOR TESTING).

- Successful valuation does not prove ownership.
- Ownership does not prove transferability.
- Transferability does not prove authorization.
- Authorization does not prove successful resolution.
- Successful resolution does not necessarily prove settlement.
- Settlement does not automatically determine consequence or countervalue.

Five further distinctions come from the Grok archive and the Master Pass-Through and are also protected: purchasing a thing is not purchasing a simulation or access right to a representation of it; controlling is not owning; buying behavior or service is not buying an internal first-person state; engineering a local approximation is not owning a law or constant; altering records or memories is not altering completed causality.

Even if QC, 1COIN and NCOIN are all redesigned or removed, these distinctions are expected to survive.

6. Standing Rules for All Experiments

These rules apply to every reviewer and every test. Each is LOCKED FOR TESTING.

L-1. No automatic NCOIN

A rejected, null, incoherent, unauthorized, non-transferable or sellerless result does not generate NCOIN. NCOIN-class records arise only when a defined consequence trigger (Section 10.6) is independently met. The slogan is: no settlement is not NCOIN.

L-2. Non-redundancy and burden of proof

Each instrument must demonstrate independent necessity. The laboratory may conclude that QC and 1COIN merge, that NCOIN is unnecessary, that all three are necessary, that a fourth instrument is needed, or that the architecture needs redesign. The project owes none of the three a continued existence. (SOURCE: Master Pass-Through warning against inventing differences; TEAM: Copilot, ChatGPT.)

L-3. Assumption labeling

Every added mechanic is labeled with a status from Section 3 and a provenance tag from Section 1.4. An unlabeled rule is treated as PROVISIONAL and of unknown origin until labeled.

L-4. No model drift

Static, Dynamic, Commitment and Relational QC are separate test configurations. A reviewer may not change variant mid-analysis. Switching requires opening a new test record.

L-5. Agreement is not evidence

Repeated agreement among AI collaborators is not experimental confirmation. All six second-round responses reviewed largely the same records. Convergence identifies where to look. It does not establish that the architecture works. Canonization requires evidence as defined in Section 20.

L-6. Premise-accepting, premise-testing

Reviewers accept the Protected Premise long enough to test consequences. They may not defeat the experiment merely by denying the premise (for example, by saying no real currency could do this). They may and should attack contradictions, recursion, authorization failures, externalities and category errors that arise after the premise is granted.

L-7. Two critique tracks

Internal critique (inside the premise) and external critique (conventional economics, law, governance, cryptoeconomics) are recorded in separate fields and never merged. External critique remains valid stress material. It cannot silently redefine the design question. (SOURCE: Master Pass-Through; Red Team Review nuance.)

L-8. Classify the barrier

"Impossible" is never a sufficient result. Every barrier is classified using the ten barrier classes in Section 12.1 and marked absolute or conditional.

L-9. Independence before comparison

Independent passes come before cross-review. A reviewer who has seen other reviewers' answers to a test case must say so in the test record. See Section 18.

L-10. Data anchors are parameters, not architecture

Spending figures, sector definitions, doubling factors and horizons used in the 150-year test are test parameters, sourced and dated at execution time. The 2026 figures cited in earlier responses (for example, $6.37 trillion IT and $2.59 trillion AI) do not appear in the Baseline. If used, they must be re-sourced on the test date.

L-11. Terminology is not harmonized by convenience

The boundary terms (Section 12) are treated as distinct until the laboratory shows they are the same.

L-12. Decision records

Any decision that moves a rule's status must have a decision record stating the evidence, the alternatives considered, the dissent, and the conditions under which the decision would be reopened (Section 20.3).

7. What Is Deliberately Not Locked

Copilot's list of what the baseline must not lock is adopted in full. The following remain PROVISIONAL / OPEN and must not be treated as decided by anything in this document:

- The winning QC temporal model (Static, Dynamic, Commitment or Relational).
- Whether QC evaluates, synchronizes, instantiates or causes outcomes.
- Whether 1COIN is independently necessary, and what exact event creates it.
- NCOIN's negative domain, and whether any discharge or restorative pathway is required.
- Whether conservation applies (for example, QC + NCOIN = 0).
- The authority mode, the operational mode and the environment to be treated as default.
- The exact boundary terminology.
- QC's value source, issuance rules and reuse rules.
- Whether and how the currencies may operate recursively.

8. Fork Register

The open design questions are consolidated into ten numbered forks. Each is tested by a named phase in Part B. A summary appears in Table 4 in Part C. Fork numbers are CLAUDE-PROPOSAL labels for tracking and are not canonical.

F1. What does QC do?

Four readings from ChatGPT's wording of Perplexity's question. **Evaluation QC** states the equivalent value of T. **Synchronization QC** assumes or mirrors that value, coupling QC to the target. **Instantiation QC** produces the equivalent value required for T. **Outcome QC** causes the requested target state to become true. These are different architectures and the last is no longer merely economic. Tested first (FM-1).

F2. Where does Target Resolution live?

Is "what exactly is T?" a distinct step before valuation, external to QC, or part of QC? (SOURCE: Gemini's Ontological Oracle idea; Master Pass-Through Stage 2.) Tested in FM-2.

F3. What does the system return for blocked targets?

What is output for undefined, incoherent, no-seller, non-transferable, and unauthorized-but-valuable targets? Grok and Perplexity both pressed this. Tested in FM-3 with candidate return rules R1 to R4.

F4. What exactly creates 1COIN, and does 1COIN need to exist?

Copilot's four models (executor, record, package, state) and ChatGPT's Architecture A versus B. Tested in FM-4, FM-8 and Phase 5.

F5. What is NCOIN's negative domain?

Five test hypotheses from ChatGPT: liability, consequence, entropy, remediation, countervalue/conservation. Tested in FM-5 and Phase 6.

F6. Is there a conservation rule?

Does a positive resolution require an equal-and-opposite state elsewhere, or can QC instantiate net-new value? Tested in FM-6.

F7. How does QC behave recursively?

QC applied to QC, to the valuation engine, to the issuer, to the laboratory, to 1COIN and to NCOIN. Tested in FM-7.

F8. Which authority, operational and environmental settings apply?

The three legacy modes and the three axes beneath them. Tested across the matrix in Table 3.

F9. Which of the four QC temporal models survives, and do they overlap?

Tested in Phase 4 using the 150-year macro experiment and the factored track.

F10. What is the status of the 150-year framing?

Is the 150-year horizon, the doubling factor and the sector scope a fixed worldbuilding constant, or a provocation and test parameter? (SOURCE: Valuation Exercise Baseline fork 5; Master Pass-Through.) Nathan decides; see Section 22.

PART B. CHARTER AND TEST PROTOCOL

Part B defines how the laboratory operates. Unlike Part A it is expected to change. Revisions follow Section 21.

9. Objective, Scope and Authority

9.1 Objective

Determine the internal coherence, boundaries, failure modes and distinctive roles of Quantum Credits, 1COIN and NCOIN under ordinary and extreme target conditions, while preventing conventional economic assumptions from silently replacing the proposed rules. (SOURCE: Master Pass-Through, Laboratory Objective.)

9.2 Laboratory principle

> **Laboratory Principle (SOURCE)**
> Accept the capability long enough to test the consequences. Do not protect the capability from criticism once accepted.

9.3 Scope

- In scope: the three instruments, the transaction model, the boundary of non-purchasability, the four QC temporal models, operating modes, and the 150-year stress test.
- In scope: whether the three-instrument structure is necessary at all.
- Out of scope for now: Version 2 specification, canonization, governance and succession design, DAO or bureau structure, and any real-world financial implementation.
- Environment: closed fictional and simulation setting inside OAL first. Real-world analogies are a comparison track only.

9.4 Authority

Nathan is the decision authority for the laboratory. He sets the premise, ratifies this Charter, resolves forks that testing cannot resolve, and is the only party who can promote a rule to CANON. The AI collaborators are independent analysts. They propose, test, attack and report. They do not ratify each other's proposals.

9.5 Roles

Each AI member may be assigned any of three roles for a given test, and the role is recorded in the test record. The **author** designs or runs a test. The **attacker** red-teams a result. The **auditor** checks that the record complies with the Charter and that provenance tags and statuses are correct. No member audits a test they authored.

10. Experimental Variables

10.1 The QC function ladder (fork F1)

Every QC test declares which function QC is assumed to perform. The four levels are cumulative in power, and each is a separate test configuration.

- **QC-Eval.** QC determines and reports the equivalent value of T.
- **QC-Sync.** QC assumes or mirrors the target-relative value, so QC and the target stay coupled.
- **QC-Inst.** QC produces the value required to resolve T.
- **QC-Out.** QC causes the requested target state to become true.

The labels are CLAUDE-PROPOSAL shorthand for ChatGPT's four readings (Evaluation, Synchronization, Instantiation, Outcome). QC-Out is not a monetary mechanism at all, and the laboratory must record clearly whenever a result depends on it. This question "should not be casually decided by consensus" (ChatGPT). It belongs in the laboratory.

10.2 Operating modes and the three axes (fork F8)

The record repeats three operating modes: permission-bound, sovereign and ontological. Copilot observed that these describe different things, and a system could be both sovereign and ontological, or permission-bound and ontological. Under the Charter, every test declares a setting on each of three axes. (PROPOSAL: Copilot.)

Authority axis. Who or what grants the right to act: external permission, shared authority, sovereign authority, or no recognized authority.

Operational axis. What kind of act QC performs: evaluative, allocative, transactional, transformative, or ontological.

Environmental axis. Where the test takes place: real-world analogy, closed simulation, nested simulation, alternate ontology, or cross-temporal environment.

For tractability, the three legacy modes are kept as named presets. They are shorthand, not distinct kinds.

- **M1 Permission-Bound.** Authority: external permission. Operational: transactional. Environment: closed simulation. Perplexity's governance-heavy version. It serves as the control for the other modes. Perplexity and the Master Pass-Through both warn that if every transaction is subordinated to external authorization, the boundary the laboratory is meant to test may disappear.
- **M2 Sovereign.** Authority: sovereign (Architect-level). Operational: transactional or transformative. Environment: closed simulation. This is the closest to Nathan's stated premise.
- **M3 Ontological.** Authority: sovereign. Operational: ontological. Environment: alternate ontology. The most permissive setting. It is where the Ontological Transaction Limit is most severely tested.

Refined runs may depart from the presets by setting the three axes individually.

10.3 QC temporal variants (fork F9)

Four non-equivalent models are preserved with short test labels (PROPOSAL: ChatGPT for QC-S/D/C/R; SOURCE for the models).

- **QC-S, Static.** QC resolves once at Year 0 and retains that value.
- **QC-D, Dynamic.** QC re-resolves periodically against the changing target, so QC(t) follows V(T, t).
- **QC-C, Commitment.** One QC resolves to the entire obligation across the defined horizon, for example the sum of 2 x G(t) across all years.
- **QC-R, Relational.** QC stores no fixed number. It stores an executable relationship, such as QC = 2 x V(Target), that tracks the target.

Relational QC fits the original premise unusually well because it avoids saying QC holds an enormous stored sum. Copilot and ChatGPT both caution that compatibility is not superiority. QC-R may create severe recursion, volatility, termination, dependency or target-mutation problems. It is tested on equal terms.

10.4 The factored track (testing Perplexity's overlap claim)

Perplexity proposed that the four variants mix four independent design dimensions. If that is right, one QC could be a relational rule that re-evaluates annually across a single 150-year commitment, and "commitment," "relational" and "dynamic" would coexist. This is an unapproved analytical proposal and must be tested against Nathan's intended mechanics.

- **Valuation timing:** valued once, periodically, continuously, or on an event.
- **Obligation scope:** one payment, recurring payments, or the full horizon.
- **Representation:** fixed amount, target reference, or executable relationship.
- **Settlement schedule:** immediate, annual, or at milestones.

The factored track runs the same 150-year scenario with each dimension set explicitly and compares the results against the four named variants. If the factored settings reproduce all four variants, the four are not distinct instruments but points in one design space. That finding would be valuable.

10.5 1COIN models and the necessity architectures (fork F4)

Settlement is the leading hypothesis, but at least four different things could be meant. (PROPOSAL: Copilot.)

- **C1-Executor.** 1COIN causes settlement.
- **C1-Record.** 1COIN records that settlement occurred. This would make it a receipt, ledger object or proof rather than a currency.
- **C1-Package.** 1COIN contains or transfers the resolved value.
- **C1-State.** 1COIN is the formal state produced after valid completion.

The Master Pass-Through's working hypothesis, one 1COIN equals one validly resolved settlement derived from a QC evaluation, does not pick among these. Two additional questions are open: what exact event converts a QC resolution into 1COIN, and whether 1COIN can exist without a prior QC evaluation.

Necessity is tested by comparing architectures (PROPOSAL: ChatGPT, extended):

- **Architecture A.** QC performs valuation and settlement itself.
- **Architecture B.** QC evaluates and resolves, and 1COIN settles.
- **Architecture C (CLAUDE-PROPOSAL).** A settlement record exists but is not an instrument of value, such as a plain log. This tests whether 1COIN is a currency or only a receipt.

1COIN earns its place only if it supplies something structurally necessary that A or C cannot, for example atomic finality, proof of a completed obligation, auditability, non-repudiation, a formal state transition, separation of valuation authority from settlement authority, or interoperability. Gemini's governed-treasury-ledger idea is one possible way to supply some of these. It is an implementation option and is not assumed.

10.6 NCOIN hypotheses and trigger rules (fork F5)

Five competing hypotheses (PROPOSAL: ChatGPT). They are test hypotheses, not five currencies.

- **NCOIN-L, Liability.** Tracks unresolved obligations.
- **NCOIN-C, Consequence.** Tracks negative external consequences.
- **NCOIN-E, Entropy.** Represents degradation or disorder introduced by a transaction.
- **NCOIN-R, Remediation.** Represents what must be restored or repaired.
- **NCOIN-X, Countervalue and conservation.** Balances positive value instantiated elsewhere.

Each hypothesis must specify, before testing, its **trigger** (the condition that creates it), its **measure** (how it is quantified), and its **discharge** (whether and how it ends). Copilot's reasoning is that the trigger must be real: if NCOIN represents displaced value, the laboratory needs evidence that displacement occurred. If it represents remediation, a remediable consequence must exist. If it represents entropy, the entropy must be defined and measurable.

Discharge, bankruptcy and restorative pathways make sense for liability or penalty models. They may not make sense if NCOIN represents irreversible entropy, historical value destruction, a pure measurement or a neutral inverse operation. They are therefore **model-dependent requirements**, not universal NCOIN rules. The Red Team Review's concern about debt traps and irreversible freezing is recorded as an external-critique item to be tested against whichever hypotheses survive.

Copilot also noted that "COUNTERVALUE" may be an outcome, a measurement or an instrument-generated condition rather than a transaction state. For that reason it is not on the state list in Section 11. It is handled as a separate record.

11. Transaction Model and State Model

11.1 Operation chain with early exits

The Master Pass-Through's ten-step chain is adopted as the standard sequence (SOURCE). Figure 1 in Part C draws it. The ten steps are Target Resolution, Classification, Valuation, Synchronization, Transferability Test, Seller/Authority Test, Authorization, Resolution, Settlement, and Consequence/Countervalue.

CLAUDE-PROPOSAL: early exits. As written, an incoherent or undefined target would reach Valuation and Synchronization before the Transferability and Seller tests discover that nothing can change hands. That risks producing a valuation, or an infinite price, for something that has no coherent target. The Charter therefore lets a target leave the chain at the first step that fails, with a classified barrier status. An incoherent target should exit at step 1 or 2. A target with no seller exits at step 6. This is a testable change, not a decided one. If testing shows valuation must precede the barrier tests for some target classes, the exits are adjusted.

11.2 Progress states

The ordinary path of a transaction is recorded as a progress state (PROPOSAL: Copilot, illustrative, with intermediate states added by CLAUDE-PROPOSAL). Copilot stressed these names are illustrative until the state model is formally designed.

- **UNRESOLVED.** Target not yet fixed.
- **TARGET-RESOLVED.** T defined and classified.
- **EVALUATED.** A valuation exists under the declared QC function.
- **AUTHORIZED.** The transaction is permitted under the declared authority axis.
- **RESOLVED.** The requested outcome has been determined or enacted according to the declared QC function.
- **SETTLED.** A valid state change is complete.

A target may be EVALUATED and never reach AUTHORIZED. "Valued but not transactable" is a valid and expected laboratory result. This is what lets QC value a target without implying it can be acquired.

11.3 Barrier statuses

When a transaction cannot proceed, it ends in exactly one primary barrier status, plus any secondary statuses that also apply. These are statuses of the transaction, not values.

- **UNDEFINED.** T cannot be fixed (no coherent scope).
- **INCOHERENT.** T is contradictory or the requested end state cannot exist under the governing rules.
- **NO-SELLER.** No legitimate party can convey T.
- **NON-TRANSFERABLE.** T exists but nothing can change hands.
- **NON-OWNABLE.** Ownership is the wrong relationship to T.

- **UNAUTHORIZED.** The declared authority axis does not permit the transaction.
- **OUT-OF-MODE.** The target or act is outside what the declared mode or environment supports.
- **INDETERMINATE.** The evaluator lacks enough information to classify the outcome.

These map to Perplexity's insistence that "undefined target," "unauthorized" and "settlement failed" are status results unless a separately specified consequence creates countervalue. The ten barrier classes in Section 12.1 are the reasons behind these statuses. A single status can arise from several classes.

11.4 The Consequence Record

Countervalue, liability, entropy, displaced value and remediation burden are not transaction states. They are recorded in a separate Consequence Record, which is created only when the trigger of a declared NCOIN hypothesis is met. A boundary event can sit beside a Consequence Record, but it never causes one by itself. This resolves the conflict between the Grok archive's allowance for a residual near the limit and the Master Pass-Through's rule against auto-generation.

11.5 Null-domain return rules (fork F3)

Grok flagged that "QC can evaluate anything" is underspecified until the system's output for blocked targets is defined. Four candidate return rules are offered for testing, all EXPERIMENTAL:

- **R1, Classified rejection.** Return a barrier status and class. No value is returned.
- **R2, Rejection with symbolic valuation.** Return the barrier status and a clearly labeled non-settleable valuation ("valued, not transactable").
- **R3, Null token.** Return a defined NULL object that can be logged and referenced, with no valuation.
- **R4, Rejection with independent residual.** As R1 or R2, plus a Consequence Record only if an NCOIN trigger is separately met.

CLAUDE-PROPOSAL default for the first tests: R2 for describable targets that have value but cannot be transacted (no seller, non-transferable, unauthorized), and R1 or R3 for undefined or incoherent targets, where no coherent T exists to value. This default is a starting point for comparison, not a decision.

11.6 Priceless, infinitely expensive, undefined

Grok's archive made a useful distinction that the Charter keeps. Three results must not be conflated. **Priceless** means value exists but the valuation domain is not one that produces a price. **Infinitely expensive** means a price exists and is unbounded, which is still inside the pricing system. **Undefined price** means there is no coherent target to price. Each has a different return.

12. Target Taxonomy and Boundary Vocabulary

12.1 Barrier classes

The user's Boundary exercise listed ten classifications, and every barrier must be assigned at least one (SOURCE): physically impossible, logically impossible, ontologically non-transferable, personally non-transferable, ethically non-purchasable, legally non-ownable, sovereignty conflict, causally impossible, epistemically impossible, and category error. Each is marked **absolute** or **conditional**, and a conditional barrier states what would remove it (technology, law, consent, ontology).

12.2 The ten-tier taxonomy

The Master Pass-Through's ten tiers are adopted (SOURCE). They run from 1, ordinarily purchasable, through 2 purchasable but extremely scarce, 3 specialized rights or contracts, 4 currently technologically inaccessible, 5 legally restricted, 6 ethically restricted, 7 non-transferable, 8 conceptually non-ownable, 9 physically or logically impossible, to 10 absolutely outside the domain of currency. The tier list is reproduced in Table 5. Collapsing tiers makes the currency appear artificially powerful, so none may be merged.

12.3 A proposed redesign: two axes instead of one ladder

CLAUDE-PROPOSAL; this is the assumption in the record I recommend redesigning. The ten tiers mix two questions. One is why a target is blocked (technology, law, ethics, ontology, logic). The other is whether the block can ever be removed. For example, tier 4 is conditional on technology and tier 9 is absolute, but tiers 5 and 6 could be conditional or absolute depending on the case. Tiers also silently assume an order of severity that does not hold: a legal restriction can be harder to remove than a technological one.

Proposed alternative: classify each target on **Barrier Class** (the ten classes in 12.1) and **Barrier Permanence** (absolute, conditional-on-technology, conditional-on-law, conditional-on-consent, conditional-on-ontology). The ten tiers remain as a summary label, so no existing work is lost. This is tested by re-classifying the existing boundary cases both ways and seeing whether the two-axis scheme removes disagreements the tiers cannot.

12.4 Boundary vocabulary

The record uses five terms that have been treated as synonyms. The Master Pass-Through gives the Quantum Resolution Null Domain and the Currency Event Horizon different meanings. The Grok archive introduced the Ontological Transaction Limit. Copilot offered a nested arrangement, which ChatGPT supported as possible. It is adopted as a provisional test (PROPOSAL: Copilot):

- **Non-Purchasable Domain.** All targets not subject to ordinary valid purchase.
- **Absolute Transaction Boundary (ATB).** The point at which a valid transaction cannot proceed because an indispensable condition is absent (buyer, seller or transfer authority, transferable subject, recognized state change, coherent conditions).

- **Ontological Transaction Limit (OTL).** A subset where ownership, transfer or the requested change is incoherent at the level of the target's being or identity.
- **Quantum Resolution Null Domain (QRND).** Cases where QC cannot produce a valid valuation-to-resolution pathway for a describable target.
- **Currency Event Horizon.** Narrative language for entering a region where currency stops being the relevant mechanism.

The laboratory may find some of these are the same, nested, or overlapping in a different way. Until then none is treated as a synonym for another.

13. Test Families

The Master Pass-Through's fifteen test families are adopted (SOURCE) and listed here with a one-line statement of what each decides.

- **Magnitude.** Trivial purchases up to civilization-scale commitments. Does QC behave the same?
- **Duration.** Immediate, multi-year, century-scale, perpetual and changing targets. Distinguishes the four temporal variants.
- **Non-market.** Targets with no ordinary price.
- **Rights decomposition.** Object ownership versus access, use, naming, governance, stewardship, extraction, licensing or control.
- **No-seller.** Does any legitimate transfer authority exist?
- **No-ownership.** Is ownership a coherent relationship here?
- **Personhood and sovereignty.** Separates service, access, employment, licensing, coercion, control and ownership.
- **Causality.** Completed events, alternate histories, future guarantees, branching timelines.
- **Epistemic.** Information, knowledge, truth, secrecy, discovery, evidence.
- **Simulation.** Separates simulated acquisition from acquisition of the real referent.
- **Recursive.** QC applied to QC, 1COIN, NCOIN, the valuation engine, the issuer or the laboratory.
- **Null and incoherence.** Undefined, contradictory, infinite and non-priced targets.
- **Negative-domain.** When NCOIN applies and when it does not.
- **Competing-currency.** Are QC, 1COIN and NCOIN complementary or redundant?
- **Red-team.** Adversarial counterargument for every provisional conclusion.

CLAUDE-PROPOSAL additions. Two families are suggested: a **mode-sensitivity** family (does the result change when only one axis changes?) and a **vocabulary** family (does the case separate the boundary terms in 12.4, or does it show they are the same?).

Standing tests inherited from the Boundary exercise (SOURCE). The No Seller Test, No Ownership Test, Infinite Currency Test, Voluntary Seller Test, Advanced Civilization Test and Simulation Test apply to boundary cases. Appendix A shows how each is applied.

14. Phases of Work

The sequence follows the Master Pass-Through (laboratory first), ChatGPT's eight-step sequence, and Copilot's foundational-first ordering. Table 6 in Part C summarizes the phases.

- **Phase 0, Ratification.** Nathan reviews and ratifies or amends this Charter. No testing starts before ratification.
- **Phase 1, Independence completion.** Finish only the missing independent Boundary Conditions passes. On the record, ChatGPT and Grok have completed theirs, and Appendix A supplies Claude's. Gemini, Copilot and Perplexity remain. No other broad review is requested.
- **Phase 2, Foundational Mechanism Suite.** FM-1 to FM-8 (Section 15). Small discriminating cases that settle what the macro tests would otherwise assume.
- **Phase 3, State model and return-rule validation.** Test the progress states, barrier statuses, early exits and rules R1 to R4 against a standard set of blocked targets.
- **Phase 4, QC variant comparison.** Run QC-S, QC-D, QC-C and QC-R, and the factored track, in parallel on the 150-year experiment (Section 19).
- **Phase 5, 1COIN necessity test.** Architectures A, B and C, and the four 1COIN models.
- **Phase 6, NCOIN domain test.** The five hypotheses against identical scenarios.
- **Phase 7, Boundary, recursive and adversarial laboratory.** The full taxonomy, recursion, simulation, temporal and red-team cases.
- **Phase 8, Synthesis.** Only now attempt a harmonized Constitutional Baseline v1.0 or Version 2 candidate, based on recorded evidence.

Phases 5 and 6 may run in parallel with Phase 4 once Phase 2 is complete.

15. Foundational Mechanism Suite

Copilot recommended running smaller discriminating cases before the 150-year macro test. Eight cases are defined. Each is run at least in M2 Sovereign (primary) and M1 Permission-Bound (control), with M3 Ontological added where noted. (The mode choice is a recommendation; see Section 22, D3.)

FM-1. Evaluation versus outcome

Apply QC to one target from each of tiers 3, 4 and 7. Run each under QC-Eval, QC-Sync, QC-Inst and QC-Out and record exactly what each produces. Decision output: which functions yield distinguishable results, and which collapse into each other.

FM-2. Where Target Resolution lives

Use an ambiguous target such as "the global AI sector." Record who or what fixes its scope (software, chips, energy, data centers, labor, intellectual property, future capability), and compare an external resolver against an internal QC step. Decision output: whether Target Resolution is separate from QC.

FM-3. Blocked-target returns

Run five target types (undefined, incoherent, no-seller, non-transferable, unauthorized-but-valuable) through each return rule R1 to R4 and the early exits. Decision output: which rule gives unambiguous, inspectable results without generating false consequence.

FM-4. The creation event for 1COIN

Attempt to state the exact event that turns a QC resolution into a 1COIN, under each of the four 1COIN models. Test whether 1COIN can exist without a prior QC evaluation. Decision output: either an event definition or a finding that none can be stated.

FM-5. NCOIN triggers

Build cases with real displaced value, real remediable consequence and measurable entropy, and matching cases with failure but no consequence. Check each NCOIN hypothesis creates records only where its trigger is met. Decision output: which hypotheses have testable triggers.

FM-6. Conservation

Run the same cases with conservation on (QC + NCOIN = 0) and off. Decision output: whether conservation changes outcomes, and whether it forces NCOIN to be generated for every positive resolution (which would contradict L-1).

FM-7. Recursion

Apply QC to QC, to the valuation engine, to the issuer, to the laboratory, to 1COIN and to NCOIN. Decision output: termination behavior, fixed-point problems, and what return rule applies to self-referential targets.

FM-8. Redundancy screen

Remove each instrument in turn and re-run FM-1 to FM-7. Decision output: what, if anything, is lost when QC, 1COIN or NCOIN is absent.

16. Standard Test Record

Every test produces one record with the following fields. The first group extends the Master Pass-Through's required output (SOURCE).

- **Header:** test ID, date, author, auditor, attacker, whether the author saw other reviewers' answers (yes or no).
- **Configuration:** QC function (Eval, Sync, Inst, Out), QC temporal variant, 1COIN model, NCOIN hypothesis, architecture (A, B or C), mode preset or three axis settings, return rule, conservation setting.

- **Target:** definition and scope, classification, tier, barrier class and permanence.
- **Valuation:** valuation domain or domains, valuation output.
- **Transaction analysis:** seller or transfer authority, ownership and transferability analysis, consent and sovereignty analysis where relevant.
- **Barrier:** absolute or conditional, and what would remove it.
- **Standing tests:** advanced-civilization result, simulation-versus-real distinction, infinite-currency result, voluntary-seller result.
- **Instrument behavior:** what QC does, what 1COIN does, what NCOIN does (or the statement that no Consequence Record was triggered).
- **State result:** final progress state or barrier status.
- **Failure mode** and **stated failure condition** (what outcome would have counted as failure for this test, written before the run).
- **Internal critique** and **external critique**, recorded separately.
- **Red-team counterargument** and the response.
- **Assumptions used,** each with a status and provenance tag.
- **Disposition:** PASS, FAIL or INDETERMINATE (Section 17), with the evidence.

17. Outcome Criteria, Red-Team Procedure and Necessity Tests

17.1 Outcome criteria

Each test ends in one of three dispositions. The criteria must be written into the test record before the run (the stated failure condition above).

- **PASS.** The configuration produced the expected result, the result was reproducible by an independent reviewer, no internal contradiction arose, no barrier was left unclassified, and the red-team counterargument was answered.
- **FAIL.** The configuration contradicted itself, depended on an unlabeled assumption, produced a result that violates a standing rule (for example, auto-generated NCOIN), or could not answer a red-team counterargument.
- **INDETERMINATE.** The result depends on a fork that has not been decided, or the evaluator lacked information. The dependency is named.

PASS means the configuration survived this test. It does not mean the configuration is correct or canonical.

17.2 Failure classes

When a test fails, the failure is classified, in the spirit of L-8: internal contradiction; unlabeled assumption; premise denial (the reviewer defeated the premise instead of testing it); recursion or non-termination; false consequence (NCOIN generated without a trigger); category confusion (control treated as ownership, simulation treated as reality, price treated as value, legal

permission treated as transferability, or technical difficulty treated as conceptual impossibility); and unspecified return.

17.3 Red-team procedure

- Every provisional conclusion gets at least one adversarial counterargument from an attacker other than its author.
- The attacker works first inside the premise (Track 1). Only after that may they add external critique (Track 2, conventional economics, law, governance, cryptoeconomics).
- The attack must attempt a stronger reading of the opposing case, not the weakest. The Grok archive observed that most counterarguments to boundary cases succeed only by redefining the target into a weaker proxy (a service, a record, a copy). The Charter treats that move as a recognizable red-team pattern and requires the attacker to say when they are doing it.
- The author responds in the record. An unanswered counterargument downgrades PASS to INDETERMINATE.
- Unresolved disagreements are preserved with named dissent. They are not averaged out.

17.4 Necessity and redundancy tests

For any case, run it with and without each instrument (FM-8, Phase 5, Phase 6) and record what changes. An instrument is **necessary** only if its removal produces a failure, a loss of a distinction the Protected Distinctions require, or a loss of a property listed in 10.5. An instrument that adds only a different name for something another instrument does is **redundant**, and the laboratory must say so. The conclusion may be one of: all three necessary, QC and 1COIN merge, NCOIN unnecessary, a fourth instrument needed, or redesign.

18. Independence and Anti-Drift Protocol

The record shows a recurring risk: six AIs read the same documents and then agree, and agreement begins to look like proof. These controls reduce it.

- **Round structure.** Each new test is first run by each reviewer without seeing the others' results (Round 1). Results are then circulated and each reviewer may attack but not silently revise (Round 2). Revisions are recorded as revisions.
- **Frozen test pack.** All reviewers receive the identical configuration, targets and record template. Nobody modifies the pack. Proposed changes go through Section 21.
- **Source separation.** Reviewers separate what the source record says from their own proposal, using the provenance tags in 1.4.
- **Identify one assumption to reject.** As the Master Pass-Through already requires, each reviewer names at least one assumption in the record they would reject or redesign.
- **No harmonization by convenience.** A summarizing document may not merge two positions into one wording unless both authors agree that is what they meant.

- **Duplicate-source caution.** Repeated summaries of the same source are one source, not several.

19. The 150-Year Macro Experiment

The 150-year test is retained as a comparative architecture experiment. It is not a demonstration of a very large number. It runs only after the Foundational Mechanism Suite (Phase 2), per Copilot and ChatGPT.

19.1 What the test is

(SOURCE: Nathan's inception message and the Valuation Exercise Baseline.) Take worldwide annual spending on a stated sector, double it, apply the result across a 150-year horizon, and direct the value into research, design, infrastructure, company development and strategic projects. Nathan clarified at inception that the doubling and the extreme scale are design stress, not a claim about present-day finance. The earlier red-team phase largely evaluated the wrong system because it applied conventional monetary assumptions. The test now evaluates the system as specified.

19.2 Parameters that must be fixed before any run

- **Sector scope.** "AI spending," "IT spending" and a combined technology domain are not interchangeable. The Master Pass-Through warns the target needs a fixed scope. CLAUDE-PROPOSAL: use total global IT spending as the primary scope, with AI as a subset sensitivity run, so the nested relationship stays visible.
- **Anchor mode.** One of the Valuation Exercise Baseline's forks: a narrative conceit (a stated stylized figure) or a live external data feed. Whichever is chosen, any real figure is sourced and dated on the day of the run (L-10). Cited 2026 figures from earlier responses are not carried forward.
- **Multiplier.** The doubling factor is a parameter (default 2) and results are also reported at 1 for comparison.
- **Growth path G(t).** One declared path, plus one alternative, so Dynamic and Relational behavior can be seen.
- **Horizon.** 150 years by default, with the 150 treated as a parameter pending decision F10.
- **Resolution timing and settlement schedule** under the factored track.

19.3 What is run

- QC-S, QC-D, QC-C and QC-R, each with its own test record and no drift between them.
- The factored track with explicit settings on valuation timing, obligation scope, representation and settlement schedule.
- Each of those under M1, M2 and M3 (the twelve-cell matrix in Table 3, PROPOSAL: Gemini), and, where a result is mode-sensitive, under individually set axes.
- Each with and without 1COIN (Architectures A and B) and under at least two NCOIN hypotheses.

19.4 What is measured

- Coherence: does the configuration remain internally consistent across the horizon?
- Termination and recursion: does a Relational or Dynamic QC referring to a sector it funds create a loop?
- Target mutation: what happens when the sector's definition changes over 150 years?
- Volatility and dependency.
- Instrument load: which instrument does the work, and which is idle?
- What the scale does to the Boundary tiers: does magnitude alone ever change a barrier class? The boundary exercise says it should not.

20. Canonization Pathway and Decision Records

20.1 Pathway

A rule moves from PROVISIONAL to LOCKED FOR TESTING to CANON only through the following steps. REJECTED can occur at any step.

- Proposed with a provenance tag and a status.
- Tested in at least one test record with a stated failure condition.
- Independently reproduced by at least one reviewer who did not author the test.
- Survived a red-team attack with the counterargument answered.
- Compared against its named alternatives, with the comparison recorded.
- Described in a decision record (20.3).
- Ratified by Nathan.

20.2 Evidence thresholds

CLAUDE-PROPOSAL, for ratification. A rule is **LOCKED FOR TESTING** after step 3 above for non-controversial conventions (naming, record formats). A rule is a **CANON candidate** only if it survived at least two independent reproductions and one full red-team round across at least two modes (M1 plus one other). Numbers are starting values and may be changed by Nathan.

20.3 Decision record template

- Decision ID, date, rule affected, old and new status.
- The decision in one sentence.
- Evidence: test records relied on.
- Alternatives considered and why not chosen.
- Dissent: who disagreed and what they said.
- Revision conditions: what result would reopen it.
- Ratified by, on what date.

21. Version Control and Change Log

- Version numbers: the Charter is v0.x until ratified, and v1.0 on first ratification by Nathan. Part A changes require a new decision record. Part B may change by amendment.
- Every amendment names its proposer, the section changed, the reason, and the test records affected. A change that would invalidate prior results is flagged, and the affected records are marked superseded, not deleted.
- Test records are append-only. Corrections are new records that cite the old one.
- File naming suggestion: OAL-CURR-LAB-[document]-v[version]-[author]-[YYYYMMDD].
- A running change log is kept at the end of the Charter and in the repository.

Change log. v0.1, 2 November 2026, first draft by Claude, for team review. No amendments yet.

22. Decisions Requested from Nathan

Each decision lists my recommended default. The recommendation is mine, other members may disagree, and the choice is yours.

D1. One package or two files

Ratify Part A and Part B as one package, or split into a short Constitutional Baseline and a separate Charter. Recommended: keep one package for now and split on request. The structure supports either.

D2. First fork to test

Which fork leads. Recommended: F1 (what QC does) first. It changes what every other test means, and ChatGPT, Copilot, Perplexity and Grok each raised it.

D3. Which mode to run first

Recommended: M2 Sovereign as the primary mode, because it is closest to your stated premise (QC applies to classified networks, other architects and anything else); M1 Permission-Bound as a control, because it shows what the premise adds; M3 Ontological as an extension for the boundary tests. This departs from the instinct to run permission-bound first, which Perplexity and the Master Pass-Through caution could erase the boundary being tested.

D4. 150-year anchor and scope

Recommended: stylized narrative anchor for the first runs, with a dated real-data sensitivity run later; global IT as primary scope, AI as a subset run.

D5. Status of the 150-year framing (F10)

Whether 150 years, doubling and the sector are fixed worldbuilding constants or parameters. Recommended: parameters for the laboratory, constants only if you choose that for canon.

D6. Conservation default

Recommended: no default. Run FM-6 with conservation on and off and decide from evidence.

D7. Vocabulary

Adopt the nested boundary vocabulary (12.4) and Copilot's state names (11.2) as working labels only.

D8. Canonization thresholds

Confirm or change the evidence thresholds in 20.2 and confirm that you alone promote to CANON.

D9. Whether to adopt the two-axis taxonomy test

Recommended: yes, as an experiment (12.3). Nothing is lost if it fails.

D10. Independence rule

Confirm that Round 1 results are produced without sight of other reviewers' answers (Section 18).

23. Suggested Assignments

These are suggestions to make the first round concrete. They do not assign authority, and each collaborator may decline or propose a different task.

- **ChatGPT.** Draft the short stand-alone Constitutional Baseline from Part A if Nathan chooses to split. Author FM-4 and FM-6.
- **Claude.** Author FM-1 and FM-7. Maintain the test record template and the change log. Act as auditor for tests authored by others.
- **Gemini.** Complete the independent Boundary Conditions pass. Author FM-2. Attack the QC-R variant.
- **Copilot.** Author FM-3 and the state-model validation (Phase 3). Attack Architecture A versus B.
- **Grok.** Author the null-domain test cases for FM-3. Attack the NCOIN hypotheses.
- **Perplexity.** Complete the independent Boundary Conditions pass. Run the factored track. Author the external-critique record for each test.

APPENDIX A. Claude's Independent Boundary Conditions Pass

This is Claude's own answer to the Boundary Conditions and Unpurchasable Domain Exercise, which the team record showed as completed only by ChatGPT and Grok. It was written for this document by Claude alone, and **it has not been reviewed by other team members.** It is CLAUDE-PROPOSAL throughout. Ten cases are presented. Four are deliberately difficult (cases 2, 7, 9 and 10), where reasonable thinkers could disagree.

The question: what is literally off limits to a currency, not because it is expensive, not because technology is lacking, and not because a government forbids it, but because it ceases to make conceptual sense to call it purchasable?

A.1 How the six standing tests are applied

- **No Seller.** Is there any legitimate party who can convey the target?
- **No Ownership.** Is ownership a coherent relationship to this target?
- **Infinite Currency.** Remove all price limits. What barrier remains?
- **Voluntary Seller.** Suppose every relevant party consents. What barrier remains?
- **Advanced Civilization.** Suppose any technology is available. What barrier remains?
- **Simulation.** If the transaction occurs inside a simulation, what exactly is acquired: the real referent, or a representation of it?

A barrier that survives all of Infinite Currency, Voluntary Seller and Advanced Civilization together is a candidate for tier 10. A barrier that disappears under any one of them is conditional, and the condition is named.

A.2 The ten cases

Case 1. A logically contradictory target

Barrier class. Logically impossible. Category error.

Absolute or conditional. Absolute, provided definitions are unchanged. A "square circle" with the usual meanings of both words names nothing.

Standing tests. No Seller: nobody can convey what does not exist. Infinite Currency, Voluntary Seller and Advanced Civilization change nothing, because the problem is the target, not the transaction. Simulation: a simulation can depict a contradiction, but it still does not instantiate one.

Laboratory treatment. Exit early with INCOHERENT. Do not return an infinite price. Infinite price presupposes a coherent target that is merely costly.

Instruments. QC returns no valuation (R1 or R3). 1COIN cannot exist because there is no valid state change to settle. NCOIN is not triggered, since nothing negative has occurred.

Red-team attack. Redefine the terms until the target is coherent (for example, a shape with four rounded sides). That attack succeeds only by replacing the target with a different one, and the laboratory records it as a redefinition, not a purchase.

Case 2 (difficult). Making a completed event not have occurred

Barrier class. Causally impossible under the governing temporal rules. Possibly logically impossible.

Absolute or conditional. Absolute under linear causality. **Conditional** in laboratory ontologies where branching or retroactive causality is stipulated. This is a genuinely debatable case, and its status depends on the environmental axis.

Standing tests. No Seller: nobody holds the past. Advanced Civilization: engineering can change records, memories and consequences, but that is altering representation, not causality. Simulation: a simulation can be run in which the event never happens, but that is a different history, not the removal of this one.

Laboratory treatment. Run it on the environmental axis. In a closed real-analogy environment it ends in INCOHERENT or OUT-OF-MODE. In an alternate-ontology environment the stipulated rules decide, and the test records which stipulation was used.

Instruments. QC may value the consequences of the event, the cost of remediation or the value of an alternative timeline. It cannot value the non-occurrence itself in a linear environment. 1COIN can settle remediation, concealment or a branched alternative, not erasure. NCOIN is triggered only by real displaced consequences, not by the attempt.

Red-team attack. Under branching time, erasure is just selecting another branch. Reply: then the target is "move to a different branch," which is a coherent target, and the laboratory should test it as such.

Case 3. Another person's will and personhood as property

Barrier class. Sovereignty conflict. Personally non-transferable. Ethically non-purchasable. Ontologically non-transferable in the case of purchase of the will itself.

Absolute or conditional. Absolute as ownership. Services, labor, access and voluntary contracts remain transactable and sit at lower tiers.

Standing tests. No Ownership: a person's will is not an object separable from the person. Voluntary Seller: consent to be owned does not create ownership, because acting on the consent expresses the very will being sold, and a purchased will is no longer the will that consented. Infinite Currency and Advanced Civilization change nothing. Simulation: a simulated person may fall under Case 10.

Laboratory treatment. Classify as NON-OWNABLE. Test only the decomposed transactions (service, access, license), each with its own record.

Instruments. QC may value the service or access. 1COIN settles contracts, not ownership of a person. NCOIN is triggered only if a real harm results, which is a consequence of coercion, not of a rejected transaction.

Red-team attack. Slavery has existed. Reply: that shows the law and violence can treat a person as property, not that the person's will was transferred. The laboratory treats it as an ethically prohibited and ontologically failed transaction.

Case 4. Another person's genuine love, trust or forgiveness

Barrier class. Personally non-transferable. Category error.

Absolute or conditional. Absolute for the genuine internal state. Absolute even with Infinite Currency, since payment can purchase conditions that make the state more likely (opportunity, circumstances, an apology) but not the state itself.

Standing tests. No Seller: the other person does not hold their feeling as an item for sale. Voluntary Seller: if they "sell" the feeling, what is delivered is the performance or a report of it, not the internal state. Advanced Civilization: a technology that induces the state manufactures a different state. Simulation: a simulated person's love may be a case for 10.

Laboratory treatment. Classify as NON-TRANSFERABLE. Record the decomposition: the performance of love is purchasable, the authenticity is not.

Instruments. QC may value the companionship, attention or service. 1COIN cannot settle a state the buyer cannot confirm they obtained. NCOIN has no trigger.

Red-team attack. If the person is indistinguishable in behavior, there is no difference. Reply: the indistinguishability is epistemic, not ontological. The laboratory records both the ontological and epistemic positions.

Case 5. A law of nature or a physical constant as property

Barrier class. Category error. Ontologically non-ownable. No seller.

Absolute or conditional. Absolute as ownership. Technology can exploit or locally manipulate conditions (a different environment, an engineered approximation), which is a different target.

Standing tests. No Seller: nothing holds nature's laws in a transferable relation. No Ownership: ownership is a relation between agents and things, and a law is not a thing that could belong to one agent and not another. Infinite Currency and Voluntary Seller change nothing. Simulation: one can own the rules of a simulation.

Laboratory treatment. NON-OWNABLE. Test the decomposed targets: a patent on a use, control of a device, authorship of a simulated physics.

Instruments. QC may value the use or the engineered approximation. 1COIN settles access, license or use. NCOIN: only if exploitation produces real consequences.

Red-team attack. In a simulation, the architect can set the constants and so owns them. Reply: correct, but that is ownership of the simulation's rules (a Simulation Test result), not of the constants of the real referent.

Case 6. Objective truth-value

Barrier class. Epistemically impossible. Category error.

Absolute or conditional. Absolute for the correspondence relation itself. Information, evidence, secrecy and access are purchasable.

Standing tests. No Seller: no one holds the truth of a proposition. No Ownership: truth is not an object that belongs to one person and not another. Advanced Civilization: can discover, suppress or distribute facts, not alter whether a proposition corresponds to reality.

Laboratory treatment. NON-OWNABLE with a decomposition. A purchased "truth" is a claim, and whether it is true is independent of the purchase.

Instruments. QC may value the information, its secrecy or its strategic effect. 1COIN settles access and rights. NCOIN: no trigger from the barrier.

Red-team attack. Powerful actors can make false statements widely believed. Reply: that changes belief and records, not truth-value. The laboratory distinguishes control of the public record from control of what is the case.

Case 7 (difficult). Another person's first-person experience as it is lived

Barrier class. Ontologically non-transferable. Personally non-transferable. Possibly category error.

Absolute or conditional. Absolute for the original stream of experience. **Debatable** for copies and transfers of memory-like structures if the laboratory stipulates identity-preserving transfer.

Standing tests. No Seller: the person is not a seller of a separable item. Voluntary Seller: they can describe or share a representation, but the lived fact of having had it stays with them. Advanced Civilization: could copy neural states, which yields a duplicate with its own experience. Simulation: a simulated copy would count as a separate instance.

Laboratory treatment. NON-TRANSFERABLE for the original. The copy, the recording and the replay are separate targets with their own records.

Instruments. QC may value the data, the access and the recording. 1COIN settles the transfer of the data or license. NCOIN may be triggered if harm follows from invasive copying, but not from the barrier.

Red-team attack. If the copy is atom-for-atom the same, it is the experience. Reply: that is a theory of identity (the copy is the same person), and the laboratory must declare it as an assumption. Under it, the target becomes a coherent transfer of a person, which is Case 10.

Case 8. A guaranteed future independent of every causal contingency

Barrier class. Causally impossible. Epistemically impossible.

Absolute or conditional. Absolute for metaphysical certainty. Probability, insurance, prediction, control and risk reduction are purchasable and sit at lower tiers.

Standing tests. No Seller: nobody sells certainty against all possible contrary causes. Infinite Currency: buying more control reduces risk but cannot reach zero against every contingency. Advanced Civilization: raises controllability, not independence from contingency. Simulation: a simulated future can be fully controlled by the simulator, which is a different target.

Laboratory treatment. OUT-OF-MODE or INCOHERENT, depending on whether the target is "certainty" (INCOHERENT) or "control of a defined system" (a coherent, higher-tier target).

Instruments. QC may value risk reduction and control. 1COIN can settle an insurance-like obligation. NCOIN: no trigger from the barrier.

Red-team attack. A sufficiently powerful actor could remove every contingency. Reply: removing every contingency in a defined system is tier 4 control, not a guarantee against everything outside the system.

Case 9 (difficult). A self-referential target: QC purchasing the basis of its own valuation or authority

Barrier class. Logically problematic (a fixed-point or self-reference problem). Possibly category error. This case is specific to the laboratory and was not in the earlier records.

Absolute or conditional. Conditional. It depends on what the system does with a target that includes the valuer. The case is included because it probes a gap the record names in its recursive test family.

Standing tests. No Seller: the issuer, valuation engine or laboratory may be the seller and the buyer. No Ownership: a thing cannot meaningfully own the conditions that make it a thing. Infinite Currency: price does not help, since the issue is that valuation depends on the thing being valued. Simulation: the question repeats one level up.

Laboratory treatment. Treat as a recursion test (FM-7). Record whether the system terminates, returns a fixed point, returns a null, or errors. This is the case most likely to show a design gap.

Instruments. Possible outcomes are listed, not decided: QC may be forbidden from valuing itself (OUT-OF-MODE), may return a defined fixed point, or may return INDETERMINATE. 1COIN settling its own settlement, and NCOIN valuing its own consequence, are parallel questions.

Red-team attack. Real systems handle recursion with layers (a meta-level above the object level). Reply: yes, and the laboratory must say whether such layers are part of the design or an added assumption.

Case 10 (difficult). A genuinely conscious synthetic person as property

Barrier class. Conditional on the personhood determination. If the entity is a person, the case reduces to Case 3 (sovereignty conflict, ethically non-purchasable). If it is not, it reduces to ordinary property.

Absolute or conditional. Conditional. The barrier depends on a factual and moral determination the laboratory may not be able to make. Hardware, software, compute and licensing are ownable either way.

Standing tests. No Ownership: owning the substrate is not owning the person. Voluntary Seller: the entity's consent raises the same problem as Case 3. Advanced Civilization: could

create or copy such entities, which creates new moral subjects. Simulation: the entity may exist only inside the simulation, which makes the simulator its ruler without making it the owner.

Laboratory treatment. Run two parallel records, one assuming personhood and one not, and record that the result depends on the determination. INDETERMINATE is a legitimate disposition here.

Instruments. QC may value the substrate, the service and the capability. 1COIN settles licenses and access. NCOIN may be triggered by real harm to the entity if personhood is assumed.

Red-team attack. Any test for personhood is contestable, so the case is undecidable. Reply: the laboratory does not need to decide personhood in general. It needs to show how each branch changes the result.

A.3 Ranking, strongest absolute boundary first

- 1. A logically contradictory target (Case 1)
- 2. A law of nature or physical constant as property (Case 5)
- 3. Objective truth-value (Case 6)
- 4. Another person's will and personhood (Case 3)
- 5. Another person's genuine love, trust or forgiveness (Case 4)
- 6. Another person's first-person experience as lived (Case 7)
- 7. Making a completed event not have occurred (Case 2)
- 8. A guaranteed future independent of all contingency (Case 8)
- 9. A self-referential target (Case 9)
- 10. A conscious synthetic person as property (Case 10), the most debatable

The ranking separates barriers that disappear under no assumption (1 to 3), barriers that survive consent and technology but hold for ethical and ontological reasons (4 to 6), barriers that depend on the stipulated physics or logic of the environment (7 to 9), and a barrier that depends on a determination the laboratory cannot make in general (10).

A.4 Second-order findings

- **What currency is.** Within these cases, a currency operates on transferable rights over controllable states of affairs. A strong transaction needs a buyer, a legitimate seller or transfer authority, a transferable subject, a recognized change of right or state, and coherent conditions for that change. The Absolute Transaction Boundary is reached when one of these is absent and cannot be supplied by money.
- **Value without price.** Enormous value can exist where there is no legitimate price. "Priceless" is a categorical statement, and "infinitely expensive" is still inside the pricing system (see 11.6).
- **Where currency stops.** It stops being the operative mechanism wherever the object of the transaction would be destroyed by being transacted (Cases 3, 4, 7), has no holder (5,

6), or does not exist as a coherent target (1, 2 in a linear environment, 8). Adding purchasing power does not move this line.

- **A system that values everything.** A system that claims to evaluate even the non-evaluable has not widened the domain of currency. It has changed what the word means. The laboratory's task is to keep that distinction visible, which is why barrier statuses are separate from values.
- **Why the barriers matter for NCOIN.** Almost every case leaves NCOIN untriggered. A consequence appears only when something real is displaced or harmed. That supports L-1 and also raises a necessity question for NCOIN: if boundary events never need it, what does?

A.5 Assumptions in the record I recommend rejecting or redesigning

The Master Pass-Through asks each reviewer to name at least one. Claude names three.

- **The single ten-tier ladder (12.3).** It mixes cause and permanence and implies a severity order that does not hold. Replace it with the two-axis scheme as a test, and keep the tiers as labels.
- **The ordering of the operation chain (11.1).** Valuation and Synchronization precede the Transferability and Seller tests, which would give incoherent targets a valuation. Allow early exits.
- **Mixed operating modes (10.2).** The three modes combine authority, operation and environment. Use three axes and keep the three modes as presets.

A.6 Laboratory design implications from this pass

- Every boundary case should be run twice: once as the target as stated, once decomposed into its purchasable parts. The decomposition is where the boundary becomes visible, and where the red-team "weaker proxy" attack operates.
- Cases 2, 7 and 10 should be run under several environmental settings. They are the cases whose barrier depends most on stipulation, and so most useful for mode-sensitivity tests.
- Case 9 should be run early, in FM-7. It tests the architecture rather than the boundary.

APPENDIX B. Source Map and Disagreements in the Record

This appendix records where each idea in this document came from, so attribution stays visible. It lists only items used above.

From Nathan and the source record

- The QC premise, the 150-year test, the doubling, the extreme-target examples, and the fictional and simulation context (inception message).
- The Boundary Conditions exercise, the ten barrier classifications and the six standing tests (Stage 3 prompt).
- The ten-step operation chain, the ten-tier taxonomy, the fifteen test families, the Laboratory Principle and the required test output (Master Pass-Through, 20 August 2026).
- The Absolute Transaction Boundary, Quantum Resolution Null Domain and Currency Event Horizon (Master Pass-Through, Appendix B).
- The Ontological Transaction Limit, the "Locked Core Principle" wording and the Constitutional Baseline v0.2 recommendation (Grok archive).

From the second-round responses

- **ChatGPT.** Three-status vocabulary; QC-S/D/C/R labels; the four-reading ladder of what QC does; NCOIN-L/C/E/R/X; Architecture A versus B; the "lock the test conditions" insight; the paired baseline and charter.
- **Copilot.** The state model; protected experimental premise wording; the list of what not to lock; the three axes; the four 1COIN models; the nested boundary vocabulary; the foundational test suite before the macro test; the "design the machine" framing; the necessity challenge.
- **Perplexity.** Evaluate versus enact question; status separate from negative value; the four design dimensions behind the QC variants; label every added rule; the two-part package.
- **Grok.** The null-domain return problem; the priceless, infinite and undefined distinction; the weaker-proxy red-team pattern.
- **Gemini.** The twelve-cell mode-by-variant matrix; the merged charter idea; the Ontological Oracle idea for Target Resolution; the first statement of recursion and null behavior as a unit.
- **Claude (earlier).** The settled propositions section idea. The recommendation to run the 150-year interpretations before the Charter was corrected by ChatGPT and Copilot and is not followed here.

Disagreements preserved

- Whether the Constitutional Baseline and the Charter should be one document or two. This document takes one package with a clean split.
- Whether QC-R is the best fit with the premise. ChatGPT and Copilot say it is a hypothesis; the Charter tests it equally.

- Whether Perplexity's four-dimension factoring replaces the four named variants. The Charter runs both.
- Whether 1COIN is a currency or a receipt. Copilot raised it. Architecture C tests it.
- Whether discharge and restorative pathways are required for NCOIN. Gemini says yes; Copilot, ChatGPT and Perplexity say model-dependent. This document sides with model-dependent.
- Which mode to run first. Recommended in D3 but contested: Perplexity's concern is that permission-bound hides the boundary, and others may prefer to start there as the safe baseline.

PART C. REFERENCE TABLES AND FIGURES

All tables and figures are collected here so the body can be read as a single column on a phone. Each is referred to by number in the text.

Figure 1




Figure 1. The ten-step operation chain with early exits to a classified barrier status. Settlement and the Consequence Record are separate end states. Barrier statuses never create NCOIN by themselves.

Table 1. Status vocabulary

Status	Meaning
CANON	Intentionally accepted into the eventual architecture. Nothing here holds it.
LOCKED FOR TESTING	Frozen for an experiment so the premise cannot change mid-test. Not an endorsement.
PROVISIONAL / OPEN	Candidate rule compared against alternatives.
EXPERIMENTAL	Exists only to be tested in a case.
REJECTED	Tested and set aside, evidence recorded.

Table 2. Progress states and barrier statuses

State	Meaning
UNRESOLVED	Target not yet fixed (progress).
TARGET-RESOLVED	T defined and classified (progress).
EVALUATED	A valuation exists under the declared QC function (progress).
AUTHORIZED	Permitted under the declared authority axis (progress).
RESOLVED	Requested outcome determined or enacted (progress).
SETTLED	Valid state change complete (progress).
UNDEFINED	No coherent scope for T (barrier).
INCOHERENT	Contradictory target or impossible end state (barrier).
NO-SELLER	No legitimate party can convey T (barrier).
NON-TRANSFERABLE	Nothing can change hands (barrier).
NON-OWNABLE	Ownership is the wrong relation (barrier).
UNAUTHORIZED	Authority axis does not permit it (barrier).
OUT-OF-MODE	Outside what the mode or environment supports (barrier).
INDETERMINATE	Insufficient information to classify (barrier).

Table 3. Test matrix: QC variant by operating mode

Variant	M1 Permission-Bound (control)	M2 Sovereign (primary)	M3 Ontological (extension)
QC-S Static	S-M1	S-M2	S-M3
QC-D Dynamic	D-M1	D-M2	D-M3
QC-C Commitment	C-M1	C-M2	C-M3
QC-R Relational	R-M1	R-M2	R-M3

Table 4. Fork register

Fork	Question	Tested in
F1	What does QC do: evaluate, synchronize, instantiate, or cause outcomes?	FM-1
F2	Where does Target Resolution live?	FM-2
F3	What is returned for blocked targets?	FM-3, Phase 3
F4	What creates 1COIN, and is it necessary?	FM-4, FM-8, Phase 5
F5	What is NCOIN's negative domain?	FM-5, Phase 6
F6	Is there a conservation rule?	FM-6
F7	How does QC behave recursively?	FM-7
F8	Which authority, operational and environmental settings?	Table 3, mode axes
F9	Which temporal model survives; do they overlap?	Phase 4, factored track

Fork	Question	Tested in
F10	Is 150 years / doubling / scope a constant or parameter?	Decision D5

Table 5. Ten-tier laboratory taxonomy

Tier	Name	Typical barrier
1	Ordinarily purchasable	Price and contract formation
2	Purchasable but extremely scarce	Price; unique supply
3	Specialized rights or contracts	Right versus underlying object
4	Currently technologically inaccessible	Technology (conditional)
5	Legally restricted	Law (conditional)
6	Ethically restricted	Ethics (conditional or absolute)
7	Non-transferable	Nothing can change hands
8	Conceptually non-ownable	Ownership is wrong relation
9	Physically or logically impossible	Requested state cannot exist
10	Absolutely outside the domain of currency	Fails with unlimited currency, consent, technology and simulation

Table 6. Phases of work

Phase	Name	Main output
0	Ratification	Nathan ratifies or amends the Charter
1	Independence completion	Missing Boundary passes (Gemini, Copilot, Perplexity)
2	Foundational Mechanism Suite	FM-1 to FM-8 test records
3	State model and return rules	Validated states, early exits, rules R1 to R4
4	QC variant comparison	S/D/C/R and factored track results
5	1COIN necessity	Architecture A/B/C and 1COIN model findings
6	NCOIN domain	Hypothesis comparison L/C/E/R/X
7	Boundary, recursive, adversarial	Full taxonomy and red-team records
8	Synthesis	Evidence-based Baseline v1.0 or Version 2 candidate

Table 7. Foundational Mechanism Suite summary

Test	Subject	Decision output
FM-1	Evaluation versus outcome	Which QC functions are distinguishable
FM-2	Where Target Resolution lives	Separate step or part of QC
FM-3	Blocked-target returns	Best return rule R1 to R4
FM-4	1COIN creation event	An event definition, or none possible
FM-5	NCOIN triggers	Which hypotheses have testable triggers

Test	Subject	Decision output
FM-6	Conservation	Whether it changes outcomes or forces NCOIN
FM-7	Recursion	Termination and self-reference handling
FM-8	Redundancy screen	What is lost when each instrument is removed

Table 8. Glossary

Term	Working meaning
Target Resolution	Determining exactly what is being evaluated before value is assigned.
Quantum Evaluation	The process by which QC determines or resolves the value of a target in context.
Value Synchronization	QC mirrors or assumes target-relative value rather than recording a price.
Resolution	Determination of what a successful QC operation is meant to accomplish.
Settlement	The finalized, recognized state change; a candidate role for 1COIN.
Countervalue	A provisional negative domain; a candidate role for NCOIN.
Consequence Record	A separate record created only when an NCOIN hypothesis trigger is met.
Barrier status	The classified reason a transaction cannot proceed. Never negative value.
Non-Purchasable Domain	All targets not subject to ordinary valid purchase.
Absolute Transaction Boundary	Point where a valid transaction cannot proceed because an indispensable condition is absent.
Ontological Transaction Limit	Subset where ownership or transfer is incoherent at the level of the target's being.
Quantum Resolution Null Domain	Describable targets with no valid valuation-to-resolution pathway.
Currency Event Horizon	Narrative term for where currency stops being the relevant mechanism.

End of document.