OAL TRINITY CURRENCY SYSTEM

Currency Laboratory Foundational Package

Constitutional Baseline v0.2 + Laboratory Charter & Experimental Test Protocol v0.1

PRE-CANON | LOCKED FOR TESTING | WORKING DEVELOPMENT RECORD

Prepared for multi-AI adversarial collaboration
2 November 2026
Version 0.1 of this combined package

Executive Decision

The compiled collaboration record is mature enough to end another unrestricted review cycle and begin controlled laboratory work. The correct next move is not to choose a winning currency architecture by consensus. It is to freeze the experimental conditions while preserving the unresolved mechanics as competing hypotheses.

This package therefore implements two complementary recommendations at once: a compact Constitutional Baseline that defines what must remain stable during testing, and a detailed Laboratory Charter that defines how competing interpretations will be tested. It deliberately does not canonize Static, Dynamic, Commitment, or Relational QC; does not assume 1COIN must remain a separate instrument; and does not assign NCOIN a universal negative function.

The governing principle for the next phase is: lock the experiment, not the currencies.

What is protected for testing

- The project remains pre-canon and experimental.
- QC is treated as target-relative under the selected test configuration, expressed provisionally as QC(T) = V(T).
- Valuation, ownership, authority, transferability, resolution, settlement, and consequence remain analytically distinct.
- A failed, rejected, null, incoherent, unauthorized, sellerless, or non-transferable operation does not automatically generate NCOIN.
- Every proposed instrument must demonstrate independent explanatory or operational necessity.
- Repeated agreement among collaborating AI systems is evidence of interpretive convergence, not proof or canon.

What remains deliberately open

- Whether QC evaluates, synchronizes, instantiates, authorizes, supplies, transforms, or causes an outcome.
- Whether the familiar four QC models are mutually exclusive architectures or partially orthogonal design dimensions.
- Whether 1COIN is an executor, record, package, state, or unnecessary duplicate.
- The domain and trigger condition of NCOIN, including whether any conservation relationship exists.
- The precise taxonomy and nesting of transaction boundaries and null domains.
- Authority, issuance, conservation, reuse, recursion, and environmental rules.

Part I - Constitutional Baseline v0.2

Purpose: establish a stable, minimal experimental constitution. “Locked for testing” means frozen inside a declared experiment so the premise cannot drift mid-run. It does not mean permanent canon.

1. Status vocabulary

Status	Meaning
CANON	An intentionally accepted architectural decision. No item receives this status merely because multiple reviewers agree.
LOCKED FOR TESTING	A rule frozen for a named experiment or test series; reversible outside that scope.
PROVISIONAL / OPEN	A candidate mechanic, taxonomy, interpretation, or hypothesis under comparison.
REJECTED	A candidate ruled out for a stated reason within a specified decision record, subject to later reopening if assumptions change.

2. Protected experimental premises

1. Target relativity: QC is evaluated relative to a defined target T under the declared test model.
2. Capability-first testing: reviewers grant the stated speculative capability long enough to test its internal consequences rather than replacing it with conventional finance assumptions.
3. Operational separation: value is not ownership; ownership is not authority; authority is not transferability; transferability is not resolution; resolution is not settlement; settlement is not consequence.
4. Status is not countervalue: transaction failure states do not themselves create NCOIN.
5. Non-redundancy: QC, 1COIN, and NCOIN receive no guaranteed right to survive. A merge, deletion, redesign, or additional instrument is an admissible outcome.
6. Model isolation: candidate mechanics must be labeled and held constant within a run. Hybridization requires a separate declared configuration.

3. Constitutional prohibitions

- Do not convert a provisional proposal into a locked rule by repetition.
- Do not change definitions mid-case to rescue a preferred result.
- Do not infer settlement from valuation alone.
- Do not infer NCOIN from rejection alone.
- Do not treat boundary labels as synonyms until a test demonstrates equivalence.
- Do not use one AI response as evidence that another independently validated the same mechanic when both rely on the same source record.

4. Decision-record rule

Any future architectural lock should record: decision ID; proposition; status; evidence; alternatives considered; test results relied upon; known counterevidence; responsible decision point; and explicit revision conditions.

Part II - Currency Laboratory Charter & Experimental Test Protocol v0.1

5. Laboratory mission

The Currency Laboratory exists to produce inspectable differences among candidate architectures. Its job is not to make the Trinity look coherent. Its job is to expose which rules are necessary, redundant, contradictory, under-specified, or dependent on unstated assumptions.

6. Primary research questions

7. QC function: does QC evaluate equivalence, synchronize to a target, instantiate sufficient value/resources, authorize a transaction, transform a state, cause an outcome, or combine explicitly declared functions?
8. Resolution locus: is resolution performed by QC, by an external evaluator, by the environment, or by a separate settlement mechanism?
9. 1COIN necessity: does a distinct instrument add a function that QC alone cannot supply without loss of clarity, finality, auditability, separation of authority, or another demonstrated property?
10. NCOIN domain: what real triggering condition produces countervalue, and can that condition be observed independently from transaction failure?
11. Boundary behavior: what exact status is returned when a target is undefined, incoherent, sellerless, unauthorized, non-transferable, or otherwise lacks a complete path?
12. Conservation: must positive instantiation be counterbalanced, and if so is NCOIN the balancing mechanism?
13. Recursion: what happens when an instrument, rule, evaluator, prior transaction, or currency state becomes the target of a new QC operation?

7. Experimental axes

To avoid conflating distinct questions, the laboratory should describe each run across separate axes rather than relying on a single overloaded “mode” label.

Axis	Candidate values
Authority	External permission; shared authority; sovereign authority; no recognized authority
Operation	Evaluative; allocative; transactional; transformative; ontological
Environment	Real-world analogy; closed simulation; nested simulation; alternate ontology; cross-temporal environment
Valuation timing	Once; periodic; continuous; event-triggered

Obligation scope	Single event; recurring obligation; complete bounded commitment
Representation	Fixed amount; target reference; executable relationship
Settlement schedule	Immediate; periodic; milestone; terminal

Important: the established four labels (Static, Dynamic, Commitment, Relational) remain preserved as test configurations. The dimensional decomposition above is an additional experiment designed to test Perplexity's observation that those labels may partly overlap rather than always compete.

8. State model

The laboratory begins with an illustrative state machine. The names are controlled test vocabulary, not canon. COUNTERVALUE is treated as an outcome flag rather than forced into the main transaction-state chain until NCOIN mechanics justify otherwise.

Class	State / flag	Meaning
Progression	UNRESOLVED	A valid test request exists but evaluation has not completed.
Progression	EVALUATED	A value/equivalence result or evaluative determination exists.
Progression	AUTHORIZED	The declared authority rule permits continuation.
Progression	RESOLVED	The requested resolution rule has completed under the selected QC model.
Progression	SETTLED	The declared settlement condition has been satisfied.
Exception	UNDEFINED	Target specification is insufficient to evaluate.
Exception	INCOHERENT	The request conflicts with the declared logical/ontological rules.
Exception	NO_SELLER	A required transactional counterparty does not exist

		under the selected model.
Exception	UNAUTHORIZED	Authority condition failed.
Exception	NON_TRANSFERABLE	Target may be valued/recognized but transfer condition fails.
Exception	NULL_PATH	No legitimate valuation-to-resolution/settlement path exists under the declared configuration.
Outcome flag	COUNTERVALUE_DETECTED	A separately defined NCOIN trigger has been observed; this flag alone does not define its amount or mechanism.
Outcome	INDETERMINATE	Evidence is insufficient to distinguish candidate outcomes without adding an assumption.

9. Standard case protocol

14. Assign a unique Case ID and protocol version.
15. State the target exactly and define the environment.
16. Declare every active axis and QC configuration before analysis begins.
17. Record protected premises separately from added assumptions.
18. Run QC evaluation without invoking 1COIN or NCOIN unless the case reaches their proposed trigger conditions.
19. Record each state transition and barrier.
20. Run the same case against Architecture A (QC can settle) and Architecture B (distinct 1COIN settlement), where relevant.
21. Evaluate NCOIN separately against each declared NCOIN hypothesis.
22. Perform an adversarial pass that attempts to falsify the result without changing the declared premises.
23. Classify the case as discriminating, non-discriminating, contradictory, or indeterminate.
24. Record what evidence would reverse the conclusion.

10. Outcome criteria

Result	Criterion
PASS	The candidate produces a coherent, reproducible result under unchanged premises and makes a discriminating prediction or supplies a necessary function.
FAIL	The candidate contradicts its own declared rules, requires undeclared premise changes, or fails a required condition.
INDETERMINATE	Available premises/evidence cannot choose among outcomes without inventing a rule.
REDUNDANT	Removing the candidate leaves behavior and required explanatory structure materially unchanged for the tested function.
DIVERGENT	Two candidate models produce different coherent outcomes; preserve the fork for further testing.

11. Evidence standard

- Separate source statements, laboratory assumptions, deductions, and reviewer suggestions.
- Record negative results. Failure to distinguish two models is itself a result.
- A model earns stronger status through discriminating tests, not vote counts.
- Where calculations or external factual anchors are used, record source, date, unit, scope, and whether the value is merely a scenario input.

- No numerical anchor becomes a permanent QC constant merely because it appeared in an earlier exercise.

12. Red-team procedure

25. Attack premise ambiguity before attacking consequences.
26. Attempt the same case under the nearest competing model.
27. Search for hidden conversions between valuation, authority, ownership, transfer, resolution, settlement, and consequence.
28. Attempt null, recursive, temporal, and boundary variants.
29. Identify the minimum rule change required to reverse the result.
30. If a proposed fix changes the premise, log a new configuration rather than repairing the original run retroactively.

Part III - Foundational Mechanism Test Suite

The first laboratory series should be small and discriminating. The 150-year scenario should follow these mechanism tests, not precede them, because a macro scenario can amplify ambiguity instead of resolving it.

13. QC function discrimination

ID	Test	Discriminates
QC-F01	Valuable target where only an equivalence statement is requested.	Evaluation vs outcome production
QC-F02	Target can be valued but required resources are absent.	Evaluation vs supply/instantiation
QC-F03	Resources exist but authorization is denied.	Value/supply vs authority
QC-F04	Authorized target requires a defined state transformation.	Settlement vs transformation/outcome
QC-F05	Target value changes after initial resolution.	Static vs dynamic behavior
QC-F06	Target references its own QC resolution.	Recursion and self-reference

14. Boundary and null-return tests

ID	Condition	Required observation
BN-01	Undefined target	Returns UNDEFINED or a justified alternative, without fabricated completion.
BN-02	Logical/ontological incoherence	Returns INCOHERENT or justified alternative; records which declared rule is violated.
BN-03	No seller/counterparty where transaction requires one	Separates valuation from transaction feasibility.

BN-04	Non-transferable but valuable target	Demonstrates whether valuation survives failed transferability.
BN-05	Unauthorized but otherwise coherent target	Demonstrates authority gating without converting status into NCOIN.
BN-06	No valid valuation-to-resolution path	Defines NULL_PATH output precisely.

15. 1COIN necessity track

Run identical cases under two architectures. Architecture A allows QC to carry evaluation/resolution through settlement. Architecture B requires a distinct 1COIN mechanism after QC resolution. 1COIN survives only if Architecture B demonstrates a necessary property not reproduced by a simpler model.

- Test candidate roles separately: settlement executor, settlement record, settlement package, settlement state.
- Measure distinction value: finality, audit trace, non-repudiation, authority separation, interoperable handoff, or another explicitly defined property.
- Allow the result “1COIN is not a currency” or “1COIN is redundant.”

16. NCOIN domain track

Model	Candidate trigger	Key falsification question
NCOIN-L Liability	Unresolved obligation	Does liability exist independently of transaction failure status?
NCOIN-C Consequence	Negative external consequence	Can the consequence be identified and measured without assuming NCOIN?
NCOIN-E Entropy	Degradation/disorder introduced	Is entropy operationally defined in the selected environment?
NCOIN-R Remediation	Restoration/repair requirement	Does a quantifiable remediation burden exist?
NCOIN-X Countervalue	Balancing requirement	Is conservation actually required, and why?

A null, rejected, unauthorized, or non-transferable operation is never sufficient by itself to satisfy these triggers.

17. Four-model QC comparison

- QC-S Static: one resolution with a fixed value thereafter.
- QC-D Dynamic: periodic or event-driven re-resolution against V(T,t).
- QC-C Commitment: resolution against the complete obligation over a declared horizon.
- QC-R Relational: a persistent or executable relationship to the target rather than a stored fixed amount.

Run identical cases against all four first. Then run a second experimental series in which timing, obligation scope, representation, and settlement schedule are orthogonal variables. This directly tests whether the familiar four labels are exclusive architectures or a shorthand for dimensions that can legitimately coexist.

18. Initial test campaign

31. Baseline sanity cases: ordinary finite targets with complete seller, authority, transfer, and settlement conditions.
32. Gate-isolation cases: remove one transaction condition at a time.
33. QC-function cases QC-F01 through QC-F06.
34. Boundary cases BN-01 through BN-06.
35. 1COIN A/B necessity tests.
36. NCOIN-L/C/E/R/X hypothesis tests.
37. Four-model QC comparison.
38. Orthogonal-dimensions experiment.
39. Recursive and self-referential cases.
40. 150-year comparative macro scenario only after the mechanism suite produces stable, reportable distinctions.

19. Reporting template

Field	Required entry
Case ID / protocol	Unique ID, protocol version, date
Target T	Exact target statement
Environment	Declared environmental rules
Active configuration	QC model plus authority/operation/timing/scope/representation/settlement variables
Protected premises	Only the baseline rules actually used
Added assumptions	Every added rule, source, or scenario constant
State trace	Ordered transitions and barriers
QC output	Value/result/status plus interpretation
1COIN output	None or role-specific output; justification required
NCOIN output	None or hypothesis-specific trigger/result; justification required
Adversarial challenge	Strongest counter-test under unchanged premises
Classification	PASS / FAIL / INDETERMINATE /

	REDUNDANT / DIVERGENT
Reversal condition	Evidence or premise change that would alter result

20. Stop conditions and escalation

- Stop a run when the next step requires an undeclared premise. Mark INDETERMINATE rather than inventing the premise.
- Escalate terminology questions only when different labels demonstrably map to different observed behavior or failure classes.
- Escalate canonization only after repeated discriminating tests and explicit human decision.
- Do not begin Version 2 Trinity Currency Specification merely because the test suite is complete; begin it only when enough open forks have evidence-backed dispositions.

Part IV - Collaboration Prompt for the Next Round

Each collaborating AI should receive the same package and should respond independently. Disagreement is an expected experimental output, not a defect.

Recommended prompt:

Review the attached OAL Trinity Currency System Foundational Package in full. Treat the Constitutional Baseline as locked for testing, not canon. Do not harmonize your conclusions with other AI reviewers. Execute the Foundational Mechanism Test Suite independently, beginning with QC-F01 through QC-F06 and BN-01 through BN-06, then the 1COIN necessity track and NCOIN domain track. Preserve all declared assumptions, record state transitions, identify any point where an additional rule is required, and mark that result INDETERMINATE rather than inventing the rule. Distinguish evidence from proposal. Explicitly report where your results diverge from the candidate architecture and why. Conclude with recommendations for protocol revision, not Version 2 canonization, unless the evidence genuinely supports it.

21. Required collaborator return package

- Completed case records for the foundational QC and boundary tests.
- Independent conclusion on whether 1COIN adds a necessary function.
- Independent ranking or rejection of NCOIN hypotheses, with trigger evidence.
- List of hidden assumptions discovered.
- List of protocol defects or ambiguities.
- Proposed revisions to v0.1, clearly separated from findings.
- Explicit unresolved disagreements.

Part V - Governance, Versioning, and Publication

22. Versioning scheme

- Baseline versions describe the experimental constitution (for example, Baseline v0.2).
- Protocol versions describe laboratory method (for example, Protocol v0.1).
- Case results identify both versions so later revisions do not silently reinterpret old runs.
- A change to a protected premise increments the baseline version. A procedural change increments the protocol version.
- Raw AI submissions should be preserved unchanged alongside synthesized reviews.

23. Recommended repository organization

Suggested structure is intentionally simple enough for GitHub while preserving provenance:

00-source-records/
01-constitutional-baseline/
02-laboratory-charter/
03-test-protocols/
04-ai-independent-runs/
05-cross-reviews/
06-decision-records/
07-versioned-specifications/
99-archive/

24. Final decision from this review

Proceed with the laboratory package now. Do not launch another general “what should these currencies be?” review. Request independent execution of the same foundational protocol, collect disagreements without forcing consensus, revise the protocol where ambiguity is demonstrated, and defer any Version 2 specification until the laboratory produces evidence that disposes of the central forks.

The key methodological shift is from interpretive convergence to discriminating behavior. The project will advance when competing models are made to produce different inspectable outputs under the same declared conditions.

Visual Appendix

Tables and dense reference structures are collected here conceptually throughout this package; the following compact maps are intended for print/reference use.

A. Experimental logic map

Stage	Question	Output
Baseline	What must remain stable?	Protected premises and status vocabulary
Protocol	How will candidates be compared?	States, axes, criteria, evidence rules
Mechanism tests	Where do models actually differ?	Discriminating case records
Adversarial pass	Can the result survive unchanged premises?	Failure, divergence, or strengthened finding
Decision record	What has earned a disposition?	Open, rejected, locked, or candidate for canonization
Specification	What architecture is justified?	Version 2 only after evidence

B. Core separation map

Layer	Question
Valuation	What is the target-relative value/equivalence?
Ownership	Can the target coherently be owned?
Authority	Who/what may authorize the operation?
Transferability	Can rights/state/asset actually transfer?
Resolution	Has the declared QC rule completed?
Settlement	Has the obligation/state transition been finalized?
Consequence	Did a separately defined countervalue

	trigger occur?