OAL Currency Review Laboratory Charter and Experimental Test Protocol v0.1

Status: PRE-CANON / LOCKED FOR TESTING

Date: 2026-11-02

Prepared for: Omniversal Architect Labs Currency Collaboration Team

This document formalizes the experimental frame for testing Quantum Credits (QC), 1COIN, and NCOIN without canonizing any instrument. It incorporates the shared architectural center from the six-team review of the Master Pass-Through and companion archive, while preserving open forks as testable variables.

1. Purpose and Scope

The conceptual exploration phase is closed. This Charter defines how the Currency Laboratory will operate. It does not select winning mechanics. It locks the conditions under which candidate architectures will be evaluated so that results are comparable across reviewers.

- Scope covers valuation, resolution, settlement, countervalue, boundary conditions, temporal models, and instrument necessity.
- Out of scope: production implementation, economic policy, or narrative canonization.
- All results remain provisional until formal canonization criteria (Section 19) are met.

2. Status Definitions

Three statuses govern all rules in this laboratory:

- **CANON**: A design decision intentionally accepted into the eventual architecture after experimental evidence.
- **LOCKED FOR TESTING**: A premise or rule frozen for a designated experiment so that reviewers cannot alter the baseline mid-test. Does not imply permanent truth.
- **PROVISIONAL / OPEN**: A candidate interpretation or mechanism under comparative evaluation.

3. Protected Premises (Locked for Testing)

The following are locked for all laboratory tests unless an explicit exception protocol is invoked:

1. Original QC premise: QC is target-relative. Working relation QC(T) = V(T). “Resolution” operational meaning remains open.
2. Methodological rule: Accept the speculative QC capability long enough to test its consequences. Do not defeat it by substitution with conventional finance; do not shield it from contradictions once premises are granted.
3. No automatic NCOIN rule: Failure, rejection, incoherence, lack of seller, or non-transferability does not automatically generate NCOIN.
4. Non-redundancy rule: No instrument is preserved merely because it was proposed. Each must demonstrate independent structural necessity under identical conditions.

5. Assumption-labeling rule: Every added mechanic must be marked APPROVED, PROVISIONAL, EXPERIMENTAL, or REJECTED.

6. No model drift: Static, Dynamic, Commitment, and Relational QC remain separate test configurations and must not be blended within a single case.

4. Core Distinctions (Protected)

The following operations must remain distinct in all tests: Valuation, Ownership, Authorization, Transferability, Resolution, Settlement, Consequence / Countervalue.

Successful valuation does not prove ownership. Ownership does not prove transferability. Authorization does not prove resolution. Resolution does not prove settlement. Settlement does not determine consequence.

5. Currency State Model

Illustrative ordinary progression (labels are provisional; concept is locked for testing):

UNRESOLVED → **EVALUATED** → **AUTHORIZED** → **RESOLVED** → **SETTLED**

Separate exception / terminal conditions (not automatic NCOIN): REJECTED, NULL / INCOHERENT TARGET, NON-TRANSFERABLE, NO SELLER / NO COUNTERPARTY, UNAUTHORIZED, INDETERMINATE, COUNTERVALUE (only when defined triggering condition for the active NCOIN model is met).

Transaction status is recorded independently of negative-value generation.

6. QC Temporal Models (Parallel Tracks)

All four models are preserved and tested under identical cases. No selection is made prior to results.

- **QC-S (Static)**: One resolution; fixed value thereafter.
- **QC-D (Dynamic)**: Periodic re-resolution against V(T,t).
- **QC-C (Commitment)**: Resolution against the complete obligation across a defined horizon.
- **QC-R (Relational)**: Stores or maintains an executable relationship to the target rather than a fixed numerical value.

Open question elevated for laboratory priority: Does QC primarily evaluate/establish equivalence, or does it supply/instantiate/cause the requested outcome? (Evaluation, Synchronization, Instantiation, Outcome variants.)

7. NCOIN Independent Tracks

NCOIN is not defined as the residual of QC failure. Competing hypotheses are tested independently:

- **NCOIN-L (Liability)**: Tracks unresolved obligations.
- **NCOIN-C (Consequence)**: Tracks negative external consequences.
- **NCOIN-E (Entropy)**: Represents degradation or disorder introduced by a transaction.
- **NCOIN-R (Remediation)**: Represents what must be restored or repaired.
- **NCOIN-X (Countervalue / Conservation)**: Balances positive value instantiation elsewhere.

NULL ≠ NCOIN. REJECTED ≠ NCOIN. UNAUTHORIZED ≠ NCOIN. Discharge or restorative pathways are model-dependent, not universal.

8. 1COIN Necessity Test

1COIN's leading hypothesis is settlement/finalization. It must justify independent existence.

- **Architecture A**: QC performs both valuation/resolution and settlement.
- **Architecture B**: QC performs evaluation/resolution; 1COIN performs settlement.

Evaluation criteria include: atomic finality, proof of completed obligation, auditability, non-repudiation, clear state transition, separation of valuation authority from settlement authority, and interoperability. If none are structurally necessary, 1COIN is not preserved.

Open sub-questions: Is 1COIN a settlement executor, a record, a package containing resolved value, or a formal state?

9. Boundary and Null-Domain Terminology (Provisional Taxonomy)

Terms are not treated as automatic synonyms. Provisional distinctions for testing:

- **Non-Purchasable Domain**: Targets not subject to ordinary valid purchase.
- **Absolute Transaction Boundary**: Point at which a valid transaction cannot proceed because an indispensable condition is absent.
- **Ontological Transaction Limit**: Subset where ownership, transfer, or requested state change is incoherent at the level of the target's being or identity.
- **Quantum Resolution Null Domain (QNRD)**: Cases where QC cannot produce a valid valuation-to-resolution pathway.
- **Currency Event Horizon**: Narrative term for the region where currency ceases to be the relevant mechanism.

Required laboratory output: Explicit definition of what the system returns for incoherent, no-seller, non-transferable, unauthorized, and null-domain cases. "QC can evaluate anything" is not sufficient.

10. Operating Axes (Not Mutually Exclusive Modes)

Previous "modes" (Permission-Bound, Sovereign, Ontological) are decomposed into independent axes for cleaner testing:

- **Authority axis**: external permission / shared authority / sovereign authority / no recognized authority
- **Operational axis**: evaluative / allocative / transactional / transformative / ontological
- **Environmental axis**: real-world analogy / closed simulation / nested simulation / alternate ontology / cross-temporal

11. Test Families

The laboratory will run the following families. Identical scenarios must be applied across QC temporal models and against 1COIN/NCOIN variants:

1. Ordinary / baseline cases
2. Extreme / high-magnitude cases (including 150-year horizon)
3. Boundary and null-domain cases
4. Recursive and self-referential cases

5. Temporal and commitment-horizon cases
6. Adversarial / red-team cases
7. Simulation and nested-environment cases
8. Redundancy / necessity cases (1COIN and NCOIN)
9. Conservation and countervalue cases

12. Standard Case Format

Every test case must record: Case ID and family; Target description and taxonomy tier; Active QC temporal model; Active authority / operational / environmental axes; Requested outcome; State progression observed; Final status (including exception codes); Whether NCOIN was generated and under which model; Whether 1COIN was required or generated; Red-team challenge applied; Stated failure condition; Evidence notes and open questions.

13. Pass / Fail / Indeterminate Criteria

Pass: The architecture produces a coherent, recorded outcome consistent with the locked premises and without violating protected distinctions. Necessity claims are supported by differential behavior.

Fail: Internal contradiction, automatic NCOIN generation from mere failure, collapse of protected distinctions, or inability to return a defined result in null-domain cases.

Indeterminate: Insufficient information, underspecified return value, or result that does not distinguish between competing models.

14. Red-Team Procedure

Each major case family includes a red-team challenge that attempts to: force automatic NCOIN from non-countervalue conditions; collapse valuation into ownership or settlement; demonstrate redundancy of 1COIN or NCOIN; produce unbounded recursion or undefined null return; violate the accepted premise while remaining within the locked frame.

15. Evidence and Comparison Methodology

Multi-AI agreement is not experimental confirmation. Differential outcomes under identical cases are required to prefer one model over another. Conservation is optional until tested; net-new value instantiation is not forbidden a priori. Data anchors (if used) are declared at execution time and are not permanent constants.

16. Versioning and Interpretation Drift Rules

This Charter is v0.1. Revisions require recorded rationale and do not retroactively alter completed test results. Reviewers may not silently substitute a different QC temporal model or NCOIN domain mid-case. All provisional proposals must be labeled as such.

17. Target Taxonomy and Operation Chain

The existing 10-tier target taxonomy and 10-step operation chain are retained as useful scaffolding. They remain provisional and will be refined by laboratory results. They do not override the protected distinctions.

18. Priority Laboratory Questions

1. Does QC evaluate equivalence or instantiate/cause the outcome?
2. What exact return does the system produce in the Quantum Resolution Null Domain and related barrier cases?
3. Does 1COIN provide any structurally necessary function that QC cannot perform?
4. What is the precise negative domain that generates NCOIN (if any)?
5. Do the four temporal models produce meaningfully different outcomes, or do some dimensions overlap?
6. Is conservation required, optional, or forbidden under the accepted premise?

19. Canonization Protocol

A rule or instrument may move from LOCKED FOR TESTING or PROVISIONAL to CANON only when: it has survived the relevant test families without contradiction; competing alternatives have been shown inferior or redundant under identical conditions; evidence, alternatives considered, and revision conditions are recorded. Repeated AI agreement alone is insufficient.

Version 2 specification is attempted only after the laboratory produces evidence on the open forks listed above.

20. Immediate Next Actions

1. Distribute this Charter to the collaboration team for review and annotation.
2. Execute foundational mechanism tests (null-domain returns, QC evaluation vs. instantiation, 1COIN necessity, NCOIN domain) before large-scale 150-year runs.
3. Record results in the standard case format.
4. Update the Charter only when experimental evidence requires it.

End of Charter v0.1

This document is pre-canon. It locks the experiment, not the currencies.