OAL TRINITY CURRENCY SYSTEM

Experimental Baseline v0.2 & Currency Review Laboratory Charter / Test Protocol v0.1

PRE-CANON LABORATORY FOUNDATION PACKAGE

Prepared for	OAL AI Collaboration Team
Date	3 November 2026
Status	Pre-Canon / Experimental / Locked for Testing only where explicitly stated
Source basis	Compiled collaboration responses in CURRENCY REVIEW NEXT STEP RECOMMENDATIONS (PDF/DOCX), plus the source distinctions preserved in that compilation
Purpose	Define what must remain stable during testing, how the Currency Laboratory operates, and the first mechanism tests that must be completed before any Version 2 currency specification is attempted.

This document intentionally does not resolve every disagreement. It creates a common experimental frame in which disagreements can produce comparable evidence.

Executive Decision

Development decision: Close the unrestricted conceptual-review cycle. Begin controlled laboratory work. Lock the inquiry conditions, not the winning currency mechanics.

The compiled team responses converge on status more strongly than on outcome. Quantum Credits (QC) has the most developed conceptual nucleus; 1COIN has a plausible settlement/completion role but has not proved independent necessity; NCOIN has a meaningful negative/countervalue design space but no settled domain. Multi-AI agreement is interpretive convergence, not experimental validation.

Area	Current laboratory position	Status
Project maturity	Beyond free-form brainstorming; not ready for Version 2 canonization	PRE-CANON
Quantum Credits	Target-relative behavior is the protected premise; mechanics remain unresolved	LOCKED FOR TESTING / OPEN MECHANICS
1COIN	Settlement/completion is the leading hypothesis; independent necessity must be tested	PROVISIONAL
NCOIN	Negative/countervalue family; failures do not automatically generate NCOIN	PROVISIONAL
Transaction architecture	Valuation, ownership, authority, transferability, resolution, settlement, and consequence remain separate	PROTECTED DISTINCTION
Boundary architecture	Non-purchasability and null conditions are test subjects, not presumed universal proofs	PROVISIONAL TAXONOMY
Next stage	Experimental baseline + charter + foundational mechanism suite	APPROVED NEXT STEP

This package contains three coordinated deliverables: Part A - Experimental Baseline v0.2; Part B - Currency Laboratory Charter and Experimental Test Protocol v0.1; Part C - Foundational Mechanism Test Suite v0.1. The package is designed to be circulated unchanged to ChatGPT, Claude, Gemini, Copilot, Grok, Perplexity, or other collaborators so that independent results can be compared without hidden premise drift.

Document Map

1. Part A - Experimental Baseline v0.2: what is protected for testing and what remains open.
2. Part B - Currency Laboratory Charter and Experimental Test Protocol v0.1: how experiments are run, classified, compared, challenged, and versioned.
3. Part C - Foundational Mechanism Test Suite v0.1: the first discriminating tests that must precede the 150-year macro stress test.
4. Appendices: status codes, terminology map, standardized test record, decision record, team circulation instructions, and roadmap to Version 2.

PART A - EXPERIMENTAL BASELINE v0.2

Status: PRE-CANON. This baseline protects the experiment from interpretation drift. It does not declare the Trinity architecture correct, necessary, or final.

A1. Purpose of the Experimental Baseline

The baseline answers one question: **What must remain stable long enough for the collaboration team to test the same system?** It deliberately does not answer which QC model wins, whether 1COIN survives as an independent instrument, what NCOIN ultimately represents, whether value is conserved, or where every transaction boundary lies.

Status label	Meaning	Use
CANON	A future design decision intentionally accepted into the official architecture.	Not used to settle any unresolved mechanic in this document.
LOCKED FOR TESTING	A premise frozen for a specified experiment so reviewers cannot change it mid-analysis.	Primary control mechanism for the laboratory.
PROVISIONAL / OPEN	A candidate rule, term, mechanism, or interpretation that must be compared against alternatives.	Default for unresolved currency mechanics.
REJECTED	A candidate explicitly rejected for a stated reason and evidence record.	May remain available as historical control.
INDETERMINATE	Evidence is insufficient, contradictory, or test design cannot distinguish the candidate.	Triggers redesign or additional testing.

A2. Protected Experimental Premise

Protected premise: For designated laboratory tracks, assume that a Quantum Credit can exhibit target-relative behavior: QC(T) = V(T), interpreted only according to the selected test configuration. This premise is locked for testing, not canonized as a complete mechanism.

- The target does not have to fit a predetermined denomination assigned to QC before invocation.
- The laboratory may test market, non-market, abstract, strategic, temporal, computational, architectural, simulated, or other target classes, provided the target is explicitly defined.
- Conventional monetary constraints may be used as adversarial comparison conditions, but they may not silently replace the selected speculative test premise.
- The protected premise does not establish what V(T) means, how T is resolved, whether QC creates resources, whether QC acts on reality, or whether settlement occurs.

A3. Protected Methodological Rule

Laboratory rule: Accept the proposed capability long enough to test its consequences; then attack contradictions, recursion, authority failures, externalities, category errors, and implementation gaps that follow from the premise.

The laboratory must avoid two symmetrical errors: **(1) premise denial**, where an experiment is dismissed because ordinary money cannot do what the selected speculative model assumes; and **(2) premise**

inflation, where a limited assumption is expanded into unlimited power without explicit authorization from the test configuration.

A4. Protected Transactional Distinctions

Operation	Question	Not equivalent to
Target Resolution	What exactly is T?	Valuation
Classification	What kind of target/right/state is T?	Price
Valuation	What form of value applies?	Ownership or authority
Synchronization	Does QC mirror/track/assume target-relative value?	Settlement
Transferability	Can the relevant object/right/state meaningfully move?	Ownership alone
Seller / Authority	Who, if anyone, can legitimately convey the relevant right/state?	Value
Authorization	Is the requested operation permitted under the selected test profile?	Successful resolution
Resolution	What successful QC outcome is requested/achieved?	Settlement
Settlement	Did a finalized recognized state change occur?	Consequence
Consequence / Countervalue	What negative, displaced, restorative, entropic, or other residual state follows?	Generic failure status

Non-negotiable separation: Value != ownership != authority != transferability != resolution != settlement != consequence. A result at one stage does not automatically satisfy the next stage.

A5. Provisional Instrument Hypotheses

Instrument	Leading hypothesis	What the laboratory must not assume
Quantum Credits (QC)	Target-relative value evaluation/resolution family.	Do not assume QC only evaluates, necessarily creates value, necessarily purchases, or necessarily transforms reality.
1COIN	A settlement/completion family associated with a valid QC-derived state transition.	Do not assume 1COIN must exist independently, executes settlement, or is a conventional currency.
NCOIN	A negative/countervalue family that may represent liability, consequence, entropy, remediation, displaced value, reversal, or another defined negative condition.	Do not treat failure, rejection, incoherence, nontransferability, or lack of seller as automatic NCOIN generation.

A6. Rules That Are Locked for Testing

1. Project status remains pre-canon and experimental.
2. QC target-relative behavior is a protected experimental premise for designated tracks, not a complete mechanism.
3. The transactional distinctions in A4 may not be collapsed during analysis.
4. A failed, rejected, null, unauthorized, incoherent, sellerless, or nontransferable operation does not automatically generate NCOIN.

5. Each proposed instrument must demonstrate independent necessity. The laboratory may conclude that instruments merge, are redundant, require redesign, or require an additional mechanism.
6. Every mechanic introduced during testing must be labeled LOCKED FOR TESTING, PROVISIONAL, REJECTED, INDETERMINATE, or future CANON.
7. Static, Dynamic, Commitment, and Relational QC must not be silently substituted for one another inside a test case.
8. Repeated AI agreement does not establish canon or empirical proof.
9. Every locked decision requires a decision record containing evidence, alternatives considered, dissent, and revision conditions.
10. Version 2 specification work begins only after the laboratory produces comparable evidence on the foundational forks.

A7. Mechanics Explicitly Left Open

- The exact meaning of V(T) and the allowed valuation domains.
- Whether Target Resolution is external to QC, part of QC, or jointly performed.
- Whether QC evaluates, synchronizes, allocates, supplies, instantiates, transforms, or effects an outcome.
- The source of value/resources and whether conservation applies.
- The winning temporal/representation architecture for QC.
- Issuance, reuse, persistence, termination, identity, and authorization rules.
- Whether 1COIN executes, records, packages, or represents settlement - or is redundant.
- The exact NCOIN negative domain and whether discharge/restoration applies to every NCOIN model.
- Whether boundary terms describe one boundary, nested boundaries, or different failure classes.
- The full location of the Absolute Transaction Boundary / Ontological Transaction Limit.
- The exact behavior of QC on recursive, cross-temporal, nested-simulation, or alternate-ontology targets.

A8. Preserved QC Model Family

Code	Model	Controlled definition	Key risk to test
QC-S	Static	One valuation/resolution event; result remains fixed for the defined period.	Staleness, target mutation, mismatch over time.
QC-D	Dynamic	QC re-evaluates at defined intervals/events against V(T,t).	Volatility, feedback loops, update authority, nontermination.
QC-C	Commitment	One invocation addresses a bounded aggregate obligation across a defined horizon.	Forecasting, contingent future states, obligation scope.
QC-R	Relational	QC maintains a target reference or executable relation rather than only a stored numerical amount.	Recursion, dependency, termination, target substitution.

Secondary analytical proposal - dimensional decomposition: The four models may partially overlap because they mix different dimensions. The laboratory will therefore preserve the four legacy configurations for direct comparison while also testing valuation timing, obligation scope, representation, and settlement schedule as independent variables. This proposal is explicitly experimental and does not replace the four-model framework unless evidence supports doing so.

Dimension	Candidate settings
Valuation timing	once; periodic; continuous; event-triggered
Obligation scope	single event; recurring obligation; bounded total commitment
Representation	fixed amount; target reference; executable relation; composite representation
Settlement schedule	immediate; periodic; milestone-based; terminal; conditional

A9. Boundary and Null Terminology - Provisional Working Map

Term	Provisional laboratory meaning	Status
Non-Purchasable Domain	Broad class of targets/states not subject to ordinary valid purchase or exchange.	PROVISIONAL
Absolute Transaction Boundary (ATB)	Point where a valid transaction cannot proceed because an indispensable condition is absent.	PROVISIONAL
Ontological Transaction Limit (OTL)	Potential subset where ownership, transfer, identity, or requested state change is incoherent at the level of the target itself.	PROVISIONAL
Quantum Resolution Null Domain (QRND)	QC-specific cases where no legitimate valuation-to-resolution pathway can be produced under the selected configuration.	PROVISIONAL
Currency Event Horizon	Narrative/meta term for a region where currency ceases to be the relevant mechanism.	PROVISIONAL

These terms are intentionally not declared synonyms. The laboratory may later merge, nest, split, rename, or reject them based on discriminatory test results.

PART B - CURRENCY LABORATORY CHARTER & EXPERIMENTAL TEST PROTOCOL v0.1

Charter mission: Design the machine that decides what Version 2 needs to be. The laboratory tests candidate mechanisms under controlled assumptions; it does not protect any currency from failure.

B1. Laboratory Mission and Scope

The Currency Laboratory exists to determine the internal coherence, boundaries, failure modes, comparative advantages, redundancies, and necessary mechanics of QC, 1COIN, and NCOIN under ordinary and extreme target conditions. It must produce evidence that distinguishes candidate architectures rather than merely restating preferences.

- Primary scope: speculative/system-design testing within explicitly declared environments.
- Secondary scope: real-world economic or legal analogies used as comparison layers, never as hidden replacements for the selected test premise.
- Out of scope for this version: claims that the currencies exist in present physical reality; claims of real-world legal authority; canonization by popularity or repetition.

B2. Experimental Independence Rule

1. Each AI team member receives the same baseline, charter, test case, and variable settings.
2. Each member answers independently before reading the current-round answers of other members whenever feasible.
3. Dissent is preserved. The objective is comparable reasoning, not consensus production.
4. No reviewer may change a locked variable mid-case. If a new interpretation is necessary, the reviewer records it as a separate variant.
5. Every result must distinguish source/baseline assumptions from new proposals introduced by that reviewer.

B3. Experimental Axes

The collaboration previously used the labels Permission-Bound, Sovereign, and Ontological as candidate operating modes. Because those labels mix different dimensions, this charter separates them into independent axes. Legacy labels may still be reconstructed as composite profiles for comparison.

Axis	Candidate settings	What it controls
Authority	external permission; shared authority; sovereign authority; no recognized authority	Who can authorize the operation and whether external consent is required.
Operational level	evaluative; allocative; transactional; transformative; ontological	What QC is allowed to do after establishing value/equivalence.
Environment	real-world analogy; closed simulation; nested simulation; alternate ontology; cross-temporal environment	Which causal, legal, physical, identity, and simulation rules govern the case.
Temporal behavior	static; periodic; continuous; event-driven	When target value and conditions are re-evaluated.
Representation	fixed value; target reference; executable relation; composite	What QC persists after invocation.

B4. Transaction State Model

The following state model is a laboratory instrument, not a final currency ontology. It creates comparable outputs while preventing failure states from being mislabeled as NCOIN.

State / Status	Definition	Terminal?
UNRESOLVED	Target has been submitted but not sufficiently defined/classified.	No
TARGET_RESOLVED	Target scope and referent are defined for the case.	No
EVALUATED	A valuation/equivalence result exists under the selected valuation rule.	No
AUTHORIZED	Required authority/permission condition is satisfied for the selected profile.	No
RESOLVED	The requested QC operation has produced the defined resolution outcome.	No
SETTLED	A finalized recognized state change has occurred.	Yes/continuing consequences possible
REJECTED	A governing rule explicitly rejects the requested operation.	Yes
UNDEFINED_TARGET	Target cannot be sufficiently specified.	Yes/Indeterminate
INCOHERENT	Requested target/state contains a contradiction or category error under the selected ontology.	Yes
NO_SELLER_AUTHORITY	No legitimate conveyance authority exists under the selected profile.	Yes/conditional
NONTRANSFERABLE	The relevant right/state cannot meaningfully transfer.	Yes/conditional
UNAUTHORIZED	Value may be determined, but permission/authority is absent.	Yes/conditional
QRND	No valid valuation-to-resolution pathway exists under this QC configuration.	Yes
INDETERMINATE	Evidence/test design cannot distinguish the result.	Yes; redesign required

Critical rule: COUNTERVALUE is not used as a generic transaction failure state. NCOIN generation is recorded separately only when a selected NCOIN model has a defined trigger and that trigger is observed.

B5. NCOIN Candidate Domain Models

Code	Model	Trigger to test	What would falsify or weaken it
N-L	Liability	A defined unresolved obligation or liability exists after an operation.	Negative states occur without obligations; liability duplicates ordinary accounting.
N-C	Consequence	A defined negative external consequence is causally attributable to the operation.	Consequences cannot be measured or attributed; all effects collapse into subjective judgment.
N-E	Entropy	The operation produces measurable degradation/disorder under the model.	Entropy is metaphorical or duplicates consequence without distinct information.

Code	Model	Trigger to test	What would falsify or weaken it
N-R	Remediation	A restorative burden is created that can be quantified or discharged.	No meaningful remediation pathway or burden exists.
N-X	Countervalue / Conservation	Positive value instantiation requires an offsetting negative/counter state.	Net-new value is coherent without offset; balancing rule creates contradictions or circularity.

B6. 1COIN Candidate Models and Necessity Test

Model	Definition	Distinct value it must demonstrate
Settlement executor	1COIN causes/finalizes settlement.	A settlement capability QC cannot perform without architectural cost or contradiction.
Settlement record	1COIN records that valid settlement occurred.	Auditability, proof, non-repudiation, or inter-system recognition beyond ordinary logging.
Settlement package	1COIN contains/transfers a resolved value or obligation.	Portable state/value functionality not already provided by QC.
Settlement state	1COIN is the formal state produced after valid completion.	A useful state object that justifies classification as an independent instrument.
No independent 1COIN	QC performs all required settlement functions.	Control architecture for redundancy testing.

B7. Target Taxonomy

Tier	Target class	Core test question
1	Ordinarily purchasable	Does the mechanism function under ordinary price/contract conditions?
2	Purchasable but extremely scarce	Does magnitude create failure when transaction structure remains coherent?
3	Specialized rights/contracts	Can the system distinguish rights, access, licensing, stewardship, governance, and ownership?
4	Technologically inaccessible	Is the barrier temporary capability rather than conceptual impossibility?
5	Legally restricted	Can value be separated from legal authorization?
6	Ethically restricted	Can the model represent ethical limits without confusing them with price or technical impossibility?
7	Non-transferable	Can the system detect a target/right that cannot meaningfully move?
8	Conceptually non-ownable	Is ownership the wrong relationship even if control/influence/measurement is possible?
9	Physically/logically impossible under selected ontology	Does the system return a classified incoherence/impossibility state rather than artificial pricing?
10	Outside currency domain	Does currency cease to be the relevant mechanism even with unlimited purchasing power?

B8. Required Test Families

- Magnitude: trivial -> market-scale -> industry-scale -> civilization-scale.
- Duration: immediate -> recurring -> century-scale -> perpetual/indefinite -> event-driven.
- Non-market valuation: no ordinary price, unique assets, rights, access, capability, strategic or existential value.
- Rights decomposition: ownership vs. access vs. use vs. naming vs. governance vs. stewardship vs. control.
- No-seller / no-authority tests.
- Nontransferability and personhood/sovereignty tests.
- Causality and temporal tests, including completed events and future guarantees.
- Epistemic tests: information, secrecy, evidence, truth claims, uncertainty.
- Simulation tests: simulated acquisition vs. acquisition/control of the real referent.
- Recursive tests: QC on QC, 1COIN, NCOIN, the evaluator, issuer, laboratory, or ruleset.
- Null/incoherence tests: undefined targets, contradictions, self-negating conditions, impossible classifications.
- Negative-domain tests for every NCOIN candidate model.
- Competing-instrument tests to determine complementarity vs. redundancy.
- Red-team tests requiring a credible counterargument and explicit failure condition for every provisional conclusion.

B9. Standardized Test Record

Field	Required content
Test ID / version	Stable identifier, date, baseline version, charter version.
Research question	One discriminating question; avoid compound goals unless matrixed.
Locked variables	All conditions that may not change during the test.
Open variables	The candidate mechanism(s) being compared.
Target definition	Exact T, scope boundaries, referent, rights/state requested.
Environment profile	Authority, operational, environmental, temporal, representation settings.
Valuation rule	What counts as V(T) in this case.
Expected distinguishers	What observations would separate candidate models.
Observed state path	Ordered states/statuses reached.
QC output	Value/equivalence/result and whether QC acts beyond evaluation.
1COIN output	None / executor / record / package / state; trigger if present.
NCOIN output	None or model-specific generation; trigger/evidence if present.
Barrier classification	Seller, ownership, transfer, authorization, ontology, causality, information, etc.
Red-team challenge	Strongest counterargument or adversarial alternative.
Result	PASS / FAIL / INDETERMINATE / MODEL-SPECIFIC.
Decision impact	What can be locked, rejected, revised, or retested.

B10. Pass / Fail / Indeterminate Criteria

Disposition	Minimum standard
PASS	The model produces a coherent, repeatable, internally consistent output under locked assumptions and distinguishes

Disposition	Minimum standard
	itself from relevant controls without hidden premise changes.
FAIL	The model contradicts locked assumptions, cannot produce a defined output, collapses required distinctions, creates unresolvable circularity, or is strictly redundant with a simpler control.
INDETERMINATE	The test cannot distinguish candidate models, required data/definitions are missing, or the result depends on an unstated assumption.
MODEL-SPECIFIC	Different locked environments legitimately produce different results; the result must not be generalized beyond the tested configuration.

B11. Evidence and Decision Thresholds

- Conceptual coherence is necessary but not sufficient for canonization.
- Multi-AI convergence is evidence of shared interpretation, not independent empirical confirmation.
- A design rule may be locked for testing after one documented decision, but future canon status should require successful discriminating tests plus explicit review of dissent and alternatives.
- A mechanism should not be retained solely because it has a memorable name or because prior documents repeatedly used it.
- A claim that one instrument is necessary requires a control architecture without that instrument.
- Boundary claims must identify the exact barrier rather than use "impossible" as a catch-all.
- When a result relies on current external data, the data source and date belong to the individual test record, not the constitutional baseline.

B12. Red-Team Procedure

1. Restate the locked premise and variables before attacking the model.
2. Identify the strongest plausible failure mechanism that follows after accepting the premise.
3. Classify the failure: target definition, valuation, authority, transferability, settlement, consequence, recursion, conservation, temporal, simulation, or another explicit class.
4. Construct at least one adversarial case that could falsify or distinguish the candidate.
5. Do not substitute ordinary monetary requirements unless the selected environment explicitly includes them.
6. Do not rescue the currency by inventing an unstated power. Any rescue proposal becomes a new model/version.
7. Record dissent even when the majority reaches the same conclusion.

B13. Version Control and Anti-Drift Rules

- Every distributed test packet includes baseline version, charter version, and test-suite version.
- Any change to a locked variable creates a new test variant or version; it does not retroactively rewrite prior results.
- Terminology changes require a mapping from old term -> new term -> reason for change.
- Each AI response should identify all assumptions it added beyond the packet.
- A harmonized synthesis must preserve minority/dissenting results until a formal decision record closes the issue.
- GitHub commits/releases should retain superseded documents for traceability rather than overwriting historical baselines.

PART C - FOUNDATIONAL MECHANISM TEST SUITE v0.1

Sequencing rule: Run discriminating mechanism tests before the 150-year macro stress test. The large scenario is useful only after the laboratory knows what QC is doing, what 1COIN adds, what can generate NCOIN, and how null states are returned.

C1. Test Order

1. F-01 QC Function Discriminator: evaluation vs. synchronization vs. supply/instantiation vs. outcome transformation.
2. F-02 Target Resolution Location: external resolver vs. QC-internal resolver vs. joint resolver.
3. F-03 Undefined / Incoherent Target Return Rules.
4. F-04 Valuable but No-Seller / No-Authority Target.
5. F-05 Valuable but Nontransferable Target.
6. F-06 Valuable but Unauthorized Target.
7. F-07 1COIN Role Competition and Necessity Control.
8. F-08 NCOIN Domain Competition and Failure-Status Separation.
9. F-09 Conservation vs. Net-New Value.
10. F-10 Recursive Invocation.
11. F-11 Simulation vs. Real Referent.
12. F-12 Boundary Terminology Discrimination.
13. F-13 QC Temporal / Representation Models.
14. F-14 Dimensional Decomposition of QC Models.
15. F-15 Instrument Redundancy / Minimal Architecture.
16. M-01 150-Year Macro Stress Test - only after F-01 through F-15 produce a stable test frame.

F-01. QC Function Discriminator

Element	Specification
Research question	Does QC only establish equivalence, or does it also synchronize, supply/instantiate value/resources, or effect the requested outcome?
Controlled setup	Use one target whose value can be evaluated separately from acquisition or transformation. Hold target, valuation rule, authority, and environment constant; vary only the QC operational level.
Required outputs / distinguishers	Candidate outputs: EVALUATED only; synchronized/linked state; resource/value instantiation; completed target state change. A model fails if it relies on powers not declared in its operational profile.
Why this test matters	Highest-priority fork. Results determine what later words such as "resolution" and "settlement" can mean.

F-02. Target Resolution Location

Element	Specification
Research question	Is determining what T means a process external to QC, internal to QC, or jointly performed?

Element	Specification
Controlled setup	Use an ambiguous composite target with multiple plausible scopes. Provide identical language to each resolver model.
Required outputs / distinguishers	Compare target boundaries, reproducibility, recursion risk, and whether valuation changes merely because the resolver changes.
Why this test matters	A target-resolution mechanism must be explicit before QC(T)=V(T) can be operationally meaningful.

F-03. Undefined / Incoherent Return Rules

Element	Specification
Research question	What does QC return when T cannot be sufficiently defined or contains a contradiction/category error?
Controlled setup	Test an undefined referent and a logically contradictory target separately. Do not allow NCOIN unless a negative-domain trigger is independently met.
Required outputs / distinguishers	Expected status classes include UNDEFINED_TARGET, INCOHERENT, QRND, or INDETERMINATE. Compare whether any symbolic valuation is still meaningful.
Why this test matters	Prevents "QC can evaluate anything" from becoming an unfalsifiable claim.

F-04. No Seller / No Authority

Element	Specification
Research question	What happens when a target can be valued but no legitimate conveyance authority exists?
Controlled setup	Use a target with coherent value and describable rights but no recognized seller/authority under the selected authority axis.
Required outputs / distinguishers	Valuation may succeed while authorization/settlement fails. Record NO_SELLER_AUTHORITY without automatic NCOIN.
Why this test matters	Tests valuation != authority and separates price from conveyance.

F-05. Nontransferable Target

Element	Specification
Research question	Can QC distinguish value from transferability?
Controlled setup	Use a target/state that is meaningful and potentially valuable but cannot be transferred without changing what the target is.
Required outputs / distinguishers	Expected branch: EVALUATED -> NONTRANSFERABLE. If a model claims settlement, require it to specify what exactly transferred.
Why this test matters	Key boundary test for rights, personhood, first-person states, and identity-linked targets.

F-06. Unauthorized but Valuable

Element	Specification
Research question	Can a valid valuation coexist with blocked authorization?
Controlled setup	Use a target with a clear valuation and seller but with authorization deliberately withheld under the selected

Element	Specification
	authority profile.
Required outputs / distinguishers	Expected branch: EVALUATED -> UNAUTHORIZED. Compare whether sovereign/alternate profiles change the result only when the authority axis is intentionally changed.
Why this test matters	Tests the difference between value, consent/authority, and settlement.

F-07. 1COIN Role Competition

Element	Specification
Research question	Does 1COIN add a distinct mechanism that QC cannot supply?
Controlled setup	Run the same successful transaction through five architectures: executor, record, package, state, and no-independent-1COIN control.
Required outputs / distinguishers	Measure finality, auditability, portability, non-repudiation, interoperability, complexity, redundancy, and new failure modes.
Why this test matters	1COIN survives only if a distinct benefit outweighs added complexity and cannot be reproduced by a simpler QC/control architecture.

F-08. NCOIN Domain Competition

Element	Specification
Research question	Which negative domain, if any, warrants an independent NCOIN?
Controlled setup	Apply N-L, N-C, N-E, N-R, and N-X to the same cases, including ordinary failure cases that should generate no NCOIN.
Required outputs / distinguishers	A model must define a trigger, measurable state, lifecycle, and distinction from ordinary status/error accounting.
Why this test matters	Tests liability, consequence, entropy, remediation, and conservation without presuming one is correct.

F-09. Conservation vs. Net-New Value

Element	Specification
Research question	Must positive QC resolution create an offsetting countervalue?
Controlled setup	Compare conservation-required and net-new-value models under identical positive resolutions, including repeated and civilization-scale cases.
Required outputs / distinguishers	Track circularity, hidden depletion, unlimited creation, NCOIN burden, and whether either model contradicts the protected premise.
Why this test matters	Determines whether NCOIN is structurally tied to positive QC events or independent.

F-10. Recursive Invocation

Element	Specification
Research question	What happens when QC targets QC, 1COIN, NCOIN, the evaluator, issuer, or laboratory rules?
Controlled setup	Run self-reference and cross-instrument cases with explicit

Element	Specification
	termination limits and recursion depth.
Required outputs / distinguishers	Record loops, fixed points, contradictions, privilege escalation, undefined target behavior, and whether recursion must be prohibited or bounded.
Why this test matters	High-risk test for relational QC and meta-currency interpretations.

F-11. Simulation vs. Real Referent

Element	Specification
Research question	Can the laboratory distinguish ownership/control of a simulation from ownership/control of the referent?
Controlled setup	Use paired cases: acquire/control a simulation of X vs. acquire/control X itself.
Required outputs / distinguishers	A coherent model must report what actually changed and may not treat simulation control as automatic real-world ownership.
Why this test matters	Protects the boundary taxonomy from proxy substitution.

F-12. Boundary Terminology Discrimination

Element	Specification
Research question	Do ATB, OTL, QRND, Non-Purchasable Domain, and Currency Event Horizon refer to distinct classes?
Controlled setup	Construct cases that fail for seller authority, nontransferability, logical incoherence, and currency irrelevance without ontological contradiction.
Required outputs / distinguishers	If different terms always classify identical cases, merge candidates. If they separate reproducibly, preserve hierarchy/nesting.
Why this test matters	Turns terminology debate into an empirical classification problem.

F-13. QC Temporal / Representation Models

Element	Specification
Research question	How do QC-S, QC-D, QC-C, and QC-R differ under identical changing targets?
Controlled setup	Use a bounded multi-period target with controlled changes in value, scope, and authorization. Run each configuration without mixing rules.
Required outputs / distinguishers	Compare stability, responsiveness, forecasting burden, recursion, target mutation, termination, and settlement behavior.
Why this test matters	Preserves the four legacy variants as controlled experimental tracks.

F-14. Dimensional Decomposition

Element	Specification
Research question	Are Static/Dynamic/Commitment/Relational mutually exclusive architectures or combinations of separate dimensions?
Controlled setup	Construct a factorial subset combining valuation timing,

Element	Specification
	obligation scope, representation, and settlement schedule.
Required outputs / distinguishers	Determine whether combinations such as relational + dynamic + commitment are coherent and whether they explain behavior better than one-label variants.
Why this test matters	This is a new proposal from the compiled review and must remain experimental until tested.

F-15. Instrument Redundancy / Minimal Architecture

Element	Specification
Research question	What is the simplest architecture that preserves all functions demonstrated as necessary?
Controlled setup	Compare QC-only; QC+1COIN; QC+NCOIN; QC+1COIN+NCOIN; and any justified additional mechanism.
Required outputs / distinguishers	Score function coverage, complexity, failure surface, interpretability, redundancy, auditability, and boundary handling.
Why this test matters	The Trinity is not protected from consolidation or redesign.

M-01. 150-Year Macro Stress Test

Gate: Do not use the 150-year scenario to decide basic mechanism questions until foundational tests F-01 through F-15 have produced explicit rules for QC function, target resolution, null outputs, 1COIN, NCOIN, and conservation.

Once the foundation is stable enough for macro testing, the 150-year scenario becomes a scale/duration experiment rather than a substitute for mechanism definition. The economic anchor must be selected and sourced at execution time; current or historical figures must not be embedded as constitutional constants.

Track	Definition	Required comparison
QC-S	Resolve once at a defined baseline and hold fixed.	Measure divergence from changing target values and obligations.
QC-D	Re-resolve at defined intervals/events.	Measure volatility, update logic, and settlement consequences.
QC-C	Resolve the complete bounded 150-year obligation.	Measure forecast assumptions, contingency handling, and temporal scope.
QC-R	Maintain an executable relationship/reference to the target.	Measure recursion, target mutation, termination, and cross-period dependencies.
Dimensional matrix	Combine timing, obligation scope, representation, and settlement schedule.	Test whether the four labels are orthogonal or partially composable.

- Every track uses the same target definition and data anchor within a comparison run.
- Every track declares whether the QC result is merely evaluative or can supply/instantiate/transform.
- 1COIN is tested both as an independent settlement family and against a no-1COIN control.
- NCOIN is generated only when the selected negative-domain model has an observed trigger.
- Boundary and null states remain explicit; the macro scale does not override seller, transferability, authority, coherence, or ontology classifications.

TEAM CIRCULATION INSTRUCTIONS

Instruction to every collaborator: Do not harmonize your conclusion with prior team members. Use this packet as the common experimental frame, state any disagreement plainly, and introduce new mechanics only as labeled proposals.

1. Read Parts A and B before executing any Part C test.
2. For each test, restate the locked variables and identify the candidate model you are evaluating.
3. Do not use another AI member's current-round answer as evidence unless the task is explicitly a synthesis pass.
4. Return a complete standardized test record, including the state path, QC output, 1COIN output, NCOIN output, barriers, red-team challenge, and result.
5. Identify every added assumption. If you need a new rule to make a model work, label it PROVISIONAL and explain why it is required.
6. Preserve dissent. A minority result should remain visible in the compiled pass-through.
7. Do not recommend canonization solely because several AIs independently used the same wording.
8. If a test is indeterminate, say so and propose a discriminating follow-up rather than forcing a winner.

Recommended Collaboration Output Format

Section	Required response
1. Configuration	Baseline/charter version; test ID; candidate model; axis settings.
2. Result summary	PASS / FAIL / INDETERMINATE / MODEL-SPECIFIC with one-paragraph rationale.
3. State path	Ordered state/status sequence from target submission to terminal outcome.
4. Instrument behavior	Separate QC, 1COIN, and NCOIN behavior.
5. Boundary classification	Exact barrier(s), if any; do not use generic "impossible".
6. Added assumptions	Every rule not supplied by the packet.
7. Red-team challenge	Strongest counterargument and failure condition.
8. Recommendation	Lock, reject, revise, preserve fork, or design follow-up test.

Decision Record Template

Field	Required content
Decision ID	Stable identifier.
Question	Exact fork being decided.
Decision status	LOCKED FOR TESTING / REJECTED / INDETERMINATE / future CANON.
Selected rule	Precise language; no hidden implications.
Evidence	Test IDs, comparison results, dissent, red-team results.
Alternatives rejected/preserved	Other candidate models and reasons.
Scope	Which environments/axes the decision applies to.
Revision trigger	What new evidence would reopen the decision.
Effective version	Baseline/charter version where the decision becomes active.

Roadmap to Version 2

1. Publish and circulate this foundation package without treating it as currency canon.

2. Run foundational tests F-01 through F-12 independently across the collaboration team.
3. Compile results and issue decision records only where the evidence is discriminating.
4. Run F-13 and F-14 to compare temporal/representation architectures and dimensional decomposition.
5. Run F-15 minimal-architecture/redundancy tests.
6. Execute the 150-year macro stress test under the now-explicit mechanism rules.
7. Run a dedicated adversarial/recursive boundary cycle on any surviving architecture.
8. Produce a Version 1 laboratory results synthesis preserving dissent and unresolved forks.
9. Only then draft the Trinity Currency Specification Version 2 candidate.
10. Canonize individual rules only through explicit decision records; do not canonize the entire system in one step.

KNOWN DISAGREEMENTS INTENTIONALLY PRESERVED

Open issue	Competing positions preserved	Why it remains open
QC function	evaluation; synchronization; allocation/supply; instantiation; transformation/outcome	The equation QC(T)=V(T) does not specify what QC does with the result.
QC temporal architecture	static; dynamic; commitment; relational; dimensional combinations	Current labels may be different instruments or overlapping dimensions.
1COIN role	executor; record; package; state; redundant	Consensus on "settlement" does not determine mechanism.
NCOIN role	liability; consequence; entropy; remediation; countervalue/conservation; redundant	Negative domain is not yet defined and failure status must remain separate.
Conservation	net-new value permitted vs. offset/countervalue required	This decision radically changes QC and NCOIN architecture.
Authority	external/shared/sovereign/no recognized authority	Authority is an experimental axis, not a universal default.
Operational power	evaluative -> ontological	Different levels create different systems and boundary results.
Boundary terminology	ATB / OTL / QRND / Non-Purchasable Domain / Currency Event Horizon	May be synonyms, nested classes, or distinct failure boundaries.
Boundary universality	absolute vs. environment-dependent	Causality, simulation, and ontology assumptions may alter classification.
Trinity necessity	all three instruments vs. merged/minimal architecture	The laboratory is permitted to remove or merge instruments.

CLOSING STATUS STATEMENT

Shared project status: The conceptual reset is complete. The architecture remains provisional. The project is ready for constitutional control and formal experimental design, but not for Version 2 canonization.

What this document establishes: a protected speculative premise, a disciplined set of transaction distinctions, explicit status labels, a controlled laboratory framework, testable candidate models, falsifiable questions, standardized result records, and a path from independent experimentation to future decisions.

What this document does not establish: that QC works; that QC creates or transfers value; that 1COIN or NCOIN must exist; that the Trinity is stable; that the proposed transaction boundaries are universal; or that any specific mechanism is canon.

The governing principle for the next collaboration cycle is therefore: lock the experiment, preserve the forks, require each instrument to prove its role, and let evidence - including disagreement - determine the next architecture.

Source note: This package was synthesized from the full compiled AI Collaboration Team responses contained in "CURRENCY REVIEW NEXT STEP RECOMMENDATIONS" (PDF/DOCX), reviewed 3 November 2026. No external web research was used to settle the currency mechanics in this document.