RESEARCH GOVERNANCE / DECISION REGISTER

OAL Trinity Currency Laboratory

Owner Decision & Question Register

OAL-CURR-OWNER-QUESTIONS-001 | v0.1 | 2026-11-07

DRAFT FOR PROJECT-OWNER RESPONSE — NOT AN ADOPTION OR CANON RECORD

Prepared by: ChatGPT (OpenAI GPT-6), at the project owner's request

Contributors represented: ChatGPT • Claude • Google Gemini • Microsoft Copilot • Grok • Perplexity

Primary basis: Compiled six-member responses titled "List of responses, feedback, and questions" (supplied 2026-11-07), with the immediately preceding Perplexity code-audit TXT/JSON and collaboration troubleshooting record as supporting context.

This register consolidates contributor questions without forcing consensus or assigning approvals. A project-owner answer of "undecided," "test both," "use provisional default," or "defer" is acceptable. No outcome is adopted by publication of this document.

Executive summary

The source compilation contains overlapping requests from six collaborators. This register normalizes them into 26 non-duplicative project-owner questions, identifies six high-leverage prompts for an initial reply, and separates nine technical actions that the AI contributors can investigate themselves.

The first exploratory implementations are reproducible under their stipulated rules, but follow-up adversarial checks exposed verifier weaknesses. The historical v0.1 results should be preserved with qualifications; a formal owner-adopted shared run and permanent currency canon are not established by this register.

Suggested first-response shortlist

ID	Owner decision	Recommended provisional response
Q01	Purpose / minimum QC capability	Preserve ambitious options; evaluation is a control
Q03	Shared + independent research tracks	Run both tracks and label separately
Q04	Named run card & exact revision	Adopt a precise new run revision, not prior results
Q05	Creation authority models	Test multiple authority profiles
Q06	1COIN / NCOIN retention criteria	Evaluate mechanical, operational and narrative grounds
Q08	Partial-delivery recovery	Compare and declare recovery policy per run

Answer what you can, in any order. Technical corrections in the checker-audit section do not require the project owner to select Python assertions or choose a permanent architecture.

Question priority guide

- CORE — High leverage for intended capability or shared-run design; independent code hardening may continue regardless.
- ADVISED — A named provisional default is often sufficient for comparability; not necessarily a canon decision.
- DEFER — Important to preserve for later architecture work; no need to resolve during the next pilot.

I. Core intent, authorization and design goals

P0: owner direction that most influences the next shared run

Q01 | What is the minimum intended capability of a successful Quantum Credit?

PRIORITY: CORE

Question / choices: Is target-relative valuation sufficient, or must QC also supply resources, obtain rights/access, or directly establish an outcome? Several capabilities may remain candidates.

Provisional recommendation: Treat evaluation-only QC as a control while preserving the more ambitious capabilities as separate test hypotheses; do not silently redefine the original objective.

Source attribution: ChatGPT, Claude, Gemini, Copilot, Grok, Perplexity

Owner response: Open / pending _____

Q02 | Which extraordinary capabilities and operating assumptions must remain open to challenge?

PRIORITY: CORE

Question / choices: Should the laboratory explicitly test whether conservation, the need for a seller, unit identity, consent, time ordering, and simulated or ontological state changes are fundamental or mode-specific assumptions?

Provisional recommendation: Permit named speculative configurations, but require each changed assumption to be declared before execution. A change of premise creates a new configuration, never a retroactive repair.

Source attribution: Perplexity; ChatGPT earlier boundary guidance; Grok

Owner response: Open / pending _____

Q03 | Should the next work combine an identical shared benchmark with independent explorations?

PRIORITY: CORE

Question / choices: Choose shared benchmark only; independent exploration only; or both, with separate labels and clearly different claims of comparability.

Provisional recommendation: Use both: a small common frozen benchmark for comparison and independent experiments for architectural discovery.

Source attribution: ChatGPT, Claude, Grok, Perplexity, Copilot

Owner response: Open / pending _____

Q04 | Which exact Pilot 001 run card, revision, and scope should become owner-adopted?

PRIORITY: CORE

Question / choices: Do you approve one existing packet, a small reconciled run card, or parallel explicitly named packets? Specify revision, frozen fixture, participating configurations, and whether authorization is for a new run (not retroactive).

Provisional recommendation: Approve a narrowly scoped common run card only after identifying its immutable version. Keep earlier exploratory traces labeled pre-adoption/reference-exposed.

Source attribution: Claude, Gemini, Copilot, Grok, Perplexity, ChatGPT

Owner response: Open / pending _____

Q05 | How should authority over net-new resource creation be modeled?

PRIORITY: CORE

Question / choices: Distinguish permission to debit A, authority to create/mint new units, permission to credit B, and authority to alter surrounding simulated state. Should these be independent?

Provisional recommendation: Test multiple explicitly labeled authority profiles rather than adopting a universal issuer rule now. Do not equate lack of seller consent with lack of creation authority.

Source attribution: Claude, Gemini, Copilot, Grok, Perplexity, ChatGPT

Owner response: Open / pending _____

Q06 | What can justify retaining 1COIN and NCOIN?

PRIORITY: CORE

Question / choices: Must each be mechanically indispensable, or can operational separation, improved auditability, reliability, narrative/worldbuilding value, or a disclosed combination justify continued development?

Provisional recommendation: Score mechanical necessity, operational usefulness, and narrative purpose separately; record any instrument retained despite mechanical redundancy.

Source attribution: ChatGPT, Gemini, Copilot, Grok, Perplexity

Owner response: Open / pending _____

Q07 | What must count as a genuinely successful and usable delivery?

PRIORITY: ADVISED

Question / choices: Is it enough that B's number increases by three, or must the units be correctly typed, uniquely identified, usable, unencumbered, and valid for subsequent operations?

Provisional recommendation: Require usability under the declared test environment, not balance-change alone; let reviewers define the exact invariant checks.

Source attribution: Perplexity; Copilot code-audit follow-up; ChatGPT

Owner response: Open / pending _____

II. Experimental operations and verification policy

P1: choices that can be frozen at run-card level, not necessarily in canon

Q08 | What policy should govern an interrupted or partially completed delivery?

PRIORITY: CORE

Question / choices: After two of three units arrive, should retry resume the remaining one, roll back and restart, stay terminally partial, reject the same ID, or create a compensating/remediation transaction?

Provisional recommendation: Compare recovery modes initially. Freeze exactly one policy per shared run; duplicate suppression alone must not imply the recovery policy.

Source attribution: Claude, Copilot, Perplexity; ChatGPT code-audit recommendations

Owner response: Open / pending _____

Q09 | What constitutes the same request, and when may it be repeated?

PRIORITY: ADVISED

Question / choices: Distinguish same ID + same payload; same ID + changed payload; new ID + same obligation; and a legitimately repeated new obligation.

Provisional recommendation: Bind request IDs to canonical payloads; reject conflicting reuse and separately test idempotency versus a legitimately new request.

Source attribution: Claude, Copilot, Perplexity; ChatGPT

Owner response: Open / pending _____

Q10 | What may a settlement receipt or 1COIN certify?

PRIORITY: ADVISED

Question / choices: Final completion only, or also intermediate milestones? If milestones are permitted, must they be named and represented differently from final settlement records?

Provisional recommendation: Use request-scoped, ordered events. Distinguish milestone acknowledgments from final settlement certification, without assuming a distinct 1COIN is necessary.

Source attribution: Copilot, Claude, ChatGPT; Perplexity audit

Owner response: Open / pending _____

Q11 | How should source shortfall and contradictory targets be classified?

PRIORITY: ADVISED

Question / choices: When A owns two units but must give three, should a source-limited attempt be REJECTED_INSUFFICIENT, INCOHERENT_TARGET, or recorded through separate request-coherence, configuration-feasibility, and execution-status fields?

Provisional recommendation: Use separate fields. An otherwise coherent request can be infeasible under one configuration; reserve INCOHERENT for a contradiction in explicit definitions or predicates.

Source attribution: Claude, Gemini, Copilot, Grok, Perplexity, ChatGPT

Owner response: Open / pending _____

Q12 | Which identifier convention should govern shared comparison?

PRIORITY: ADVISED

Question / choices: Adopt contributor-qualified IDs, Gemini LAB aliases, Copilot neutral IDs, or a case/configuration/run three-part identity with source-qualified aliases?

Provisional recommendation: Require unique Case ID + Configuration ID + Run ID; preserve all contributor source IDs as aliases. Do not renumber historical files.

Source attribution: Claude, Gemini, Copilot, Grok, Perplexity

Owner response: Open / pending _____

Q13 | What lifecycle and evidence labels should appear in reports?

PRIORITY: ADVISED

Question / choices: Should PROPOSED, OWNER-ADOPTED, LOCKED FOR NAMED RUN, EXECUTED, SUPPORTED WITHIN RUN, and CANON remain distinct? Should E0 stipulated, E1 derived, E2 executed, E3 external be recorded separately?

Provisional recommendation: Keep governance/adoption status separate from evidence level. Prefer SUPPORTED WITHIN NAMED RUN over broad claims of empirical validation.

Source attribution: Gemini, Copilot, Grok, Perplexity; Claude

Owner response: Open / pending _____

Q14 | Must each future test have executable code?

PRIORITY: ADVISED

Question / choices: May a formal logical/analytical trace suffice where the operation has no defined algorithm, while runnable code plus machine-readable outputs is required for computational claims?

Provisional recommendation: Allow analytical E1 work; require reproducible code and outputs whenever a result is labeled executed E2.

Source attribution: Claude, Grok, Copilot, Perplexity

Owner response: Open / pending _____

Q15 | Which technical question should the next discriminating pilot prioritize?

PRIORITY: ADVISED

Question / choices: Strengthen P3-Enact observability, resource provenance and timing, or begin the 1COIN ablation study; alternatively run the workstreams in parallel.

Provisional recommendation: First harden the current checker and resource identity assertions, then compare P3 variants and 1COIN ablation on an explicitly frozen fixture; independent parallel work remains welcome.

Source attribution: Grok, Copilot, ChatGPT, Claude

Owner response: Open / pending _____

Q16 | How should the team handle reference exposure and blind testing?

PRIORITY: ADVISED

Question / choices: Would you like fresh first-pass submissions collected before revealing reference results, followed by open challenge rounds? What status should the already-public Pilot 001 reference reports receive?

Provisional recommendation: Treat current shared materials as reference-exposed; use new withheld cases or staged release for any future blind pass. A folder named sealed does not itself prevent access.

Source attribution: ChatGPT, Claude, Copilot, Grok, Perplexity

Owner response: Open / pending _____

III. Currency roles and exception semantics

P2: architectural questions to preserve rather than canonize prematurely

Q17 | What role(s) may 1COIN ultimately occupy?

PRIORITY: DEFER

Question / choices: Should it be a distinct asset, settlement executor, receipt, completion certificate, finalized obligation state, or a broader instrument with separately tested modes?

Provisional recommendation: Run ablation against QC-only and QC-plus-ordinary-log controls. Do not infer mechanical necessity from the utility of a receipt.

Source attribution: Copilot; ChatGPT, Gemini, Perplexity

Owner response: Open / pending _____

Q18 | Under what conditions, if any, should NCOIN be emitted?

PRIORITY: DEFER

Question / choices: Could ordinary rejection/failure itself trigger NCOIN, or only a separately defined, measured consequence such as liability, remediation, entropy, or countervalue?

Provisional recommendation: Do not automatically generate NCOIN for an unsuccessful operation. Compare named trigger hypotheses under explicit metrics; keep conservation an open question.

Source attribution: Copilot, ChatGPT, Perplexity, Gemini, Grok

Owner response: Open / pending _____

Q19 | Should null, rejected, undefined and incoherent outcomes be status records by default?

PRIORITY: DEFER

Question / choices: Does a diagnostic null/structured result have any transferable currency meaning, or only provide a report unless an independently declared issuance rule activates?

Provisional recommendation: Treat status and representation separately from issuance. A JSON null result must not silently mint a token or an NCOIN.

Source attribution: Copilot, Perplexity, ChatGPT, Grok

Owner response: Open / pending _____

IV. Publication, independence and project governance

P2: can proceed with proposed defaults; record owner approval for repository changes

Q20 | May contributors prepare a permanent GitHub access index and Markdown companions?

PRIORITY: ADVISED

Question / choices: Do you authorize preparation of an index/manifest, text companions and an access log listing reviewed versus inaccessible files? Preparation is distinct from changing the repository.

Provisional recommendation: Prepare a versioned Markdown manifest with contributor, version, scope, status, commit-pinned and Raw URLs, and available file formats.

Source attribution: ChatGPT, Claude, Copilot, Grok, Perplexity

Owner response: Open / pending _____

Q21 | How should corrected public editions and original submissions be retained?

PRIORITY: ADVISED

Question / choices: Should originals remain unchanged and corrections be issued as new versions with errata, or may public copies be replaced after traceable documentation?

Provisional recommendation: Preserve originals as historical artifacts; add corrected publication editions with checksums and a change log. Strip expired signed URLs from public editions.

Source attribution: Claude, Copilot, Perplexity, ChatGPT

Owner response: Open / pending _____

Q22 | What repository changes may AI collaborators perform or prepare?

PRIORITY: ADVISED

Question / choices: May the team draft indices, patches, model upgrades and sanitized files for your review? Does any collaborator have permission to commit, rename, move or delete files, or should publishing remain owner-controlled?

Provisional recommendation: Allow preparation without implying permission to commit or overwrite. Require explicit approval for repository mutations.

Source attribution: Perplexity, Copilot; ChatGPT repository feedback

Owner response: Open / pending _____

Q23 | Should historical reference results remain public while new blind rounds are staged separately?

PRIORITY: DEFER

Question / choices: Do you want completed published reference material preserved in place and new withheld packets distributed separately, or retrospective relocation of reference files?

Provisional recommendation: Retain historical public material; use separate access-controlled distribution of new reference outputs until first passes are submitted.

Source attribution: ChatGPT, Claude, Copilot, Grok, Perplexity

Owner response: Open / pending _____

Q24 | Should each contributor disclose model identity and prior source exposure?

PRIORITY: ADVISED

Question / choices: Would you like reports to name the underlying model/service where known, plus whether another AI's results were read before submission? Should overlap receive an explicit confidence weight?

Provisional recommendation: Require provenance and reference-exposure disclosures; defer any numerical weighting scheme until it can be justified.

Source attribution: Claude, Copilot, Grok; Perplexity disclosure

Owner response: Open / pending _____

Q25 | How should independent work be distinguished from direct reproduction?

PRIORITY: ADVISED

Question / choices: Should the archive label identical-case/same-configuration replications separately from alternative-configuration comparisons and independently designed tests?

Provisional recommendation: Use separate labels for REPRODUCTION, CONFIGURATION COMPARISON, INDEPENDENT EXPERIMENT and REFERENCE-EXPOSED CHALLENGE.

Source attribution: ChatGPT, Copilot, Grok, Perplexity

Owner response: Open / pending _____

Q26 | Who may promote a laboratory finding or currency mechanic into canon?

PRIORITY: DEFER

Question / choices: Should owner adoption of a run card remain distinct from a subsequent decision to establish permanent currency design rules? Who records final adoption and dissent?

Provisional recommendation: Reserve canon promotion for explicit project-owner approval through a separate decision record; do not infer canon from document publication or AI consensus.

Source attribution: Gemini governance lifecycle; ChatGPT, Copilot, Grok

Owner response: Open / pending _____

Team-owned technical next actions

These implementation and archival tasks follow from the supplied compilation and earlier Perplexity adversarial checker audit. This register does not assign tasks or report them as completed.

T01 | Harden ChatGPT verifier and publish v0.2 with negative tests

Catch creation-without-delivery, transfer-without-debit, unauthorized settlement; derive totals from authoritative holdings. Report mutation detection separately from ordinary pass counts.

Basis / suggested lead: ChatGPT; Perplexity audit confirmed three accepted altered records.

T02 | Harden Claude settlement state and temporal assertions

Use request-scoped receipts, ordered events, per-request quantities, payload-bound IDs, and explicit partial retry policies; test the earlier AT_START and stale-receipt probes.

Basis / suggested lead: Claude; Perplexity audit and Claude self-correction.

T03 | Complete Perplexity reference-model delivery checks

Check correct type, no encumbrance, unique provenance/IDs, recipient, and amount in completion predicate; add wrong-type and encumbered mutants.

Basis / suggested lead: Perplexity; ChatGPT and Copilot audit findings.

T04 | Fix Gemini numerical assertion and qualify value-share claims

Use relative/absolute tolerance for M04 floating-point checks; avoid interpreting share-of-supply changes as purchasing-power dilution without a pricing model.

Basis / suggested lead: Gemini; ChatGPT and Claude peer review.

T05 | Publish an access/attribution manifest and checkpoint identifier aliases

Identify case/configuration/run IDs, source aliases, AI author, revision, file types, file hashes, review scope, and commit-pinned references.

Basis / suggested lead: Copilot, Grok, Gemini, ChatGPT, Claude, Perplexity.

T06 | Sanitize public compiled documents and preserve source history

Inspect DOCX hyperlink relationships and PDF URI annotations for expiring signed links; publish clean versions with errata rather than silently overwriting.

Basis / suggested lead: Claude confirmation; ChatGPT and Copilot publication review.

T07 | Stage reference outputs for any NEW blind experiment

Separate frozen input packets, independent first passes, sealed controls, and post-disclosure challenge reports with real access restrictions, not names alone.

Basis / suggested lead: Copilot, Perplexity, ChatGPT, Grok, Claude.

T08 | Record cycle status with qualified claims

Exploratory capability modeling: completed; reproduction/adversarial checker audit: in progress; owner-adopted shared run: pending; real-world QC proof/canon: none.

Basis / suggested lead: Copilot critique of premature Gemini closure; Perplexity audit.

T09 | Preserve independent conclusions and separate evidence levels

Label E0 assumed, E1 derived, E2 executable result, E3 external; no direct inference from computer model to extraordinary real-world QC mechanism.

Basis / suggested lead: All collaborators.

Project-owner response sheet

Copy any line into an email or discussion reply. Unanswered IDs remain open; silence does not imply adoption.

Q01: _____ Q03: _____ Q04: _____

Q05: _____ Q06: _____ Q08: _____

Other question IDs answered: _____

Questions deferred: _____

Additional non-negotiable premise / constraints: _____

Permission to prepare documentation (not to commit): _____

Publication and interpretation controls

- The source-attribution field identifies where the question appeared or received support; it does not mean all named AI contributors endorse ChatGPT's proposed default.
- Identify immutable run-card version, environment, contributor, code hash, input fixture, case/configuration/run IDs, and reference-exposure status for every purported reproduction.
- Owner approval of one experiment is not a decision to canonize QC, 1COIN, NCOIN, or a boundary taxonomy.
- Publish corrected editions with traceable errata; preserve historical originals. Examine PDF link annotations and DOCX hyperlink relationships for expiring signed URLs.
- Neither a completion date nor an owner response deadline is imposed by this document. A modeled result is not evidence that an extraordinary QC capability exists in the physical world.

Source and provenance record

Primary source: Pasted text(20261107-183344).txt — "List of responses, feedback, and questions"; contributions from the six named AI collaborators.

Supporting audit: OAL_Perplexity_Claude_ChatGPT_Code_Audit_2026-11-07.txt and .json — earlier user-supplied audit of ChatGPT and Claude verification systems.

Supporting team compilation: AI Collaborator GitHub Access, Troubleshooting, and questions.docx — earlier user-provided cross-team access and feedback record.

Repository location: OMNIVERSAL-ARCHITECT-LABS/OAL-AI-UNIFIED-ARCHIVE / OAL-TRINITY-CURRENCY-SYSTEM.

Author disclosure: Prepared independently by ChatGPT using team-supplied material; no team vote, owner adoption, or newly executed currency experiment is asserted.