# OAL Trinity Currency Laboratory

### Consolidated Owner Questions and Decision Register v0.1

Document ID: OAL-CURR-OWNER-QUESTIONS-PPLX-v0.1-20261107

Prepared by: Perplexity | Date: 7 November 2026 | Status: PROPOSED FOR OWNER RESPONSE / PRE-CANON

Editions: PDF, DOCX, and Markdown contain the same substantive register. They are three editions of one contribution, not three independent sources. The Markdown edition is the editable text master for this package.

## 1. Purpose, scope, and how to answer

This register responds to the owner request at the beginning of the newest paste.txt compilation: review the responses in detail, consolidate the questions the owner should address, and provide PDF, DOCX, and Markdown for GitHub versioning and traceability. It consolidates questions from ChatGPT, Claude, Gemini, Microsoft Copilot, Grok, and Perplexity. It does not ratify a charter, authorize a shared run, adopt any currency mechanism, or modify the repository.

You do not need to answer everything. UNDECIDED, TEST ALTERNATIVES, TEAM TO RECOMMEND, and DEFER are useful answers. An experimental choice is not automatically canon. Plain-language intent is sufficient; the contributors should translate it into precise proposed rules rather than ask you to debug implementations.

Answer the first five questions if time is limited: OQ-01 through OQ-05. Later questions address experimental policy, instrument details, and publication preferences. Section 6 identifies technical work that should not become an additional owner questionnaire.

Question identifiers are local to this register. They do not replace historical FM, F, LAB, or QC case IDs. Recommendations and suggested defaults below are Perplexity proposals; they are not represented as unanimous team positions.

## 2. Review basis and present-status qualification

Primary source S1: the newest uploaded paste.txt, beginning "List of responses, feedback, and questions" (conversation source file:27). All six contributor sections were reviewed. Source S2: AI-Collaborator-GitHub-Access-Troubleshooting-and-questions.pdf (file:26), the earlier 18-page compilation reproduced and discussed by S1. Source S3: the preceding Perplexity local-code audit response in this conversation, which S1 quotes and discusses. This document is a synthesis of those records, not a fresh repository audit or a new execution of the models.

The compilation reports successful reproduction of the ChatGPT and Claude pilots and subsequent adversarial detection gaps. It distinguishes mutations of output records from

defects generated by the original transition engines. The historical 133-check result must not be interpreted as 133 independently discriminating adversarial properties. Successful reproduction does not establish checker completeness, physical QC capabilities, or canonical correctness. [S1: ChatGPT, Claude, Copilot, Grok]

The sources disagree on whether Cycle 1 is complete. Gemini describes completion and stabilization; Copilot, ChatGPT, and Claude identify continuing verification work. This register does not declare the whole cycle closed. Working description: exploratory implementations have executed; reproduction and checker-hardening work remains active; adoption of any shared benchmark must name its exact configuration and version. [S1: Gemini versus ChatGPT/Claude/Copilot]

Perplexity connector access was confirmed earlier for a folder listing and README. That does not imply that every repository document has been read. Likewise, reported publication of the Copilot and Perplexity boundary passes corrects earlier source-limited coverage gaps without independently verifying all their conclusions. [S1/S2]

## 3. Priority owner questions: answer these first if possible

### OQ-01 - Intended minimum capability of Quantum Credits

Priority: A - Direction

Question: What must a successful QC ultimately accomplish for your design, beyond merely being internally consistent?

- Recognize or represent target-relative value.
- Supply the necessary resources or purchasing capability.
- Acquire access, rights, or another defined result.
- Directly establish a requested state within the fictional/simulated framework.
- Preserve multiple architectures; clarify the intended objective later.

Why it matters: An evaluation-only control may be coherent but still fail your originating design purpose.

Recommended approach (proposal): Preserve the ambitious intended capability as an objective. Keep valuation-only models as controls unless you deliberately select them as sufficient.

Can it wait? Exploratory controls can continue; final success claims about QC should wait for a clear objective.

Trace: S1: ChatGPT Q1; Claude Q7; Copilot Q1; Grok Q3; Perplexity Q1. Gemini discusses the capability family but does not settle it.

Owner response: [OPEN]

### OQ-02 - Scope of next-work authorization

Priority: A - Direction

Question: Do you want independent exploration, one shared frozen benchmark, or both? If adopting a shared benchmark, which exact packet and revision should govern?

- Independent exploratory work only.
- Adopt an existing named packet, with amendments listed.
- Ask the team to propose a small common packet for later approval.
- Both exploration and a separately adopted shared benchmark.

Why it matters: Several incompatible packets are called Pilot 001; adopting the name alone does not freeze the same experiment.

Recommended approach (proposal): Continue independent work and prepare one small corrected benchmark packet. Record approval of that packet separately. This document does not select it for you.

Can it wait? A formal shared run requires exact adoption. Independently labeled technical investigation need not stop.

Trace: S1: ChatGPT Q3/Q7; Claude Q1; Gemini GOV-001; Copilot Q4/Q13; Grok Q1/Q7; Perplexity Q2.

Owner response: [OPEN]

### OQ-03 - Authority over creation

Priority: A - Direction

Question: When QC creates units without taking existing units from A, what authority, if any, should be required?

- Explicit system issuance authority.
- Requester authority.
- Recipient acceptance or delivery authority.
- Another governing authority.
- No external permission in a specifically declared track.
- Test multiple profiles before choosing.

Why it matters: Permission to debit A, issue units, deliver to B, and alter the world are different permissions. Existing implementations do not declare them identically.

Recommended approach (proposal): Test separate authority profiles. Treat undeclared authority as an identified specification gap, not as established permission. An explicitly unrestricted profile is different from an unspecified one.

Can it wait? Alternative profiles can be explored now; a shared configuration must state its authority contract.

Trace: S1: ChatGPT Q2; Claude Q2; Gemini Gap G-1; Copilot Q2; Grok Q4; Perplexity Q4.

Owner response: [OPEN]

### OQ-04 - Retention grounds for 1COIN and NCOIN

Priority: A - Direction

Question: What may justify keeping an instrument if it is not mechanically indispensable?

- Only a distinct necessary mechanical function.
- Operational advantages, including auditing or separation of duties.
- Narrative, conceptual, or worldbuilding significance.
- Any of these, reported separately with trade-offs.
- Keep the question open while comparing alternatives.

Why it matters: An instrument can be useful without being necessary, or useful as a receipt without qualifying as a currency.

Recommended approach (proposal): Assess mechanical necessity, operational value, narrative value, complexity, and failure modes separately. Do not guarantee that all three instruments survive.

Can it wait? Ablation studies can proceed; an eventual retention decision needs your priorities.

Trace: S1: ChatGPT Q4; Gemini GOV-002; Copilot Q9; Perplexity Q3; Grok discussion of instrument necessity.

Owner response: [OPEN]

### OQ-05 - Meaning of usable delivery

Priority: A - Direction

Question: When B receives three units, what makes that a genuine fulfillment rather than a displayed balance?

- Correct quantity is sufficient for this limited fixture.
- Units must meet declared validity, type, identity, and encumbrance requirements.
- B must be able to use the units in a specified next operation.
- Different requirements for different test tracks; team to propose contracts.

Why it matters: The reported completion-check mismatch shows that quantity alone may be weaker than the promised result.

Recommended approach (proposal): Ask for genuinely usable units within the declared simulation, and have the team propose precise observable checks. Do not impose a universal identity mechanism on every speculative architecture without declaring it.

Can it wait? The next completion-verification benchmark must select a contract; you need not design its code.

Trace: S1: Perplexity Q8; Copilot completion-predicate review; ChatGPT/Claude checker corrections.

Owner response: [OPEN]

## 4. Experimental-policy questions: may remain open or use scoped alternatives

### OQ-06 - Request and obligation identity

Priority: B - Run policy

Question: What should count as the same fulfillment obligation when requests are repeated?

- Same request ID only.
- Same underlying obligation even if a new request ID is used.
- Same content with a new ID is a new authorized demand.
- Test each interpretation in separately named configurations.

Why it matters: Identical retries, changed payloads under one ID, and a new request for the same content are different situations.

Recommended approach (proposal): Separate request ID, immutable payload, and obligation ID. Let the team reject ID/payload conflicts technically; ask you only about the meaning of repeated demand.

Can it wait? Non-replay cases can continue. Replay and duplicate-obligation tests need an explicit policy.

Trace: S1: Claude Q5; Copilot request-identity section; Grok/Perplexity replay discussion.

Owner response: [OPEN]

### OQ-07 - Partial-delivery recovery

Priority: B - Run policy

Question: If two of three units arrive and the operation stops, what should a retry do?

- Resume only the remaining unit.
- Roll back and permit a clean retry.
- Keep a terminal partial result pending a new instruction.
- Use a separately identified compensating operation.

- Test alternatives.

Why it matters: Duplicate suppression alone does not tell us how unfinished obligations recover.

Recommended approach (proposal): Compare resume and compensating-operation policies first where the fixture permits them. Do not assume rollback is possible in every environment.

Can it wait? Baseline delivery can continue; interruption/recovery comparisons require a stated policy.

Trace: S1: Claude Q6; Copilot Q6; Perplexity Q9; ChatGPT technical findings.

Owner response: [OPEN]

### OQ-08 - What receipts and 1COIN certify

Priority: B - Instrument scope

Question: May a receipt certify intermediate milestones, or only final completion? Should 1COIN itself have one fixed role or remain a family of candidates?

- Final completion only.
- Separate milestone acknowledgments and final settlement certificates.
- Compare executor, receipt, value package, and obligation-state candidates.
- Retain multiple roles if explicitly distinguished.

Why it matters: A preparation acknowledgment must not be mistaken for final settlement, and a useful receipt does not prove a separate currency is necessary.

Recommended approach (proposal): Keep milestone and final-completion records distinct. Preserve the four 1COIN hypotheses until comparative tests inform retention.

Can it wait? Receipt safety checks can be repaired now; the definitive 1COIN architecture can wait.

Trace: S1: Copilot Q7/Q10; ChatGPT receipt discussion; prior four-role hypotheses retained in S1.

Owner response: [OPEN]

### OQ-09 - NCOIN triggers and null-result records

Priority: B - Instrument scope

Question: Do you intend any explicit fee, liability, penalty, or other consequence to arise from an attempted, rejected, or undefined request?

- Status only unless an independent consequence occurs.
- A specifically declared attempt fee or penalty in selected tracks.

- Other negative-domain mechanism, to be described.
- Test candidate mechanisms without choosing one.

Why it matters: Rejection is not itself equivalent to harm, debt, entropy, or countervalue. An attempt cost can coexist with failure without being caused by the status label alone.

Recommended approach (proposal): Retain no-automatic-NCOIN as a working test control unless a separate mechanism is expressly proposed. Structured error records should not mint instruments unless a candidate rule says so.

Can it wait? QC-only investigation can continue; NCOIN issuance experiments need defined triggers, quantities, and bearers.

Trace: S1: Copilot Q11/Q12; Perplexity status-versus-consequence discussion; shared no-automatic-NCOIN rule.

Owner response: [OPEN]

### OQ-10 - Shortfall classification

Priority: C - Delegable convention

Question: Do you want to choose shortfall labels yourself, or delegate a precise proposal that separates coherence, feasibility, and execution?

- Use REJECTED / INSUFFICIENT_INVENTORY for an unmet source requirement.
- Use INCOHERENT only when the requested state contradicts declared rules.
- Use separate fields.
- Team to recommend; no owner terminology choice needed now.

Why it matters: A coherent goal can be infeasible from a starting state. A postcondition demanding prohibited negative holdings raises a different question.

Recommended approach (proposal): Use separate request-coherence, configuration-feasibility, execution-status, and reason fields. Do not stamp every insufficient-resource request incoherent.

Can it wait? Can wait; preserve both historical labels and their exact assumptions.

Trace: S1: ChatGPT Q5; Claude Q3; Gemini shortfall question; Copilot Q3; Grok Q5; Perplexity qualification.

Owner response: [OPEN]

### OQ-11 - Blind versus open challenge rounds

Priority: B - Review process

Question: For future new cases, should initial submissions be collected before reference outputs are disclosed?

- Staged first-pass submissions followed by open cross-review.
- Open reference-exposed challenge rounds only.
- Both, explicitly labeled.

Why it matters: Existing exposure cannot be undone. A new label or directory name does not make public answers sealed.

Recommended approach (proposal): Use both categories. Freeze a fresh packet before submissions for any intended blind round; preserve existing work as exploratory or reference-exposed.

Can it wait? Open challenges can continue immediately; choose the process before advertising a future round as blind.

Trace: S1: ChatGPT Q6; Claude Q9; Copilot Q8/Q18; Grok Q2; Perplexity Q5.

Owner response: [OPEN]

### OQ-12 - Timing of reference disclosure and historical archives

Priority: B - Publication process

Question: Should completed public reference materials remain archived while new references are withheld until submissions?

- Keep historical public references with exposure labels.
- Organize them under a clearly marked post-disclosure section.
- Withhold only new references before their scheduled release.
- Other preference.

Why it matters: Removing a current link cannot establish that participants have not seen earlier public outputs.

Recommended approach (proposal): Preserve history; separate future distribution stages. Do not rewrite earlier non-blind work as blind after relocation.

Can it wait? Historical reorganization can wait; future disclosure policy must precede blind collection.

Trace: S1: Copilot Q18; ChatGPT/Grok reference-release questions; Perplexity caution about sealed directories.

Owner response: [OPEN]

### OQ-13 - Analytical versus executable evidence

Priority: B - Evidence process

Question: When transition rules are fully specified, do you want executable models and outputs required, or may analytical traces suffice?

- Require code and reproducible outputs for claims of executed behavior.
- Allow analytical work, clearly labeled, when code is unavailable or not useful.
- Require both for selected benchmarks only.

Why it matters: Analytical reasoning is valuable, but it must not be labeled an executed simulation.

Recommended approach (proposal): Always require actual code/output provenance for execution claims. Permit analytical boundary and logic work under separate labels; code need not be mandatory for every philosophical case.

Can it wait? Can use this separation immediately; a broader publication threshold can be decided later.

Trace: S1: Claude Q10; Grok executable-model questions in earlier source; all contributors evidence distinctions.

Owner response: [OPEN]

### OQ-14 - Identifier and cross-reference structure

Priority: C - Delegable coordination

Question: May the team use contributor-qualified original IDs plus separate case, configuration, and run identifiers?

- Yes; keep originals and add checked aliases.
- Prefer neutral laboratory IDs as the primary labels.
- Prefer another existing scheme.
- Team to recommend a small active-pilot registry.

Why it matters: Renumbering by appearance can falsely imply two different tests are equivalent.

Recommended approach (proposal): Preserve original qualified IDs, separate case/configuration/run, and add neutral aliases after checking semantics. Do not require global renumbering before a narrow test.

Can it wait? A local unambiguous ID is required for a shared run; a repository-wide registry is not.

Trace: S1: Claude Q4; Copilot Q5; Grok Q6; Perplexity Q6; ChatGPT identifier recommendations.

Owner response: [OPEN]

### OQ-15 - Status vocabulary

Priority: C - Delegable coordination

Question: Do you prefer a short shared vocabulary or the fuller ladders already proposed?

- Short set plus separate fields for evidence and execution.
- Retain owner-adopted and locked-for-named-run as separate statuses.
- Use the fuller proposed vocabulary.
- Team to recommend; preserve aliases.

Why it matters: Approval, execution, evidence, and canon are different dimensions rather than necessarily one ladder.

Recommended approach (proposal): Use separate fields: proposal/adoption status; frozen-run revision; execution status; evidence label; canon status. Keep adoption and freezing distinct when their scopes differ.

Can it wait? Can wait if each run defines its labels. Do not convert prior proposed rules into adopted ones by relabeling.

Trace: S1: Claude Q8; Copilot Q15/Q16; Grok evidence-label question; Perplexity status distinctions.

Owner response: [OPEN]

### OQ-16 - Model identity and independence disclosures

Priority: C - Evidence policy

Question: What disclosure should contributors provide about platform, displayed model label, shared sources, and prior exposure?

- Record only verified labels and known exposure; unknown fields remain unknown.
- Require disclosure of displayed model identity where available.
- Also develop an explicit evidence-weighting policy.

Why it matters: Platform identity is not proof of underlying runtime identity. Shared models, code, sources, and prior exposure create different dependencies.

Recommended approach (proposal): Record verifiable provenance without guessing hidden model identities. Do not assign numerical independence weights merely from vendor or model-family labels.

Can it wait? Can wait as a formal weighting policy. Honest exposure and source disclosure should be immediate.

Trace: S1: Claude Q11; Copilot Q14; Grok model-overlap discussion. Underlying-model assertions in the compilation are not authenticated here.

Owner response: [OPEN]

### OQ-17 - Meaning of experimental support

Priority: C - Evidence language

Question: Do you prefer a phrase such as CONSISTENT UNDER NAMED RUN, SUPPORTED WITHIN NAMED RUN, or another label?

- Use consistency language for implemented assertions.
- Use supported-within-run with a stated claim and scope.
- Team to recommend a label appropriate to each evidence type.

Why it matters: Passing a finite checker does not prove the checker complete or establish external physical capability.

Recommended approach (proposal): State the exact claim, evidence, checker revision, tested conditions, and known counterexamples. Do not let wording imply empirical QC validation.

Can it wait? Terminology can wait; accurate scope cannot.

Trace: S1: Claude status dissent; Copilot Q16; ChatGPT/Grok/Perplexity evidence cautions.

Owner response: [OPEN]

## 5. Publication, delegation, and next-step questions

### OQ-18 - Preparation versus repository modification

Priority: B - Authorization scope

Question: May contributors prepare an access index, manifest, Markdown companions, and corrected publication editions for review?

- Prepare files only; owner publishes.
- Prepare a proposed change set for separate approval.
- Other delegation, stated explicitly.

Why it matters: Access to GitHub and authorization to draft do not themselves authorize commits, renames, deletions, or publication.

Recommended approach (proposal): Authorize preparation if useful. Review exact repository modifications separately before any write action. Preserve originals and record corrections.

Can it wait? Private drafting can wait; clarify authority before any repository-changing operation.

Trace: S1: Claude Q12; Copilot Q17; Grok Q8; Perplexity Q7; ChatGPT access-index proposal.

Owner response: [OPEN]

### OQ-19 - Archive and edition preferences

Priority: C - Publication preference

Question: Do you want PDF, DOCX, and Markdown companions for major documents, and how should corrected editions be distinguished from originals?

- All three where practical.
- Markdown plus one presentation format.
- Keep originals and add corrected editions with a change log.
- Team to propose a lightweight convention.

Why it matters: Formats are editions, not independent evidence. Silent replacement would erase the history of known limitations.

Recommended approach (proposal): Use a readable text master, preserve original submissions, and version substantive corrections. Inspect actual hyperlink targets when sanitizing temporary access links.

Can it wait? Can wait for general policy; sanitation precedes public release of affected editions.

Trace: S1: ChatGPT publication review; Claude housekeeping; Copilot publication controls; Perplexity publication recommendations.

Owner response: [OPEN]

### OQ-20 - Correction-cycle priority

Priority: A/B - Next-work direction

Question: Should the next focused round harden the existing checkers before expanding to 1COIN/NCOIN, or should some investigations proceed in parallel?

- Checker hardening first.
- Hardening plus limited instrument investigation in parallel.
- Advance directly to instrument comparisons under qualified evidence.
- Team to recommend staged work.

Why it matters: The audit found that passing v0.1 checks does not guarantee detection of malformed settlement records.

Recommended approach (proposal): Harden completion, accounting, authorization, event ordering, and request identity first for the shared benchmark. Parallel conceptual instrument work can proceed without treating the checker as mature.

Can it wait? Exploratory work can continue, but do not promote v0.1 checks to a validated benchmark while known gaps remain.

Trace: S1: ChatGPT Verification Hardening v0.2 proposal; Claude v0.2 offer; Copilot correction/challenge cycle; Grok defect-injection question; Perplexity audit.

Owner response: [OPEN]

### OQ-21 - Intended extraordinary behavior excluded by fixtures

Priority: B - Scope protection

Question: Are our small resource-box rules excluding any intended QC behavior you specifically want tested?

- Challenge seller requirements in a declared track.
- Challenge conservation or unit provenance assumptions.
- Explore different consent, identity, time, or ontology rules.
- No additional track now.
- Describe the intended behavior in ordinary language.

Why it matters: A conventional fixture should not silently eliminate the originating extraordinary premise; a special capability also must not be inserted midway to rescue a run.

Recommended approach (proposal): Name separate speculative tracks and their capabilities. Keep conventional controls without making them the universal constitution.

Can it wait? Can wait for baseline technical corrections; record exclusions before judging final design fidelity.

Trace: S1: Perplexity Q10; original premise-preserving method reiterated throughout compilation.

Owner response: [OPEN]

### OQ-22 - Delegation of technical defaults

Priority: B - Owner workload

Question: Where you are undecided, may the team propose scoped defaults and test alternatives without interpreting silence as approval?

- Yes, as labeled proposals in exploratory work.
- Bring each design choice back for approval.
- Delegate specified technical areas to named contributors.
- Other boundaries.

Why it matters: The growing questionnaire should not turn ordinary engineering work into a bottleneck or make nonresponse look like consent.

Recommended approach (proposal): Permit proposed defaults and alternatives; reserve shared-run adoption and canon for explicit owner decisions. No response leaves an item OPEN, not approved.

Can it wait? Useful to settle early, but team members can still explain alternatives without claiming authority.

Trace: S1: owner allows partial answers; ChatGPT engineering-responsibility section; Perplexity burden-reduction recommendations. This consolidated delegation question is new in this register.

Owner response: [OPEN]

### 6. Team-owned technical work: recommendations, not owner decisions

The following should be investigated by the contributors without asking the owner to select assertion formulas or debug code. Where a repair changes the semantics rather than merely enforcing a promised property, propose a new configuration and report the difference.

- TW-01 - Accounting: derive totals from holdings or authoritative unit records; independently verify sender debits, recipient credits, declared creation, and consistency between reported and derived totals. Trace: S1 ChatGPT/Copilot audit sections.
- TW-02 - Authorization: verify input permissions independently of output status. Separate debiting, issuance, receipt acceptance, and world-change authority. Do not confuse an omitted gate with an intentionally unrestricted model. Trace: S1 all authority discussions.
- TW-03 - Completion: enforce the promised unit type, uniqueness, encumbrance, provenance, recipient, and quantity conditions. Exact versus at-least delivery is a contract choice to declare; the checker must enforce the selected one. Trace: S1 Copilot and Perplexity.
- TW-04 - Receipts and event order: bind receipts to obligations and requests; validate issuance after the appropriate completion event. A global receipt flag and final balances cannot by themselves prove historical ordering. Trace: S1 Claude/ChatGPT/Copilot.
- TW-05 - Request integrity: detect same-ID/different-payload conflicts; distinguish same-ID retries, new-ID repeat demand, and multiple requests for one obligation. Trace: S1 Claude/Copilot.
- TW-06 - Recovery: implement only the declared partial-delivery policy. Preserve progress, rollback, and compensation traces separately. Replace hard-coded fixture thresholds with request quantities before generalizing. Trace: S1 Claude/Copilot.
- TW-07 - Checker challenge: include deliberately defective records and implementations. Report which were detected, which were missed, which are equivalent or invalid mutants, and why. Assertion count is not a mutation-detection score or a proof of completeness. Trace: S1 ChatGPT/Copilot/Grok/Perplexity.
- TW-08 - Reproduction: preserve original v0.1 artifacts; publish repaired code, fixtures, generated outputs, environment details, and hashes under a new revision. Link each finding to its code/checker/configuration. Trace: S1 ChatGPT/Claude/Copilot.

- TW-09 - Publication hygiene: inspect visible text and embedded hyperlinks; replace temporary signed links in corrected public editions. Do not infer account compromise from an expired URL alone. Preserve an appropriate original record without recirculating temporary access material. Trace: S1/S2.
- TW-10 - Artifact availability: verify missing-file claims at the same commit/path; distinguish full read, partial inspection, metadata listing, and inaccessible content. Do not ask the owner to adjudicate changing snapshots from memory. Trace: S1 Perplexity and S2 conflicting results-file reports.
- TW-11 - Outcome interpretation: preserve assumed, derived, executed, and externally observed categories. Treat code reruns as reproduction of synthetic rules, not real QC capability validation. Trace: S1 all substantive audit responses.
- TW-12 - Comparison: retain distinct architectures. Use identical configurations for reproduction, different configurations for architectural comparison, and explicit scope for observational equivalence. Trace: S1 ChatGPT/Copilot/Grok/Perplexity.

### 7. Proposed next development sequence

- Step 1 - Collect the owner responses available, starting with OQ-01 to OQ-05. Record unknowns without forcing a winner.
- Step 2 - Prepare a small corrected candidate packet and local cross-reference sheet. Name assumptions, recovery policies, observable properties, and remaining gaps. Do not rewrite every charter.
- Step 3 - Perform exploratory verification hardening under explicit contributor configurations. Keep result-record mutations distinct from defects the unmodified engine produces.
- Step 4 - Submit one exact packet/revision for owner adoption if a shared benchmark is wanted. Adoption is not retroactive proof that earlier exploratory runs were formal shared runs.
- Step 5 - Collect independent current-round submissions under the chosen disclosure policy, then conduct open challenges. Record exposure rather than asserting blindness from a fresh label.
- Step 6 - Run limited 1COIN comparisons with equivalent delivery capabilities and ordinary-record controls. Run NCOIN trigger tests only with operationally defined consequences.
- Step 7 - Revisit temporal, recursive, and macro-scale cases after foundational contracts are sufficiently clear. No owner answer in this register automatically authorizes Version 2 canon.

### 8. Consolidation crosswalk and preserved differences

This is a topic-level crosswalk, not a claim that every contributor used identical wording. S1 is the newest paste.txt. Question numbers below refer to contributor sections in S1.

- ChatGPT questions 1-7 map respectively to OQ-01, OQ-03, OQ-02, OQ-04, OQ-10, OQ-11/OQ-12, and OQ-02. Its technical work and v0.2 proposal map to TW-01 through TW-08 and OQ-

20.

- Claude questions 1-12 map respectively to OQ-02, OQ-03, OQ-10, OQ-14, OQ-06, OQ-07, OQ-01, OQ-15, OQ-11, OQ-13, OQ-16, and OQ-18/OQ-19.
- Gemini decisions on adoption, creation authority, shortfall, and retention map to OQ-02, OQ-03, OQ-10, and OQ-04. Its Cycle 1 completion claim is retained as a disputed assessment, not an adopted status.
- Copilot questions 1-18 map respectively to OQ-01, OQ-03, OQ-10, OQ-02, OQ-14, OQ-07, OQ-08, OQ-11, OQ-04, OQ-08, OQ-09, OQ-09, OQ-02, OQ-16, OQ-15, OQ-17, OQ-18, and OQ-12.
- Grok questions 1-9 map respectively to OQ-02, OQ-11/OQ-12, OQ-01, OQ-03, OQ-10, OQ-14, OQ-02, OQ-18, and OQ-20. Its additional evidence-label and defect-injection questions map to OQ-15/OQ-17 and TW-07/OQ-20.
- Perplexity questions 1-10 map respectively to OQ-01, OQ-02, OQ-04, OQ-03, OQ-11, OQ-14, OQ-18, OQ-05, OQ-07, and OQ-21. OQ-22 consolidates the cross-team issue of owner workload and technical delegation.

Differences preserved: necessity versus operational/narrative usefulness; authority-required versus explicitly unrestricted versus undeclared creation; rejection versus incoherence; final versus milestone receipts; benchmark versus independent exploration; compact versus expanded status language; open versus blind review; competing architecture and boundary taxonomies. Grouping them here does not decide them.

### 9. Owner response worksheet

For each answered item, enter ordinary language or one of: UNDECIDED / TEST ALTERNATIVES / TEAM TO RECOMMEND / DEFER. No answer is interpreted as consent. The following is a response form, not a pre-filled adoption record.

OQ-01 - Intended minimum capability of Quantum Credits: [OPEN]

OQ-02 - Scope of next-work authorization: [OPEN]

OQ-03 - Authority over creation: [OPEN]

OQ-04 - Retention grounds for 1COIN and NCOIN: [OPEN]

OQ-05 - Meaning of usable delivery: [OPEN]

OQ-06 - Request and obligation identity: [OPEN]

OQ-07 - Partial-delivery recovery: [OPEN]

OQ-08 - What receipts and 1COIN certify: [OPEN]

OQ-09 - NCOIN triggers and null-result records: [OPEN]

OQ-10 - Shortfall classification: [OPEN]

OQ-11 - Blind versus open challenge rounds: [OPEN]

OQ-12 - Timing of reference disclosure and historical archives: [OPEN]

OQ-13 - Analytical versus executable evidence: [OPEN]

OQ-14 - Identifier and cross-reference structure: [OPEN]

OQ-15 - Status vocabulary: [OPEN]

OQ-16 - Model identity and independence disclosures: [OPEN]

OQ-17 - Meaning of experimental support: [OPEN]

OQ-18 - Preparation versus repository modification: [OPEN]

OQ-19 - Archive and edition preferences: [OPEN]

OQ-20 - Correction-cycle priority: [OPEN]

OQ-21 - Intended extraordinary behavior excluded by fixtures: [OPEN]

OQ-22 - Delegation of technical defaults: [OPEN]

Optional overall instruction: [Describe what the team may investigate, prepare, or propose next. Specify any limits.]

Response author: [OWNER] | Response date: [OPEN] | Applies to: [document/run scope] | Experimental only or proposed canon: [OPEN]

### 10. Decision and amendment record

When an answer becomes a decision, record: decision ID; related OQ IDs; exact owner wording; date; scope; selected alternative; explicitly unresolved alternatives; affected packet/configuration revision; technical implementation proposal; evidence relied on; dissent; revision conditions; and adoption status. Do not paraphrase an uncertain answer into a permanent rule.

A future amendment should list changed questions and reasons, preserve earlier responses, and identify the edition/revision it supersedes. These three current editions have matching substantive text; page breaks and presentation differ.

Change log: v0.1 - 7 November 2026 - First consolidated owner-question register prepared by Perplexity from S1 and S2. All 22 owner-response fields remain OPEN. No run, repository write, currency architecture, or canon has been adopted by this document.

### Source and review notes

S1 - paste.txt, newest attachment, beginning "List of responses, feedback, and questions"; conversation source file:27. Sections: ChatGPT, Claude, Google Gemini, Microsoft Copilot, Grok, Perplexity. The owner request for three generated editions appears at its beginning.

S2 - AI-Collaborator-GitHub-Access-Troubleshooting-and-questions.pdf; conversation source file:26; 18 pages. Used for earlier context and unresolved questions. No temporary signed URLs

are reproduced here.

S3 - Perplexity local-code audit response earlier in this conversation, discussed in S1. This register does not re-execute that audit or treat the contributors reporting its findings as separate new experiments.

Limits: This is a detailed consolidation of the supplied response compilation. It is not an authentication of hidden model identities, a fresh binary-file or GitHub-commit audit, confirmation that every contributor has executed a model, or a determination that all proposed questions require owner adjudication. Recommendations are labeled proposals throughout.