

ONDC NETWORK DISCLOSURES

Buyer App Disclosure 1

Minimum standards for displaying search results to buyers

Document control	Details
Buyer App / Network Participant	Multiply / Multiply Tech India Pvt Ltd
ONDC subscriber ID (BAP)	buyer.multiply.com
Version / effective date	0.1.0 — effective 8 September 2026
Applicable domain	ONDC:RETeB2B (eB2B Retail), core version 1.2.5. No category allow-list is applied: every category a seller publishes under this domain is eligible.
Covered buyer interfaces	The Multiply WhatsApp ordering channel (conversational results) and the Multiply web storefront at digidukaan.multiply.ai
Public location	digidukaan.multiply.ai — also published in the ONDC static-terms repository at RET/Multiply/0.1.0/

1. Purpose and scope

This disclosure states the conditions under which a search response received from a Seller App is displayed to a Multiply buyer, and the conditions under which it is withheld. It covers incomplete records, unavailable offers, duplicate responses and Seller App whitelisting. It is addressed to buyers, sellers and Seller Apps.

A listing standard decides whether a result is eligible to appear. The position of an eligible result is a sorting question and is covered in Buyer App Disclosure 2. Eligibility is not a guarantee of stock, serviceability, a completed order or any particular rank.

2. Baseline

Every received result that meets the criteria below and the buyer's selected filters is displayed. No minimum rating, sales history, commercial relationship, tenure or preferred-Seller-App requirement is applied.

Multiply operates two result paths and they behave differently. Both are covered by this disclosure:

- **Live network search.** A `/search` is broadcast, `/on_search` callbacks are collected for a fixed aggregation window of 6 seconds from the first callback, and the accumulated catalogue is then presented. Callbacks arriving after the window are still stored and are visible on the storefront; they are not included in the WhatsApp message already sent.
- **Cached city catalogue.** The storefront answers from catalogue records previously received for that city while simultaneously issuing a live search, so a cold query is never answered as "no products found" merely because the cache has not seen it.

3. Listing criteria: identity and essential information

Each of the following is a stated, measurable condition. A rejection not traceable to one of them is a defect.

ID / criterion	How it is measured	Effect of failure
LC01 Readable, attributable response	The callback is parseable, its signature verifies against the registry key of the declaring subscriber, and it carries a <code>transaction_id</code> that correlates to a search we issued. The <code>bpp_id</code> , <code>provider.id</code> and <code>item.id</code> needed to identify the offer are non-empty.	An unverifiable or uncorrelated callback is NACKed in full. Within a verified callback, only the unidentifiable record is withheld.
LC02 Supported domain	The response <code>context.domain</code> is ONDC:RETeB2B. Category is not filtered: the seller's declared <code>category_id</code> is carried through and used only for browsing and relevance.	A response in an unsupported domain is not displayed. No item is excluded for its category.
LC03 Identifiable item and selling unit	The item has a non-blank display name and the identifiers needed to distinguish the offer. Variant siblings are linked by <code>parent_item_id</code> and separated by their declared pack/variant attributes.	Only the offer whose identity cannot be established is withheld. No image count, image resolution or description-length threshold is applied.
LC04 Usable item price	The selling price is a finite number of zero or more in INR. An offer published without a usable price is retained but assigned an internal sort sentinel so it ranks after every priced offer.	An unpriced offer is not rejected; it is placed last. An unknown price is never rendered as zero. An unpriced offer is excluded only from a result set narrowed by an explicit price filter, which it cannot satisfy.
LC05 Category-specific mandatory fields	No category-specific mandatory-field threshold beyond LC01–LC04 is applied by Multiply. Fields mandated by the ONDC contract are enforced by the protocol layer, not by an additional Multiply rule.	Not applicable. There is no discretionary "poor quality" criterion.

Proportional application

An item-level defect never suspends a provider or a Seller App. A wider restriction is applied only where the failure itself is wider. Corrected data received later is re-evaluated against the same checks with no probation.

4. Availability, validity and unknown values

ID / criterion	How it is measured	Effect of failure
LC06 Explicit unavailability	The received item or provider record explicitly marks the offer disabled or out of stock. A missing quantity is not read as zero.	The offer is hidden from the purchasable list when the buyer has applied the in-stock filter, and is otherwise shown marked unavailable. An unknown stock value alone is never a rejection.
LC07 Explicit non-serviceability	Serviceability is resolved per seller location against the buyer's delivery point in two passes: an indexed candidate pass, then the exact rule check (polygon containment, radius in kilometres, pincode ranges and category scoping). A location qualifies via any one of its rules.	A seller location that no rule admits is not offered to that buyer, because an offer refused at <code>/select</code> is worse than no offer. Other serviceable locations of the same seller are unaffected.
LC08 Withdrawal or restriction	A valid source update withdraws the exact offer, or an authenticated ONDC instruction identifies the affected item, provider or Seller App and its scope.	Only the identified scope is withheld, for the duration of the withdrawal. Multiply operates no discretionary commercial blacklist.
LC09 Expired catalogue information	Every cached catalogue row carries an expiry timestamp and is removed by a database time-to-live index once it passes. An expired row cannot be read back.	An expired record is never presented as a current offer; the storefront issues a fresh network search instead.

Unknown stock or serviceability is not a confirmed failure. Such a result may remain visible, but is not represented as confirmed orderable until validated at `/select`. Unknown seller coordinates are not a rejection criterion; their sorting treatment is in Disclosure 2.

Buyer-controlled filters

The filters actually offered, and their comparison basis, are: seller (exact Seller App and provider identifier), brand (exact match), category (exact whole-string match — eB2B category identifiers contain commas and are never split on them), minimum price and maximum price (inclusive bounds, which necessarily exclude unpriced offers), in-stock only, and offers/schemes available. A filter narrows the display for that buyer only. A low relevance score alone never excludes a result.

Result batches and access to remaining results

The WhatsApp channel shows a shortlist drawn from the first 50 rows of the eligible set, cheapest first; it is a page, not the full set, and is presented as such. The web storefront pages the same eligible set at up to 100

rows per request with a stable secondary key, so paging can neither repeat nor skip a row. No eligible offer is permanently discarded within the life of a search; results remain reachable until their catalogue expiry passes.

5. Deduplication

Deduplication removes repeat representations of one source offer. It never merges competing offers.

Situation	Treatment
The same source offer sent again	Identity is the composite of search transaction, Seller App identifier (<code>bpp_id</code>), provider identifier and item identifier, enforced as a uniqueness constraint. Records are treated as duplicates only when that whole identity matches.
An update to that same offer	The later valid callback overwrites the stored row for that identity, so the most recently received version of an offer is the one displayed. A source withdrawal is applied rather than an older version being restored.
The same seller reached through different Seller Apps	Kept separate. Records are never merged on the basis of a similar trading name, address or product title. Cross-Seller-App deduplication is not performed.
Different packs, variants or locations	Distinct item identifiers are distinct offers and all are retained. Variants of one product are linked for display by <code>parent_item_id</code> and remain individually orderable; grouping never removes an alternative.

6. Whitelisting criteria for Seller Apps

There is no Mulltiply whitelist. No bilateral listing agreement, paid membership, minimum Buyer Finder Fee, existing customer relationship or named preferred Seller App is required for a response to be displayed. The only source check is the ONDC signature and registry verification described in LC01.

7. Operational-performance standards

No result is rejected or suspended on the basis of delivery success rate, cancellation rate, complaint resolution, rating, order volume or seller tenure. A performance observation window and minimum sample size are therefore not applicable. A seller with no transaction history is not disadvantaged in eligibility. Seller rating, where a seller publishes one, is used only as an optional sort in Disclosure 2 and never as an eligibility filter.

8. Publication, review and feedback

Field	Details
Public disclosure location	digidukaan.multiply.ai
Related sorting disclosure	Buyer App Disclosure 2, published at the same location and in the same ONDC static-terms folder
Seller / Seller App feedback contact	admin@multiply.com — Multiply Network Operations
Previous versions and changelog	Version history is retained in the ONDC static-terms repository under RET/Multiply/ ; this is the initial effective publication.

A seller reporting a visibility issue should identify the Seller App, provider and item, the search text, the delivery location, the time of observation and the criterion believed to have been misapplied. The concern is reviewed against the published criterion and the stored callback, and the record or implementation corrected where appropriate.

9. Version history

Date	Version	Changes
8 September 2026	0.1.0	Initial effective publication. Listing criteria LC01–LC09, deduplication, filters, result windows and the no-whitelist / no-performance-threshold declarations state Multiply's implemented behaviour as at this date.

Results may be excluded only under the criteria published above, the buyer's own filters and the result-handling rules disclosed here. Multiply reserves no undefined right to suppress a seller for unspecified quality or commercial reasons. Sorting alone does not constitute listing eligibility. This disclosure is updated, with a new version and effective date, whenever the criteria change.

ONDC NETWORK DISCLOSURES

Buyer App Disclosure 2

Sorting parameters and their relative importance

Document control	Details
Buyer App / Network Participant	Multiply / Multiply Tech India Pvt Ltd
ONDC subscriber ID (BAP)	buyer.multiply.com
Version / effective date	0.1.0 — effective 8 September 2026
Applicable domain	ONDC:RETeB2B (eB2B Retail), core version 1.2.5. The same ordering rules apply to every category; no category is ranked by a different method.
Covered buyer interfaces	The Multiply WhatsApp ordering channel (conversational results) and the Multiply web storefront at digidukaan.multiply.ai . The two use different default orders; both are stated below.
Public location	digidukaan.multiply.ai — also published in the ONDC static-terms repository at <code>RET/Multiply/0.1.0/</code>

1. Purpose

This disclosure explains how eligible results received from Seller Apps are ordered for a buyer. Which results are eligible at all, including deduplication, is decided by Buyer App Disclosure 1; this document concerns only their position. A result's presence or position is not a guarantee that an order can be fulfilled, nor an endorsement of a seller.

Two interfaces, two defaults. Multiply is a wholesale (eB2B) buyer app. Its buyers are retailers restocking known goods, for whom landed price is the deciding factor, so **price ascending is the default order everywhere**. Text relevance orders results only where the buyer has actually typed a query on the web storefront. Both behaviours are set out in full below.

2. Default ordering, by interface

Interface and context	Default order applied
WhatsApp conversational results	Ascending selling price; where two offers carry the same price, descending seller rating. Offers published without a usable price rank after every priced offer. The shortlist is drawn from the first 50 rows of the eligible set.
Web storefront, with a typed query	Descending text-relevance score, as measured in Section 3. The buyer may switch to any option in Section 5.
Web storefront, browsing without a query	Ascending selling price, then the stable record identifier. Relevance is neutral when there is no query, so it is not used.
Any order, final tie-break	The stable internal record identifier, ascending. This produces a repeatable order across pages; it is not a quality score and carries no commercial meaning.

Priorities are applied in sequence: a lower-priority parameter is consulted only when every higher-priority parameter is equal. Comparison always uses the underlying value, never a rounded display value.

3. How relevance is measured

Relevance is a **weighted** score, not a sequence of tests. Each indexed field contributes independently, so an item matching only the brand still ranks, below one matching the product name. The primary implementation is a managed full-text index with typo tolerance; the weights are:

Field matched	Relative weight	Typo tolerance	Why
Item name	10	up to 2 character edits	A buyer searches first for what the thing is.
Brand	6	up to 1 character edit	Distinguishes makers of the same product. Brand names are short, so two edits would turn one into another.
Variant / pack attributes	4	up to 1 character edit	Separates pack sizes of one product.
Category	3	exact only	The coarsest signal — being in the right aisle, never worth more than the name.
Short description	1	up to 2 character edits	A weak last resort.
Whole-phrase match on the name	15 (bonus)	one word of slack	An item whose name contains the buyer's phrase intact outranks one that merely shares its words.

Terms shorter than four characters are matched exactly, because every short word is within two edits of many others. Where the managed index is unavailable, an equivalent fallback scores each candidate row on the same fields and weights, doubling the weight of a whole-token match, halving it for a partial match, and multiplying the total by the share of query tokens the row covers — so a row matching more of what the buyer typed ranks above one matching a single term strongly. No stemming, synonym expansion, transliteration, purchase-history adjustment or machine-learned re-ranking is applied.

For an empty query, relevance is neutral for all results and price becomes the effective first comparison. A zero relevance score never removes a result from the eligible set; that is a listing question, and Disclosure 1 governs it.

4. Distance and seller location

Distance serves two distinct purposes and each is measured differently:

- **Serviceability** (whether a seller appears at all) is decided by the seller's own published rules — polygon containment, a radius in kilometres, pincode ranges and category scoping. A radius rule is evaluated as a great-circle (haversine) distance on a 6,371 km earth radius. This is a Disclosure 1 eligibility test, not a ranking step.

- **Distance ordering and the distance shown on a result** use the seller location linked to that specific offer, never an unrelated registered address. The nearest-first sort is computed by an indexed geospatial query over those locations; the kilometre figure displayed alongside a result is the haversine distance on the same radius, rounded for display only.

A coordinate pair is used only when both values are numeric and within valid latitude and longitude bounds. Where a seller's coordinates are absent or invalid, distance is unknown — never zero — and the result keeps its place under the remaining comparisons; it is not excluded. Where the buyer has given no usable location, distance ordering is unavailable and the default order applies instead. A distance figure is a straight-line ranking measurement, not a promised road distance, route, delivery time or delivery charge.

5. Buyer-selected sorting

These are the sorting controls actually offered on the web storefront. A buyer-selected option changes the order only; it never overrides the minimum listing standards in Disclosure 1.

Option	Primary comparison	Ties resolved by
Relevance	Descending relevance score as defined in Section 3. Available only when the buyer has typed a query.	Stable record identifier.
Price: low to high	Ascending selling price of the specific displayed offer and its declared pack. Unpriced offers rank last.	Stable record identifier.
Price: high to low	The same price basis, descending. Unpriced offers rank last in this direction too, rather than first.	Stable record identifier.
Rating	Descending seller rating as published by the seller. Sellers that publish no rating are not penalised in eligibility.	Ascending price, then stable record identifier.
Discount	Descending discount percentage, derived from the seller's own published maximum retail price and selling price.	Ascending price, then stable record identifier.
Nearest first	Ascending distance from the buyer's delivery point to the offer's seller location. Requires a usable buyer location.	Falls back to the default order where distance is unavailable.

The WhatsApp channel presents a fixed shortlist and offers no sort control; a buyer wanting a different order is directed to the storefront, where the full eligible set and every option above are available. A selected option applies to the whole eligible result set for that search, not only to the rows currently on screen, and does not persist beyond that search.

Price-comparison basis

Every price sort compares the selling price of the specific displayed offer at its declared pack or selling unit. It does not use the maximum retail price, the discount percentage, seller revenue or a predicted basket total. Delivery charges, order-level fees and conditional cart offers are excluded from the comparison and are shown separately at checkout. Prices for different pack sizes are not normalised to a per-kilogram or per-piece value; buyers compare the declared packs as published. An unknown price is never treated as zero.

6. Category variation and other influences

The same parameters, weights and priorities apply across every category enabled under ONDC:RETeB2B. There is no category-specific ranking variation.

The following do **not** influence the order of results in any interface: paid or sponsored placement; a commission or Buyer Finder Fee uplift; ownership or affiliation with a seller; manual commercial preference or curation; purchase-history personalisation; seller tenure; image count or quality; and the arrival time of a Seller

App's callback. Multiply carries no advertising inventory and sells no placement. Seller rating and discount influence the order only when the buyer explicitly selects those sorts.

Multiply uses a language model to interpret a free-text WhatsApp message into a structured search query, and to render results as readable text. It does not score, re-order, shortlist or filter the results: the ordering presented is exactly the one produced by the rules in this document.

7. Feedback, publication and version history

A seller can assess discoverability by checking its published item names, brand, variant attributes and category against the weighted fields in Section 3, and its fulfilment coordinates against Section 4. Meeting the listing criteria does not guarantee a high rank. A ranking concern should quote the search text, delivery location, time, Seller App, provider and item, and the sort option selected.

Field	Details
Public disclosure location	digidukaan.multiply.ai
Related listing disclosure	Buyer App Disclosure 1, published at the same location and in the same ONDC static-terms folder
Feedback contact	admin@multiply.com — Multiply Network Operations
Previous versions and changelog	Version history is retained in the ONDC static-terms repository under <code>RET/Multiply/</code> ; this is the initial effective publication.

Date	Version	Changes
8 September 2026	0.1.0	Initial effective publication. Default orders per interface, relevance weights, distance treatment, buyer sort options and the no-commercial-influence declaration state Multiply's implemented behaviour as at this date.

This disclosure is updated, with a new version and effective date, whenever a parameter, its weight, its priority or a buyer control changes, so that the published explanation stays aligned with what the software does.