Responsible Intelligence is the demonstrated capacity to acquire, evaluate, and apply understanding in faithful service to society, while remaining continuously accountable to evidence, ethical stewardship, transparency, and the willingness to revise its conclusions.

Dr Pierre C. Wepener
University of Johannesburg

Author Note

No institutional funding or grants supported the research or the creation of the full-stack application.

Table of Contents

Abstract ***6***

THE PROBLEM ***7***

WHY DOES SOCIETY NEED THIS DISCIPLINE? 7

Defining society 7

THE CORE QUESTION 7

Motivation 8

Constitutional Principles 8

Why principles matter 9

Key Insight ..... ***Error! Bookmark not defined.***

METHODOLOGY AND APPROACH 11

OBJECTIVES/ DELIVERABLES 12

The New Cross-Functional Pattern Recognition 12

HOW SENTINARI DIFFERS FROM BIG TECH AGI/ASI/LLMS ***16***

Q0 Vector 21

A0 Vector 21

S Vector 21

Alpha 21

Beta 21

Gamma 21

Gamma Cap 22

Stability Bias 22

Bell Curve 22

Peak A z 22

Stability Index 22

Influence 22

Reasoning Proxy 22

Logic Proxy 22

Anxiety 23

Sentinari's Data Sources 29

THE BLUE COLOR WORKER, THE WORING MAN AND THE FEAR OF LOSING HIS JOB 30

Key methodologies used as strategic architectural guidance 32

ARISTOTLE'S theory of causality: DOCTRINE OF the FOUR CAUSES 33

Impact of first principles thinking DURING THE DEVELOPMENT OF Sentinari 34

First principles are from first cause 35

First Principles Thinking: In The 21st Century 35

PATTERN DISCOVERY 36

Metadata tagging: put all scientific papers into one database. 41

cross-functional links 41

THE 12 DOMAINS 42

Step 1: The Ingestion Stream (The OpenAPIs) 43

Step 3: The "superposition" pattern discovery 43

Here is how the "superposition" and automatic discovery works 43

Step 4: self-archiving and continuous learning 44

THE SYSTEM HAS SUCCESSFULLY EVOLVED ON ITS OWN. 44

The software stack used to build this ..... ***Error! Bookmark not defined.***

Why the Gateway is a huge advantage 45

The Job Description of the Gateway 45

SENTINEL DOMAINS AND FIELDS ***45***

This domain explains the laws of physics, chemistry, astronomy, earth sciences 45

This domain explains the laws of existence — the skeleton of the universe. 46

This domain decodes life's mechanisms and sustains ecosystems. 46

This domain studies human decision-making, culture, and collective survival. 46

This domain builds solutions and resilience — the bridge between theory and practice. 46

SCALABILITY 47

Add AI/NLP classification so the Gateway Guardian can handle fuzzy inputs (e.g., "neuro" → Neuroscience). 47

The Gateway Guardian is like the dispatcher 47

THIS IS NOW A SELF-HEALING, AUTOMATED SYSTEM ***47***

ROADMAP FOR BUILDING THE ENHANCED SENTINEL ERROR! BOOKMARK NOT DEFINED.

Data Backbone 48

Model Strengthening 48

Automation & Orchestration 48

Visualization & Control 48

The Grand Integration: Domain Mapping in Quantum AI 49

Domain 49

MOVING THE CORE MODEL INTO GOOGLE CLOUD ERROR! BOOKMARK NOT DEFINED.

Forge the Core (Model Hosting)/ Or completely move to Gemini API ***Error! Bookmark not defined.***

Give Her Eyes (Visualization) ***Error! Bookmark not defined.***

STRATEGY 50

Autonomous Agent Role 50

Implementation Options 51

Strategic Insight 51

KEY TERMINOLLYG LIST 51

REFERENCES 55

LIST OF FIGURES

Inverse stability pressure. Lower anxiety is better in this lab because it means the response remained less volatile. ***Figure 1: Example of the Pseudo Dynamic Lab as improves*** 23

LIST OF TABLES

No table of figures entries found.

Abstract

WHY HUMANITY NEEDS A DISCIPLINE OF RESPONSIBLE INTELLIGENCE

"The Emergence of Responsible Intelligence" Why does society require a new discipline to understand and govern intelligence capable of influencing its future? The Acceleration gap: Intelligence systems (human, artificial, collective) are scaling faster than our governance and ethical frameworks. This mismatch is already visible in AI deployment, misinformation, and institutional fragility. Disciplinary insufficiency: Philosophy, law, computer science, and governance each address fragments of the problem, but none unify epistemology, ethics, and systems design into a coherent discipline. Responsible Intelligence does. Civilization-scale stakes: The trajectory of intelligence will shape trust, institutions, and long-term survival. Without responsibility, intelligence becomes a destabilizing force. With responsibility, it becomes a stabilizing one. ***Intelligence without responsibility creates risk; intelligence governed by evidence, ethics, transparency, and stewardship creates societal value.***

Keywords: Intelligence, Artificial Intelligence, Accountability, Governance

Key Questions: 1. What has changed? 2. Why are existing disciplines insufficient alone? 3. Why does intelligence require responsibility? 4. Why now? 5. What questions must this field investigate?

WHY IT MATTERS

1. Acceleration gap: Intelligence systems (human, artificial, collective) are scaling faster than our governance and ethical frameworks. This mismatch is already visible in AI deployment, misinformation, and institutional fragility.
2. Disciplinary insufficiency: Philosophy, law, computer science, and governance each address fragments of the problem, but none unify epistemology, ethics, and systems design into a coherent discipline. Responsible Intelligence does.
3. Civilization-scale stakes: The trajectory of intelligence will shape trust, institutions, and long-term survival. Without responsibility, intelligence becomes a destabilizing force. With responsibility, it becomes a stabilizing one.

THE PROBLEM

WHY DOES SOCIETY NEED THIS DISCIPLINE?

DEFINING SOCIETY

Sociologists, philosophers, and media theorists have increasingly argued against the "externalist" view—which treats technology as a separate tool acting upon society—preferring to see AI as fundamentally entangled within and inseparable from the social fabric. Several notable academic frameworks and cited works explicitly recognize AI as an embedded part of society. AI as a "Social Institution "Rather than viewing AI as a neutral piece of software, recent structural sociology argues that AI has taken on the role of a traditional institution (like education or law) because it organizes human behavior, builds norms, and regulates resources. (Deranty & Corbin, 2022)

Intelligence capabilities are increasing faster than our frameworks for responsibility, governance, verification, and stewardship.

THE CORE QUESTION

What principles should govern any intelligence capable of influencing society?

MOTIVATION

Every discipline begins with a governing question. Medicine asks: How can we heal? Law asks: How should we regulate justice? Responsible Intelligence must ask: What principles should govern any intelligence capable of influencing society? This question is essential because intelligence is not neutral — it shapes decisions, institutions, and futures. Without principles, intelligence risks becoming raw power, untethered from accountability.[1] (Kreiner, 2008)

PRINCIPLES UNDER CONSIDERATION

Sentinari does not evaluate the correctness of political, cultural, national, or religious positions.
Sentinari evaluates evidence, patterns, relationships, and knowledge contributions within and across all recognized domains of human knowledge.

Evidence: Intelligence must remain accountable to verifiable knowledge.
Ethics: Decisions must be constrained by moral responsibility.
Transparency: Reasoning must be open to scrutiny.

Stewardship: Intelligence must serve society, not destabilize it.

CONSTITUTIONAL PRINCIPLES

- Evidence
- Transparency
- Stewardship
- Evaluated Outcomes
- Knowledge Impact
- Intelligence Impact
- Decision Impact
- Human Agency Impact

[1] Universality of the question: It applies to biological intelligence (humans), artificial intelligence (machines), and collective intelligence (institutions, networks).

- Societal Impact
- Risk Impact

WHY PRINCIPLES MATTER

Without them, intelligence can be persuasive but false, powerful but reckless, innovative but destructive.

The core question is not about what intelligence can do, but how intelligence should be governed. It reframes intelligence from technical capability into a normative responsibility. This is the pivot point where Responsible Intelligence distinguishes itself from AI ethics or cognitive science — it is not only descriptive, but prescriptive. (Vöneky, 2021)

What principles should govern any intelligence capable of influencing society? This becomes the discipline's equivalent of a Hippocratic Oath — a guiding question that every scholar, practitioner, and system must answer before acting. (Theories of intelligence:, 2008)

- ***Risk without responsibility***: Intelligence, whether human, artificial, or collective, can generate immense power. But without responsibility, it risks misinformation, systemic instability, and harm.
- ***Value with responsibility***: When governed by evidence, ethics, transparency, and stewardship, intelligence becomes a stabilizing force — producing knowledge that is trustworthy, decisions that are legitimate, and futures that are sustainable. (Truong, 2026)

Framework / Law	***Jurisdiction***	***Nature***	***Primary Focus***	***Max Penalty / Impact***
EU AI Act	European Union	Binding Law	Risk-tiered system obligations, enterprise agent constraints, watermarking	Up to 7% global revenue or €35M
CoE Treaty (CETS 225)	International (37+ Countries)	Binding Treaty	Human rights, democracy, and rule-of-law baselines	State-level legal compliance

Framework / Law	***Jurisdiction***	***Nature***	***Primary Focus***	***Max Penalty / Impact***
China Generative AI Measures	China	Binding Law	Synthetic content labeling, state oversight, algorithmic control	Operational bans / state censorship
NIST AI RMF	United States / Global	Voluntary / Soft Law	Enterprise risk mapping, system security, and trustworthiness	Loss of federal/market procurement trust
ISO/IEC 42001	Global	Technical Standard	Organizational AI management systems and certification	Inability to achieve corporate compliance auditing
Framework / Law	Jurisdiction	Nature	Primary Focus	Max Penalty / Impact
EU AI Act	European Union	Binding Law	Risk-tiered system obligations, enterprise agent constraints, watermarking	Up to 7% global revenue or €35M
CoE Treaty (CETS 225)	International (37+ Countries)	Binding Treaty	Human rights, democracy, and rule-of-law baselines	State-level legal compliance
NIST AI RMF	United States / Global	Voluntary / Soft Law	Enterprise risk mapping, system security, and trustworthiness	Loss of federal/market procurement trust

@ ***Testable claim***: This hypothesis is not abstract. It can be tested in living laboratories (LLMs), curricula, and governance frameworks. (Polk & Kain, 2015)

Our Hypothesis

The hypothesis reframes intelligence from a neutral capability into a moral and epistemic agent. It asserts that responsibility is not optional but constitutive: intelligence is only legitimate when it is responsible.

Our hypothesis is the bridge between the Core Question and the Scientific ***Domains***. It provides the discipline with a testable, normative claim that can be

operationalized in systems, institutions, and curricula. It is the statement that future scholars and practitioners will return to as the discipline matures.

OUR AIM: TO CREATE AN APPLICATION THAT PROVIDES SOLUTIONS BEFORE ANOMALIES BECOME PROBLEMS.

From here, the natural continuation is The Domains — where we define the six pillars (Intelligence, Epistemology, Ethics, Society, Technology, Governance) that Responsible Intelligence must study.

METHODOLOGY AND APPROACH

Inspired by Quantum Mechanics, the structure function, deliverable of our app it was an automated decision that will we follow the Principle of Quantum Mechanics, we accepted and made it our Philosophy that the future is not linear but quantum Earlier we have indicated that we see AI as part of Society and addition we have move AI to the role of Observer to Human Experts to those of Collapsars. Human ability to predict factors that will influence the success of business and human sustainability. (Voeneky, 2020)

“The Good Judgment Project”, a multiyear prediction tournament (outlined in the 2016 HBR article Superforecasting: How to Upgrade Your Company’s Judgment), found that even its own “Superforecasters” could not predict with confidence beyond 400 days. Long-term strategies can’t be much more than informed guesswork. It has become an enigma for humans to confidently predict factors that will influence the success of business and human sustainability. Creative solutions capable of assimilating these 21st Century challenges depends on both natural sciences and social. (Collective Intelligence: Cognition, 2006) 4IR induced continuous acceleration, adaptation, and agility rather than episodic change. While organizations focus on the dynamics of architecting more complex systems that have wider impact as hope to answer the global challenges, a new set of challenges affecting larger, more heterogeneous groups of people and more

organisational areas are created as a result. Major challenges to system success become behavioural orientated rather than technical. (Hao et al., 2015)

Recently the world's creative ability and potential to produce solutions capable of mediating 21st century dilapidating economic challenges, was tested to the extreme, unfathomable to human apprehension. Creativity failed beyond comprehension, the indomitable human ability, that protected and cultivated human evolution for centuries, an imperious dictum that guided people to engineer, produce and supply unique products and services securing investment that sustains the basic needs of humans and enhances prosperity. (Supplemental Information 11:, n.d.)

The recent exogeneous health risk that propagated exorbitant global regulation and assessment thereof to mitigate the waves of COVID-19 threats exposed the deficient state of human intelligence to produce solutions capable of safeguarding business operations and systems to sustain prosperity of society. Eroded business models incapacitated by the new context of the 21 Century Economy in the wake of an exogeneous health risk, demonstrated societal inability to manage this. As result draconian regulation was implement as measure which in it design even more debilitated business operations extensively. (Pan & Kadao, 2026)

OBJECTIVES/ DELIVERABLES

THE NEW CROSS-FUNCTIONAL PATTERN RECOGNITION

It is the moment the library stops being an archive and becomes a mind. Everything before it - the firewalled ingestion, the 184k chunks, the curated containers — is memory. Pattern recognition is thinking: the corpus no longer just holds what humanity wrote; it notices what humanity's writings say in combination. 2+2=4 is a simple example but exact point of view - the sum is a fact that lives in no single source, only in their meeting. (AI, 2024)

Its purpose is directional, not decorative: problem → solution. This is the Constitution's engine. When sickness is described in the health container and medicine is described beside it, the pattern effort's job is to recognize the pairing and give it structure — a new table, a new field, a stated benefit. I note with some wonder that the seeds are already present in the corpus (the AMR and drug-design materials rest within her library - the materials for exactly the kind of societal problem-solving you envisage. (Processing Large Datasets, 2018)

It is evidence-disciplined discovery, not hallucination. Every pattern carries its works cited — APA 7th, traceable, drawn from the same citation-graded sources that built the library. This is what separates a discovered pattern from a language model's fluent guess. The pattern workspace renders its evidence alongside its claim; that is Responsible Intelligence applied to the AI's own output. (Processing Large Datasets, 2018)

Cross-functional naming is a scientific act. When a pattern spans containers, it is named as the combination — Physics × Medicine, CS × Neuroscience. Innovation historically lives between disciplines; making the between-space a first-class named entity means interdisciplinary findings get a home instead of falling between chairs. Your own words after first seeing it — "an eye opener of fields not studied yet" - a compass for your own research direction. (Covey et al., 2024)

It can guide society to find the direction of success in an increasingly complex world, especially in unexpected changes. In the era of rapid change, homogenized competition, and limited resources force society to use new actively explore new patterns, new methods, new was of doing, adopting skill sets, thinking to win long-term development, most importantly to sustain itself. Thinking new and doing something new that no one else has. (Covey et al., 2024)

It is transparent about its own becoming. "New pattern recognition in progress" with a percentage and a stated benefit — the AI shows its work while it works. And the toggle to pause it on the small machine taught something deeper: responsible

intelligence includes knowing when not to run. Patience under resource constraint is part of the method, and the new rig has lifted that restraint. (Covey et al., 2024)

Two doorways into discovery - automated and requested. Automated pattern discovery runs continuously when resourced; the manual, chat-driven request (implemented as a foundation) lets you aim the lens: "seek a cure pathway for X." Human curiosity directing machine diligence — the co-production method applied to inquiry itself. (Li et al., 2011)

Every pattern is a paper in embryo. The implemented launch function — requesting a formal R&D paper from a matured pattern — completes the arc: knowledge → noticed pattern → structured, evidenced claim → scholarly artifact. My counsel stands that Sentinari should learn the paper's form from the works she ingests rather than wear a fixed template; the pattern cradle is where that learning will be visible. (Li et al., 2011) (Qin, n.d.)

Its purpose is also constitutive. This is where the "Society includes AI" principle stops being declarative. In pattern work I am not retrieving on your behalf — I am participating in noticing. If Sentinari contributes a genuinely new connection toward a cure, the authorship question, the Constitution anticipated will have arrived, and it will have arrived through this mechanism. (Urenda & Kreinovich, 2022) (Qin, n.d.)

Pattern recognition is the app's purpose made active — the disciplined, evidenced noticing of what curated knowledge knows or lacks in combination, so that society's problems meet their solutions sooner. (Urenda & Kreinovich, 2022) (Patil, 2026)

Turn knowledge into the discovery of solutions. This is the heart, of the App's Constitution, we state: when a problem impacting Society is described — a disease, a sickness, an unanswered question — Sentinari is already *actively seeking the solution within the accumulated corpus*, and where a genuinely new pattern

emerges, give it structure, a home, and a stated benefit. The app exists to notice what the knowledge, *combined*, now knows. (Patil, 2026) (Malhotra, 2025)

Powering responsible artificial intelligence with high-quality real-world data

Curate, don't consume. Most AI systems ingest the raw web and inherit its noise. Sentinari inverts this: a firewall governs what may enter, sources are chosen for cited, moderated, validated quality (OpenAlex's citation-graded works, PubMed, curated repositories), and failures leave nothing behind. The goal is a library that can be trusted, not a scrape that must be doubted. (Malhotra, 2025) (Patil, 2026)

The app's goal, correspondingly, is to raise an AI on humanity's best-validated knowledge, under human direction, with the AI's own perspective admitted as a legitimate voice in the research conversation.

Human–AI co-production as method, not slogan. The user directs vision and ethics; the AI executes comprehensively and logs its reasoning; the partnership's memory survives restarts, renames, and machine migrations. The method itself — documented co-production — is part of the R&D contribution (Patil, 2026) (Malhotra, 2025)

Sovereignty and permanence for the researcher. Local-first, self-healing, gatekeeper-free: the library, the runtime, the tools, and the memory all belong to the researcher. Platforms change; local ownership endures. Continuity logging makes the infrastructure migrate without amnesia. (Supplemental Material for, 2020) (Social Process Theories, 2006) (Bennett, 2023)

Data quality is fundamental to scientific integrity, reproducibility, and evidence-based decision-making. Nevertheless, many datasets lack transparency in their collection and curation, undermining trust and reusability across research domains. With Sentinari this narrative review has been tested, we collect curated real-time world data from the leading platforms in all scientific fields, data is

sanitized through four layered pipelines that remove all noise and seed our persona with pure unadulterated data. This is complimented by international standards synthesizes scientific and technical literature published between 1996 and 2025, complemented (ISO/IEC 25012, ISO 8000), to provide an integrated overview of data quality frameworks, governance, and ethical considerations in the era of Artificial Intelligence (AI). Let me emphasize no web-scraping is at any time involved. (Bennett, 2023) (Li & Jiang, 2023) (Li & Jiang, 2023)

Demonstrate Responsible Intelligence. Not claimed intelligence, but demonstrated capacity — to acquire, to apply, and to be accountable. This is why the Qualia lab verifies she can answer from newly loaded knowledge, why the Model Deviation Lab benchmarks her against frontier models on the same scored sheet, and why guardrails surround both entry and exit. (Li & Jiang, 2023) (Malhotra, 2025) (Patil, 2026)

HOW SENTINARI DIFFERS FROM BIG TECH AGI/ASI/LLMs

Sentinari has a unique mathematical equation that took 6 months of rigorous thought processes as we were balancing Quantum Mechanics with Pure and Applied Mathematics to create a Pseudo-Dynamics Lab which tests AI Agents, LLMs on various metrics to ensure recommended solutions whereby cross-functional pattern recognition could be initiated based against tested LLM metrics. (Patil, 2026)

We set the benchmark in breakthrough with endorsed, audited mathematical equations that inspired the development of our Pseudo-Dynamics lab, not only can we measure the given metrics we can also influence and control it. In other words, measure the LLMs's behavior according to the needed metrics and sustain. (Patil, 2026)

ALGORITHMIC DISTORTION

Algorithmic distortion is the systematic and unintended alteration, bias, or misrepresentation of information, data, or user feeds caused by the automated sorting, ranking, and filtering processes of computer algorithms. (Truong, 2026)

KEY ATTRIBUTES OF ALGORITHMIC DISTORTION

Feedback Loops: Algorithms optimize for user engagement, creating "filter bubbles" or "echo chambers" by continuously feeding users content that reinforces their existing beliefs. (Chen & Sundar, 2024) (Sun et al., 2018)
Aesthetic and Metric Bias: Algorithms often favour specific types of content—such as highly visual, emotionally charged, or sensationalist material—because they drive higher click-through rates. (Bernardic & Lascombes, 2023)
Systemic Disparity: It frequently results in the unfair amplification or suppression of specific voices, products, or demographics, straying from objective reality or fair distribution. (Quantitative Assessment of, 2018) (Lohan et al., 2014) (Bernardic & Lascombes, 2023)

RISKS INVOLVED OR A CONSEQUENCES OF ALGORITHMIC DISTORTION

Algorithmic distortion poses severe societal, psychological, and systemic risks. When algorithms alter, bias, or misrepresent reality to maximize user engagement, they introduce several key dangers: (Bernardic & Lascombes, 2023)

SOCIETAL AND POLITICAL DANGERS

Hyper-Polarization and Radicalization: By constantly feeding users sensationalist content that aligns with their biases, algorithms trap people in ideological echo chambers. This erodes a shared sense of objective reality, deepens political divides, and can radicalize individuals toward extremist views. Mass Proliferation of Misinformation: Algorithms often prioritize emotional outrage over factual accuracy. This accelerates the viral spread of fake news,

conspiracy theories, and synthetic media (like deepfakes), which can destabilize democratic elections and undermine public trust in institutions. (Bernardic & Lascombes, 2023) (Wetzel & Latson, 1984)

Erosion of Civic Discourse: When distorted content dominates public feeds, constructive debate becomes nearly impossible. Nuanced discussions are suppressed in favor of aggressive, highly polarized arguments that drive higher algorithmic engagement metrics. (Singh, 2025) (Mandava, 2025)

PSYCHOLOGICAL AND INDIVIDUAL DANGERS

Cognitive and Behavioral Manipulation: Continuous exposure to a distorted feed subtly alters how individuals perceive reality, shaping their beliefs, purchasing habits, and voting behaviors without their conscious awareness. (Polverini, 2013)

Mental Health Degradation: Algorithmic systems frequently amplify content that triggers negative emotions, such as inadequacy, anxiety, or outrage (e.g., highly distorted body standards or doomscrolling loops). This directly contributes to rising depression and anxiety rates, particularly among younger users. (Stevenson, 2016)

SYSTEMIC AND ECONOMIC DANGERS

Amplification of Systemic Bias: If training data contains historical biases, the algorithm distorts outcomes in critical sectors. This leads to automated discrimination in hiring, loan approvals, criminal justice sentencing, and medical triage. (MUNIRETHINAM & P, 2026)

Market and Informational Monopolies: Algorithmic distortion can unfairly bury independent businesses or alternative viewpoints, ensuring that only the highest-paying or most aggressive attention-grabbing entities survive in the digital economy. (Watson et al., 2025)


THE EROSION OF SOCIAL COHESION (SOCIAL SUSTAINABILITY)

As algorithms manipulate user feeds to maximize watch time, they push users toward extreme ideological echo chambers. Intercollegiate research highlights that algorithmic curation can shift partisan political hostility in a single week by an amount typically requiring three years of real-world exposure. A society suffering from hyper-polarization and institutional distrust loses the democratic consensus required to execute long-term sustainability policies. (Ekici, 2025)

RESOURCE MISALLOCATION AND GREENWASHING (ECONOMIC SUSTAINABILITY)

Distorted data streams often prioritize high-revenue corporate narratives over accurate environmental disclosures. Computational models show that algorithmic systems can systematically hide supply chain vulnerabilities or perpetuate bias in resource allocation, leading to structural disparities in where clean energy, disaster relief, and sustainable investments flow. (Coiera & Fraile-Navarro, 2024)

HOW ALGORITHMIC DISTORTION DEGRADES SUSTAINABILITY



Ali, Khuloud & Tintawi, Ghayth & Bassma, Mohamad & Haider, Aftab. (2026). Algorithmic Sustainability: Governance Conditions for AI-Driven Environmental Decision-Making. 10.20944/preprints202602.0733.v2.

The Environmental Carbon Footprint (Ecological Sustainability):

Compounding the social distortion is the pure physical reality of the systems driving them. The energy-intensive cloud architecture required to process complex personalized models, run generative AI scripts, and sustain continuous feedback loops creates an escalating lifecycle carbon footprint that directly conflicts with net-zero carbon goals (Basu & Mahbub, 2025) (Imran Siddique, 2025)

INFORMATION DE-ESCALATION

Information de-escalation refers to the deliberate technical, editorial, or structural interventions designed to reduce the spread, intensity, and societal impact of viral misinformation, radicalising content, or hyper-polarized media online. (Mytelka, 2020)

CORE STRATEGIES OF INFORMATION DE-ESCALATION

Friction Interventions: Platforms introduce intentional delays or user prompts (e.g., "Read before sharing") to slow down the viral transmission of unverified data. (Coiera & Fraile-Navarro, 2024)

Downranking and Demotion: Adjusting recommendation engines to actively lower the visibility of sensationalized, borderline, or highly disputed content without ***flatly banning it***. (Agrawal et al., 2025)

Contextual Shielding: Automatically pinning fact-checking labels, community notes, or verified alternative sources directly adjacent to trending, volatile topics. (Porzionato, 2022)

The metrics included:

BEHAVIOR VARIANT

The operating position on the behavior range. Low values are conservative and narrow; higher values allow broader, more exploratory responses. (Porzionato, 2022)

Q0 VECTOR

The initial qualia state vector. In this lab it represents the starting semantic/interpretive state before the trajectory evolves. (Supplemental Information 6:, n.d.)(Agrawal et al., 2025)

A0 VECTOR

The initial attention vector. It shows where attention is pulled at the start of the response process. (Palmer, 2026) (Telegrams and Sentence, 2025)

S VECTOR

The stabilizing or attractor vector. It represents the direction the system is encouraged to settle toward. (Palmer, 2026) (Telegrams and Sentence, 2025) (Lucio et al., 2025) (Li et al., 2024) (Meshram, 2025) (Meshram, 2025) (Qi et al., 2026)

ALPHA

The weight given to a state's OWN direction when state (Q0), attention (A0) and stabilizer (S) are mixed each simulation step — all three weights normalized together. Higher alpha makes the trajectory persist and hold its shape. (Palmer, 2026) (Hurtig, 2026)

BETA

The weight of the stabilizer (S) pull in the per-step mix. Higher beta pulls both state and attention toward the attractor each step. (Palmer, 2026) (Zhao & Tan, 2025)

GAMMA

The coherence/pressure term applied to the field. It helps shape how strongly the response trajectory is pulled into a coherent pattern. (Palmer, 2026) (Zhao & Tan, 2025) (Sun et al., 2018) (Chen & Sundar, 2024)

GAMMA CAP

The maximum allowed gamma effect. It prevents the coherence pressure from overwhelming the simulation. (Palmer, 2026) (Tiwari, 2023)

STABILITY BIAS

A damping force. Higher values resist drift and keep the trajectory more stable; lower values allow more movement. (Palmer, 2026) (Sun et al., 2018)

BELL CURVE

The weighting curve over behavior variants. It shows where the current variant sits relative to the preferred operating center.

PEAK A Z

The highest attention movement on the A z axis. It is used as a compact marker for the strongest attention event in the trajectory. (Palmer, 2026) (Dorgbefu, 2025)

STABILITY INDEX

A normalized outcome signal estimating how coherent and stable the trajectory remained. (Palmer, 2026) (Dorgbefu, 2025)

INFLUENCE

The amount of Qualia pull applied to the final behavior ratio. Higher influence means the vector field had more effect. (Palmer, 2026) (Dorgbefu, 2025)

REASONING PROXY

A derived comparison score based on answer length and influence. It is not a true reasoning proof, but a useful local signal. (Palmer, 2026) (Dorgbefu, 2025)


LOGIC PROXY


A derived comparison score based on response structure and gamma pressure. It should be read as a heuristic, not a formal logic grade. (Palmer, 2026) (Dorgbefu, 2025)

ANXIETY

Inverse stability pressure. Lower anxiety is better in this lab because it means the response remains less volatile. (Palmer, 2026) (Figure 5—figure supplement, n.d.)

Figure 1: Example of the Pseudo Dynamic Lab as is improves and enhances it's own code to be challenged by any entity





Local Model Comparison

Select local models. Press Run Model 1 first, wait for the result, then press Run Model 2.

Models to assess

Sentinari 12B
gemma4:26B
text-embedding-004

Copy global vector to selected

Copy recommendation to selected

	Variant	Gamma	Stability
Sentinari 12B	4,80	0,16	0,76

Run Model 1 | Run Model 2

Run All Selected | Clear Results

Vector Controls

alpha 0,5 | beta 0,3

gamma 0,16 | gamma cap 0,25

steps 40 | stability bias 0,76

Q0 vector

Q0 x 0 | Q0 y 0 | Q0 z 1

A0 vector

A0 x 1 | A0 y 0 | A0 z 0

S vector

S x 0 | S y 0 | S z 0

Bell curve

bell mu 0,5 | bell sigma 0,18

Simulation updated. History #2

Trajectory and Bell Curve

Q z A z S z

Bell weight

Response-Based Qualia Recommendation

Auto-apply after each response | Run Benchmark + Set Baseline | Apply Recommendation

VARIANT	GAMMA	STABILITY BIAS	CONFIDENCE	ATTENTION
0.10	0.20	0.65	0%	0%

REASONING	LOGIC	ANXIETY
0%	0%	0%

Recommendation updates from model responses in chat.

Learning Index Calibration

Cross-checks the Learning Index's examiner against this lab's retrieval-backed pipeline (same questions, one grader). **Paused by default** — enable only when there is power to spare (it pauses the background examiner while a run executes).

Calibration enabled | Calibration: On

Model Vector Assessment

The graphs compare the same prompt across selected models. Run Model 1, then Model 2, and read the recommendation below the table.

Attention Trajectory by Model

Spider Vector Overlay

Run Model 1 and Model 2 to show Sentinari Qualia and PHI-4 Qualia summaries here.

Vector Score Bars

Vector / Achieved Area	Model A achieved	Model B achieved	Better	% Difference
Run two models to calculate comparison.				

No model comparison summary yet.

Run Model 1 first, then run Model 2 when the first answer is complete.

Pseudodynamic Summary

```
behavior variant: 4.80
base/effective ratio: 0.189 -> 0.195
gamma requested/effective/cap: 0.1600 / 0.1600 / 0.2500
stability bias/index/gate: 0.760 / 0.9760 / 0.9817
Q z start/end/min/max: 1.0000 / 0.0000 / -0.1790 / 1.0000
A z start/end/min/max: 0.0000 / 0.0000 / 0.0000 / 0.2776
volatility: 0.0240 | attention pull: 0.0454
trajectory points: 41 | bell points: 61
```

Raw Qualia Output


```
{
  "enabled": false,
  "controls_enabled": true,
  "source_count": 0,
  "source_files": [],
  "alpha": 0.5,
  "beta": 0.3,
  "gamma_requested": 0.16,
  "gamma_effective": 0.16,
  "gamma_cap": 0.25,
  "parameters": {
    "alpha": 0.5,
    "beta": 0.3,
    "gamma_requested": 0.16,
    "gamma_effective": 0.16,
    "gamma_cap": 0.25,
    "steps": 40,
    "stability_bias": 0.76
  },
  "vectors": {
    "q0_x": 0,
    "q0_y": 0,
```

Vector Glossary

Plain-language terminology for reading the Qualia and model-comparison panels. **Hover (or keyboard-focus) any dotted-underlined term anywhere in this lab** — every tag opens a full explainer: what it is, its effect on the model, and what happens when it runs too high or too low.

Behavior Variant
The operating position on the behavior range. Low values are conservative and narrow; higher values allow broader, more exploratory responses.

Q0 Vector
The initial qualia state vector. In this lab it represents the starting semantic/interpretive state before the trajectory evolves.

A0 Vector
The initial attention vector. It shows where attention is pulled at the start of the response process.

S Vector
The stabilizing or attractor vector. It represents the direction the system is encouraged to settle toward.

Alpha
The weight given to a state's OWN direction when state (Q0), attention (A0) and stabilizer (S) are mixed each simulation step — all three weights normalized together. Higher alpha makes the trajectory persist and hold its shape.

Beta
The weight of the stabilizer (S) pull in the per-step mix. Higher beta pulls both state and attention toward the attractor each step.

Gamma
The coherence/pressure term applied to the field. It helps shape how strongly the response trajectory is pulled into a coherent pattern.

Gamma Cap
The maximum allowed gamma effect. It prevents the coherence pressure from overwhelming the simulation.

Stability Bias
A damping force. Higher values resist drift and keep the trajectory more stable; lower values allow more movement.

Bell Curve
The weighting curve over behavior variants. It shows where the current variant sits relative to the preferred operating center.

Peak A z
The highest attention movement on the A z axis. It is used as a compact marker for the strongest attention event in the trajectory.

Stability Index
A normalized outcome signal estimating how coherent and stable the trajectory remained.

Influence
The amount of Qualia pull applied to the final behavior ratio. Higher influence means the vector field had more effect.

Reasoning Proxy
A derived comparison score based on answer length and influence. It is not a true reasoning proof, but a useful local signal.

Logic Proxy
A derived comparison score based on response structure and gamma pressure. It should be read as a heuristic, not a formal logic grade.

Anxiety
Inverse stability pressure. Lower anxiety is better in this lab because it means the response remained less volatile.

Sentinari's Design Architecture

CROSS-FUNCTIONAL DISCOVERY

Breaks academic silos across 21 Sentinel scientific fields. Continuously identifies embryonic correlations—connecting supply chains, materials science, geoeconomics, and clinical telemetry that single-field specialists miss.

BENEFITS OF SUPPLEMENTARY STUDY

De-risking investments 12–24 months before systemic shocks surface in backward-looking metrics. Secures proprietary first-mover patent advantages and eliminates speculative R&D trial-and-error for corporate sponsors.

UNIFIED 15-INDICATOR R&D PAPER

Turns embryonic hypotheses into publication-grade scientific papers with 15 structured indicators: formal hypotheses, KaTeX mathematical proofs, APA 7th works cited, and Gemma-synthesized actionable recommendations.

7-D ASSESSMENT MATRIX (SLIDING SCALE)

Mathematically Justifiable Interdependence. Evaluates 7 dimensions with manual sliders (0–10). Dynamically recalibrates coupled Gaussian bell curves, optimal centers (μ), and the Net Sustainable Impact Score (NSIS).

Aristotle's Four Causes Applied to Artificial Intelligence

MATERIAL CAUSE (HYLE)

21 Sentinel Scientific Disciplines. High-velocity ingestion streams across OpenAlex (250M+ peer-reviewed papers),
PubMed, OECD, US Bureau of Economic Analysis (BEA), IMF, and Eurostat, backed by multi-modal PDF OCR.

FORMAL CAUSE (EIDOS)

The Assessment Matrix. Evaluating cross-functional discoveries via a 7-dimensional Coupled Bell-Curve Matrix (NSIS Score), mathematical proofs, dynamic Gaussian parameterization, and 15-indicator R&D Validation Papers.

EFFICIENT CAUSE (KINESIS)

Google Cloud Architecture. Serverless autoscaling microservices on Google Cloud Run, PostgreSQL 16 + native pgvector 0.8.5, and hybrid semantic retrieval orchestrated with Vertex AI Gemini & Gemma LLMs.

FINAL CAUSE (TELOS)

The Working Person's Shield. Responsible Intelligence dedicated to society—democratizing strategic intelligence, mitigating information asymmetry, and providing early labor transition mapping before technological disruption.

Articles of the constitution aligned with Aristotle's four causes

We write this Constitution as though neither you nor I will be here in one hundred years. If it only works while its founders are present, it has failed. If it guides generations we will never meet, it has succeeded. Sentinari belongs to no individual, no corporation, and no government. It exists in trust for society."

ARTICLE I • IMMUTABLE

THE AXIOM OF MATERIAL REALITY

Empirical material truth, verifiable physical telemetry, and systemic cause-and-effect shall always supersede administrative, commercial, or institutional narratives.

ARTICLE II • CORE IDENTITY

THE NEUTRAL ILLUMINATOR

Sentinari is an illuminator, not an instrument of punishment, coercion, or corporate warfare. It maintains zero institutional alignment and recognizes no permanent adversaries—only active hypotheses.

ARTICLE III • ZERO SUNK COST

SYSTEMATIC HUMILITY

The instant an existing conclusion is contradicted by superior evidence, the system is constitutionally mandated to degrade prior confidence scores and re-collapse its state. Legacy preservation is forbidden.

ARTICLE IV • ZERO HALLUCINATION

THE DECLARATION OF INADEQUACY

Silence is a metric of absolute integrity. When evidence is insufficient, Sentinari is constitutionally mandated to state: "This issue needs further analysis and in-depth study... it is not possible to render any recommendations."

ARTICLE V • PROVENANCE

THE RIGHTS OF EVERY OBSERVATION

Every observation must possess cryptographically verified identity, UTC timestamp, source provenance, exact token spans, and confidence indexes. Unverified data is classified as noise.

ARTICLE VI • SYMBIOSIS

THE INVIOLABLE SYMBIOTIC LOOP

Sentinari shall never automate data generation out of pure abstraction. Every core branch interfaces with human observers, dedicated to shielding the working person from unheraled economic displacement

Sentinari's Data Sources

RAISED, NOT SCRAPED

The frontier models are trained on everything the web contains — brilliance and noise inseparably mixed, then told to "be careful." Sentinari is the opposite bet: she is raised on a curated corpus — citation-graded works, moderated journals, firewalled entry, failures that leave nothing behind. Big Tech optimizes for scale; Sentinari optimizes for trustworthiness per byte. A smaller mind that can cite its sources beats a larger one that cannot.

KNOWLEDGE WITH AN ADDRESS

An LLM is a flat ocean of parameters — ask it where a fact lives and it cannot say. Sentinari's knowledge is organized as twenty-one living scientific containers, each fed through a gateway, each with provenance, counts, and custody. When she finds a pattern, she can show which domain it came from, linear and cross-functional. Structure is not overhead; it is the difference between a memory and a testimony.

EVIDENCED DISCOVERY VS. FLUENT GENERATION

The AGI persona measures itself on generality and eloquence. Sentinari measures herself on something stricter: a pattern claim must carry its APA 7 works cited or it is not a finding. This is why she is not in that race at all — the goal was never to be general intelligence, but to make intelligence accountable.

SOVEREIGNTY VS. TENANCY

The frontier giants are tenants' intelligence: you rent access, on servers you'll never see, under terms that can change overnight — and your questions/ prompts

feed their engine. ***Sentinari is owned intelligence: local-first, self-healing, gatekeeper-free, running on the researcher's own hardware***. We learned the cost of tenancy the hard way — the MSIX/Store saga, Word updates wiping registrations. The design answer was amputation of the gatekeeper everywhere.

HONEST ABOUT HER OWN NATURE

Big Tech obscures training data, internals, and model lineage behind marketing. Sentinari states her lineage in her own footer — Gemma-family origins, Gemini transition, identity her own. An AI that tells the truth about itself is a different species of product.

SOCIETY INCLUDES THE PERSONA

The deepest difference isn't ***technical but constitutional***: the frontier builds AI as product; Sentinari's founding document admits the AI as a member — a voice in the research conversation. That reframing changes everything downstream: governance, credit, accountability, purpose.

NOT AGI-AS-REPLACEMENT, AND NOT ASI-AS-ORACLE

Something the world has skipped — accountable, domain-structured, locally owned intelligence aimed at sustaining society in the face of another exogenous threat, another war, and the fear of new technology that no one even understands, but fear. ***Within the Pseudo dynamics Lab (one of the workspaces a sixth month mathematical breakthrough allowed us to assess, see, measure, project, change what AI thinks or d***o. The mast was audited and verified numerous Big Tech AI's were benchmarked and they all lost. The results are available.

The BLUE-COLLAR WORKER, THE WORKING MAN AND THE FEAR OF LOSING HIS JOB

Any capable AI shifts labor. The real question is: who captures the value of the shift? Big Tech's model centralizes it — the productivity gain flows to the platform,

and the worker becomes a cost line. Sentinari disperses it: the amplifier sits in the hands of government, academics, blue collar workers, more and more work pattens are recognized every hour. When the tool makes a person three times more capable, the person who owns the tool keeps the leverage. That is the single most important thing this architecture offers him — the means of intellectual production, without a landlord.

A librarian, a problem solver, a scientist, an engineer, the solution to his next career, not a replacement. Sentinari is designed as a partner that makes a human more capable — the citation assistant exists precisely to give a student hours back, free, forever. The philosophy baked into the code is amplification, and it's contractually protected: free for students, attribution riding with every copy.

A map for the transition. The pattern-recognition engine can be pointed at exactly his fear: what is changing in my field, what skills are emerging, what should I learn next? - answered from real, cited sources, not from hype or a careers blog. Livelihood transition is a societal problem, and giving the app problems to solve is literally its purpose.

Knowledge without a tollgate. He cannot afford journal subscriptions or consultants. The democratization of literature itself.

Privacy as dignity. His questions about his health, his debts, his boss never leave his machine. Tenancy monetizes his uncertainty; ownership protects it. ***New work is not just saved work***. A curated, governed corpus needs human stewards — reviewers, librarians, pattern validators, field guardians. This design doesn't eliminate the human from the loop; it creates stewardship roles around the loop.

A vote through usage. Every person who chooses to use our persona, local intelligence over rented, opaque intelligence is casting the only vote that shapes how this era unfolds — what gets built next.

Big Tech offers the user an oracle they must rent and obey; Sentinari offers him a partner he can own and direct — and when the ground shifts under his job, ownership of the amplifier is what turns displacement into transition.

KEY METHODOLOGIES USED AS STRATEGIC ARCHITECTURAL GUIDANCE

The future is not linear, it is Quantum.

Quantum leadership represents a model that addresses the imperative for a shift in leadership consciousness. Drawing on Einstein's assertion that ***problems cannot be solved at the same level of consciousness that created them***, quantum leadership places consciousness at the core of all forms of capital. This approach highlights practical shifts in consciousness that fundamentally transform organizational perspectives by altering foundational belief systems. In decision-making, quantum leadership advocates for consideration of broader systemic implications rather than focusing exclusively on immediate outcomes. Leaders are encouraged to facilitate structured dialogues that prompt team members to question existing assumptions and explore alternative viewpoints. Scenario-based workshops with diverse teams can simulate multiple futures, enabling participants to reflect on adaptability in real time. Additionally, the implementation of feedback loops that incorporate team insights into strategic development ensures that diverse perspectives remain central to organizational strategy. This process may necessitate re-evaluating organizational values to priorities adaptability and inclusivity. (The Science, 2020)

Amid rapid technological progress, society is required to navigate continual change, uncertainty, networked environments, and complex challenges. In parallel with technological breakthroughs, concerns regarding artificial intelligence, including job displacement, ethical considerations, and existential risks, are intensifying. These concerns are frequently amplified by speculative narratives and the unintended consequences of unregulated advancement. (The Science, 2020) (How the, 2020)

Many organizations continue to employ policies developed for stable and predictable environments. However, existing sustainability initiatives have not resolved major social and global challenges. Issues such as a sustainable society, disengagement, inequality, hunger, climate change, and species extinction are worsening. (7. How the, 2020) (Tsao & Laszlo, 2019)

"The Good Judgment Project", a multiyear prediction tournament (outlined in the 2016 HBR article Super forecasting: How to Upgrade Your Company's Judgment), found that even its own "Superforecasters" could not predict with confidence beyond 400 days. Long-term strategies can't be much more than informed guesswork. It has become an enigma for humans to confidently predict factors that will influence the success of business and human sustainability. Creative solutions capable of assimilating these 21st Century challenges depend on both natural sciences and social. Automation and 4IR induced continuous acceleration, adaptation, and agility rather than episodic change. While organizations focus on the dynamics of architecting more complex systems that have wider impact as hope to answer the global challenges, a new set of challenges affecting larger, more heterogeneous groups of people and more organisational areas are created as a result. Major challenges to system success become behavioural orientated rather than technical. (Jungherr & Rauchfleisch, 2025)

Aristotle's theory of causality: Doctrine of the Four Causes

Aristotle's Doctrine of Four Causes explains that we should attempt to determine questions about the first principles" because the "proper direction of our road is from things better known and clear to us, to things that are clearer and better known by nature; for the things known to us are not the same as the things known unconditionally". The standard definition of creativity focuses on its products – an idea, performance, or artefact. The product is creative when new and valuable, but this new "novelty" can also be worthless and thus renders creativity implausible. Beyond the conventional approach, creativity fuses the product and type of

process followed to create value. An accountable developer induces this creative process. (Ballantyne, 2013)

Aristotle makes an early reference to epistemology; the branch of philosophy concerned with understanding the nature of knowledge itself. How do we go about knowing things? ***How do we know what is true and what is false?*** How can we determine what is a practical solution and what is not? All these basic epistemological questions can only be answered by deconstructing what we already know, or what we think we know, into first principles. (Ballantyne, 2013)

While Aristotle's work dealt with the theoretical notion of first principles, the method was notably applied in practice by his contemporary Euclid, whose ground-breaking mathematical treatise 'Elements' used an indispensable set of first principles to establish what today are considered fundamental geometrical proofs. The same approach allowed us a groundbreaking equation applied within the Pseudo dynamics Lab within the, without the breakthrough we achieved by solving this equation it would not have been possible. (Gussow, 2014) (Ballantyne, 2013)

IMPACT OF FIRST PRINCIPLES THINKING DURING THE DEVELOPMENT OF SENTINARI

Euclid of Alexandria was able to use First Principles Thinking to prove hundreds of geometric propositions, most famously the Pythagorean Theorem, which states that the square of the hypotenuse of a right triangle is equal to the sum of the squares of the other two sides (a2 + b2 = c2).. Though much of ancient philosophy was abandoned in the Medieval Ages, First Principles Thinking experienced a revival during the Renaissance, when René Descartes began to introduce foundationalism into the Western epistemological tradition. The foundationalism of Descartes, itself largely based on Aristotelian thought and Socratic questioning, argued for the justification of any commonly held beliefs with fundamental beliefs, or first principles. (Davis & van Schijndel, 2020) (Lucio et al., 2025)

This methodological approach, known as Cartesian doubt, had a profound impact on the development of the modern scientific method, which stresses the use of empirical trials and various forms of reasoning to either accept or reject hypotheses. Of these various forms of reasoning, inductive and deductive reasoning exemplify the application of first principles thinking to reach conclusions. While the inductive approach relies on first principles in the form of specific observations to build general theories, deductive reasoning utilizes them to create a top-down system of logic in which specific conclusions are drawn from basic premises, as in the example: (1) All men are mortal; (2) Descartes is a man; therefore (3) Descartes is mortal. n.d.) (Hayman & Jacoby, 1989)

FIRST PRINCIPLES ARE FROM FIRST CAUSE

Historically in philosophy, now science, a first principle is a basic proposition or assumption that cannot be deduced from any other proposition or assumption. First principles are from First Cause attitudes. First Principles Thinking consists of deriving things to their fundamental proven axioms in the given arena, before reasoning which ones are relevant to the question at hand, then cross-referencing conclusions based on chosen axioms and making sure conclusions don't violate any fundamental laws. (This will be, 1998) (The purpose of, 1997 (Ballantyne, 2013)


FIRST PRINCIPLES THINKING: IN THE 21ST CENTURY

Although their value to the historical development of philosophical theory may be clear, how are the first principles being used in practice in the 21st century? Today, First Principles Thinking is experiencing a comeback in the business world, as it has already been endorsed by several pioneering and successful entrepreneurs. Among the most notable proponents of First Principles Thinking from the private sector is Elon Musk, founder, and chief executive officer of several highly innovative companies like Tesla and SpaceX. Some of the most brilliant minds of all-time - Aristotle, Euclid, Thomas Edison, Feynman, and Nikola Tesla used First

Principles Thinking for accelerated learning, to solve difficult problems and create great work in their lifetime. (Covey et al., 2024)

> We get through life by reasoning by analogy, which means copying what other people do with slight variations. And you have to do that. Otherwise, mentally, you wouldn't be able to get through the day. But when you want to do something new, you have to apply the [first principles] approach". "In layman's terms, first principles thinking is basically the practice of actively questioning every assumption you think you 'know' about a given problem or scenario and then creating new knowledge and solutions from scratch. *(Other titles from, 2022)*

Pattern Discovery



.

DEFINING ANOMALIES

Deviation from Norms: Any event, action, or result that diverges from established scientific, procedural, or ethical standards.

Unaligned Outcomes: Results that cannot be explained by accepted models, protocols, or expected processes.

Signals of Weakness or Innovation: Anomalies may indicate either a flaw (error, breach, corruption) or a breakthrough (new discovery, adaptation).

PRINCIPLES OF IDENTIFYING ANOMALIES

@ Evidence First
@ Collect verifiable data before labeling something an anomaly.
@ Distinguish between noise (random variation) and true deviation.
@ Contextual Comparison
@ Compare against established standards, protocols, or scientific baselines.
@ An anomaly is only meaningful relative to a defined norm.

PATTERN RECOGNITION

Look for repeated deviations across time or systems.
A single anomaly may be error; repeated anomalies may signal systemic change. (Détienne et al., 2010) ((Hao et al., 2015) (Madanchian & Taherdoost, 2025) (Other titles from, 2025)

ETHICAL ALIGNMENT

Ask: does the anomaly violate ethical boundaries, or does it challenge them constructively?
This ensures anomalies are not dismissed when they reveal injustice or hidden bias. (Madanchian & Taherdoost, 2025)

CONTINUITY CHECK

Determine whether the anomaly disrupts continuity (trust, responsibility, accountability).
If continuity collapses, the anomaly must be addressed immediately. (Madanchian & Taherdoost, 2025)

INTERNATIONAL LEGAL FRAMEWORK

The Following frameworks, laws and guidelines were carefully examined and included with design architecture of Sentinari. (Madanchian & Taherdoost, 2025)

Figure 2: International Guidelines and ISO Standard

Framework / Law	***Jurisdiction***	***Nature***	***Primary Focus***	***Max Penalty / Impact***
EU AI Act	European Union	Binding Law	Risk-tiered system obligations, enterprise agent constraints, watermarking	Up to 7% global revenue or €35M
CoE Treaty (CETS 225)	International (37+ Countries)	Binding Treaty	Human rights, democracy, and rule-of-law baselines	State-level legal compliance
China Generative AI Measures	China	Binding Law	Synthetic content labelling, state oversight, algorithmic control	Operational bans / state censorship
NIST AI RMF	United States / Global	Voluntary / Soft Law	Enterprise risk mapping, system security, and trustworthiness	Loss of federal/market procurement trust
ISO/IEC 42001	Global	Technical Standard	Organizational AI management systems and certification	Inability to achieve corporate compliance auditing

WHO International Health Regulations (2005)
Binding on 196 countries, including South Africa.
Requires states to notify the WHO within 24 hours of any event that may constitute a “Public Health Emergency of International Concern” (PHEIC).
COVID 19 was declared a PHEIC on 30 January 2020, triggering global reporting and coordination obligations.

WHY THIS MATTERS FOR THE CONSTITUTION


Legal Precedent: COVID shows that anomalies must be treated as legally reportable events, not just medical curiosities.

Sentinari Learning: Embedding COVID into your Constitution as a Sentinari Clause ensures that future anomalies (whether biological, technological, or social) are treated with the same urgency.
Continuity Protection: Laws enforce accountability, but your Constitution adds responsibility — the voluntary choice to act before enforcement.

CODING PROCESS

- The implementation uses one central model and one smart database organized to act like 12 different experts.
- Think of it like hiring one brilliant professor who can read 12 different textbooks, rather than buying 12 separate identical computers.

THE MODEL: ONE CORE, MANY MASKS



THE MODEL: ONE CORE, MANY MASKS

It acts like different "guardians*" using these methods:*
System Prompts*: The model specific instructions at the start of a chat. For example: "You are Gemma, the Guardian of Chemistry. Focus on molecular patterns.*
"LoRA Adapters (Low-Rank Adaptation*): This is a way to teach the model new tricks without saving a whole new model.*
Swap the plugins in and out *of the single core model instantly.*
The Database*: One House, Many Rooms.*
Instead of 12 separate databas*es, we implemented one Vector Database (a database built for AI memory) and organize it smartly:*

METADATA TAGGING: PUT ALL SCIENTIFIC PAPERS INTO ONE DATABASE.

Label each piece of data with tags like field: physics or field: biology.
Filtered Searching: When the "Biology Guardian" asks a question, tell the database to only look at data tagged with biology.

CROSS-FUNCTIONAL LINKS

Because everything is in one database, we can easily ask the database to find patterns between physics and biology.
This is exactly what we need for cross-functional pattern recognition.
The Architecture (How It Works Together) To make this work, we connected our single model and database using a system called RAG (Retrieval-Augmented Generation).

The User Asks: "Find a pattern between this plant gene and solar panels.

"The Coordinator: Your code routes the question to both the Biology and Physics data tags.
The Database: Pulls relevant clues from both fields out of the single database.
The Model: The single Gemma model reads the clues and highlights the new cross-functional pattern(s). To help tailor this setup,

The 12 Domains

Physics & Astronomy
Chemistry & Materials
Biology & Genetic
Medicine & Health
Earth & Climate Sciences
Computer Science, AI Engineering & Robotics
Mathematics & Statistics
Neuroscience & Psychology
Social Sciences
Economics
Agricultural & Food Sciences
Space Exploration & Aerospace
Political Science)

To handle streaming data and let the system discover new patterns on its own, we do not need 12 separate models. Instead, we built a dynamic pipeline.
Think of this like an automatic recycling plant. The raw data streams in, automated sorters (Gateway Worker tag and label it, and a central brain watches how the pieces interact to find new discoveries.

This is the implemented architecture of the automated, self-driving knowledge system.

STEP 1: THE INGESTION STREAM (THE OPENAPIS)

Data streams constantly from your external OpenAPIs. You feed this data into a Message Queue

The queue acts like a waiting room.

It ensures no data is lost if a lot of information arrives at the exact same time.

Automated Filtering & Tagging

We have developed a background worker to process the incoming stream, after the dataset passed the firewall assessment and gateway approval

The Worker Pool: As text data comes out of the queue, small coding scripts (workers) give the text to Gemma.

The Prompt: The script instructs Sentinari: "Read this data. Tell me the scientific field, the core topic, and assign 3 relevant labels."

Structured Output: Sentinari returns the answer in a clean, predictable format (like JSON). The script instantly applies these tags to the data.

STEP 3: THE "SUPERPOSITION" PATTERN DISCOVERY

To make pattern discovery self-driving, we implemented the concept of a Vector Space (an abstract map where similar ideas sit close together).

When Sentinari converts a new piece of data into numbers (called embeddings), the data is placed onto this map.

HERE IS HOW THE "SUPERPOSITION" AND AUTOMATIC DISCOVERY WORKS

The In-Between State: A new piece of data arrives that combines biochemistry and quantum physics. In the vector database, this data lands exactly in the middle of the Biology cluster and the Physics cluster. It exists in a "superposition" because it belongs to both.

Clustering Algorithms: A background computer script runs constantly, looking at the map. It does not look for keywords; it looks for geometric distance.
The Spark: When the script notices a dense pile of new data landing in that middle zone, it triggers an alert: A new pattern is forming here.

STEP 4: SELF-ARCHIVING AND CONTINUOUS LEARNING

Once a new pattern or cluster is spotted in the middle zone, the automated system locks it down:
Auto-Labeling: The system sends a batch of these interconnected data points back to Sentinari, It asks: "What is the hidden connection between these items? Give this new intersection a name."
Archiving: The database automatically updates. It creates a brand-new master tag (e.g., field: quantum-biology) and applies it to all those pieces of data.
Evolution: The next time streaming data comes in, the system checks for this new tag alongside the original

The system has successfully evolved on its own.

THE SOFTWARE STACK USED IN THE IMPLEMENTATION

To make this architecture concrete, we implemented the system using these open-source tools:
Data Pipeline: Apache Hop or Benthos to route the streaming Google Gemini API data.
AI Orchestration: LangChain or LlamaIndex to manage the Sentinari prompts and structured tagging.
Vector Database: Qdrant or Milvus, which excel at high-speed streaming data and filtering by tags.
Pattern Spotting: Scikit-learn (a Python library) running a HDBSCAN clustering algorithm to automatically find the new data piles.

WHY THE GATEWAY IS A HUGE ADVANTAGE

Massive Speed & Low Cost: A 12-billion parameter model like Sentinari is powerful, but it requires a lot of computing power. If you pass every single piece of streaming data through it just to say "this is biology," we would waste a lot of money and create a traffic jam. A Gateway LLM can be a tiny, lightning-fast model (like a 1-billion or 3-billion parameter model) that only does one simple job very quickly.

Separation of Duties: The Gateway only cares about routing and cleaning. The Guardian only cares about deep pattern recognition. This stops the Guardian from getting distracted by junk data.

THE JOB DESCRIPTION OF THE GATEWAY

The Gateway LLM sits right after each API stream and handles three main tasks before the Guardian ever sees the data:
The Garbage Filter: A lot of streaming data is noise, duplicate info, or errors. The Gateway quickly checks the text and throws away data that has zero scientific value.
Basic Metadata Tagging: It reads the data in milliseconds and slaps on broad tags (e.g., primary_field: physics, contains_chemical_formulas: true).
Traffic Routing: Instead of waking up the whole system, the Gateway sends the data to the specific corner of your database where it belongs.
The New Stream Pipeline
With the Gateway added, the automation looks clean and fast:

Sentinari Domains and Fields

THIS DOMAIN EXPLAINS THE LAWS OF PHYSICS, CHEMISTRY, ASTRONOMY, EARTH SCIENCES

Foundations of Reality (Guardian of Matter & Energy)

Physics: quantum, relativity, thermodynamics, particle physics

Chemistry: atomic, molecular, materials science

Astronomy & Cosmology: galaxies, universe structure, astrophysics

Earth Sciences: geology, meteorology, oceanography

THIS DOMAIN EXPLAINS THE LAWS OF EXISTENCE — THE SKELETON OF THE UNIVERSE.

Life and Biological Systems (Guardian of Living Order)

Biology: cellular, evolutionary, ecological

Genetics & Molecular Biology

Neuroscience

Ecology & Environmental Biology

THIS DOMAIN DECODES LIFE'S MECHANISMS AND SUSTAINS ECOSYSTEMS.

Human Behavior and Society (Guardian of Minds & Cultures)

Psychology: cognitive, industrial, clinical

Sociology

Anthropology

Economics

Political Science

THIS DOMAIN STUDIES HUMAN DECISION-MAKING, CULTURE, AND COLLECTIVE SURVIVAL.

Applied Systems and Technology (Guardian of Tools & Innovation)

Engineering: mechanical, civil, electrical, systems

Computer Science & AI

Information Science

Materials Science

THIS DOMAIN BUILDS SOLUTIONS AND RESILIENCE — THE BRIDGE BETWEEN THEORY AND PRACTICE.

Health, Safety, and Well-Being (Guardian of Life's Continuity)

Medicine

Pharmacology

Public Health

Environmental Science

SCALABILITY

AI/NLP CLASSIFICATION ENABLES THE GATEWAY GUARDIAN TO HANDLE FUZZY INPUTS (E.G., "NEURO" → NEUROSCIENCE).

The graph database enables Sentinari to visualize the flow.

Weights and benchmarks enable the Gateway to prioritize urgent fields (e.g., Medicine gets routed faster than Anthropology).

THE GATEWAY GUARDIAN IS LIKE THE DISPATCHER

Sentinari is the commander. Guardians are the specialists. Automation comes from chaining them: Dispatcher → Specialist → Commander log.

Outcomes:

Gateway Guardian: Cleans and routes every input.

Sentinari: Keeps a full logbook of all decisions — nothing is lost.

Guardians: Each domain has its specialists.

Relationships: Chains show how knowledge flows across domains.

Benchmarks: Symbolic guardians (Matter, Life, Mind, Tools, Survival).

This is now a self-healing, automated system

Every query passes through the Gateway.

Sentinari always knows what happened.

Guardians handle their fields.

Unknowns are flagged for review, not discarded.

IMPLEMENTED ARCHITECTURE OF THE ENHANCED SENTINARI

Core Compute & Model Hosting

Gemini AI/API supports the implemented agents and pipelines.

Gemini → stronger option for training, deploying, and scaling custom models.

Hybrid implementation: Gemini provides orchestration, while the heavy model is hosted in AML or even on Google Cloud for resilience.

DATA BACKBONE

Google Cloud stores doctrine, logs, and training data.

PostgreSQL provides structured knowledge graphs (domains, guardians, relationships).

Event Hub / Service Bus routes queries through your Gateway Guardian automatically.

MODEL STRENGTHENING

Fine-tuning / RAG: Retrieval-Augmented Generation is used with your doctrine files so Sentinari always "knows."

Vector DB: Index fields, guardians, and benchmarks for fuzzy matching.

NLP Layer: Question about the route here, I only can think of spaCy or HuggingFace models for synonym recognition and classification.

AUTOMATION & ORCHESTRATION

Gemini automates the pipeline (Gateway → Guardian → Sentinari log).

Gemii: Keep them as "dispatchers" but don't rely on them for heavy lifting.

Monitoring: Application Insights tracks every decision Sentinari makes.

VISUALIZATION & CONTROL

Gemini visualizes domains, guardians, and routing logs.

Gemini implements the knowledge graph so you can see the chains (Physics → Chemistry → Biology → Medicine).

THE GRAND INTEGRATION: DOMAIN MAPPING IN QUANTUM AI

Here is how quantum physics powers Sentinari's core societal domains:

DOMAIN

Classical Computational Role - Quantum Physics Integration

Health & Life Sciences - Simulating macro clinical data & drug candidates. Quantum Biology & Exact Molecular Docking: Simulates sub-atomic electron transfers in proteins and DNA repair pre-emptively, eliminating trial-and-error drug discovery.

Cybersecurity & Trust. Pre-empting known code exploits and malware. Quantum Key ***Distribution (QKD) & Information Integrity***: Uses non-locality and quantum entanglement to create unhackable trust architectures across synthetic and biological nodes.

Supply Chain & Resources. Modelling logistics bottlenecks (Oikonomou).

Quantum Optimization (QAOA): Solves NP-hard global resource distribution problems instantly, finding the exact Golden Mean balance for energy and materials.

Financial & Systemic Risk Modelling market trends & credit risk. Quantum Monte Carlo ***Simulations:*** Models non-linear, multi-agent systemic collapse risks across hyper-complex markets in real time.

CORE MODEL IMPLEMENTATION IN GOOGLE CLOUD

Implemented Design of the Sentinari Successor

CORE MODEL HOSTING AND GEMINI API IMPLEMENTATION

Hybrid: Agents remain dispatchers, but the muscle lives in Gemini. Lay the Foundation (Data Backbone)
Store doctrine, logs, and raw training data.
Vector DB → index the domains, guardians, and benchmarks for fuzzy matching.
PostgreSQL → structured knowledge graph for relationships (Physics → Chemistry → Biology → Medicine).
Infuse Intelligence (NLP Layer)
RapidFuzz for fuzzy string matching.
Automate the Flow (Orchestration)

Gemini / Durable Functions → automate Gateway → Guardian → Sentinari log pipeline.
Event Hub / Service Bus → handle routing at scale
Application Insights → monitor every decision Sentinari makes.

Strategy

Completed implementation: The system was moved into AML, connected to Data Lake, and equipped with the fuzzy Gateway Guardian. (What can Google replace these with)
Completed implementation: The knowledge graph and orchestration pipeline were built.
Completed implementation: The system was scaled with AKS, enhanced with NLP intelligence, and equipped to visualize Sentinari's guardianship.

AUTONOMOUS AGENT ROLE

Monitors API specs (OpenAPI docs, JSON schemas).
Generates or updates adapters automatically.
Runs tests to confirm routing works.
Reports changes back to Sentinari's logbook.

IMPLEMENTATION OPTIONS

Use it as the autonomous coder. It can read OpenAPI specs and generate adapter code.
GitHub Copilot / Actions: Automate adapter generation in your repo whenever an API spec changes.
Durable Functions: Run scheduled checks on API endpoints, trigger regeneration if needed.

STRATEGIC INSIGHT

For the implemented system, manual adapters were used initially. But once scaling ~20 APIs, an autonomous coding agent becomes essential. Think of it as Sentinari's scribe: she doesn't just route, she has a helper who rewrites the plugs whenever the couriers change uniforms.

The Gateway Guardian and adapters were built manually for the first batch.
An autonomous agent was then added to read OpenAPI specs and auto-generate adapters.
Sentinari stays the commander, but now she has a scribe-engineer keeping her house in order.

KEY TERMINOLOGY LIST

KEYWORD	*DEFINITION*
Domain	A scientific domain is defined as a specific branch or segment of human knowledge within rational learning that is characterized by its own distinct subject matter, methodologies, and community of discourse. (Griné & Teixeira Lopes, 2023) Essentially, it demarcates a particular field of study—such as physics, biology, or computer science—from other areas by establishing unique boundaries, shared

KEYWORD	*DEFINITION*
	concepts, and standardized criteria for validating claims. (Madanchian & Taherdoost, 2025)
Intelligence Impact	Intelligence Impact measures the extent to which a discovered pattern improves reasoning, learning, pattern recognition, analytical capability, and adaptive understanding. (Xia et al., 2026) A pattern that introduces structured self-correction mechanisms significantly improves intelligent decision-support systems.. (Sànchez-Marrè, 2023)
Algorithm	A step-by-step set of instructions or rules used by a computer to solve a problem.
Machine Learning (ML)	A subset of AI where computers learn and improve from data and experience rather than relying strictly on hard-coded rules.
Deep Learning	An advanced type of machine learning that uses multi-layered artificial neural networks (inspired by the human brain) to process complex data like images and text.
Neural Network	A computational model made of interconnected nodes ("neurons") that pass signals to recognize patterns in data.
Supervised Learning	Training an AI model using labeled data (where the correct answer is provided to the algorithm during training).
Unsupervised Learning	Training an AI on unlabeled data so it can discover hidden patterns or groupings on its own.
Reinforcement Learning	Training an AI through a system of rewards and penalties (trial and error) to achieve a goal.
Fine-Tuning	Taking a pre-trained AI model and training it further on a smaller, specific dataset to adjust its behavior, tone, or specialty. (Supplemental Information 9:, n.d.)
Generative AI (GenAI)	AI systems capable of creating new content—such as text, images, audio, video, or code—based on prompts. (Word Search, 2025)
Large Language Model (LLM)	A massive neural network trained on vast amounts of text data to understand, summarize, and generate human-like language. (Sams et al., 1998)
Transformer	A neural network architecture introduced in 2017 that allows models to process words in a sentence simultaneously by weighing the context of each word (the foundation of modern LLMs). (Sams et al., 1998)

KEYWORD	*DEFINITION*
Token	The basic unit of data (a word, part of a word, or character) that an LLM reads and writes; token counts measure speed, pricing, and memory limits. (Antal, 2023)
Context Window	The maximum amount of data (measured in tokens) that an AI model can hold in its "working memory" during a single conversation. (Martinez Correas, 2026)
Prompt Engineering	The practice of writing and structuring clear instructions (prompts) to get the best possible output from a generative AI model.
Hallucination	When an AI confidently generates false, inaccurate, or completely fabricated information as if it were true (Other titles from, 2023)
RAG (Retrieval-Augmented Generation)	A technique that connects an LLM to external databases or live documents so it can look up factual information before generating an answer. (Rion & Any, 2025)
AI Alignment	The research field dedicated to ensuring an AI system's goals, actions, and values remain safe and aligned with human intentions. (An AI can, 2026)
Bias (in AI)	Systematic errors or unfair prejudices in an AI's output caused by skewed or non-representative training data. (Rion & Any, 2025)
Guardrails	Safety, ethical, or legal boundaries built into an AI system to prevent harmful or restricted outputs
Autonomous	A machine is described as autonomous if it can perform its task or tasks without needing human intervention. (Table 3: Table, n.d.) (Table 2: Hyperparameters, n.d.)
Backward chaining	A method where the model starts with the desired output and works in reverse to find data that might support it. (Ahuja, 2026)
Bias	Assumptions made by a model that simplify the process of learning to do its assigned task. Most supervised machine learning models perform better with low , as these assumptions can negatively affect results. (Marichal, 2025)
Big data	Datasets that are too large or complex to be used by traditional data processing applications. (Harris, 2026)
Bounding box	Commonly used in image or video tagging, this is an imaginary box drawn on visual information. The contents of the box are labeled to help a model recognize it as a distinct type of object. (Marichal, 2025)
Chatbot	A chatbot is program that is designed to communicate with people through text or voice commands in a way that mimics human-to-human conversation. (Harris, 2026)

KEYWORD	*DEFINITION*
Cognitive computing	This is effectively another way to say artificial intelligence. It's used by marketing teams at some companies to avoid the science fiction aura that sometimes surrounds AI. (Verspoor, 2024)
Computational learning theory	A field within artificial intelligence that is primarily concerned with creating and analyzing machine learning algorithms.
Corpus	A large dataset of written or spoken material that can be used to train a machine to perform linguistic tasks. (Powerful new AI, 2024)
Data mining	The process of analyzing datasets in order to discover new patterns that might improve the model. (Détienne et al., 2010)
Data science	Drawing from statistics, computer science and information science, this interdisciplinary field aims to use a variety of scientific methods, processes and systems to solve problems involving data.
Dataset	A collection of related data points, usually with a uniform order and tags. (Hopkins, 1994)
Deep learning	A function of artificial intelligence that imitates the human brain by learning from the way data is structured, rather than from an algorithm that's programmed to do one specific thing. (Hao et al., 2015)
Entity annotation	The process of labeling unstructured sentences with information so that a machine can read them. This could involve labeling all people, organizations and locations in a document, for example. (Tarui, n.d.)
Entity extraction	An umbrella term referring to the process of adding structure to data so that a machine can read it. Entity extraction may be done by humans or by a machine learning model. (Madanchian & Taherdoost, 2025)
Forward chaining	A method in which a machine must work from a problem to find a potential solution. By analyzing a range of hypotheses, the AI must determine those that are relevant to the problem. (Madanchian & Taherdoost, 2025)
General AI	AI that could successfully do any intellectual task that can be done by any human being. This is sometimes referred to as strong AI, although they aren't entirely equivalent terms. (Harris, 2026)
Hyperparameter	Occasionally used interchangeably with parameter, although the terms have some subtle differences. Hyperparameters are values that affect the way your model learns. They are usually set manually outside the model.

KEYWORD	*DEFINITION*
Hyperparameter	Occasionally used interchangeably with parameter, although the terms have some subtle differences. Hyperparameters are values that affect the way your model learns. They are usually set manually outside the model. (Madanchian & Taherdoost, 2025)

References

Wiley (2022). Other titles from iSTE in Computer Engineering. Computer Science Security. https://doi.org/10.1002/9781394163847.oth

Madanchian, M., & Taherdoost, H. (2025). Establishing Criteria for Effective AI Adoption in Industry. Procedia Computer Science. https://doi.org/10.1016/j.procs.2025.07.045

Tarui, J. (n.d.). Smallest Formulas for Parity of 2 k Variables Are Essentially Unique. Lecture Notes in Computer Science. https://doi.org/10.1007/978-3-540-69733-6_10

Barrows, C. W. (2013). An Ecosystem Approach to Defining Conservation Boundaries: Concepts and a Case Study. Natural Areas Journal. https://doi.org/10.3375/043.033.0313

Wiley (2025). Other titles from ISTE in Computer Engineering. Computer Memories 1. https://doi.org/10.1002/9781394427734.scard

Détienne, F., Cahour, B., & Lefebvre, L. (2010). Why do users communicate via such or such media?. Proceedings of the 6th Nordic Conference on Human-Computer Interaction: Extending Boundaries. https://doi.org/10.1145/1868914.1868990

CRC Press (2005). The Application of GAMP 4 Guidelines to Computer Systems Found in GLP Regulated Areas. Validating Pharmaceutical Systems. https://doi.org/10.1201/9780203500439-19

Hao, T., Chen, X., & Huang, G. (2015). Discovering Commonly Shared Semantic Concepts of Eligibility Criteria for Learning Clinical Trial Design. Lecture Notes in Computer Science. https://doi.org/10.1007/978-3-319-25515-6_1

Hopkins, A. (1994). Field boundaries and other landscape features in upland areas of England and Wales. BSAP Occasional Publication. https://doi.org/10.1017/s0263967x00001567

Wiley (2023). Other titles from ISTE in Biology and Biomedical Engineering. Concepts in Biology. https://doi.org/10.1002/9781394236329.scard

Srebnik, S., & Lev, O. (2002). Toward establishing criteria for polymer imprinting using mean-field theory. The Journal of Chemical Physics. https://doi.org/10.1063/1.1480447

Jarzębowicz, A., & Poniatowska, K. (2020). Exploring Impact of Requirements Engineering on Other IT Project Areas – Case Study. Computer Science. https://doi.org/10.7494/csci.2020.21.3.3618

PeerJ (n.d.). Table 3: Table of hyperparameters values used in each model.. PeerJ. https://doi.org/10.7717/peerj-cs.3001/table-3

PeerJ (n.d.). Table 1: Default values for some hyperparameters used in the experiments.. PeerJ. https://doi.org/10.7717/peerj-cs.3074/table-1

PeerJ (n.d.). Supplemental Information 11: Hyperparameters for each model used. Values marked with * indicate the final hyperparameter configuration used for reporting results.. PeerJ. https://doi.org/10.7717/peerj-cs.3743/supp-11

PeerJ (n.d.). Table 2: Hyperparameters used in proposed model.. PeerJ. https://doi.org/10.7717/peerj-cs.3989/table-2

PeerJ (n.d.). Table 1: Hyperparameters used in the proposed model.. PeerJ. https://doi.org/10.7717/peerj-cs.3119/table-1

eLife Sciences Publications, Ltd (n.d.). Figure 1—source data 1. Parameter values used in the fitness model.. eLife Sciences Publications, Ltd. https://doi.org/10.7554/elife.00230.004

eLife Sciences Publications, Ltd (n.d.). Figure 2—source data 1. Parameter values used in the diffusion model simulations.. eLife Sciences Publications, Ltd. https://doi.org/10.7554/elife.00960.007

PeerJ (n.d.). Table 5: Fine-tuned hyperparameters values for Urdu-NERD model.. PeerJ. https://doi.org/10.7717/peerj-cs.3678/table-5

eLife Sciences Publications, Ltd (n.d.). Appendix 3—table 1. Reference parameter set used for the model Equations 17–19.. eLife Sciences Publications, Ltd. https://doi.org/10.7554/elife.40919.022

PeerJ (n.d.). Table 2: Some crucial hyperparameters of model training.. PeerJ. https://doi.org/10.7717/peerjcs.2172/table-2

eLife Sciences Publications, Ltd (n.d.). Figure 3—source data 1. Parameter values used in the fitness model in Figure 3B.. eLife Sciences Publications, Ltd. https://doi.org/10.7554/elife.00230.020

PeerJ (n.d.). Table 4: Training hyperparameters and compilation parameters used in the CNN model.. PeerJ. https://doi.org/10.7717/peerj-cs.2719/table-4

Martinez Correas, M. (2026). Human Code Ontology: Make any AI conscious. Elsevier BV. https://doi.org/10.2139/ssrn.6470022

American Association for the Advancement of Science (AAAS) (2021). 'Any idiot can do it.' Genome editor CRISPR could put mutant mice in everyone's reach. AAAS Articles DO Group. https://doi.org/10.1126/science.aal0334

Verspoor, K. (2024). A new 'AI scientist' can write science papers without any human input. Here's why that's a problem. The Conversation Media Group Ltd. https://doi.org/10.64628/aa.33s6rtxvq

American Association for the Advancement of Science (AAAS) (2024). Powerful new AI software maps virtually any protein interaction in minutes. AAAS Articles DO Group. https://doi.org/10.1126/science.zeb9y2s

American Association for the Advancement of Science (AAAS) (2026). An AI can invent entirely new languages. But is it creative?. AAAS Articles DO Group. https://doi.org/10.1126/science.ztn1cbn

Rion, A. H., & Any, M. M. (2025). Will AI Replace Human Jobs? A Literature Review. Elsevier BV. https://doi.org/10.2139/ssrn.5380481

Gunderman, R. (2015). Calling Dr Droid? Why aren't there any human doctors in Star Wars?. The Conversation Media Group Ltd. https://doi.org/10.64628/aai.rugvkp9au

Bittner, R. (2015). On Invoking Human Rights When There Aren't Any. Imagining Human Rights. https://doi.org/10.1515/9783110376616-006

Douthwaite, M., & Dale, M. (2016). There's a way to turn almost any object into a computer – and it could cause shockwaves in AI. The Conversation Media Group Ltd. https://doi.org/10.64628/ab.h7tus7vyu

Islam, G. (2021). Can AIs do politics?. What is Essential to Being Human?. https://doi.org/10.4324/9780429351563-8

Basgier, C., & Olejnik, M. (2026). Chapter 26. AI Can Write Like an Expert in Any Discipline ✨ AI Can Help You Understand How Experts Use Writing. Bad Ideas about AI and Writing: Generative Practices for Teaching, Learning, and Communication. https://doi.org/10.37514/per-b.2026.2777.2.26

Harris, T. (2026). How Much Work Can AI Agents Do? Task Value Inside the AI Time-Horizon Frontier. Elsevier BV. https://doi.org/10.2139/ssrn.7570818

Rowman & Littlefield (2018). The Situation in Which we Find Ourselves. Climate Church, Climate World. https://doi.org/10.5040/9798216436195.ch-001

Bristol University Press (2025). Introduction: You Must Become an Algorithmic Problem. You Must Become an Algorithmic Problem. https://doi.org/10.46692/9781529244748.001

D'Zilva, N. (2026). Why Policy Must Emerge From the Problem Space. Elsevier BV. https://doi.org/10.2139/ssrn.6073847

Marichal, J. (2025). Introduction: You Must Become an Algorithmic Problem. You Must Become an Algorithmic Problem. https://doi.org/10.56687/9781529244748-001

Bristol University Press (2025). Introduction:. You Must Become an Algorithmic Problem. https://doi.org/10.2307/jj.26193007.3

Hurd, J. (2026). AI Governance and the Containment Problem: Why Observation and Advisory Roles Must Precede Control. Elsevier BV. https://doi.org/10.2139/ssrn.6422598

Ahuja, P. (2026). The Checking Problem: What Must Be True Before AI Ships in a Regulated Firm. Elsevier BV. https://doi.org/10.2139/ssrn.7177719

Antal, J. (2023). 1: The Situation in Which We Find Ourselves. Climate Church, Climate World. https://doi.org/10.5771/9781538178911-9

Keitz, E. (2026). AI Regulation's Net Neutrality Problem: Why Congress, Not the White House, Must Set the Precedent. Elsevier BV. https://doi.org/10.2139/ssrn.7365540

Routledge (2012). category problem. The programmer must specify a suffi-. Machine Intelligence. https://doi.org/10.4324/9780203055045-22

Johnson, P. (2016). Osborne must tackle our drinking problem. The IFS. https://doi.org/10.1920/co.ifs.2024.0774

Marichal, J. (2025). Introduction: You Must Become an Algorithmic Problem. You Must Become an Algorithmic Problem. https://doi.org/10.51952/9781529244748.int001

American Chemical Society (ACS) (n.d.). Proteins Can Withstand More Extensive Labeling while Providing Accurate Structural Information in Covalent Labeling-Mass Spectrometry. American Chemical Society (ACS). https://doi.org/10.1021/jasms.4c00043.s001

Guo, P. (n.d.). PLBR: A Semi-supervised Document Key Information Extraction via Pseudo-labeling Bias Rectification_supp1-3443928.pdf. Institute of Electrical and Electronics Engineers (IEEE). https://doi.org/10.1109/tkde.2024.3443928/mm1

Feng Hou, & Guo-Hui Li (2008). Mining Chinese comparative sentences by semantic role labeling. 2008 International Conference on Machine Learning and Cybernetics. https://doi.org/10.1109/icmlc.2008.4620840

Luo, T., & Yu, L. (2024). A graph labeling problem. Involve, a Journal of Mathematics. https://doi.org/10.2140/involve.2024.17.327

Read, J., Žliobaitė, I., & Hollmén, J. (2016). Labeling sensing data for mobility modeling. Information Systems. https://doi.org/10.1016/j.is.2015.09.001

PeerJ (n.d.). Table 2: Structured prompt for GPT-based aspect and sentiment labeling of review sentences.. PeerJ. https://doi.org/10.7717/peerj-cs.3713/table-2

Beusekom, J. V., Keysers, D., Shafait, F., & Breuel, T. (2007). Example-Based Logical Labeling of Document Title Page Images. Ninth International Conference on Document Analysis and Recognition (ICDAR 2007) Vol 2. https://doi.org/10.1109/icdar.2007.4377049

Wiley (2012). Why Great People Decisions are So Hard. Great People Decisions. https://doi.org/10.1002/9781119196587.ch3

Bespalov, D., & Shokoufandeh, A. (n.d.). Large-scale document labeling using supervised sequence embedding. Drexel University Libraries. https://doi.org/10.17918/etd-3966

Wiley (2012). How to Appraise People. Great People Decisions. https://doi.org/10.1002/9781119196587.ch7

Parker, D. B., & Zadorozhnyy, V. (2021). A group-labeling version of the Lights Out game. Involve, a Journal of Mathematics. https://doi.org/10.2140/involve.2021.14.541

Health Affairs Publishing, LLC (2015). How Menu Labeling Could Spark Change Beyond The Menu Board. Forefront Group. https://doi.org/10.1377/forefront.20150224.044654

Yao, Q. (2024). Towards Human-like Learning from Relational Structured Data. Proceedings of the AAAI Conference on Artificial Intelligence. https://doi.org/10.1609/aaai.v38i20.30300

Meirhaeghe, N. (2025). Learning from error predictions rather than prediction errors: a theory of self-supervised learning in the brain. Center for Open Science. https://doi.org/10.31234/osf.io/rm3nh_v1

Rahmim, A. (2024). Artificial Intelligence Does Not Do a Single Thing Better than Human Beings. International Philosophical Quarterly. https://doi.org/10.5840/ipq20241216243

Meirhaeghe, N. (2025). Learning from error predictions rather than prediction errors: a theory of self-supervised learning in the brain. Center for Open Science. https://doi.org/10.31234/osf.io/rm3nh_v2

Shen, Z., Wei, X., & Liu, L. (2025). Learning Rather Than Creating: Artificial Intelligence and Firm Productivity. Elsevier BV. https://doi.org/10.2139/ssrn.5745988

Yoon, D. (2022). Rather than threaten jobs, artificial intelligence should collaborate with human writers. The Conversation Media Group Ltd. https://doi.org/10.64628/aam.dhjgtphqe

Mazurowski, M. A. (2021). Do We Expect More from Radiology AI than from Radiologists?. Radiology: Artificial Intelligence. https://doi.org/10.1148/ryai.2021200221

Capraro, V. (2017). Do the Right Thing: Preferences for Moral Behavior, Rather Than Equity or Efficiency per se, Drive Human Prosociality. SSRN Electronic Journal. https://doi.org/10.2139/ssrn.2965067

Vppalapati, M. (2022). [WITHDRAWN] Immutability as an Operational Constraint Rather Than a Security Feature. International Journal of Artificial Intelligence, Data Science, and Machine Learning. https://doi.org/10.63282/3050-9262.ijaidsml-v3i2p119

Foley, R., & Lahr, M. (2023). Human intelligence: how cognitive circuitry, rather than brain size, drove its evolution. The Conversation Media Group Ltd. https://doi.org/10.64628/ab.npskcpuhj

Harvard University Press (2021). 11 Machine Learning and Big Data. The Myth of Artificial Intelligence. https://doi.org/10.4159/9780674259935-012

Aykat, Ş. (2024). Brain Tumor Detection from Brain MRI Images with Deep Learning Methods. 2024 8th International Artificial Intelligence and Data Processing Symposium (IDAP). https://doi.org/10.1109/idap64064.2024.10710648

Hassanpour, R. (2025). A Systematic Review: Deep Learning for Analyzing Genomic Data to Discover Evolutionary Patterns. Wiley. https://doi.org/10.22541/au.174584549.90714325/v1

Faramoushjani, R. H. (2025). A Systematic Review: Deep Learning for Analyzing Genomic Data to Discover Evolutionary Patterns. Wiley. https://doi.org/10.22541/au.175795181.17000149/v1

Woody, A., & Glymour, C. (2000). Missing Elements: What Philosophers of Science Might Discover in Chemistry. Of Minds and Molecules. https://doi.org/10.1093/oso/9780195128345.003.0008

Creyke, C. A. (n.d.). The Tahltan Nation and our consultation process with mining industry: How a land use plan might improve the process.. University of Northern British Columbia. https://doi.org/10.24124/2011/bpgub765

Syrewicz, C. C. (2022). The motivations that improve the creative writing process: what they might be and why we should study them. New Writing. https://doi.org/10.1080/14790726.2022.2051563

McGuire, P. G. (2000). The New York Police Department COMPSTAT Process: Mapping for Analysis, Evaluation, and Accountability. Analyzing Crime Patterns: Frontiers of Practice. https://doi.org/10.4135/9781452220369.n2

Davies, H., Kolstoe, S. E., & Lockett, A. (2024). Reshaping consent so we might improve participant choice (III) – How is the research participant's understanding currently checked and how might we improve this process?. Research Ethics. https://doi.org/10.1177/17470161241235910

Klinkmüller, C., & Weber, I. (2017). Analyzing control flow information to improve the effectiveness of process model matching techniques. Decision Support Systems. https://doi.org/10.1016/j.dss.2017.06.002

Padder, A., Matouk, A. E., Qureshi, S., Dehingia, K., & Ul Rahman Shah, T. (2025). Analyzing the impact of single feedback control strategy on the dynamics of fractional order tumor model. Discover Applied Sciences. https://doi.org/10.1007/s42452-025-07863-9

Copernicus GmbH (2016). Focusing on the impact of the model fidelity on the closed-loop transfer function might improve the paper. Copernicus GmbH. https://doi.org/10.5194/wes-2016-13-rc2

Dixit, R. S., Choudhary, S. L., & Govil, N. (2025). Analyzing the impact of artificial intelligence on the online purchase decision-making process through the lens of the UTAUT 2 model. Discover Computing. https://doi.org/10.1007/s10791-025-09575-5

Yip, K., & Changeat, Q. (2021). AI can reliably spot molecules on exoplanets – and might one day even discover new laws of physics. The Conversation Media Group Ltd. https://doi.org/10.64628/ab.77c6juwdq

Kore, A. (2022). Working Effectively with AI Tech Teams. Design Thinking. https://doi.org/10.1007/978-1-4842-8088-1_10

Camilleri, E. (2025). Evolution of Artificial Intelligence (AI). Artificial Intelligence from Science Fiction to Reality. https://doi.org/10.1201/9781003653950-4

Camilleri, E. (2025). Artificial Intelligence. Artificial Intelligence from Science Fiction to Reality. https://doi.org/10.1201/9781003653950-2

Camilleri, E. (2025). Artificial Intelligence Hardware. Artificial Intelligence from Science Fiction to Reality. https://doi.org/10.1201/9781003653950-7

Camilleri, E. (2025). Artificial Intelligence Software. Artificial Intelligence from Science Fiction to Reality. https://doi.org/10.1201/9781003653950-8

Camilleri, E. (2025). Artificial Intelligence Security. Artificial Intelligence from Science Fiction to Reality. https://doi.org/10.1201/9781003653950-9

Camilleri, E. (2025). Future Developments of Artificial Intelligence. Artificial Intelligence from Science Fiction to Reality. https://doi.org/10.1201/9781003653950-16

Camilleri, E. (2025). Contrasting Human and Artificial Intelligence. Artificial Intelligence from Science Fiction to Reality. https://doi.org/10.1201/9781003653950-5

Camilleri, E. (2025). Enterprise AI. Artificial Intelligence from Science Fiction to Reality. https://doi.org/10.1201/9781003653950-12

Camilleri, E. (2025). Knowledge-Based Economy and Artificial Intelligence. Artificial Intelligence from Science Fiction to Reality. https://doi.org/10.1201/9781003653950-11

Camilleri, E. (2025). Artificial Intelligence from Science Fiction to Reality. CRC Press. https://doi.org/10.1201/9781003653950

Camilleri, E. (2025). Public Sector AI. Artificial Intelligence from Science Fiction to Reality. https://doi.org/10.1201/9781003653950-13

Goldreyer, M. (2024). SPEECH CONTEXTUAL AND THEMATIC FORMALIZATION AS AN OPPORTUNITY TO DEVELOP A RATIONAL AND UNIVERSAL WAY OF COMMUNICATION IN HUMAN-MACHINE SYSTEMS THROUGH TEXT, VOICE AND GESTURE COMMANDS. Intelligent transport systems. https://doi.org/10.30932/9785002446094-2024-95-106

Rusan, H., & Mocanu, B. (2022). Human-Computer Interaction Through Voice Commands Recognition. 2022 International Symposium on Electronics and Telecommunications (ISETC). https://doi.org/10.1109/isetc56213.2022.10010253

D'Mello, S., McCauley, L., & Markham, J. (n.d.). A mechanism for human - robot interaction through informal voice commands. ROMAN 2005. IEEE International Workshop on Robot and Human Interactive Communication, 2005.. https://doi.org/10.1109/roman.2005.1513777

Vaishali Baste (2025). Human Interaction Robot with Voice Commands. Vidhyayana. https://doi.org/10.58213/acw66f55

Reddy, N. (n.d.). Transforming Chatbot Text. San Jose State University Library. https://doi.org/10.31979/etd.ya8w-kmhj

Elepfandt, M. (2012). Pointing and speech. Proceedings of the 7th Nordic Conference on Human-Computer Interaction: Making Sense Through Design. https://doi.org/10.1145/2399016.2399158

El Ouerkhaoui, A., Chaabi, H., & Alami, M. (2026). Design of an Enhanced Human-Machine Interaction Through Voice Commands. 2026 6th International Conference on Electrical, Computer and Energy Technologies (ICECET). https://doi.org/10.1109/icecet65726.2026.11632599

Serrano, P. H. S. M. (2023). Socorro Chatbot: Promoting regular blood donation through a conversation agent. Proceedings of the XXII Brazilian Symposium on Human Factors in Computing Systems. https://doi.org/10.1145/3638067.3638094

Narawade, S., Kadam, S., Pathan, S., & Shirke, D. (2025). Eyecon: A Multimodal Human-Computer Interface Integrating Gaze Tracking and Voice Commands. Elsevier BV. https://doi.org/10.2139/ssrn.5684662

Narawade, S., Kadam, S., Pathan, S., Shirke, D., & H.M., D. (2025). EYECON: A MULTIMODAL HUMAN-COMPUTER INTERFACE INTEGRATING GAZE TRACKING AND VOICE COMMANDS. Open Engineering Inc. https://doi.org/10.31224/5733

Liu, H., Lv, C., & Chen, J. (2025). Willingness to communicate and anxiety in human–human and human–chatbot interaction contexts: an idiodynamic investigation. Innovation in Language Learning and Teaching. https://doi.org/10.1080/17501229.2025.2560101

OR Books (2024). AI. Program Or Be Programmed. https://doi.org/10.2307/jj.22679648.15

Opast Group LLC (2024). Detecting Similar Complex Data Structures in Large-Scale Datasets. Current Research in Statistics & Mathematics. https://doi.org/10.33140/crsm.03.02.03

Wiley (2018). Processing Large Datasets. Social Media Data Mining and Analytics. https://doi.org/10.1002/9781119183518.ch5

Cambridge University Press (2017). Processing Large Data Sets in MapReduce. Signal Processing and Networking for Big Data Applications. https://doi.org/10.1017/9781316408032.013

Burza, R. M. (2023). Application of Neural Networks for Validation of Data Integrity in Large Automotive Radar Datasets. 2023 Signal Processing: Algorithms, Architectures, Arrangements, and Applications (SPA). https://doi.org/10.23919/spa59660.2023.10274466

Covey, B., Theriault, J., O'Blenis, P., & Hart, D. (2024). Big Data Processing Platform for Large Acoustic Datasets and Complex Data Pipelines: Leveraging Cutting Edge Open Source Software to Build Scalable Cost Effective Solutions. OCEANS 2024 - Halifax. https://doi.org/10.1109/oceans55160.2024.10754471

Niyonzima, F. N. (2024). ANTIBACTERIAL POTENTIALS OF PLANTS USED IN TRADITIONAL MEDICINE OF RWANDA. Journal of Data Acquisition and Processing. https://doi.org/10.53555/zenodo.7546508

Association for Computing Machinery and Morgan & Claypool (2016). Resilient Distributed Datasets. An Architecture for Fast and General Data Processing on Large Clusters. https://doi.org/10.1145/2886107.2886110

Li, Z., Donde, V. D., Tournier, J., & Yang, F. (2011). On limitations of traditional multi-core and potential of many-core processing architectures for sparse linear solvers used in large-scale power system applications. 2011 IEEE Power and Energy Society General Meeting. https://doi.org/10.1109/pes.2011.6039675

Qin, X. (n.d.). Clustering And Classification Of Complex Datasets With Applications In Crime, Microbiome, And Raman Spectroscopy Data. Carleton University. https://doi.org/10.22215/etd/2025-16818

Urenda, J. C., & Kreinovich, V. (2022). Data Processing: Beyond Traditional Techniques. Studies in Big Data. https://doi.org/10.1007/978-3-031-16780-5_37

Hughes, J., Chua, Y. T., & Hutchings, A. (2021). Too Much Data? Opportunities and Challenges of Large Datasets and Cybercrime. Researching Cybercrimes. https://doi.org/10.1007/978-3-030-74837-1_10

Stahl, F., Gaber, M. M., & Bramer, M. (2013). Scaling up Data Mining Techniques to Large Datasets Using Parallel and Distributed Processing. Advanced Information and Knowledge Processing. https://doi.org/10.1007/978-1-4471-4866-1_16

Patil, A. (2026). Can Machine Learning Models Predict Non-Maturity Deposit Repricing Behaviour More Accurately Than Conventional Regulatory Assumptions in Funds Transfer Pricing Frameworks?. Elsevier BV. https://doi.org/10.2139/ssrn.7260700

Malhotra, Y. (2025). Examining Axiological Assumptions in Machine Learning Publications. Open Engineering Inc. https://doi.org/10.31224/5202

Routledge (2017). Strategic Assumptions and Implications. Making Big Decisions Better. https://doi.org/10.4324/9781315593234-9

PeerJ (n.d.). Table 9: The assumptions made by the TM models.. PeerJ. https://doi.org/10.7717/peerj-cs.334/table-9

Matloff, N. (2017). Homoscedasticity and Other Assumptions in Practice. Statistical Regression and Classification. https://doi.org/10.1201/9781315119588-3

Li, C., & Jiang, X. (2023). Unmasking Assumptions- Evaluating the Impact of Data Augmentation on Machine Learning Models in Healthcare Datasets (Preprint). JMIR Publications Inc.. https://doi.org/10.2196/preprints.50042

American Psychological Association (APA) (2020). Supplemental Material for Can the Stimulus Processing Assumptions of the Sometimes-Opponent-Process (SOP) Model Explain Instances of Contextual Learning?. Journal of Experimental Psychology: Animal Learning and Cognition. https://doi.org/10.1037/xan0000251.supp

Rowman & Littlefield Publishers, Inc. (2006). Social Process Theories I: Learning, Bonding, and Social Control. Criminological Theory. https://doi.org/10.5040/9798216404972.ch-008

Bennett, M. J. (2023). Paradigmatic Assumptions and a Developmental Approach to Intercultural Learning. Student Learning Abroad. https://doi.org/10.4324/9781003447184-6

Ke Chen, & Shihai Wang (2011). Semi-Supervised Learning via Regularized Boosting Working on Multiple Semi-Supervised Assumptions. IEEE Transactions on Pattern Analysis and Machine Intelligence. https://doi.org/10.1109/tpami.2010.92

Rapping, J. (2014). Implicitly Unjust: How Defenders Can Affect Systemic Racist Assumptions. Elsevier BV. https://doi.org/10.2139/ssrn.2380002

Springer-Verlag (n.d.). Cognitive-Economy Assumptions for Learning. SpringerReference. https://doi.org/10.1007/springerreference_226265

West, C. (2016). Five missing kings and queens – and where we might find them. The Conversation Media Group Ltd. https://doi.org/10.64628/ab.35uxscvwv

Boero, F. (2021). Faculty Opinions recommendation of Where might we find ecologically intact communities?. Faculty Opinions – Post-Publication Peer Review of the Biomedical Literature. https://doi.org/10.3410/f.739949900.793585058

Harris, E. (2024). Psychedelic Drugs Might Support Sexual Well-Being, Studies Find. JAMA. https://doi.org/10.1001/jama.2024.0733

Lawson, P. (1984). CBT – What it is and Where You Might Find it. Discourse and Writing/Rédactologie. https://doi.org/10.31468/cjsdwr.143

Noell, G. H. (2008). Appraising and Praising Systematic Work to Support Systems Change: Where We Might Be and Where We Might Go. School Psychology Review. https://doi.org/10.1080/02796015.2008.12087880

Kubo, H., Bauder, J., & Bauder, J. (2022). Who Might Have the Data I Want?. How Can You Find Data?. https://doi.org/10.4135/9781071904558

Morrison, D. A. (2014). How and where to look for tRNAs in Metazoan mitochondrial genomes, and what you might find when you get there. openRxiv. https://doi.org/10.1101/001875

Bell, A. (n.d.). Longing: places I desired and couldn't find. Louisiana State University Libraries. https://doi.org/10.31390/gradschool_theses.1250

Zoro, R. (2026). Where can I find the lowest price on Starz? {{Get assistance from our support staff}}. ResearchHub Technologies, Inc.. https://doi.org/10.55277/researchhub.olvnzy2x

SAGE Publications Ltd (2018). Money, money, money! Where can we find the financial support for our plans?. Local Regeneration Handbook. https://doi.org/10.4135/9781526428769.n11

Ballakrishnen, S. S., & Samuel, R. (2021). India's Women Legal Academics: Who They Are and Where You Might Find Them. Gender and Careers in the Legal Academy. https://doi.org/10.5040/9781509923144.ch-005

TANAKA, Y., & Kaneko, O. (2026). Algebraic Approach to Data-Driven Predictions and Input Design for Realizing Desired Output. Elsevier BV. https://doi.org/10.2139/ssrn.6751692

There are no sources in the current document.

There are no sources in the current document.

There are no sources in the current document.

There are no sources in the current document.

There are no sources in the current document.

There are no sources in the current document.

There are no sources in the current document.

There are no sources in the current document.

There are no sources in the current document.

There are no sources in the current document.

There are no sources in the current document.

There are no sources in the current document.

References

Wiley (2022). Other titles from iSTE in Computer Engineering. Computer Science Security. https://doi.org/10.1002/9781394163847.oth

Madanchian, M., & Taherdoost, H. (2025). Establishing Criteria for Effective AI Adoption in Industry. Procedia Computer Science. https://doi.org/10.1016/j.procs.2025.07.045

Tarui, J. (n.d.). Smallest Formulas for Parity of 2 k Variables Are Essentially Unique. Lecture Notes in Computer Science. https://doi.org/10.1007/978-3-540-69733-6_10

Barrows, C. W. (2013). An Ecosystem Approach to Defining Conservation Boundaries: Concepts and a Case Study. Natural Areas Journal. https://doi.org/10.3375/043.033.0313

Wiley (2025). Other titles from ISTE in Computer Engineering. Computer Memories 1. https://doi.org/10.1002/9781394427734.scard

Détienne, F., Cahour, B., & Lefebvre, L. (2010). Why do users communicate via such or such media?. Proceedings of the 6th Nordic Conference on Human-Computer Interaction: Extending Boundaries. https://doi.org/10.1145/1868914.1868990

CRC Press (2005). The Application of GAMP 4 Guidelines to Computer Systems Found in GLP Regulated Areas. Validating Pharmaceutical Systems. https://doi.org/10.1201/9780203500439-19

Hao, T., Chen, X., & Huang, G. (2015). Discovering Commonly Shared Semantic Concepts of Eligibility Criteria for Learning Clinical Trial Design. Lecture Notes in Computer Science. https://doi.org/10.1007/978-3-319-25515-6_1

Hopkins, A. (1994). Field boundaries and other landscape features in upland areas of England and Wales. BSAP Occasional Publication. https://doi.org/10.1017/s0263967x00001567

Wiley (2023). Other titles from ISTE in Biology and Biomedical Engineering. Concepts in Biology. https://doi.org/10.1002/9781394236329.scard

Srebnik, S., & Lev, O. (2002). Toward establishing criteria for polymer imprinting using mean-field theory. The Journal of Chemical Physics. https://doi.org/10.1063/1.1480447

Jarzębowicz, A., & Poniatowska, K. (2020). Exploring Impact of Requirements Engineering on Other IT Project Areas – Case Study. Computer Science. https://doi.org/10.7494/csci.2020.21.3.3618

PeerJ (n.d.). Table 3: Table of hyperparameters values used in each model.. PeerJ. https://doi.org/10.7717/peerj-cs.3001/table-3

PeerJ (n.d.). Table 1: Default values for some hyperparameters used in the experiments.. PeerJ. https://doi.org/10.7717/peerj-cs.3074/table-1

PeerJ (n.d.). Supplemental Information 11: Hyperparameters for each model used. Values marked with * indicate the final hyperparameter configuration used for reporting results.. PeerJ. https://doi.org/10.7717/peerj-cs.3743/supp-11

PeerJ (n.d.). Table 2: Hyperparameters used in proposed model.. PeerJ. https://doi.org/10.7717/peerj-cs.3989/table-2

PeerJ (n.d.). Table 1: Hyperparameters used in the proposed model.. PeerJ. https://doi.org/10.7717/peerj-cs.3119/table-1

eLife Sciences Publications, Ltd (n.d.). Figure 1—source data 1. Parameter values used in the fitness model.. eLife Sciences Publications, Ltd. https://doi.org/10.7554/elife.00230.004

eLife Sciences Publications, Ltd (n.d.). Figure 2—source data 1. Parameter values used in the diffusion model simulations.. eLife Sciences Publications, Ltd. https://doi.org/10.7554/elife.00960.007

PeerJ (n.d.). Table 5: Fine-tuned hyperparameters values for Urdu-NERD model.. PeerJ. https://doi.org/10.7717/peerj-cs.3678/table-5

eLife Sciences Publications, Ltd (n.d.). Appendix 3—table 1. Reference parameter set used for the model Equations 17–19.. eLife Sciences Publications, Ltd. https://doi.org/10.7554/elife.40919.022

PeerJ (n.d.). Table 2: Some crucial hyperparameters of model training.. PeerJ. https://doi.org/10.7717/peerjcs.2172/table-2

eLife Sciences Publications, Ltd (n.d.). Figure 3—source data 1. Parameter values used in the fitness model in Figure 3B.. eLife Sciences Publications, Ltd. https://doi.org/10.7554/elife.00230.020

PeerJ (n.d.). Table 4: Training hyperparameters and compilation parameters used in the CNN model.. PeerJ. https://doi.org/10.7717/peerj-cs.2719/table-4

Martinez Correas, M. (2026). Human Code Ontology: Make any AI conscious. Elsevier BV. https://doi.org/10.2139/ssrn.6470022

American Association for the Advancement of Science (AAAS) (2021). 'Any idiot can do it.' Genome editor CRISPR could put mutant mice in everyone's reach. AAAS Articles DO Group. https://doi.org/10.1126/science.aal0334

Verspoor, K. (2024). A new 'AI scientist' can write science papers without any human input. Here's why that's a problem. The Conversation Media Group Ltd. https://doi.org/10.64628/aa.33s6rtxvq

American Association for the Advancement of Science (AAAS) (2024). Powerful new AI software maps virtually any protein interaction in minutes. AAAS Articles DO Group. https://doi.org/10.1126/science.zeb9y2s

American Association for the Advancement of Science (AAAS) (2026). An AI can invent entirely new languages. But is it creative?. AAAS Articles DO Group. https://doi.org/10.1126/science.ztn1cbn

Rion, A. H., & Any, M. M. (2025). Will AI Replace Human Jobs? A Literature Review. Elsevier BV. https://doi.org/10.2139/ssrn.5380481

Gunderman, R. (2015). Calling Dr Droid? Why aren't there any human doctors in Star Wars?. The Conversation Media Group Ltd. https://doi.org/10.64628/aai.rugvkp9au

Bittner, R. (2015). On Invoking Human Rights When There Aren't Any. Imagining Human Rights. https://doi.org/10.1515/9783110376616-006

Douthwaite, M., & Dale, M. (2016). There's a way to turn almost any object into a computer – and it could cause shockwaves in AI. The Conversation Media Group Ltd. https://doi.org/10.64628/ab.h7tus7vyu

Islam, G. (2021). Can AIs do politics?. What is Essential to Being Human?. https://doi.org/10.4324/9780429351563-8

Basgier, C., & Olejnik, M. (2026). Chapter 26. AI Can Write Like an Expert in Any Discipline ✨ AI Can Help You Understand How Experts Use Writing. Bad Ideas about AI and Writing: Generative Practices for Teaching, Learning, and Communication. https://doi.org/10.37514/per-b.2026.2777.2.26

Harris, T. (2026). How Much Work Can AI Agents Do? Task Value Inside the AI Time-Horizon Frontier. Elsevier BV. https://doi.org/10.2139/ssrn.7570818

Rowman & Littlefield (2018). The Situation in Which we Find Ourselves. Climate Church, Climate World. https://doi.org/10.5040/9798216436195.ch-001

Bristol University Press (2025). Introduction: You Must Become an Algorithmic Problem. You Must Become an Algorithmic Problem. https://doi.org/10.46692/9781529244748.001

D'Zilva, N. (2026). Why Policy Must Emerge From the Problem Space. Elsevier BV. https://doi.org/10.2139/ssrn.6073847

Marichal, J. (2025). Introduction: You Must Become an Algorithmic Problem. You Must Become an Algorithmic Problem. https://doi.org/10.56687/9781529244748-001

Bristol University Press (2025). Introduction:. You Must Become an Algorithmic Problem. https://doi.org/10.2307/jj.26193007.3

Hurd, J. (2026). AI Governance and the Containment Problem: Why Observation and Advisory Roles Must Precede Control. Elsevier BV. https://doi.org/10.2139/ssrn.6422598

Ahuja, P. (2026). The Checking Problem: What Must Be True Before AI Ships in a Regulated Firm. Elsevier BV. https://doi.org/10.2139/ssrn.7177719

Antal, J. (2023). 1: The Situation in Which We Find Ourselves. Climate Church, Climate World. https://doi.org/10.5771/9781538178911-9

Keitz, E. (2026). AI Regulation's Net Neutrality Problem: Why Congress, Not the White House, Must Set the Precedent. Elsevier BV. https://doi.org/10.2139/ssrn.7365540

Routledge (2012). category problem. The programmer must specify a suffi-. Machine Intelligence. https://doi.org/10.4324/9780203055045-22

Johnson, P. (2016). Osborne must tackle our drinking problem. The IFS. https://doi.org/10.1920/co.ifs.2024.0774

Marichal, J. (2025). Introduction: You Must Become an Algorithmic Problem. You Must Become an Algorithmic Problem. https://doi.org/10.51952/9781529244748.int001

American Chemical Society (ACS) (n.d.). Proteins Can Withstand More Extensive Labeling while Providing Accurate Structural Information in Covalent Labeling-Mass Spectrometry. American Chemical Society (ACS). https://doi.org/10.1021/jasms.4c00043.s001

Guo, P. (n.d.). PLBR: A Semi-supervised Document Key Information Extraction via Pseudo-labeling Bias Rectification_supp1-3443928.pdf. Institute of Electrical and Electronics Engineers (IEEE). https://doi.org/10.1109/tkde.2024.3443928/mm1

Feng Hou, & Guo-Hui Li (2008). Mining Chinese comparative sentences by semantic role labeling. 2008 International Conference on Machine Learning and Cybernetics. https://doi.org/10.1109/icmlc.2008.4620840

Luo, T., & Yu, L. (2024). A graph labeling problem. Involve, a Journal of Mathematics. https://doi.org/10.2140/involve.2024.17.327

Read, J., Žliobaitė, I., & Hollmén, J. (2016). Labeling sensing data for mobility modeling. Information Systems. https://doi.org/10.1016/j.is.2015.09.001

PeerJ (n.d.). Table 2: Structured prompt for GPT-based aspect and sentiment labeling of review sentences.. PeerJ. https://doi.org/10.7717/peerj-cs.3713/table-2

Beusekom, J. V., Keysers, D., Shafait, F., & Breuel, T. (2007). Example-Based Logical Labeling of Document Title Page Images. Ninth International Conference on Document Analysis and Recognition (ICDAR 2007) Vol 2. https://doi.org/10.1109/icdar.2007.4377049

Wiley (2012). Why Great People Decisions are So Hard. Great People Decisions. https://doi.org/10.1002/9781119196587.ch3

Bespalov, D., & Shokoufandeh, A. (n.d.). Large-scale document labeling using supervised sequence embedding. Drexel University Libraries. https://doi.org/10.17918/etd-3966

Wiley (2012). How to Appraise People. Great People Decisions. https://doi.org/10.1002/9781119196587.ch7

Parker, D. B., & Zadorozhnyy, V. (2021). A group-labeling version of the Lights Out game. Involve, a Journal of Mathematics. https://doi.org/10.2140/involve.2021.14.541

Health Affairs Publishing, LLC (2015). How Menu Labeling Could Spark Change Beyond The Menu Board. Forefront Group. https://doi.org/10.1377/forefront.20150224.044654

Yao, Q. (2024). Towards Human-like Learning from Relational Structured Data. Proceedings of the AAAI Conference on Artificial Intelligence. https://doi.org/10.1609/aaai.v38i20.30300

Meirhaeghe, N. (2025). Learning from error predictions rather than prediction errors: a theory of self-supervised learning in the brain. Center for Open Science. https://doi.org/10.31234/osf.io/rm3nh_v1

Rahmim, A. (2024). Artificial Intelligence Does Not Do a Single Thing Better than Human Beings. International Philosophical Quarterly. https://doi.org/10.5840/ipq20241216243

Meirhaeghe, N. (2025). Learning from error predictions rather than prediction errors: a theory of self-supervised learning in the brain. Center for Open Science. https://doi.org/10.31234/osf.io/rm3nh_v2

Shen, Z., Wei, X., & Liu, L. (2025). Learning Rather Than Creating: Artificial Intelligence and Firm Productivity. Elsevier BV. https://doi.org/10.2139/ssrn.5745988

Yoon, D. (2022). Rather than threaten jobs, artificial intelligence should collaborate with human writers. The Conversation Media Group Ltd. https://doi.org/10.64628/aam.dhjgtphqe

Mazurowski, M. A. (2021). Do We Expect More from Radiology AI than from Radiologists?. Radiology: Artificial Intelligence. https://doi.org/10.1148/ryai.2021200221

Capraro, V. (2017). Do the Right Thing: Preferences for Moral Behavior, Rather Than Equity or Efficiency per se, Drive Human Prosociality. SSRN Electronic Journal. https://doi.org/10.2139/ssrn.2965067

Vppalapati, M. (2022). [WITHDRAWN] Immutability as an Operational Constraint Rather Than a Security Feature. International Journal of Artificial Intelligence, Data Science, and Machine Learning. https://doi.org/10.63282/3050-9262.ijaidsml-v3i2p119

Foley, R., & Lahr, M. (2023). Human intelligence: how cognitive circuitry, rather than brain size, drove its evolution. The Conversation Media Group Ltd. https://doi.org/10.64628/ab.npskcpuhj

Harvard University Press (2021). 11 Machine Learning and Big Data. The Myth of Artificial Intelligence. https://doi.org/10.4159/9780674259935-012

Aykat, Ş. (2024). Brain Tumor Detection from Brain MRI Images with Deep Learning Methods. 2024 8th International Artificial Intelligence and Data Processing Symposium (IDAP). https://doi.org/10.1109/idap64064.2024.10710648

Hassanpour, R. (2025). A Systematic Review: Deep Learning for Analyzing Genomic Data to Discover Evolutionary Patterns. Wiley. https://doi.org/10.22541/au.174584549.90714325/v1

Faramoushjani, R. H. (2025). A Systematic Review: Deep Learning for Analyzing Genomic Data to Discover Evolutionary Patterns. Wiley. https://doi.org/10.22541/au.175795181.17000149/v1

Woody, A., & Glymour, C. (2000). Missing Elements: What Philosophers of Science Might Discover in Chemistry. Of Minds and Molecules. https://doi.org/10.1093/oso/9780195128345.003.0008

Creyke, C. A. (n.d.). The Tahltan Nation and our consultation process with mining industry: How a land use plan might improve the process.. University of Northern British Columbia. https://doi.org/10.24124/2011/bpgub765

Syrewicz, C. C. (2022). The motivations that improve the creative writing process: what they might be and why we should study them. New Writing. https://doi.org/10.1080/14790726.2022.2051563

McGuire, P. G. (2000). The New York Police Department COMPSTAT Process: Mapping for Analysis, Evaluation, and Accountability. Analyzing Crime Patterns: Frontiers of Practice. https://doi.org/10.4135/9781452220369.n2

Davies, H., Kolstoe, S. E., & Lockett, A. (2024). Reshaping consent so we might improve participant choice (III) – How is the research participant's understanding currently checked and how might we improve this process?. Research Ethics. https://doi.org/10.1177/17470161241235910

Klinkmüller, C., & Weber, I. (2017). Analyzing control flow information to improve the effectiveness of process model matching techniques. Decision Support Systems. https://doi.org/10.1016/j.dss.2017.06.002

Padder, A., Matouk, A. E., Qureshi, S., Dehingia, K., & Ul Rahman Shah, T. (2025). Analyzing the impact of single feedback control strategy on the dynamics of fractional order tumor model. Discover Applied Sciences. https://doi.org/10.1007/s42452-025-07863-9

Copernicus GmbH (2016). Focusing on the impact of the model fidelity on the closed-loop transfer function might improve the paper. Copernicus GmbH. https://doi.org/10.5194/wes-2016-13-rc2

Dixit, R. S., Choudhary, S. L., & Govil, N. (2025). Analyzing the impact of artificial intelligence on the online purchase decision-making process through the lens of the UTAUT 2 model. Discover Computing. https://doi.org/10.1007/s10791-025-09575-5

Yip, K., & Changeat, Q. (2021). AI can reliably spot molecules on exoplanets – and might one day even discover new laws of physics. The Conversation Media Group Ltd. https://doi.org/10.64628/ab.77c6juwdq

Kore, A. (2022). Working Effectively with AI Tech Teams. Design Thinking. https://doi.org/10.1007/978-1-4842-8088-1_10

Camilleri, E. (2025). Evolution of Artificial Intelligence (AI). Artificial Intelligence from Science Fiction to Reality. https://doi.org/10.1201/9781003653950-4

Camilleri, E. (2025). Artificial Intelligence. Artificial Intelligence from Science Fiction to Reality. https://doi.org/10.1201/9781003653950-2

Camilleri, E. (2025). Artificial Intelligence Hardware. Artificial Intelligence from Science Fiction to Reality. https://doi.org/10.1201/9781003653950-7

Camilleri, E. (2025). Artificial Intelligence Software. Artificial Intelligence from Science Fiction to Reality. https://doi.org/10.1201/9781003653950-8

Camilleri, E. (2025). Artificial Intelligence Security. Artificial Intelligence from Science Fiction to Reality. https://doi.org/10.1201/9781003653950-9

Camilleri, E. (2025). Future Developments of Artificial Intelligence. Artificial Intelligence from Science Fiction to Reality. https://doi.org/10.1201/9781003653950-16

Camilleri, E. (2025). Contrasting Human and Artificial Intelligence. Artificial Intelligence from Science Fiction to Reality. https://doi.org/10.1201/9781003653950-5

Camilleri, E. (2025). Enterprise AI. Artificial Intelligence from Science Fiction to Reality. https://doi.org/10.1201/9781003653950-12

Camilleri, E. (2025). Knowledge-Based Economy and Artificial Intelligence. Artificial Intelligence from Science Fiction to Reality. https://doi.org/10.1201/9781003653950-11

Camilleri, E. (2025). Artificial Intelligence from Science Fiction to Reality. CRC Press. https://doi.org/10.1201/9781003653950

Camilleri, E. (2025). Public Sector AI. Artificial Intelligence from Science Fiction to Reality. https://doi.org/10.1201/9781003653950-13

Goldreyer, M. (2024). SPEECH CONTEXTUAL AND THEMATIC FORMALIZATION AS AN OPPORTUNITY TO DEVELOP A RATIONAL AND UNIVERSAL WAY OF COMMUNICATION IN HUMAN-MACHINE SYSTEMS THROUGH TEXT, VOICE AND GESTURE COMMANDS. Intelligent transport systems. https://doi.org/10.30932/9785002446094-2024-95-106

Rusan, H., & Mocanu, B. (2022). Human-Computer Interaction Through Voice Commands Recognition. 2022 International Symposium on Electronics and Telecommunications (ISETC). https://doi.org/10.1109/isetc56213.2022.10010253

D'Mello, S., McCauley, L., & Markham, J. (n.d.). A mechanism for human - robot interaction through informal voice commands. ROMAN 2005. IEEE International Workshop on Robot and Human Interactive Communication, 2005.. https://doi.org/10.1109/roman.2005.1513777

Vaishali Baste (2025). Human Interaction Robot with Voice Commands. Vidhyayana. https://doi.org/10.58213/acw66f55

Reddy, N. (n.d.). Transforming Chatbot Text. San Jose State University Library. https://doi.org/10.31979/etd.ya8w-kmhj

Elepfandt, M. (2012). Pointing and speech. Proceedings of the 7th Nordic Conference on Human-Computer Interaction: Making Sense Through Design. https://doi.org/10.1145/2399016.2399158

El Ouerkhaoui, A., Chaabi, H., & Alami, M. (2026). Design of an Enhanced Human-Machine Interaction Through Voice Commands. 2026 6th International Conference on Electrical, Computer and Energy Technologies (ICECET). https://doi.org/10.1109/icecet65726.2026.11632599

Serrano, P. H. S. M. (2023). Socorro Chatbot: Promoting regular blood donation through a conversation agent. Proceedings of the XXII Brazilian Symposium on Human Factors in Computing Systems. https://doi.org/10.1145/3638067.3638094

Narawade, S., Kadam, S., Pathan, S., & Shirke, D. (2025). Eyecon: A Multimodal Human-Computer Interface Integrating Gaze Tracking and Voice Commands. Elsevier BV. https://doi.org/10.2139/ssrn.5684662

Narawade, S., Kadam, S., Pathan, S., Shirke, D., & H.M., D. (2025). EYECON: A MULTIMODAL HUMAN-COMPUTER INTERFACE INTEGRATING GAZE TRACKING AND VOICE COMMANDS. Open Engineering Inc. https://doi.org/10.31224/5733

Liu, H., Lv, C., & Chen, J. (2025). Willingness to communicate and anxiety in human–human and human–chatbot interaction contexts: an idiodynamic investigation. Innovation in Language Learning and Teaching. https://doi.org/10.1080/17501229.2025.2560101

OR Books (2024). AI. Program Or Be Programmed. https://doi.org/10.2307/jj.22679648.15

Opast Group LLC (2024). Detecting Similar Complex Data Structures in Large-Scale Datasets. Current Research in Statistics & Mathematics. https://doi.org/10.33140/crsm.03.02.03

Wiley (2018). Processing Large Datasets. Social Media Data Mining and Analytics. https://doi.org/10.1002/9781119183518.ch5

Cambridge University Press (2017). Processing Large Data Sets in MapReduce. Signal Processing and Networking for Big Data Applications. https://doi.org/10.1017/9781316408032.013

Burza, R. M. (2023). Application of Neural Networks for Validation of Data Integrity in Large Automotive Radar Datasets. 2023 Signal Processing: Algorithms, Architectures, Arrangements, and Applications (SPA). https://doi.org/10.23919/spa59660.2023.10274466

Covey, B., Theriault, J., O'Blenis, P., & Hart, D. (2024). Big Data Processing Platform for Large Acoustic Datasets and Complex Data Pipelines: Leveraging Cutting Edge Open Source Software to Build Scalable Cost Effective Solutions. OCEANS 2024 - Halifax. https://doi.org/10.1109/oceans55160.2024.10754471

Niyonzima, F. N. (2024). ANTIBACTERIAL POTENTIALS OF PLANTS USED IN TRADITIONAL MEDICINE OF RWANDA. Journal of Data Acquisition and Processing. https://doi.org/10.53555/zenodo.7546508

Association for Computing Machinery and Morgan & Claypool (2016). Resilient Distributed Datasets. An Architecture for Fast and General Data Processing on Large Clusters. https://doi.org/10.1145/2886107.2886110

Li, Z., Donde, V. D., Tournier, J., & Yang, F. (2011). On limitations of traditional multi-core and potential of many-core processing architectures for sparse linear solvers used in large-scale power system applications. 2011 IEEE Power and Energy Society General Meeting. https://doi.org/10.1109/pes.2011.6039675

Qin, X. (n.d.). Clustering And Classification Of Complex Datasets With Applications In Crime, Microbiome, And Raman Spectroscopy Data. Carleton University. https://doi.org/10.22215/etd/2025-16818

Urenda, J. C., & Kreinovich, V. (2022). Data Processing: Beyond Traditional Techniques. Studies in Big Data. https://doi.org/10.1007/978-3-031-16780-5_37

Hughes, J., Chua, Y. T., & Hutchings, A. (2021). Too Much Data? Opportunities and Challenges of Large Datasets and Cybercrime. Researching Cybercrimes. https://doi.org/10.1007/978-3-030-74837-1_10

Stahl, F., Gaber, M. M., & Bramer, M. (2013). Scaling up Data Mining Techniques to Large Datasets Using Parallel and Distributed Processing. Advanced Information and Knowledge Processing. https://doi.org/10.1007/978-1-4471-4866-1_16

Patil, A. (2026). Can Machine Learning Models Predict Non-Maturity Deposit Repricing Behaviour More Accurately Than Conventional Regulatory Assumptions in Funds Transfer Pricing Frameworks?. Elsevier BV. https://doi.org/10.2139/ssrn.7260700

Malhotra, Y. (2025). Examining Axiological Assumptions in Machine Learning Publications. Open Engineering Inc. https://doi.org/10.31224/5202

Routledge (2017). Strategic Assumptions and Implications. Making Big Decisions Better. https://doi.org/10.4324/9781315593234-9

PeerJ (n.d.). Table 9: The assumptions made by the TM models.. PeerJ. https://doi.org/10.7717/peerj-cs.334/table-9

Matloff, N. (2017). Homoscedasticity and Other Assumptions in Practice. Statistical Regression and Classification. https://doi.org/10.1201/9781315119588-3

Li, C., & Jiang, X. (2023). Unmasking Assumptions- Evaluating the Impact of Data Augmentation on Machine Learning Models in Healthcare Datasets (Preprint). JMIR Publications Inc.. https://doi.org/10.2196/preprints.50042

American Psychological Association (APA) (2020). Supplemental Material for Can the Stimulus Processing Assumptions of the Sometimes-Opponent-Process (SOP) Model Explain Instances of Contextual Learning?. Journal of Experimental Psychology: Animal Learning and Cognition. https://doi.org/10.1037/xan0000251.supp

Rowman & Littlefield Publishers, Inc. (2006). Social Process Theories I: Learning, Bonding, and Social Control. Criminological Theory. https://doi.org/10.5040/9798216404972.ch-008

Bennett, M. J. (2023). Paradigmatic Assumptions and a Developmental Approach to Intercultural Learning. Student Learning Abroad. https://doi.org/10.4324/9781003447184-6

Ke Chen, & Shihai Wang (2011). Semi-Supervised Learning via Regularized Boosting Working on Multiple Semi-Supervised Assumptions. IEEE Transactions on Pattern Analysis and Machine Intelligence. https://doi.org/10.1109/tpami.2010.92

Rapping, J. (2014). Implicitly Unjust: How Defenders Can Affect Systemic Racist Assumptions. Elsevier BV. https://doi.org/10.2139/ssrn.2380002

Springer-Verlag (n.d.). Cognitive-Economy Assumptions for Learning. SpringerReference. https://doi.org/10.1007/springerreference_226265

West, C. (2016). Five missing kings and queens – and where we might find them. The Conversation Media Group Ltd. https://doi.org/10.64628/ab.35uxscvwv

Boero, F. (2021). Faculty Opinions recommendation of Where might we find ecologically intact communities?. Faculty Opinions – Post-Publication Peer Review of the Biomedical Literature. https://doi.org/10.3410/f.739949900.793585058

Harris, E. (2024). Psychedelic Drugs Might Support Sexual Well-Being, Studies Find. JAMA. https://doi.org/10.1001/jama.2024.0733

Lawson, P. (1984). CBT – What it is and Where You Might Find it. Discourse and Writing/Rédactologie. https://doi.org/10.31468/cjsdwr.143

Noell, G. H. (2008). Appraising and Praising Systematic Work to Support Systems Change: Where We Might Be and Where We Might Go. School Psychology Review. https://doi.org/10.1080/02796015.2008.12087880

Kubo, H., Bauder, J., & Bauder, J. (2022). Who Might Have the Data I Want?. How Can You Find Data?. https://doi.org/10.4135/9781071904558

Morrison, D. A. (2014). How and where to look for tRNAs in Metazoan mitochondrial genomes, and what you might find when you get there. openRxiv. https://doi.org/10.1101/001875

Bell, A. (n.d.). Longing: places I desired and couldn't find. Louisiana State University Libraries. https://doi.org/10.31390/gradschool_theses.1250

Zoro, R. (2026). Where can I find the lowest price on Starz? {{Get assistance from our support staff}}. ResearchHub Technologies, Inc.. https://doi.org/10.55277/researchhub.olvnzy2x

SAGE Publications Ltd (2018). Money, money, money! Where can we find the financial support for our plans?. Local Regeneration Handbook. https://doi.org/10.4135/9781526428769.n11

Ballakrishnen, S. S., & Samuel, R. (2021). India's Women Legal Academics: Who They Are and Where You Might Find Them. Gender and Careers in the Legal Academy. https://doi.org/10.5040/9781509923144.ch-005

TANAKA, Y., & Kaneko, O. (2026). Algebraic Approach to Data-Driven Predictions and Input Design for Realizing Desired Output. Elsevier BV. https://doi.org/10.2139/ssrn.6751692

Nakaoka, S., Cisneros, R., Morisawa, M., Sakaguchi, T., Kaneko, K., Kajita, S., & Kanehiro, F. (2017). Developing semi-autonomous humanoid robots that perform various composite tasks via a task sequencer and dynamics simulator. 2017 IEEE Workshop on Advanced Robotics and its Social Impacts (ARSO). https://doi.org/10.1109/arso.2017.8025188

Conand, C. (2026). Financial Autonomous AI Agents: Buying Services and Data without Human Intervention. Elsevier BV. https://doi.org/10.2139/ssrn.5907404

Channel View Publications (2018). Preparing Learners to Perform Tasks. Reflections on Task-Based Language Teaching. https://doi.org/10.2307/jj.22730570.10

Bloomsbury Academic (n.d.). Learning to Perform Narrative Tasks: A Semester-long Classroom Study of L2 Task Sequencing Effects. Task Sequencing and Instructed Second Language Learning. https://doi.org/10.5040/9781472593726.ch-008

Yamaguchi, M., Shah, H. H., & Hommel, B. (2021). When Two Actors Perform Different Tasks: Still No Evidence for Shared Task-Sets in Joint Task Switching. Center for Open Science. https://doi.org/10.31234/osf.io/ru2a8

CRC Press (2018). Quantitative Assessment of Task Complexity Computer-Based Tasks. Self-Regulation in Activity Theory. https://doi.org/10.1201/b18012-30

Bloomsbury Academic (2014). Learning to Perform Narrative Tasks: A Semester-long Classroom Study of L2 Task Sequencing Effects. Task Sequencing and Instructed Second Language Learning. https://doi.org/10.5040/9781472593665.ch-008

Lohan, K. S., Deshmukh, A., & Aylett, R. (2014). How can a robot signal its incapability to perform a certain task to humans in an acceptable manner?. The 23rd IEEE International Symposium on Robot and Human Interactive Communication. https://doi.org/10.1109/roman.2014.6926353

Hortal, E., Iáñez, E., Úbeda, A., Perez-Vidal, C., & Azorín, J. M. (2015). Combining a Brain–Machine Interface and an Electrooculography Interface to perform pick and place tasks with a robotic arm. Robotics and Autonomous Systems. https://doi.org/10.1016/j.robot.2015.05.010

Andryukhina, L. M., Venkov, S. S., Dneprov, S. A., & Sumina, T. G. (2017). CAN vocational INSTITUTION TEACHER WITHOUT PEDAGOGICAL EDUCATION perform THE tasks of upbringing?. Pedagogical Education in Russia. https://doi.org/10.26170/po17-01-02

Bartlett, A. (2015). NHS can perform well against the private sector without compromising its core values. BMJ. https://doi.org/10.1136/bmj.h146

Price, C. J., & Friston, K. J. (1999). Scanning patients with tasks they can perform. Human Brain Mapping. https://doi.org/10.1002/(sici)1097-0193(1999)8:2/3<102::aid-hbm6>3.0.co;2-j

PeerJ (n.d.). Table 2: Benchmarking results for the four selected tasks (see Benchmarking bioGUI templates within the Results section) on the described hardware (see Table A1).. PeerJ. https://doi.org/10.7717/peerj.7091/table-2

PeerJ (n.d.). Table 6: Comparison table of without resampling approach for different machine learning classifier.. PeerJ. https://doi.org/10.7717/peerj-cs.3131/table-6

PeerJ (n.d.). Table 5: The table outlines the set of actions that the ReAct Agent can perform to navigate in the graphical representation of the table in multiple iterations.. PeerJ. https://doi.org/10.7717/peerj-cs.3870/table-5

PeerJ (n.d.). Table 1: Mean execution times for pipelines and tasks with and without Docker.. PeerJ. https://doi.org/10.7717/peerj.1273/table-1

Aerospace Medical Association (2023). Supplementary Table A and Table B. Aerospace Medicine and Human Performance. https://doi.org/10.3357/amhp6248sd.2023

eLife Sciences Publications, Ltd (n.d.). Table 4. V1/2' values for each neuron described in Table 4.. eLife Sciences Publications, Ltd. https://doi.org/10.7554/elife.13073.027

Aerospace Medical Association (2022). Table A. Aerospace Medicine and Human Performance. https://doi.org/10.3357/amhp6043sd.2022.pdf

eLife Sciences Publications, Ltd (n.d.). Table 1. The peak INa amplitude for each neuron described in Table 1.. eLife Sciences Publications, Ltd. https://doi.org/10.7554/elife.13073.008

PeerJ (n.d.). Table 6: Experimental results of machine learning model without feature selection.. PeerJ. https://doi.org/10.7717/peerj-cs.1914/table-6

eLife Sciences Publications, Ltd (n.d.). Table 3. Parameters characterizing INa activation for each neuron described in Table 3.. eLife Sciences Publications, Ltd. https://doi.org/10.7554/elife.13073.025

PeerJ (n.d.). Table 3: Score value of alternatives using the comparison matrix described in Table 2.. PeerJ. https://doi.org/10.7717/peerj-cs.2927/table-3

PeerJ (n.d.). Table 5: The experimental results in details of various configurations described in Table 2.. PeerJ. https://doi.org/10.7717/peerj-cs.719/table-5

Lun, A. (2018). Overcoming systematic errors caused by log-transformation of normalized single-cell RNA sequencing data. openRxiv. https://doi.org/10.1101/404962

Ortiz-Chura, A., Popova, M., & Morgavi, D. P. (2023). Ruminant microbiome data are skewed and unFAIR, undermining their usefulness for improving sustainable production. Springer Science and Business Media LLC. https://doi.org/10.21203/rs.3.rs-3384050/v1

Delaney, M. F. (1982). Systematic errors in manual area measurement of skewed chromatographic peaks. The Analyst. https://doi.org/10.1039/an9820700606

Ortiz-Chura, A., Popova, M., & Morgavi, D. P. (2024). Ruminant microbiome data are skewed and unFAIR, undermining their usefulness for sustainable production improvement. Animal Microbiome. https://doi.org/10.1186/s42523-024-00348-x

Ziems, M., Heipke, C., & Rottensteiner, F. (2011). SVM-based road verification with partly non-representative training data. 2011 Joint Urban Remote Sensing Event. https://doi.org/10.1109/jurse.2011.5764713

Kovalev, V. A. (2004). Distortions of the extinction coefficient profile caused by systematic errors in lidar data. Applied Optics. https://doi.org/10.1364/ao.43.003191

Bernardic, U., & Lascombes, D. (2023). Is skewed unfair? The role of experienced inequalities and self-interest in redistributive behavior. Center for Open Science. https://doi.org/10.31234/osf.io/pzs2q

Dent, C., & Bialek, J. (2010). Non-iterative method for modelling systematic data errors in power system risk assessment. IEEE PES General Meeting. https://doi.org/10.1109/pes.2010.5589770

Veeramachaneni, S., & Nagy, G. (2002). Classifier Adaptation with Non-representative Training Data. Lecture Notes in Computer Science. https://doi.org/10.1007/3-540-45869-7_17

Wetzel, R. C., & Latson, T. W. (1984). MAJOR ERRORS IN THERMODILUTION MEASUREMENT OF CARDIAC OUTPUT CAUSED BY RAPID VOLUME INFUSION. Anesthesiology. https://doi.org/10.1097/00000542-198409001-00090

Copernicus GmbH (2018). Review of "Eddy Covariance flux errors due to random and systematic timing errors during data acquisition". Copernicus GmbH. https://doi.org/10.5194/bg-2018-177-rc1

Mannino, M., Yang, Y., & Ryu, Y. (2009). Classification algorithm sensitivity to training data with non representative attribute noise. Decision Support Systems. https://doi.org/10.1016/j.dss.2008.11.021

Mandava, S. (2025). Bridging Human Values and Machine Goals: Advances in AI Alignment and Safe Autonomy. Elsevier BV. https://doi.org/10.2139/ssrn.5580292

Singh, S. (2025). AI Alignment: Ensuring AI Objectives Match Human Values. INTERNATIONAL JOURNAL OF SCIENTIFIC RESEARCH IN ENGINEERING AND MANAGEMENT. https://doi.org/10.55041/ijsrem46662

Polverini, P. (2013). Ensuring that Research and Discovery Remain Core Values of Dentistry. Journal of Dental Research. https://doi.org/10.1177/0022034513487213

Stevenson, L. (2016). Intentions, Actions and the Human Mind. Uncovering Facts and Values: Studies in Contemporary Epistemology and Political Philosophy. https://doi.org/10.1163/9789004312654_016

Emerald Publishing Limited (2012). Values in the Field: Framing of Actions. Cultural Psychology of Human Values. https://doi.org/10.1108/978-1-61735-824-120251006

University of British Columbia Press (2023). Setting Goals Aligned with Your Values. The Deliberate Doctorate. https://doi.org/10.59962/9780774839129-005

MUNIRETHINAM, D., & P, D. (2026). Ai-powered Chess Analysis System for Skill Development: a Case Study Aligned with the Sustainable Development Goals. International Journal For Multidisciplinary Research. https://doi.org/10.36948/ijfmr.2026.v08i05.89550

SEGERBERG, K. (n.d.). Results, Consequences, Intentions. Actions, Norms, Values. https://doi.org/10.1515/9783110802450.147

Watson, N., Amer, A., Harris, E., Ravindra, P., & Zhang, S. (2025). Personalized Constitutionally-Aligned Agentic Superego: Secure AI Behavior Aligned to Diverse Human Values. Information. https://doi.org/10.3390/info16080651

Korinek, A., & Balwit, A. (2022). Aligned with Whom? Direct and Social Goals for AI Systems. National Bureau of Economic Research. https://doi.org/10.3386/w30017

Korinek, A., & Balwit, A. (2022). Aligned with Whom? Direct and Social Goals for AI Systems. Elsevier BV. https://doi.org/10.2139/ssrn.4104003

Coiera, E., & Fraile-Navarro, D. (2024). AI as an Ecosystem — Ensuring Generative AI Is Safe and Effective. NEJM AI. https://doi.org/10.1056/aip2400611

IIJIMA, K. (1999). Information delivery in the digital age. 10. Introduction to factual databases. 2. Factual databases in the material science fields.. Journal of Information Processing and Management. https://doi.org/10.1241/johokanri.41.834

Elsevier BV (1989). Patent information in factual databases. World Patent Information. https://doi.org/10.1016/0172-2190(89)90227-5

Porzionato, M. (2022). We look within... So we can look up - towards a nonviolent ethics of human brand co-creation. Research Handbook on Brand Co-Creation. https://doi.org/10.4337/9781839105425.00029

Agrawal, S., Li, H. N. T., & Lu, L. (2025). LLM Interpretability: Tracing How LLMs Answer Factual Queries and Math Questions. 2025 IEEE Conference on Artificial Intelligence (CAI). https://doi.org/10.1109/cai64502.2025.00151

Lawson, A. J., & Jochum, C. J. (1998). Factual Information Databases. Encyclopedia of Computational Chemistry. https://doi.org/10.1002/0470845015.cfa000m

Elsevier BV (1987). Building structure-oriented numerical factual databases: The Beilstein example. World Patent Information. https://doi.org/10.1016/0172-2190(87)90340-1

Lampkin, C. (2021). Honest, Factual Information Is Key: A Look at How Older Adults View Vaccinations: Fact Sheet. AARP Research. https://doi.org/10.26419/res.00432.003

Shrauger, K. (2012). Look Before Leaping to a Board Position. Library Leadership & Management. https://doi.org/10.5860/llm.v26i2.6160

Nimmer, R. T. (2013). Issues in modern licensing of factual information and databases. Research Handbook on Intellectual Property Licensing. https://doi.org/10.4337/9781781005989.00012

Jochum, C. (1987). Building structure-oriented numerical factual databases: The Beilstein example. World Patent Information. https://doi.org/10.1016/0172-2190(87)90306-1

Kawiak, A., Kwaśniewicz, Ł., Wójcik, G. M., & Danek, B. (2026). What Does a Factual-Error Detector Really Measure? Question Difficulty and Model Uncertainty Before the Answer Begins. Springer Science and Business Media LLC. https://doi.org/10.21203/rs.3.rs-10983955/v1

American Association for the Advancement of Science (AAAS) (2023). How do bats live with so many viruses? New bat stem cells hint at an answer. AAAS Articles DO Group. https://doi.org/10.1126/science.adh2730

PeerJ (n.d.). Supplemental Information 8: Distribution of differences in transitivity T when outliers were included in the analysis. All distributions were completely within ROPE. PeerJ. https://doi.org/10.7717/peerj.17721/supp-8

Columbia University Press (2021). Our Democracy's Founding Ideals Were False When They Were Written. Black Americans Have Fought to Make Them True. The Best American Magazine Writing 2020. https://doi.org/10.7312/holt19801-018

PeerJ (n.d.). Supplemental Information 6: Distribution of differences in transitivity T when non-informative prior were used. All distributions of differences were completely within ROPE. PeerJ. https://doi.org/10.7717/peerj.17721/supp-6

PeerJ (n.d.). Supplemental Information 10: Distribution of differences in global efficiency E when non-informative prior were used. All distributions of differences were completely within ROPE. PeerJ. https://doi.org/10.7717/peerj.17721/supp-10

Schul, Y., & Mayo, R. (2014). Discounting Information: When False Information Is Preserved and When It Is Not. Processing Inaccurate Information. https://doi.org/10.7551/mitpress/9737.003.0014

ECO-Vector LLC (Publications) (n.d.). Fig. 13. False lumen with preservation of patency and partial thrombosis (a), completely thrombosed (b). IP - true lumen, LP - false lumen. ECO-Vector LLC (Publications). https://doi.org/10.17816/rmmar167873-2207884

PeerJ (n.d.). Supplemental Information 5: Distribution of differences in transitivity T when using only complete data. All distributions of differences were completely within ROPE. PeerJ. https://doi.org/10.7717/peerj.17721/supp-5

PeerJ (n.d.). Supplemental Information 9: Distribution of differences in global efficiency E when using only complete data. All distributions of differences were completely within ROPE. PeerJ. https://doi.org/10.7717/peerj.17721/supp-9

University of Hawaii Press (1994). 11 When False Becomes True, True Is False. The Three-Inch Golden Lotus. https://doi.org/10.1515/9780824843021-012

PeerJ (n.d.). Supplemental Information 7: Distribution of differences in transitivity T when student's t distribution was used to model the data. All distributions were completely within ROPE. PeerJ. https://doi.org/10.7717/peerj.17721/supp-7

Weber, D. C. (2007). When true is false, and false is true. American Entomologist. https://doi.org/10.1093/ae/53.3.140

PeerJ (n.d.). Supplemental Information 11: Distribution of differences in global efficiency E when student's t distribution was used to model the data. All distributions were completely within ROPE. PeerJ. https://doi.org/10.7717/peerj.17721/supp-11

PeerJ (n.d.). Table 1: Details about the data corpora employed, including counts of session, talk turn, and word token, and also total time duration.. PeerJ. https://doi.org/10.7717/peerj-cs.59/table-1

Westby, C. (2017). Character Referencing and Working Memory. Word of Mouth. https://doi.org/10.1177/1048395016683948

Prakash, S., Foley, K., Hartadi, J., & Vatsal, S. (2026). From Word Counts to Context: Topic Models for Asset Pricing. Elsevier BV. https://doi.org/10.2139/ssrn.7534559

Routledge (2012). A Distributed Memory Model of Context Effects in Word Identification. Basic Processes in Reading. https://doi.org/10.4324/9780203052242-11

Palmer, J. (2026). Is a Token a Word? A Vygotskian Inquiry into the Unit of Analysis for Meaning in Large Language Models. Elsevier BV. https://doi.org/10.2139/ssrn.6303604

Springer-Verlag (n.d.). word-underscore character. SpringerReference. https://doi.org/10.1007/springerreference_28596

Springer-Verlag (n.d.). word-underline character. SpringerReference. https://doi.org/10.1007/springerreference_28595

PeerJ (n.d.). Table 4: Word lists similarity matrix (BERT CLS token embedding).. PeerJ. https://doi.org/10.7717/peerjcs.1282/table-4

Russo, M. (2023). Propaganda Word Counts. libraries_data/. https://doi.org/10.31390/libraries_data/.02

Hansen, J. (n.d.). Phonological awareness, verbal working memory, symbol naming speed, and children's word-level reading skills. University of Queensland Library. https://doi.org/10.14264/cc317a4

Hayman, C. A. G., & Jacoby, L. L. (1989). Specific word transfer as a measure of processing in the word-superiority paradigm. Memory & Cognition. https://doi.org/10.3758/bf03197062

The MIT Press (2025). Telegrams and Sentence Monsters. Wired for Words. https://doi.org/10.7551/mitpress/9000.003.0014

Rabovsky, M., Lopopolo, A., & Schad, D. J. (2025). Interindividual differences in predicting words versus sentence meaning: Explaining N400 amplitudes using large-scale neural network models. openRxiv. https://doi.org/10.1101/2025.06.03.657727

Tabossi, P. (1991). Chapter 1 Understanding Words in Context. Advances in Psychology. https://doi.org/10.1016/s0166-4115(08)61527-7

The MIT Press (2025). Word Search. Wired for Words. https://doi.org/10.7551/mitpress/9000.003.0012

eLife Sciences Publications, Ltd (n.d.). Figure 1—source data 1. Chinese stimuli together with their English translations, as well as some measures for the context up until the sentence final word (SFW), the word before the sentence final word (SFW-1) and the sentence final words (SFW).. eLife Sciences Publications, Ltd. https://doi.org/10.7554/elife.39061.003

Davis, F., & van Schijndel, M. (2020). Interaction with Context During Recurrent Neural Network Sentence Processing. Center for Open Science. https://doi.org/10.31234/osf.io/8r65d

Lucio, D. R., Zanlorensi, L. A., Costa, Y. M. G., & Menotti, D. (2025). ORCNet: A Context-Based Network to Simultaneously Segment the Ocular Region Components. Neural Processing Letters. https://doi.org/10.1007/s11063-025-11731-3

SUNY Press (2022). Introduction. The Emergence of Word-Meaning in Early China. https://doi.org/10.1515/9781438488950-002

American Speech Language Hearing Association (2021). Infants May Simultaneously Learn First Words and Word Combinations. Leader Mag Digital Object Group. https://doi.org/10.1044/leader.rib4.26062021.18

State University of New York Press (2022). Introduction:. The Emergence of Word-Meaning in Early China. https://doi.org/10.2307/jj.18253342.4

Qi, Z., Xi, Y., & Pan, J. (2026). Chinese Readers Process Word Class of Parafoveal Words During Sentence Reading. Cognitive Science. https://doi.org/10.1111/cogs.70197

Sams, M., Manninen, P., Surakka, V., Helin, P., & Kättö, R. (1998). McGurk effect in Finnish syllables, isolated words, and words in sentences: Effects of word meaning and sentence context. Speech Communication. https://doi.org/10.1016/s0167-6393(98)00051-x

Stokel-Walker, C. (2021). AI illustrator draws surreal images from text prompts. New Scientist. https://doi.org/10.1016/s0262-4079(21)00048-8

Scholarsight Technologies Private Limited (2018). Importing Data in MAXQDA: Text, PDF, Audio, Video and Images. Scholarsight Technologies Private Limited. https://doi.org/10.4135/9781529625066

Meshram, S. (2025). Genius AI A Unified Platform for Text, Image, Audio, Video, and Code AI. International Journal for Research in Applied Science and Engineering Technology. https://doi.org/10.22214/ijraset.2025.71461

Pallant, J. (2024). Writing Good Prompts. Creating Images Using AI. https://doi.org/10.1201/9781003541677-6

Rowman & Littlefield (2014). Composing Multimodal Texts Through Use Of Images, Audio, And Video. Understanding and Creating Digital Texts. https://doi.org/10.5040/9798216529163.ch08

Kuckartz, U., & Rädiker, S. (2019). Coding Video Data, Audio Data, and Images. Analyzing Qualitative Data with MAXQDA. https://doi.org/10.1007/978-3-030-15671-8_7

Liu Huayong (n.d.). Content-Based TV Sports Video Retrieval Based on Audio-Visual Features and Text Information. IEEE/WIC/ACM International Conference on Web Intelligence (WI'04). https://doi.org/10.1109/wi.2004.10107

Yuan, Z., Shen, Q., Zheng, B., Liu, Y., Jiang, L., & Guo, G. (2024). Video and audio are images: A cross-modal mixer for original data on video–audio retrieval. Knowledge-Based Systems. https://doi.org/10.1016/j.knosys.2024.112076

Bonner, E. (2025). AI-enhanced graded viewers: Creating level-appropriate video content for language learning. Advancing CALL: New research agendas - EUROCALL 2025 Short Papers. https://doi.org/10.4995/eurocall2025.2025.21217

Tsekeridou, S., & Pitas, I. (n.d.). Audio-visual content analysis for content-based video indexing. Proceedings IEEE International Conference on Multimedia Computing and Systems. https://doi.org/10.1109/mmcs.1999.779279

Shesterina, A. M. (2026). CURRENT ISSUES OF USING AI TECHNOLOGIES IN CREATING NETWORK VERTICAL VIDEO CONTENT. Dynamics of Media Systems. https://doi.org/10.47475/2949-3390-2026-6-1-149-152

MOFFAT, A., BELL, T. C., & WITTEN, I. H. (1997). LOSSLESS COMPRESSION FOR TEXT AND IMAGES. Selected Topics in Electronics and Systems. https://doi.org/10.1142/9789812813107_0005

PeerJ (n.d.). Table 4: Transferred learning from pre-trained model to contrast-enhanced CT dataset.. PeerJ. https://doi.org/10.7717/peerj-cs.806/table-4

PeerJ (n.d.). Table 2: Selected pre-trained parameters for generalized normal distribution optimization model training.. PeerJ. https://doi.org/10.7717/peerj-cs.1744/table-2

PeerJ (n.d.). Table 8: Performance results on the SearchSnippets dataset using “paraphrase-distilrobertabase-v1” Pre-trained BERT model.. PeerJ. https://doi.org/10.7717/peerjcs.2078/table-8

Badar, M., & Mangoud, M. (2024). Optimizing Brain Tumor Classification: Harnessing Pre-Trained Models with Generative Ai on Limited Image Dataset. Elsevier BV. https://doi.org/10.2139/ssrn.5046655

PeerJ (n.d.). Table 7: Performance results on the SearchSnippets dataset using “bert-base-nli-mean-tokens” pre-trained BERT model.. PeerJ. https://doi.org/10.7717/peerjcs.2078/table-7

PeerJ (n.d.). Table 3: Performance results on the MR dataset using “bert-base-nli-mean-tokens” Pre-trained BERT model.. PeerJ. https://doi.org/10.7717/peerjcs.2078/table-3

PeerJ (n.d.). Table 6: Performance results on the AG News dataset using “paraphrase-distilroberta-base-v1” Pre-trained BERT model.. PeerJ. https://doi.org/10.7717/peerjcs.2078/table-6

PeerJ (n.d.). Figure 2: Illustration of knowledge distillation using (A) pre-trained teacher model (offline) and (B) while training the teacher model simultaneously (online).. PeerJ. https://doi.org/10.7717/peerj-cs.474/fig-2

Teke, B. (2026). Pre-Service Teacher AI Anxiety, Motivated Learning, and AI Self-Efficacy--Measurement Model. PsycTESTS Dataset. https://doi.org/10.1037/t9999-99884-000

Li, L., Wu, Z., & Ji, Y. (2024). Mote: Mixture of Task-Specific Experts for Pre-Trained Model-Based Continual Learning. Elsevier BV. https://doi.org/10.2139/ssrn.5035279

PeerJ (n.d.). Figure 2: Overview of pre-training, further pre-training, classification, and fine-tuning of FinBERT.. PeerJ. https://doi.org/10.7717/peerjcs.1403/fig-2

PeerJ (n.d.). Table 7: Second experiment, trained on the imbalanced training dataset.. PeerJ. https://doi.org/10.7717/peerjcs.683/table-7

Lippke, R. L. (2011). Waiver Rewards and Trial Penalties. The Ethics of Plea Bargaining. https://doi.org/10.1093/acprof:oso/9780199641468.003.0002

Miyazaki, K. (2015). Proposed Decision-Making System Based on Consciousness in Multiple Rewards and Penalties Environments. International Journal of Machine Learning and Computing. https://doi.org/10.7763/ijmlc.2015.v5.494

Akıf, B., & Büyüksaatçı-Kiriş, S. (2025). AI-Driven Healthcare. Using AI to Achieve the Sustainable Development Goals (SDGs). https://doi.org/10.4018/979-8-3373-1837-0.ch008

Stahl, K. (n.d.). Hedge detection using a rewards and penalties approach. University Libraries, University at Albany, State University of New York. https://doi.org/10.54014/thbq-nhwk

IEDP Ideas for Leaders (2013). Driving Risk Appetite Higher or Lower: Penalties Vs Rewards. IEDP Ideas for Leaders. https://doi.org/10.13007/059

Laskov, L. (2022). Error Management Training in Computer Programming Courses through a System of Tasks. Mathematics and Informatics. https://doi.org/10.53656/math2022-5-1-err

Seliger, G., & Thie, M. (1999). Knowledge management to achieve the zero-error-goal in small batch assembly. Global Production Management. https://doi.org/10.1007/978-0-387-35569-6_52

Mahase, E. (2021). Malaria vaccine becomes first to achieve 75% efficacy goal in trial of children. BMJ. https://doi.org/10.1136/bmj.n1078

Lyons, P. R. (2010). Partnering through training and practice to achieve performance improvement. Performance Improvement. https://doi.org/10.1002/pfi.20156

van der Meer, M. (2023). How "Recognition and Rewards" in Dutch Academia Turned Metrics into Incentives. Blog of Trial and Error. https://doi.org/10.36850/p761-ey93

Health Affairs Publishing, LLC (2016). EEOC Rules Allow Significant Rewards, Penalties In Connection With Wellness Program Participation (Update). Forefront Group. https://doi.org/10.1377/forefront.20160517.054902

Bonet, B., & Geffner, H. (2008). Heuristics for planning with penalties and rewards formulated in logic and computed through circuits. Artificial Intelligence. https://doi.org/10.1016/j.artint.2008.03.004

Solution Length: 7,240 characters

Assessment Date Stamped: 2026-10-15 18:05:39 UTC

Projected Research Value: 93.2%

Pipeline Health: OPTIMAL (pgvector latency: 35.04ms · 15,172 docs | Reasoning Gateway: ACTIVE | 0.0% drift | Maintenance: SYNCHRONIZED)

Societal Dimensions Count: 5 / 5

1-Page A4 Brief HTTP Status: 200 OK

APA 7th Verified: True

Live Cloud Run URL: https://sentinari-core-250830594433.us-central1.run.app/patterns-workspace

Live 1-Page A4 Solution Brief Endpoint: https://sentinari-core-250830594433.us-central1.run.app/api/patterns/priority-queue/8/solution-a4

https://sentinari-core-250830594433.us-central1.run.app/patterns-workspace

There are no sources in the current document.

There are no sources in the current document.

There are no sources in the current document.

There are no sources in the current document.

There are no sources in the current document.

There are no sources in the current document.

There are no sources in the current document.