

Hands-on Lab: Create Tables using SQL Scripts and Load Data into Tables in MySQL using phpMyAdmin

Estimated time needed: 20 minutes

In this lab, you will learn how to create tables and load data in the MySQL database service using the phpMyAdmin graphical user interface (GUI) tool.

Software Used in this Lab

In this lab, you will use MySQL. MySQL is a Relational Database Management System (RDBMS) designed to efficiently store, manipulate, and retrieve data.



To complete this lab you will utilize MySQL relational database service available as part of IBM Skills Network Labs (SN Labs) Cloud IDE. SN Labs is a virtual lab environment used in this course.

Database Used in this Lab

The database used in this lab is an internal database. You will be working on a sample HR database. This HR database schema consists of 5 tables called **EMPLOYEES**, **JOB_HISTORY**, **JOBS**, **DEPARTMENTS** and **LOCATIONS**. Each table has a few rows of sample data. The following diagram shows the tables for the HR database:

SAMPLE HR DATABASE TABLES

EMPLOYE	ES													
EMP_ID	F_NAME	L_NAME	SSN	B_DATE		SEX	ADDRESS		JOB_ID	SALA	RY I	MANAGE	R_ID	DEP_ID
E1001	John	Thomas	123456	1976-0	1-09	М	5631 Rice, OakPark,IL		100	100000		30001		2
E1002	Alice	James	123457	1972-0	7-31	F	980 Berry In,	Elgin,IL	200	80000	0 3	30002		5
E1003	Steve	Wells	123458	1980-0	8-10	М	291 Springs, Gary, IL		300	50000		30002		5
JOB_HIST	ORY					J	OBS							
EMPL_ID	START_DATE JO		OBS_ID	BS_ID DEPT_I		JC	JOB_IDENT JOB_T		TLE		MIN_SALARY		MAX_SALARY	
E1001	2000-01	2000-01-30 10		2		10	100 Sr. Arch		itect		60000		100000	
E1002	2010-08-16 2		00	5		20	00 Sr.Softv		vareDeveloper		60000		80000	
E1003	2016-08	2016-08-10 300		5		30	00 Jr.Softw		vareDeveloper		40000		600	00
DEPARTM	ENTS						LOCATIO	ONS						
DEPT_ID_DE	P DEP_NA	DEP_NAME		MANAGER_ID			LOCT_ID		DEP_ID_LOC		9			
2	Architec	Architect Group		30001			L0001		2					
5	Softwar	Software Development		30002			L0002		5					
7	Design 1	Design Team		30003			L0003		7					
5	Software		30004	30004 L										

Objectives

After completing this lab, you will be able to use phpMyAdmin with MySQL to:

- Create a database.
- Create tables using SQL scripts
- Load data into tables


Exercise

In this exercise through different tasks, you will learn how to create tables and load data in the MySQL database service using the phpMyAdmin graphical user interface (GUI) tool.


Task A: Create a database

1. Click on Skills Network Toolbox. In Database section, click MySQL.


To start the MySQL click Start.



2. Once MySQL has started, click on phpMyAdmin button to open phpMyAdmin in the same window.




3. You will see the phpMyAdmin GUI tool.



4. In the tree-view, click New to create a new empty database. Then enter HR as the name of the database and click Create.

The encoding will be left as utf8mb4_0900_ai_ci. UTF-8 is the most commonly used character encoding for content or data.


Proceed to Task B.



Exercise 1: Create tables using SQL scripts

In this exercise, you will learn how to execute a script containing the CREATE TABLE commands for all the tables rather than create each table manually by typing the DDL commands in the SQL editor.


- 1. Download the script file to your computer:
 - HR Database Create Tables Script.sql
- Select the HR database. Later click on the Import tab.
- Click on **choose file**. Browse for the file and upload it .
- Later scroll down and click on Go.



• The script then gets imported successfully.



• Click on any of the tables and you will see its Table Definition (that is, its list of columns, data types, etc).



Exercise 2: Load data into tables


In this exercise, you will learn how data can be loaded into Db2. You could manually insert each row into the table one by one, but that would take a long time. Instead, Db2 (and almost every other database) allows you to load data from .CSV files.

The steps below explain the process of loading data into the tables you created earlier in exercise 1.


- 1. Download the 5 .csv files below to your local computer:
 - o <u>Departments.csv</u>
 - o <u>Employees.csv</u>
 - o <u>Jobs.csv</u>
 - <u>Locations.csv</u>
 - JobsHistory.csv

To load each table do the following steps.


- Select each table .
- Click on Import tab.
- Select the csv file and click on Go to load the csv file.



Once the tables are loaded, you will get a message that the records are inserted successfully.



Further you can click on browse and view the data of each table.



Congratulations! You have completed this lab, and you are ready for the next topic.

Author(s)

Lakshmi Holla

Malika Singla

Changelog

Date	Version	Changed by	Change Description
2022-04-07	0.2	Malika Singla	Updated screenshot
2021-11-01	0.1	Lakshmi Holla, Malika Singla	Initial Version

© IBM Corporation 2021. All rights reserved.