

NAME : SANGRAM DALAVE

ROLL NO: 08

## PRACTICAL: 9

```
import pandas as pd
from sklearn.datasets import load_wine
from sklearn.model_selection import train_test_split
from sklearn.neighbors import KNeighborsClassifier
from sklearn.metrics import accuracy_score, classification_report,
confusion_matrix

# Load the Wine dataset
wine = load_wine()
X = wine.data
y = wine.target

# Split the data into training and testing sets (80% training, 20%
testing)
X_train, X_test, y_train, y_test = train_test_split(X, y,
test_size=0.2, random_state=42)

# Instantiate the K-Nearest Neighbors classifier
knn_classifier = KNeighborsClassifier(n_neighbors=3) # Adjust 'k' as
needed

# Train the classifier on the training set
knn_classifier.fit(X_train, y_train)

# Make predictions on the testing set
y_pred = knn_classifier.predict(X_test)

# Evaluate the classifier
accuracy = accuracy_score(y_test, y_pred)
conf_matrix = confusion_matrix(y_test, y_pred)
classification_rep = classification_report(y_test, y_pred)

# Display the results
print(f"Wine Dataset - Accuracy: {accuracy:.4f}")
print("\nConfusion Matrix:\n", conf_matrix)
print("\nClassification Report:\n", classification_rep)
```