


# Лабораторная работы 6-7


ООптимисты: Жогова Анастасия, Боярченков Артем,  
Шедько Арина, Стрелкова Мария ИДБ-23-07

# Исходные файлы, которые закодированы программой



A screenshot of a code editor window with a dark theme. The title bar at the top shows a file icon, the name 'input1.txt', and buttons for closing (X) and adding (+). Below the title bar is a menu bar with three items: 'Файл' (File), 'Изменить' (Edit), and 'Просмотр' (View). The main text area contains the string 'xz25' with a vertical cursor at the beginning.


```
input1.txt
Файл  Изменить  Просмотр
xz25
```




A screenshot of a code editor window with a dark theme. The title bar at the top shows a file icon, the name 'output1\_encoded.txt', and buttons for closing (X) and adding (+). Below the title bar is a menu bar with three items: 'Файл' (File), 'Изменить' (Edit), and 'Просмотр' (View). The main text area contains the string 'wHоyNQ==', where the first seven characters 'wHоyNQ' are underlined in red.

```
output1_encoded.txt
Файл  Изменить  Просмотр
wHоyNQ==
```

# Исходные файлы, которые закодированы программой




A screenshot of a text editor window with a dark theme. The title bar at the top shows a file icon, the name 'input2.txt', a close button (X), and a plus sign (+). Below the title bar is a menu bar with three items: 'Файл' (File), 'Изменить' (Edit), and 'Просмотр' (View). The main text area contains the string 'Fh7k' with a vertical cursor positioned at the beginning of the text.



A screenshot of a text editor window with a dark theme. The title bar at the top shows a file icon, the name 'output2\_encoded.txt', a close button (X), and a plus sign (+). Below the title bar is a menu bar with three items: 'Файл' (File), 'Изменить' (Edit), and 'Просмотр' (View). The main text area contains the string 'Rmg3aw==' with a vertical cursor positioned at the beginning of the text.

Исходные файлы, которые закодированы программой




A screenshot of a text editor window with a dark theme. The title bar shows a file icon, the name 'input3.txt', and buttons for closing (X) and adding (+). Below the title bar is a menu bar with three items: 'Файл' (File), 'Изменить' (Edit), and 'Просмотр' (View). The main text area contains the string 'gRn4'.

```
input3.txt
```

Файл    Изменить    Просмотр

gRn4




A screenshot of a text editor window with a dark theme. The title bar shows a file icon, the name 'output3\_encoded.txt', and buttons for closing (X) and adding (+). Below the title bar is a menu bar with three items: 'Файл' (File), 'Изменить' (Edit), and 'Просмотр' (View). The main text area contains the string 'Z1JuNA=='.

```
output3_encoded.txt
```


Файл    Изменить    Просмотр

Z1JuNA==

Исходные файлы, которые декодированы программой




A screenshot of a text editor window with a dark theme. The title bar at the top shows a blue notepad icon, the filename 'encoded1.txt', and standard window controls (close, maximize, and a plus sign for additional windows). Below the title bar is a menu bar with three items: 'Файл' (File), 'Изменить' (Edit), and 'Просмотр' (View). The main text area contains the string 'UNQ1NA==', with a vertical cursor positioned at the beginning of the text.




A screenshot of a text editor window with a dark theme. The title bar at the top shows a blue notepad icon, the filename 'output1\_decoded.txt', and standard window controls (close, maximize, and a plus sign for additional windows). Below the title bar is a menu bar with three items: 'Файл' (File), 'Изменить' (Edit), and 'Просмотр' (View). The main text area contains the string 'Pt5'.

Исходные файлы, которые декодированы программой




A screenshot of a text editor window with a dark theme. The title bar shows a file icon, the name 'encoded2.txt', a close button (X), and a plus sign (+). Below the title bar is a menu bar with three items: 'Файл' (File), 'Изменить' (Edit), and 'Просмотр' (View). The main text area contains the string 'Umo1dg=='. The text is white on a dark background.




A screenshot of a text editor window with a dark theme. The title bar shows a file icon, the name 'output2\_decoded.txt', a close button (X), and a plus sign (+). Below the title bar is a menu bar with three items: 'Файл' (File), 'Изменить' (Edit), and 'Просмотр' (View). The main text area contains the string 'Rj5'. The text is white on a dark background.

Исходные файлы, которые декодированы программой



A screenshot of a text editor window with a dark theme. The title bar shows a file icon, the name 'encoded3.txt', a close button (X), and a plus button (+). Below the title bar is a menu bar with three items: 'Файл' (File), 'Изменить' (Edit), and 'Просмотр' (View). The main text area contains the string 'emJUTQ==', where the first part 'emJUTQ' is underlined in red.

```
emJUTQ==
```



A screenshot of a text editor window with a dark theme. The title bar shows a file icon, the name 'output3\_decoded.txt', a close button (X), and a plus button (+). Below the title bar is a menu bar with three items: 'Файл' (File), 'Изменить' (Edit), and 'Просмотр' (View). The main text area contains the string 'zbT', where the first part 'zb' is underlined in red.

```
zbT
```

# Консоль отладки при выполнении программы



Консоль отладки Microsoft Vi



Текущая кодовая страница: 1251

Файл input1.txt закодирован в output1\_encoded.txt

Файл input2.txt закодирован в output2\_encoded.txt

Файл input3.txt закодирован в output3\_encoded.txt

Файл encoded1.txt декодирован в output1\_decoded.txt

Файл encoded2.txt декодирован в output2\_decoded.txt

Файл encoded3.txt декодирован в output3\_decoded.txt