Surname	Other nai	mes
Pearson Edexcel International Advanced Level	Centre Number	Candidate Number
Core Math Advanced Subsidiar		s C12
Advanced Subsidial	r y	
Wednesday 24 May 2017 – Time: 2 hours 30 minutes	Morning	Paper Reference WMA01/01

Candidates may use any calculator allowed by the regulations of the Joint Council for Qualifications. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

Instructions

- Use **black** ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B). Coloured pencils and highlighter pens must not be used.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer all questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the spaces provided
 there may be more space than you need.
- You should show sufficient working to make your methods clear. Answers without working may not gain full credit.
- When a calculator is used, the answer should be given to an appropriate degree of accuracy.

Information

- The total mark for this paper is 125.
- The marks for each question are shown in brackets
 use this as a quide as to how much time to spend on each question.

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶



P51402A
©2017 Pearson Education Ltd.




1.	An arithmetic sequence has first term 6 and common difference 10	
	Find	
	(a) the 15th term of the sequence,	(2)
	(b) the sum of the first 20 terms of the sequence.	(2)

	Question 1 continued	Leave blank
01		
01		
01		
01		
		Q1
(Total 4 marks)	(Total 4 marks)	



Simplify the following expressions fully.



(1)

Leave blank

(b)
$$\left(\frac{x}{\sqrt{2}}\right)^{-2}$$

(1)

(b)
$$\left(\frac{x}{\sqrt{2}}\right)^{-2}$$

(c) $x\sqrt{3} \div \sqrt{\frac{48}{x^4}}$

(2)

Question 2 continued	l t	blan
	Q	2
	(Total 4 marks)	



3.	The line l_1 has equation $2x + 3y = 6$	
	The line l_2 is parallel to the line l_1 and passes through the point $(3, -5)$.	
	Find the equation for the line l_2 in the form $y = mx + c$, where m and c are constants.	(4)

estion 3 continued	



- **4.** The curve C has equation $y = 4x\sqrt{x} + \frac{48}{\sqrt{x}} \sqrt{8}$, x > 0
 - (a) Find, simplifying each term,
 - (i) $\frac{\mathrm{d}y}{\mathrm{d}x}$
 - (ii) $\frac{d^2y}{dx^2}$

(5)

(b) Use part (a) to find the exact coordinates of the stationary point of C.

(5)

(c) Determine whether the stationary point of *C* is a maximum or minimum, giving a reason for your answer.

(2)

	I l
uestion 4 continued	



Question 4 continued	
Question 4 continued	

Question 4 continued		blank
		Q4
	(Total 12 marks)	



- 5. $f(x) = -4x^3 + 16x^2 13x + 3$
 - (a) Use the remainder theorem to find the remainder when f(x) is divided by (x 1).

(2)

(b) Use the factor theorem to show that (x - 3) is a factor of f(x).

(2)

(c) Hence fully factorise f(x).

(4)




Figure 1

Figure 1 shows a sketch of part of the curve with equation y = f(x).

(d) Use your answer to part (c) and the sketch to deduce the set of values of x for which $f(x) \leq 0$

(2)

	Leave
	blank
Question 5 continued	
Question 5 continued	



Question 5 continued		

Question 5 continued	blank
	Q5
(Total 10 marks)	1



6.




Figure 2

Figure 2 shows a sketch of a design for a triangular garden ABC.

The garden has sides BA with length 10 m, BC with length 6 m and CA with length 12 m.

The point D lies on AC such that BD is an arc of the circle centre A, radius 10 m.

A flowerbed BCD is shown shaded in Figure 2.

(a) Find the size of angle BAC, in radians, to 4 decimal places.

(2)

(b) Find the perimeter of the flowerbed BCD, in m, to 2 decimal places.

(3)

(c) Find the area of the flowerbed BCD, in m^2 , to 2 decimal places.

(4)

	Lea bla
Question 6 continued	



Question 6 continued	

Question 6 continued		blank
		Q6
	(Total 9 marks)	



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

7.




Figure 3 shows a sketch of part of the curve with equation y = f(x).

The curve crosses the y-axis at the point (0, 8).

The line with equation y = 10 is the only asymptote to the curve.

The curve has a single turning point, a minimum point at (2, 5), as shown in Figure 3.

(a) State the coordinates of the minimum point of the curve with equation $y = f\left(\frac{1}{4}x\right)$

(1)

(b) State the equation of the asymptote to the curve with equation y = f(x) - 3 (1)

The curve with equation y = f(x) meets the line with equation y = k, where k is a constant, at two distinct points.

(c) State the set of possible values for k.

(2)

(d) Sketch the curve with equation y = -f(x). On your sketch, show clearly the coordinates of the turning point, the coordinates of the intersection with the *y*-axis and the equation of the asymptote.

(3)

20



	Leave
	blank
Question 7 continued	
Question / continued	



Leave blank Question 7 continued

Question 7 continued		blank
		07
		Q7
	(Total 7 marks)	



8. (a) Find $\int (3x^2 + 4x - 15) dx$, simplifying each term.

(3)

Given that b is a constant and

$$\int_{b}^{4} (3x^2 + 4x - 15) \, \mathrm{d}x = 36$$

(b) show that $b^3 + 2b^2 - 15b = 0$

(2)

(c) Hence find the possible values of b.

(3)





	Leave
	blank
Question 8 continued	



Question 8 continu	ied		

Question 8 continued	blank
	Q8
(Total 8 marks)	
(Total 6 marks)	



9. (i) Find the exact value of x for which

$$2\log_{10}(x-2) - \log_{10}(x+5) = 0$$

(5)

Leave blank

(ii) Given

$$\log_p(4y+1) - \log_p(2y-2) = 1 \qquad p > 2, y > 1$$

express y in terms of p.

(5)

uestion 9 continued		I 1
	estion 9 continued	



Question 9 continued	

Question 9 continued		Leave
		Q9
	(Total 10 marks)	



10. (a) Find the first 3 terms, in ascending powers of x, of the binomial expansion of

$$\left(2-\frac{x}{8}\right)^{10}$$

giving each term in its simplest form.

(4)

$$f(x) = \left(2 - \frac{x}{8}\right)^{10} (a + bx)$$
, where a and b are constants

Given that the first two terms, in ascending powers of x in the series expansion of f(x), are 256 and 352x,

(b) find the value of a,

(2)

(c) find the value of b.

(2)

32

	Leave
	blank
Question 10 continued	
Question 10 continued	



Question 10 continue	ed		

Question 10 continued	blank
	Q10
(Total 8 marks)	



11. Wheat is to be grown on a farm.

A model predicts that the mass of wheat harvested on the farm will increase by 1.5% per year, so that the mass of wheat harvested each year forms a geometric sequence.

Given that the mass of wheat harvested during year one is 6000 tonnes,

(a) show that, according to the model, the mass of wheat harvested on the farm during year 4 will be approximately 6274 tonnes.

(2)

During year N, according to the model, there is predicted to be more than 8000 tonnes of wheat harvested on the farm.

(b) Find the smallest possible value of N.

(5)

It costs £5 per tonne to harvest the wheat.

(c) Assuming the model, find the total amount that it would cost to harvest the wheat from year one to year 10 inclusive. Give your answer to the nearest £1000.

- (.1	1
١,	_	,

	Lo
Question 11 continued	bl
Question 11 continued	



Question 11 continued		

Question 11 continued	Leave blank
	Q11
(Total 10 marks)	






Figure 4

Figure 4 shows a sketch of part of the curve C with equation

$$y = x^3 - 9x^2 + 26x - 18$$

The point P(4, 6) lies on C.

(a) Use calculus to show that the normal to C at the point P has equation

$$2y + x = 16$$
 (5)

The region R, shown shaded in Figure 4, is bounded by the curve C, the x-axis and the normal to C at P.

(b) Show that C cuts the x-axis at (1,0)

(1)

(c) Showing all your working, use calculus to find the exact area of R.

(6)

(Solutions based entirely on graphical or numerical methods are not acceptable.)

	Leave
	blank
Question 12 continued	
Question 12 continued	



Question 12 con	unucu		

Question 12 continued	blank
	Q12
(Total 12 marks)	



(4)

(6)

13. (a) Show that the equation

$$5\cos x + 1 = \sin x \tan x$$

can be written in the form

$$6\cos^2 x + \cos x - 1 = 0$$

(b) Hence solve, for $0 \leqslant \theta < 180^{\circ}$

$$5\cos 2\theta + 1 = \sin 2\theta \tan 2\theta$$

giving your answers, where appropriate, to one decimal place.

(Solutions based entirely on graphical or numerical methods are not acceptable.)

	I l
Question 13 continued	



Question 13 continu	ed		

Question 13 continued	Leave
	_
	Q13
(Total 10 mar	ks)



blank

(2)

(2)

(4)

14.




Figure 5

Figure 5 shows a sketch of the circle C_1

The points A(1, 4) and B(7, 8) lie on C_1

Given that AB is a diameter of the circle C_1

- (a) find the coordinates for the centre of C_1
- (b) find the exact radius of C_1 simplifying your answer.

Two distinct circles C_2 and C_3 each have centre (0, 0).

Given that each of these circles touch circle C_1

(c) find the equation of circle ${\cal C}_{\rm 2}$ and the equation of circle ${\cal C}_{\rm 3}$



uestion 14 continued	



Question 14 continued	

	Leave
Question 14 continued	blank
Question 14 continued	
	Q14
(Total 8 marks)	



15. The height of water, H metres, in a harbour on a particular day is given by the equation

$$H = 4 + 1.5\sin\left(\frac{\pi t}{6}\right), \qquad 0 \leqslant t < 24$$

where t is the number of hours after midnight, and $\frac{\pi t}{6}$ is measured in radians.

(a) Show that the height of the water at 1 a.m. is 4.75 metres.

(1)

(b) Find the height of the water at 2 p.m.

(2)

(c) Find, to the nearest minute, the first two times when the height of the water is 3 metres.

(Solutions based entirely on graphical or numerical methods are not acceptable.)

(6)

	Leave
	blank
0 2 15 2 1	Dialik
Question 15 continued	



Question 15 contin	ued		

	Leave
	blank
Overtion 15 continued	o lank
Question 15 continued	



Question 15 continued		Leave blank
		Q15
	(Total 9 marks)	
END	TOTAL FOR PAPER: 125 MARKS	